



Universiteit
Leiden
The Netherlands

Transient complexes of haem proteins

Volkov, O.M.

Citation

Volkov, O. M. (2007, February 28). *Transient complexes of haem proteins*. Leiden Institute of Chemistry/MetProt Group, Faculty of Mathematics and Natural Sciences, Leiden University. Retrieved from <https://hdl.handle.net/1887/11002>

Version: Corrected Publisher's Version

[Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

License: <https://hdl.handle.net/1887/11002>

Note: To cite this publication please use the final published version (if applicable).

Transient Complexes of Haem Proteins

PROEFSCHRIFT

ter verkrijging van

de graad van Doctor aan de Universiteit Leiden,

op gezag van de Rector Magnificus Prof. Mr. Dr. P.F. van der Heijden,

volgens besluit van het College voor Promoties

te verdedigen op woensdag 28 februari 2007

klokke 13.45 uur

door

Oleksandr Mykolayovych Volkov

Geboren te Kiev in 1978

Promotiecommissie

Promotor: Prof. Dr. G. W. Canters

Co-promotor: Dr. M. Ubbink

Referent: Prof. Dr. J. J. Led (Københavns Universitet)

Overigen leden: Prof. Dr. J. Brouwer

Prof. Dr. H. J. M. de Groot

Dr. A. M. J. J. Bonvin (Universiteit Utrecht)

Моей маме

Cover image: Structural representation of the protein complex between cytochrome *c* peroxidase (green ribbon) and cytochrome *c* (red ribbon). The blue and gold "clouds" indicate the areas avoided and visited, respectively, by cytochrome *c* in the dynamic state of the complex. Image courtesy of Dr. A. W. J. W. Tepper (Phantatomix Molecular Graphics, Leiden University, Leiden, The Netherlands).

Printed by PrintPartners Ipkamp, Enschede.

ISBN 978-90-9021558-7

2007, Alexander Volkov

Table of Contents

| | |
|---|-----|
| Abbreviations | 6 |
| Chapter I | 7 |
| Introduction | |
| Chapter II | 23 |
| The highly dynamic complex of cytochrome <i>c</i> and cytochrome <i>b</i> ₅ | |
| Chapter III | 47 |
| Solution structure of the complex between yeast cytochrome <i>c</i> and cytochrome <i>c</i> peroxidase | |
| Chapter IV | 69 |
| Dynamics in the complex of yeast cytochrome <i>c</i> and cytochrome <i>c</i> peroxidase | |
| Chapter V | 81 |
| Control of the specificity in the transient complex of yeast cytochrome <i>c</i> and cytochrome <i>c</i> peroxidase | |
| Chapter VI | 103 |
| Increased affinity in the complex of yeast cytochrome <i>c</i> and cytochrome <i>c</i> peroxidase | |
| Concluding Remarks | 121 |
| Appendices | 129 |
| References | 153 |
| Summary | 169 |
| List of Publications | 180 |
| Biography | 181 |
| Acknowledgements | 182 |

Abbreviations

| | |
|---------------------------|--|
| AIR | ambiguity-driven intermolecular restraints |
| Amp | ampicillin |
| Cyt <i>b</i> ₅ | soluble part of the bovine liver microsomal cytochrome <i>b</i> ₅ |
| Cyt <i>c</i> | <i>iso</i> -1-cytochrome <i>c</i> from yeast, unless mentioned otherwise |
| CcP | yeast cytochrome <i>c</i> peroxidase |
| EDTA | N,N,N',N'-ethylenediaminetetraacetic acid disodium salt |
| EPR | electron paramagnetic resonance |
| ET | electron transfer |
| FPLC | fast protein liquid chromatography |
| HSQC | heteronuclear single-quantum coherence |
| IPTG | isopropyl- β -D-thiogalactopyranoside |
| ITC | isothermal titration calorimetry |
| LB | Luria – Bertani medium |
| MTS | (1-acetyl-2,2,5,5-tetramethyl-3-pyrroline-3-methyl)-methanethiosulfonate |
| MTSL | (1-oxyl-2,2,5,5-tetramethyl-3-pyrroline-3-methyl)-methanethiosulfonate |
| NMR | nuclear magnetic resonance |
| NOESY | nuclear Overhauser enhancement spectroscopy |
| P _i | inorganic phosphate |
| Pr | haem propionate |
| PRE | paramagnetic relaxation enhancement |
| rmsd | root-mean-square deviation |
| RT | room temperature |
| SB | Super Broth |
| TB | Terrific Broth |
| TSP | 3-(trimethylsilyl)-propionic acid-D4, sodium salt |
| TOCSY | total correlation spectroscopy |
| Tris-HCl | tris(hydroxymethyl)aminomethane hydrochloride |
| UV-vis | ultra-violet – visible spectroscopy |
| wt | wild type |