



Universiteit
Leiden
The Netherlands

The Role of Noradrenaline on the Lipid Metabolism of Water- and Air-Breathing Fish Species.

Heeswijk, J.C.F. van

Citation

Heeswijk, J. C. F. van. (2005, September 8). *The Role of Noradrenaline on the Lipid Metabolism of Water- and Air-Breathing Fish Species*. Retrieved from <https://hdl.handle.net/1887/3019>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/3019>

Note: To cite this publication please use the final published version (if applicable).

References

- Angel, A., Desai, K.S., and Halperin, M.L. (1971). Intracellular accumulation of free fatty acids in isolated white adipose tissue. *J. Lipid Res.* 12: 104-111.
- Babiker, M.M. (1979). Respiration behaviour, oxygen consumption and relative dependence on aerial respiration in the African lungfish (*Protopterus annectens*, Owen) and an air-breathing teleost (*Clarias lazera*, C.). *Hydrobiologia* 65 (2): 177-187.
- Bartness, T.J., and Bamshad, M. (1998). Innervation of mammalian white adipose tissue: implications for the regulation of total body fat. *Am. J. Physiol. Regul. Integr. Comp. Physiol.* 275: R1399-R1411.
- Bergmeyer, H.U. (1970). *Methoden der enzymatische Analyse. Band II*, Verlag Chemie GmbH, Germany pp. 1425-1429.
- Bernard, S.F., Reidy, S.P., Zwingelstein, G., and Weber, J.M. (1999). Glycerol and fatty acid kinetics in rainbow trout: Effects of endurance swimming. *J. Exp. Biol.* 202 (3): 279-288.
- Bevan, D.J., and Kramer, D.L. (1987). The respiratory behaviour of an air-breathing catfish, *Clarias macrocephalus* (Clariidae). *Can. J. Zool.* 65: 348-353.
- Birnbaum, M.J., Schultz, J., and Fain, J.N. (1976). Hormone-stimulated glycogenolysis in isolated goldfish hepatocytes. *Am. J. Physiol.* 231 (1): 191-197.
- Black, D., and Love, R.M. (1986). The sequential mobilisation and restoration of energy reserves in tissues of Atlantic cod during starvation and refeeding. *J. Comp. Physiol. B* 156: 469-479.
- Blasco, J., Fernandez, J., and Gutierrez, J. (1992). Variations in tissue reserves, plasma metabolites and pancreatic hormones during fasting in immature carp (*Cyprinus carpio*). *Comp. Biochem. Phys.* 103A: 357-363.
- Boujard, T., and Leatherland, J.F. (1992a). Circadian rhythms and feeding times in fishes. *Environ. Biol. Fish.* 35: 109-131.
- Boujard, T., and Leatherland, J.F. (1992b). Circadian patterns of hepatosomatic index, liver glycogen and lipid content, plasma non-esterified fatty acid, glucose, T3, T4, growth hormone and cortisol concentrations in *Oncorhynchus mykiss* held under different photoperiod regimes and fed using demand-feeders. *Fish Physiol. Biochem.* 10 (2): 111-122.
- Boujard, T., Brett, S., Lin, L., and Leatherland, J.F. (1993). Effect of restricted access to demand-feeders on diurnal pattern of liver composition, plasma metabolites and hormone levels in *Oncorhynchus mykiss*. *Fish Physiol. Biochem.* 11: 337-344.
- Brighenti, L., Puviani, A.C., Gavioli, M.E., and Ottolenghi, C. (1987a). Mechanisms involved in catecholamine effect on glycogenolysis in catfish isolated hepatocytes. *Gen. Comp. Endocrin.* 66: 306-

313.

- Brighenti, L., Puviani, A.C., Gavioli, M.E., Fabbri, E., and Ottolenghi, C. (1987b). Catecholamine effect on cyclic adenosine 3':5'-monophosphate level in isolated catfish hepatocytes. *Gen. Comp. Endocrin.* 68 (2): 216-223.
- Britz, P.J., and Pienaar, A.G. (1992). Laboratory experiments on the effect of light and cover on the behaviour and growth of African catfish, *Clarias gariepinus* (Pisces: Clariidae). *J. Zool., Lond.* 227: 43-62.
- Bry, C. (1982). Daily variations in plasma cortisol levels of individual female rainbow trout *Salmo gairdneri*: evidence for a post-feeding peak in well-adapted fish. *Gen. Comp. Endocrin.* 48: 462-468.
- Burleson, M.L., Shipman, B.N., and Smatresk, N.J. (1998). Ventilation and acid-base recovery following exhausting activity in an air-breathing fish. *J. Exp. Biol.* 201: 1359-1368.
- Butler, P.J., Metcalfe, J.D., and Ginley, S.A. (1986). Plasma catecholamines in the lesser-spotted dogfish and rainbow trout at rest and during different levels of exercise. *J. Exp. Biol.* 123: 409-421.
- Carillo, M., Zanuy, S., and Herrera, E. (1982). Growth and diurnal variations in metabolic parameters in the starved bass, *Dicentrarchus labrax*, after experimental feeding. *Comp. Biochem. Phys.* 72A (1): 11-16.
- Cerda-Reverter, J.M., Zanuy, S., Carillo, M., and Madrid, J.A. (1998). Time-course studies on plasma glucose, insulin, and cortisol in sea bass (*Dicentrarchus labrax*) held under different photoperiodic regimes. *Physiol. Behav.* 64 (3): 245-250.
- Christiansen, D.C., Skarstein, L., and Klungsøyr, L. (1985). Uptake studies in adipocytes isolated from rainbow trout (*Salmo gairdnerii*). A comparison with adipocytes from rat and cat. *Comp. Biochem. Phys.* 82A: 201-205.
- Clifford, G.M., Londos, C., Kraemer, F.B., Vernon, R.G., and Yeaman, S.J. (2000). Translocation of hormone-sensitive lipase and perilipin upon lipolytic stimulation of rat adipocytes. *J. Biol. Chem.* 275 (7): 5011-5015.
- Coleman, R.A., Lewin, T.M., and Muoio, D.M. (2000). Physiological and nutritional regulation of enzymes of triacylglycerol synthesis. *Annu. Rev. Nutr.* 20: 77-103.
- Coppack, S.W., Jensen, M.D., and Miles, J.M. (1994). *In vivo* regulation of lipolysis in humans. *J. Lipid Res.* 35: 177-193.
- Danulat, E., and Mommsen, T. P. (1990). Norepinephrine: a potent activator of glycogenolysis and gluconeogenesis in rockfish hepatocytes. *Gen. Comp. Endocrin.* 78 (1): 12-22.
- Davidson, M.B., Harris, M.D., Ziel, F.H., and Rosenberg, C.S. (1988). Suppression of sleep-induced growth hormone secretion by anticholinergic agent abolishes dawn phenomenon. *Diabetes* 37: 166-171.

- Debeer, L.J., Thomas, J., De Schepper, P.J., and Mannaerts, G.P. (1979). Lysosomal triacylglycerol lipase and lipolysis in isolated rat hepatocytes. *J. Biol. Chem.* 254 (18): 8841-8846.
- De Glisezinski, I., Crampes, F., Harant, I., Havlik, P., Gardette, B., Jammes, Y., Souberbielle, J.C., Richalet, J.P., and Reviere, D. (1999). Decrease of subcutaneous adipose tissue lipolysis after exposure to hypoxia during a simulated ascent of Mt Everest. *Pflug. Arch. Eur. J. Phy.* 439 (1-2): 134-140.
- Deng, D.F., Refstie, S., Hemre, G.-I., Crocker, C.E., Chen, H.Y., Cech, J.J.Jr., and Hung, S.S.O. (2000). A new technique of feeding, repeated sampling of blood and continuous collection of urine in white sturgeon. *Fish Physiol. Biochem.* 22: 191-197.
- Dinneen, S., Alzaid, A., Miles, J., and Rizza, R. (1995). Effects of the normal nocturnal rise in cortisol on carbohydrate and fat metabolism in IDDM. *Am. J. Physiol. Endocrinol. Metab.* 268: E595-E603.
- Dugan, S.G., and Moon, T.W. (1998). Cortisol does not affect hepatic α - and β -adrenoceptor properties in rainbow trout (*Oncorhynchus mykiss*). *Fish Physiol. Biochem.* 18: 343-352.
- Dunn, J.F., and Hochachka, P.W. (1986). Metabolic responses of trout (*Salmo gairdneri*) to acute environmental hypoxia. *J. Exp. Biol.* 123: 229-242.
- Dunn, J.F., and Hochachka, P.W. (1987). Turnover rates of glucose and lactate in rainbow trout during acute hypoxia. *Can. J. Zool.* 65: 1144-1148.
- Edens, N.K., Leibel, R.L., and Hirsch, J. (1990). Mechanism of free fatty acid reesterification in human adipocytes in vitro. *J. Lipid Res.* 31: 1423-1431.
- Egan, J.J., Greenberg, A.S., Chang, M.-K., Wek, S.A., Moos, M.C.Jr., and Londos, C. (1992). Mechanism of hormone-stimulated lipolysis in adipocytes: translocation of hormone-sensitive lipase to the lipid storage droplet. *Proc. Nat. Acad. Sci. U.S.A.* 89: 8537-8541.
- Eilertson, C.D., and Sheridan, M.A. (1994). Effects of somatostatin-25 on lipid mobilisation from rainbow trout, *Oncorhynchus mykiss*, liver and adipose tissue incubated in vitro. Comparison with somatostatin-14. *J. Comp. Physiol. B* 164: 256-260.
- Fabbri, E., Brighenti, L., Ottolenghi, C., Puviani, A.C., and Capuzzo, A. (1992). Beta-adrenergic receptors in catfish liver membranes: characterisation and coupling to adenylate cyclase. *Gen. Comp. Endocrin.* 85 (2): 254-260.
- Fabbri, E., Capuzzo, A., Gambarotta, A., and Moon, T.W. (1995a). Characterisation of adrenergic receptors and related transduction pathways in the liver of the rainbow trout. *Comp. Biochem. Phys.* 112B: 643-651.
- Fabbri, E., Gambarotta, A., and Moon, T.W. (1995b). Adrenergic signalling and second messenger production in hepatocytes of two fish species. *Gen. Comp. Endocrin.* 99: 114-124.
- Fabbri, E., Capuzzo, A., and Moon, T.W. (1998a). The role of circulating catecholamines in the regulation

- of fish metabolism: An overview. *Comp. Biochem. Phys.* 120C: 177-192.
- Fabbri, E., Barbin, L., Capuzzo, A., and Biondi, C. (1998b). Adenylyl cyclase activity and glucose release from the liver of the European eel, *Anguilla anguilla*. *Am. J. Physiol. Regul. Integr. Comp. Physiol.* 275: R1563-R1570.
- Fabbri, E., Buzzi, M., Biondi, C., and Capuzzo, A. (1999). Alpha-adrenoceptor-mediated glucose release from perfused catfish hepatocytes. *Life Sci.* 65 (1): 27-35.
- Fabbri, E., Selva, C., Moon, T.W., and Capuzzo, A. (2001). Characterisation of [H-3] CGP 12177 binding to beta-adrenergic receptors in intact eel hepatocytes. *Gen. Comp. Endocrin.* 121 (3): 223-231.
- Fabbri, E., Selva, C., Piano, A., Caselli, F., and Capuzzo, A. (2002). Identification and properties of a Gs protein in catfish liver membranes. *Gen. Comp. Endocrin.* 125: 340-348.
- Fain, J.N., and Garcia-Sainz, J.A. (1983). Adrenergic regulation of adipocyte metabolism. *J. Lipid Res.* 24: 945-966.
- Farkas, T. (1967a). Examinations of the fat metabolism in freshwater fishes, the sympathetic nervous system and the mobilisation of fatty acids. *Annal. Inst. Biol. Tihany Hung. Acad. Sci.* 34: 129-138.
- Farkas, T. (1967b). The effect of catecholamines and adrenocorticotrophic hormone on blood and adipose tissue FFA levels in the fish, *Cyprinus carpio* L. *Prog. Biochem. Pharm.* 3: 314-319.
- Farkas, T. (1969a). Studies on the mobilisation of fat in lower vertebrates. *Acta Biochimica B. A.* 4: 237-249.
- Farkas, T. (1969b). Effects of agents modifying the level of cyclic 3',5'-adenosine monophosphate in adipose tissue on mobilisation of fats in fish and frogs. *Annal. Inst. Biol. Tihany Hung. Acad. Sci.* 36: 163-171.
- Farmer, C.G., and Jackson, D.C. (1998). Air-breathing during activity in the fishes *Amia calva* and *Lepisosteus oculatus*. *J. Exp. Biol.* 201 (7): 943-948.
- Fiévet, B., Caroff, J., Motais, R. (1990). Catecholamine release controlled by blood oxygen tension during deep hypoxia in trout: effect on red blood cell Na/H exchanger activity. *Resp. Physiol.* 79: 81-90.
- Figueiredo-Garutti, M.L., Navarro, I., Capilla, E., Souza, R.H.S., Moraes, G., Gutierrez, J., and Vicentini-Paulino, M.L.M. (2002). Metabolic changes in *Brycon cephalus* (Teleostei, Characidae) during post-feeding and fasting. *Comp. Biochem. Phys.* 132A: 467-476.
- Foster, G.D., and Moon, T.W. (1991). Hypometabolism with fasting in the yellow perch (*Perca flavescens*); a study of enzymes, hepatocyte metabolism, and tissue size. *Physiol. Zool.* 64 (1): 259-275.
- Foster, G.D., and Moon, T.W. (1993). Hormonal sensitivity and responsiveness in sea raven hepatocytes – changes with fasting and collagenase exposure. *Can. J. Zool.* 71 (9): 1755-1762.
- Gerwick, L., Demers, N.E., and Bayne, C.J. (1999). Modulation of stress hormones in rainbow trout by

- means of anesthesia, sensory deprivation and receptor blockade. *Comp. Biochem. Phys.* 124A: 329-334.
- Gómez-Requeni, P., Mingarro, M., Caldach-Giner, J.A., Medale, F., Martin, S.A.M., Houlihan, D.F., Kaushik, S., and Perez-Sanchez, J. (2004). Protein growth performance, amino acid utilisation and somatotrophic axis responsiveness to fishmeal replacement by plant protein sources in Gilthead sea bream (*Sparus aurata*). *Aquaculture* 232 (1-4): 493-510.
- Goudswaard, P.C., and Witte, F. (1997). The catfish fauna of Lake Victoria after the Nile perch upsurge. *Environ. Biol. Fish.* 49: 21-43.
- Graham, J.B. (1997). *Air-breathing fishes: evolution, diversity, and adaptation*. Academic press, San Diego, 299 p.
- Grigg, G.C. (1965). Studies on the Queensland lungfish, *Neoceratodus forsteri* (Kreffft). III. Aerial respiration in relation to habits. *Aust. J. Zool.* 13: 413-421.
- Gutierrez, J., Carrillo, M., Zanuy, S., and Planas, J. (1984). Daily rhythms of insulin and glucose levels in the plasma of sea bass *Dicentrarchus* after experimental feeding. *Gen. Comp. Endocrin.* 55: 393-397.
- Gutierrez, J., and Plisetskaya, E.M. (1991). Insulin binding to liver plasma membranes in salmonids with modified plasma insulin levels. *Can. J. Zool.* 69: 2745-2750.
- Haemmerle, G., Zimmermann, R., Hayn, M., Theussl, C., Waeg, G., Wagner, E., Sattler, W., Magin, T.M., Wagner, E.F., and Zechner, R. (2002). Hormone-sensitive lipase deficiency in mice causes diglyceride accumulation in adipose tissue, muscle, and testis. *J. Biol. Chem.* 277 (7): 4806-4815.
- Hagve, T.A., Sprecher, H., and Hohl, C.M. (1990). The effect of anoxia on lipid metabolism in isolated adult rat cardiac myocytes. *J. Mol. Cell. Cardiol.* 22: 1467-1475.
- Haman, F., Zwingelstein, G., and Weber, J.M. (1997). Effects of hypoxia and low temperature on substrate fluxes in fish: plasma metabolite concentrations are misleading. *Am. J. Physiol. Regul. Integr. Comp. Physiol.* 273: R2046-R2054.
- Harmon, J.S., Michelsen, K.G., and Sheridan, M.A. (1991). Purification and characterization of hepatic triacylglycerol lipase isolated from rainbow trout, *Oncorhynchus mykiss*. *Fish Physiol. Biochem.* 9 (4): 361-368.
- Harmon, J.S., and Sheridan, M.A. (1992a). Previous nutritional state and glucose modulate glucagon mediated hepatic lipolysis in rainbow trout, *Oncorhynchus mykiss*. *Zool. Sci.* 9 (2): 275-281.
- Harmon, J.S., and Sheridan, M.A. (1992b). Glucose stimulated lipolysis in rainbow trout, *Oncorhynchus mykiss*, liver. *Fish Physiol. Biochem.* 10 (3): 189-199.
- Harmon, J.S., and Sheridan, M.A. (1992c). Effects of nutritional state, insulin, and glucagon on lipid mobilisation in rainbow trout, *Oncorhynchus mykiss*. *Gen. Comp. Endocrin.* 87: 214-221.
- Harmon, J.S., Rieniets, L.M., and Sheridan, M.A. (1993). Glucagon and insulin regulate lipolysis in trout

- liver by altering phosphorylation of triacylglycerol lipase. *Am. J. Physiol. Regul. Integr. Comp. Physiol.* 34: R255-R260.
- Hartman, A.D., Cohen, A.I., Richane, C.J., and Hsu, T. (1971). Lipolytic response and adenyl cyclase activity of rat adipocytes as related to cell size. *J. Lipid Res.* 12: 498-505.
- Haylor, G., and Oyegunwa, O. (1993). Onset of air breathing and development of accessory breathing organs in relation to temperature in the African catfish, *Clarias gariepinus* (Burchell). *Aquacult. Fish. Manage.* 24: 253-260.
- Hellmer, J., Arner, P., and Lundin, A. (1989). Automatic luminometric kinetic assay of glycerol for lipolysis studies. *Anal. Biochem.* 177: 132-137.
- Henderson, R.J., and Tocher, D.R. (1987). The lipid composition and biochemistry of freshwater fish. *Prog. Lipid Res.* 26 (4): 281-347.
- Holeton, G.F., and Randall, D.J. (1967). The effect of hypoxia upon the partial pressure of gases in the blood and water afferent and efferent to the gills of rainbow trout. *J. Exp. Biol.* 46: 317-327.
- Hollenga, C. (1990). $\beta 3$ -, $\beta 2$ - and $\beta 1$ -Adrenoceptors in human and animal adipocytes. PhD-thesis, University of Groningen, The Netherlands, 139 p.
- Hollenga, C., Haas, M., Deinum, J.T., and Zaagsma, J. (1990). Discrepancies in lipolytic activities induced by β -adrenoceptor agonists in human and rat adipocytes. *Horm. Metab. Res.* 22 (1): 17-21.
- Holm, C., Belfrage, P., and Frederikson, G. (1987). Immunological evidence for the presence of hormone-sensitive lipase in rat tissues other than adipose tissue. *Biochem. Biophys. Res. Co.* 148 (1): 99-105.
- Holm, C. (2003). Molecular mechanisms regulating hormone-sensitive lipase and lipolysis. *Biochem. Soc. Trans.* 31: 1120-1124.
- Hütter, J.F., and Soboll, S. (1992). Role of fatty acid metabolites in the development of myocardial ischemic damage. *Int. J. Biochem.* 24: 399-403.
- Ince, B.W., and Thorpe, A. (1974). Effects of insulin and of metabolite loading on blood metabolites in the European silver eel, (*Anguilla anguilla* L.). *Gen. Comp. Endocrin.* 23: 460-471.
- Ince, B.W., and Thorpe, A. (1975). Hormonal and metabolite effects on plasma free fatty acids in the northern pike, *Esox lucius* L. *Gen. Comp. Endocrin.* 27 (2): 144-152.
- Ince, B.W. and Thorpe, A. (1977). Plasma insulin and glucose responses to glucagon and catecholamines in the European silver eel (*Anguilla anguilla* L.). *Gen. Comp. Endocrin.* 33 (4): 453-459.
- Iwama, G.K., and Ishimatsu, A. (1994). Cannulation of blood vessels. *Techniques in Fish Immunology* 3: 1-15.
- Janis, C.M., and Farmer, C. (1999). Proposed habitats of early tetrapods: gills, kidneys, and the water-land transition. *Zool. J. Linn. Soc.-Lond.* 126 (1): 117-126.

- Janssens, P.A., and Lowrey, P. (1987). Hormonal regulation of hepatic glycogenolysis in the carp, *Cyprinus carpio*. *Am. J. Physiol. Regul. Integr. Comp. Physiol.* 252 (21): R653-R660.
- Janssens, P.A., and Grigg, J.A. (1988). Binding of adrenergic ligands to liver plasma membrane preparations from the axolotl, *Ambystoma mexicanum*; the toad, *Xenopus laevis*; and the Australian lungfish, *Neoceratodus forsteri*. *Gen. Comp. Endocrin.* 71 (3): 524-530.
- Jesse, M.J., Shub, C., and Fishman, A.P. (1967). Lung and gill ventilation of the African lungfish. *Resp. Physiol.* 3: 267-287.
- Jezierska, B., Hazel, J.R., and Gerking, S.D. (1982). Lipid mobilisation during starvation in the rainbow trout, *Salmo gairdneri* Richardson, with attention to fatty acids. *J. Fish. Biol.* 21: 681-692.
- Johansen, K., and Lenfant, C. (1968). Respiration in the African lungfish *Protopterus aethiopicus*. II. Control of breathing. *J. Exp. Biol.* 49 (2): 453-468.
- Johnston, I.A., Bernard, L.M., and Maloiy, G.M. (1983). Aquatic and aerial respiration rates, muscles capillary supply and mitochondrial volume density in the air-breathing catfish (*Clarias mossambicus*) acclimated to aerated and hypoxic water. *J. Exp. Biol.* 105: 317-338.
- Jordan, J. (1976). The influence of body weight on gas exchange in the air-breathing fish *Clarias batrachus*. *Comp. Biochem. Phys.* 52A (3): 305-310.
- Jørgensen, J.B., and Mustafa, T. (1980). The effect of hypoxia on carbohydrate metabolism in flounder (*Platichthys flesus* L.)- I. Utilization of glycogen and accumulation of glycolytic end products in various tissues. *Comp. Biochem. Phys.* 67B: 243-248.
- Jungas, R.L., and Ball, E.G. (1963). Studies on the metabolism of adipose tissue. XII. The effects of insulin and epinephrine on free fatty acid and glycerol production in the presence and absence of glucose. *Biochemistry* 2 (2): 383-388.
- Katz, A.M., and Messineo, F.C. (1981). Lipid membrane interactions and the pathogenesis of ischemic damage in the myocardium. *Circ. Res.* 48 (1): 1-16.
- Khanna, N., and Singh, T. (1984). *In vivo* effects of epinephrine in a freshwater fish. *Experientia* 40: 939-941.
- Kind, P.K., Grigg, G.C., and Booth, D.T. (2002). Physiological responses to prolonged aquatic hypoxia in the Queensland lungfish *Neoceratodus forsteri*. *Resp. Physiol. Neurobi.* 132 (2): 179-190.
- Kitzman, J.V., Holley, J.H., and Huber, W.G. (1988). Sample collection techniques in the channel catfish during prolonged pharmacokinetic experiments. *Vet. Hum. Toxicol.* 30 (suppl. 1): 12-13.
- Klee, M., Eilertson, C., and Sheridan, M.A. (1990). Nutritional state modulates hormone-mediated hepatic glycogenolysis in Chinook salmon (*Oncorhynchus tshawytscha*). *J. Exp. Zool.* 254: 202-206.
- Kühn, E.R., Corneillie, S., and Ollivier, F. (1986). Circadian variations in plasma osmolality, electrolytes,

- glucose, and cortisol in carp (*Cyprinus carpio*). *Gen. Comp. Endocrin.* 61: 459-468.
- Lafontan, M., Berlan, M., Galitzky, J., and Montastruc, J.L. (1992). Alpha-2 adrenoceptors in lipolysis: α_2 antagonists and lipid-mobilizing strategies. *Am. J. Clin. Nutr.* 55: 219S-227S.
- Lafontan, M., and Berlan, M. (1993). Fat cell adrenergic receptors and the control of white and brown fat cell function. *J. Lipid Res.* 34: 1057-1091.
- Laidley, C.W., and Leatherland, J.F. (1988). Circadian studies of plasma cortisol, thyroid hormone, protein, glucose and ion concentration, liver glycogen concentration, and liver and spleen weight in rainbow trout, *Salmo gairdneri* Richardson. *Comp. Biochem. Phys.* 89A (3): 495-502.
- Larsson, A.L. (1973). Metabolic effects of epinephrine and norepinephrine in the eel *Anguilla anguilla* L. *Gen. Comp. Endocrin.* 20: 155-167.
- Leatherland, J.F., McKeown, B.A., and John, T.M. (1974). Circadian rhythm of plasma prolactin, growth hormone, glucose and free fatty acid in juvenile Kokanee salmon, *Oncorhynchus nerka*. *Comp. Biochem. Phys.* 47A: 821-828.
- Leatherland, J.F., and Nuti, R.A. (1982). Diurnal variations in somatotrop activity and correlated changes in plasma free fatty acids and tissue lipid levels in rainbow trout *Salmo gairdneri*. *J. Interdiscipl. Cycle* 13: 219-228.
- Liebel, R.L., and Hirsch, J. (1985). A radioisotopic technique for analysis of free fatty acid reesterification in human adipose tissue. *Am. J. Physiol. Endocrinol. Metab.* 248 (11): E140-E147.
- Lo, W.Y., Chang, C.F., and Song, Y.L. (2003). Evaluation of dorsal aorta cannulation for immunological studies of grouper (*Epinephelus malabaricus*). *Fish Shellfish Immun.* 14 (4): 289-303.
- MacCormack, T.J., McKinley, R.S., Roubach, R., Almeida-Valine, V.M.F., Val, A.L., and Driedzic, W.R. (2003). Changes in ventilation, metabolism, and behaviour, but not bradycardia, contribute to hypoxia survival in two species of Amazonian catfish. *Can. J. Zool.* 81: 272-280
- Magid, A.M.A. (1971). The ability of *Clarias lazera* to survive without air-breathing. *J. Zool.* 163: 63-72.
- Margolis, S., and Vaughan, M. (1962). α -Glycerophosphate synthesis and breakdown in homogenates of adipose tissue. *J. Biol. Chem.* 237 (1): 44-48.
- Mazeaud, M.M., and Mazeaud, F. (1981). Adrenergic response to stress in fish. In: *Stress and Fish*, edited by Pickering, A.D., Academic Press London, pp. 49-75.
- McDonald, D.G., and Milligan, C.L. (1992). Chemical properties of the blood. In: *Fish Physiology, Vol. 12*, edited by Hoar, W.S., and Randall, D.J. Academic Press, New York, pp 55-133.
- McKinley, S.J., and Hazel, J.R. (1993). Epinephrine stimulation of glucose release from perfused trout liver: effects of assay and acclimation temperature. *J. Exp. Biol.* 177: 51-62.
- McMahon, B.R. (1970). The relative efficiency of gaseous exchange across the lungs and gills of an

- African lungfish *Protopterus aethiopicus*. *J. Exp. Biol.* 52: 1-15.
- Meerson, F., Pozharov, V. and Minyailenko, T. (1994). Superresistance against hypoxia after preliminary adaptation to repeated stress. *J. Appl. Physiol.* 76 (5): 1856-1861.
- Michelsen, K.G., Harmon, J.S., and Sheridan, M.A. (1994). Adipose tissue lipolysis in rainbow trout, *Oncorhynchus mykiss*, is modulated by phosphorylation of triacylglycerol lipase. *Comp. Biochem. Phys.* 107 (4): 509-513.
- Migliorini, R.H., Lima-Verde, J.S., Machado, C.R., Cardona, G.M.P., Garofalo, M.A.R., and Kettlehut, L.C. (1992). Control of adipose tissue lipolysis in ectothermic vertebrates. *Am. J. Physiol. Regul. Integr. Comp. Physiol.* 263: R857-R862.
- Milgram, S.L., McDonald, J.K., and Noe, B.D. (1991). Neuronal influence on hormone-release from Anglerfish islet cells. *Am. J. Physiol. Endocrinol. Metab.* 261 (4): E444-E456.
- Milligan, G., Svoboda, P., and Brown, C.M. (1994). Why are there so many adrenoceptor subtypes? *Biochem. Pharmacol.* 48: 1059-1071.
- Minick, M.C., and Chavin, W. (1972). Effects of vertebrate insulins upon serum FFA and phospholipid levels in the goldfish, *Carassius auratus* linnaeus. *Comp. Biochem. Phys.* 41A: 791-804.
- Minick, M.C., and Chavin, W. (1973). Effects of catecholamines upon serum FFA levels in normal and diabetic goldfish, *Carassius auratus* L. *Comp. Biochem. Phys.* 44A: 1003-1008.
- Mitsui, A., Nohta, H., and Ohkura, Y. (1985). High-performance liquid chromatography of plasma catecholamines using 1,2-diphenylethylenediamine as precolumn fluorescence derivatization reagent. *J. Chromatogr.* 344: 61-70.
- Miyoshi, H., Shulman, G.I., Peters, E.J., Wolfe, M.H., Elahi, D., and Wolfe, R.R. (1988). Hormonal control of substrate cycling in humans. *J. Clin. Invest.* 81 (5): 1545-1555.
- Mommsen, T.P., Walsh, P.J., Perry, S.F. and Moon, T.W. (1988). Interactive effects of catecholamines and hypercapnia on glucose production in isolated trout hepatocytes. *Gen. Comp. Endocrin.* 70: 63-73.
- Mommsen, T.P., and Plisetskaya, E.M. (1991). Insulin in fishes and agnathans - History, structure and metabolic regulation. *Rev. Aquat. Sci.* 4 (2-3): 225-259.
- Montpetit, C.J., and Perry, S.F. (1998). The effect of chronic hypoxia on the acute adrenergic stress response in the Rainbow trout (*Oncorhynchus mykiss*). *Physiol. Zool.* 71 (4): 377-386.
- Moon, T.W., Walsh, P.J., and Mommsen, T.P. (1985). Fish hepatocytes: a model metabolic system. *Can. J. Fish. Aquat. Sci.* 42: 1772-1782.
- Moon, T.W., Foster, G.D., and Plisetskaya, E.M. (1989). Changes in peptide hormones and liver enzymes in the rainbow trout deprived of food for 6 weeks. *Can. J. Zool.* 67: 2189-2193.
- Moon, T.W. and Mommsen, T.P. (1990). Vasoactive peptides and phenylephrine actions in isolated teleost

- hepatocytes. *Am. J. Physiol. Endocrinol. Metab.* 259: E644-E649.
- Moon, T.W., Capuzzo, A., Puviani, A.C., Ottolenghi, C., and Fabbri, E. (1993). α -Mediated changes in hepatocyte intracellular calcium in the catfish, *Ictalurus melas*. *Am. J. Physiol. Endocrinol. Metab.* 264: E735-E740.
- Moon, T.W. (1998). Glucagon: from hepatic binding to metabolism in teleost fish. *Comp. Biochem. Phys.* 121B (1): 27-34.
- Moon, T.W., Busby, E.R., Cooper, G.A., and Mommsen, T.P. (1999). Fish hepatocyte glycogen phosphorylase- a sensitive indicator for hormonal modulation. *Fish Physiol. Biochem.* 21: 15-24.
- Moon, T.W. (2001). Glucose intolerance in teleost fish: fact or fiction? *Comp. Biochem. Phys.* 129B (2-3): 243-249.
- Moore, K.H. (1985). Fatty acid oxidation in ischemic heart. *Mol. Physiol.* 8: 549-563.
- Moussa, T.A. (1957). Physiology of the accessory respiratory organs of the teleost, *Clarias lazera* (C. & V.). *J. Exp. Zool.* 136: 419-454.
- Murat, J.C., Carpenne, C., Woo, N.Y.S., Berlan, M., Lafontan, M., and Fraisse, M. (1985). Comparative study on isolated adipocytes: specific differences in the responsiveness to hormones. In: *Current trends in Comparative Endocrinology*, edited by Lofts, B., and Holmes, W.N., Hong Kong University press, pp. 1099-1101.
- Naito, C., and Okada, K. (1975). Effect of glucose on lipolysis and on release of lipolytic products in isolated adipocytes. *Am. J. Physiol.* 228 (1): 92-97.
- Navarro, I., Carneiro, M.N., Parrizas, M., Maestro, J.L., Planas, J., and Gutierrez, J. (1993). Post-feeding levels of insulin and glucagon in trout (*Salmo trutta fario*). *Comp. Biochem. Phys.* 104A: 389-393.
- Navarro, I., and Gutierrez, J. (1995). Fasting and starvation. In: *Biochemistry and molecular biology of fishes*, vol. 4, edited by Hochachka PW and Mommsen TP, p. 393-434.
- Nawar, G. (1955). On the anatomy of *Clarias lazera*. III. The vascular system. *J. Morphol.* 97 (2): 179-214.
- Nickerson, J.G., Dugan, S.G., Drouin, G., and Moon, T.W. (2001). A putative β_2 -adrenoceptor from the rainbow trout (*Oncorhynchus mykiss*) – Molecular characterization and pharmacology. *Eur. J. Biochem.* 268 (24): 6465-6472.
- Nickerson, J.G., Dugan, S.G., Drouin, G., Perry, S.F., and Moon, T.W. (2003). Activity of the unique β -adrenergic Na⁺/H⁺ exchanger in trout erythrocytes is controlled by a novel β_3 -AR subtype. *Am. J. Physiol. Regul. Integr. Comp. Physiol.* 285: R526-R535.
- Nikinmaa, M., Steffensen, J.F., Tufts, B.L., and Randall, D.J. (1987). Control of red-cell volume and pH in trout – Effects of isoproterenol, transport inhibitors, and extracellular pH in bicarbonate carbon dioxide-

- buffered media. *J. Exp. Zool.* 242 (3): 273-281.
- Nilsson, S., and Grove, D.J. (1974). Adrenergic and cholinergic innervation of the spleen of the cod: *Gadus morhua*. *Eur. J. Pharmacol.* 28 (1): 135-143.
- Olson, K.R., Ghosh, T.K., Roy, P.K., and Munshi, J.S.D. (1995). Microcirculation of gills and accessory respiratory organs of the walking catfish *Clarias batrachus*. *Anat. Rec.* 242 (3): 383-399.
- Østerlund, T. (2001). Structure-function relationships of hormone-sensitive lipase. *Eur. J. Biochem.* 268: 1899-1907.
- Ottolenghi, C., Puviani, A.C., Gavioli, M.E., and Brighenti, L. (1986). Epinephrine effect on glycogen phosphorylase activity in catfish liver and muscles. *Gen. Comp. Endocrin.* 61: 469-475.
- Ottolenghi, C., Puviani, A.C., Gavioli, M.E., Fabbri, E., Brighenti, L., and Plisetskaya, E.M. (1989). Glycogenolytic action of glucagon-family peptides and epinephrine on catfish hepatocytes. *Fish Physiol. Biochem.* 6 (6): 387-394.
- Ottolenghi, C., Puviani, A.C., Fabbri, E., Capuzzo, A., Brighenti, L., and Plisetskaya, E.M. (1994). Hormone responsiveness of isolated catfish hepatocytes in perfusion system is higher than in flasks incubation. *Gen. Comp. Endocrin.* 95: 52-59.
- Pandey, P.K., Moitra, A., Munshi, J.S.D., and Choubey, B.J. (1978). Role of L-thyroxine, hydrocortisone and progesterone in regulation of blood volume in a fresh-water air-breathing fish, *Clarias batrachus* (Linn.). *Folia Haematol. Leipzig*, 105: 656-664.
- Perez, J., Zanuy, S., and Carillo, M. (1988). Effects of diet and feeding time on daily variations in plasma insulin, hepatic c-AMP and other metabolites in a teleost fish, *Dicentrarchus labrax* L. *Fish Physiol. Biochem.* 5: 191-197.
- Perrier, H., Perrier, C., Gudefin, Y., and Gras, J. (1972). Adrenaline-induced hypercholesterolemia in the rainbow trout (*Salmo gairdnerii* Richardson): a separate study in male and female trout and the effect of adrenergic blocking agents. *Comp. Biochem. Phys.* 43A: 341-347.
- Perry, S.F., Fritsche, R., Kinkead, R., and Nilsson, R. (1991). Control of catecholamine release in-vivo and in-situ in the Atlantic cod (*Gadus morhua*) during hypoxia. *J. Exp. Biol.* 155: 549-566.
- Perry, S.F., and Reid, S.D. (1992). The relationship between β -adrenoceptors and adrenergic responsiveness in trout (*Oncorhynchus mykiss*) and eel (*Anguilla rostrata*) erythrocytes. *J. Exp. Biol.* 167: 235-250.
- Perry, S.F., Reid, S.G., Gilmour, K.M., Boijink, C.L., Lopes, J.M., Milsom, W.K., and Rantin, F.T. (2004). A comparison of adrenergic stress responses in three tropical teleosts exposed to acute hypoxia. *Am. J. Physiol. Regul. Integr. Comp. Physiol.* 287: R188-R197.
- Plisetskaya, E.M. (1980). Fatty acids levels in blood of cyclostomes and fish, a review. *Environ. Biol. Fish*

- 5: 273-290.
- Plisetskaya, E.M., and Mommsen, T.P. (1996). Glucagon and glucagon-like peptides in fishes. *Int. Rev. Cytol.* 168: 187-257.
- Pottinger, T.G., Rand-Weaver, M., and Sumpter, J.P. (2003). Overwinter fasting and refeeding in rainbow trout: plasma growth hormone and cortisol levels in relation to energy mobilisation. *Comp. Biochem. Phys.* 136B: 403-417.
- Randall, D.J., and Perry, S.F. (1992). Catecholamines. In: *Fish Physiology*, vol. XIIB, edited by Randall, D.J., and Hoar, W.S., p. 255-300.
- Reddy, P.K., and Leatherland, J.F. (1995). Influence of the combination of time of feeding and ration level on the diurnal rhythms in rainbow trout. *Fish Physiol. Biochem.* 14 (1): 25-36.
- Reid, S.D., Moon, T.W., and Perry, S.F. (1992). Rainbow trout hepatocyte β -adrenoceptors, catecholamine responsiveness, and effects of cortisol. *Am. J. Physiol. Regul. Integr. Comp. Physiol.* 262 (31): R794-R799.
- Reid, S.G., and Perry, S.F. (1994). Storage and differential release of catecholamines in rainbow trout (*Oncorhynchus mykiss*) and American eel (*Anguilla rostrata*). *Physiol. Zool.* 67 (1): 216-237.
- Reid, S.G., and Perry, S.F. (2003). Peripheral O₂ chemoreceptors mediate humoral catecholamine secretion from fish chromaffin cells. *Am. J. Physiol. Regul. Integr. Comp. Physiol.* 284 (4): R990-R999.
- Roberts, A.C., Butterfield, G.E., Cymerman, A., Reeves, J.T., Wolfel, E.E., and Brooks, G.A. (1996). Acclimatisation to 4,300-m altitude decreases reliance on fat as a substrate. *J. Appl. Physiol.* 81 (4): 1762-1771.
- Rodbell, M. (1964). Metabolism of isolated fat cells. I. Effects of hormones on glucose metabolism and lipolysis. *J. Biol. Chem.* 239 (2): 375-380.
- Salama, A., and Nikinmaa, M. (1990). Effect of oxygen tension on catecholamine-induced formation of cAMP and on swelling of carp red blood cells. *Am. J. Physiol. Cell Physiol.* 259: C723-C726.
- Saleh, J., Sniderman, A.D., and Cianflone, K. (1999). Regulation of plasma fatty acid metabolism. *Clin. Chim. Acta* 286: 163-180.
- Schömig, A., and Richardt, G. (1990). The role of catecholamines in ischemia. *J. Cardiovasc. Pharm.* 16 (5): S105-S112.
- Scott-Thomas, D.A.E., Ballantyne, J.S., and Leatherland, J.E. (1992). Interactive effects of high stocking densities and triiodothyronine administration on aspects of the *in vivo* intermediary metabolism and *in vitro* hepatic response to catecholamine and pancreatic hormone stimulation in brook charr, *Salvelinus fontinalis*. *J. Exp. Zool.* 263: 68-82.
- Shen, W.-J., Sridhar, K., Bernlohr, D.A. and Kraemer, F.B. (1999). Interaction of rat hormone-sensitive

- lipase with adipocyte lipid-binding protein. *Proc. Nat. Acad. Sci. U.S.A.* 96: 5528-5532.
- Sheridan, M.A., and Allen, W.V. (1984). Partial purification of a triacylglycerol lipase isolated from steelhead trout (*Salmo gairdneri*) adipose tissue. *Lipids* 19 (5): 347-352.
- Sheridan, M.A. (1987). Effects of epinephrine and norepinephrine on lipid mobilisation from Coho salmon liver incubated in vitro. *Endocrinology* 120: 2234-2239.
- Sheridan, M.A. (1988). Effects of epinephrine and norepinephrine on glucose release from Chinook salmon (*Oncorhynchus tshawytscha*) liver incubated in vitro. *J. Exp. Zool.* 248: 155-159.
- Sheridan, M.A., and Mommsen, T.P. (1991). Effects of nutritional state on *in vivo* lipid and carbohydrate metabolism of Coho salmon, *Oncorhynchus kisutch*. *Gen. Comp. Endocrin.* 81: 473-483.
- Sheridan, M.A. (1994). Regulation of lipid metabolism in poikilothermic vertebrates. Mini review. *Comp. Biochem. Phys.* 107B: 495-508.
- Shimazu, T. (1996). Innervation of the liver and glucoregulation: Roles of the hypothalamus and autonomic nerves. *Nutrition* 12 (1): 65-66.
- Sidell, B.D., and Hazel, J.R. (2002). Triacylglycerol lipase activities in tissues of Antarctic fishes. *Polar Biol.* 25: 517-522.
- Singh, B.N., and Hughes, G.M. (1971). Respiration of an air-breathing catfish *Clarias batrachus* (Linn.). *J. Exp. Biol.* 55 (2): 421-434.
- Smith, U. (1983). Adrenergic control of lipid metabolism. *Acta Med. Scand.* 672: 41-47.
- Sohlberg, S., Martinsen, B., Horsberg, T.E., and Soli, N.E. (1996). Evaluation of the dorsal aorta cannulation technique for pharmacokinetic studies in Atlantic salmon (*Salmo salar*) in seawater. *J. Vet. Pharmacol. Ther.* 19 (6): 460-465.
- Soivio, A., Nyholm, K., and Westman, K. (1975). A technique for repeated sampling of blood of individual resting fish. *J. Exp. Biol.* 63: 207-217.
- Soivio, A., and Nikinmaa, M. (1981). The swelling of erythrocytes in relation to the oxygen affinity of the blood of the rainbow trout, *Salmo gairdneri* Richardson. In: *Stress and Fish*, edited by Pickering, A.D., Academic Press London, pp. 103-119.
- Stock, M.J., Chapman, C., Stirling, J.L., and Campbell, I.T. (1978). Effects of exercise, altitude, and food on blood hormone and metabolite levels. *J. Appl. Physiol.* 45: 350-354.
- Sundby, A., Eliassen, K.A., Blom, A.K., and Åsgård, T. (1991). Plasma insulin, glucagon, glucagon-like peptide and glucose levels in response to feeding, starvation, and life long restricted feed ration in salmonids. *Fish Physiol. Biochem.* 9 (3): 253-259.
- Tang, Y., and Boutilier, R.G. (1988). Correlation between catecholamine release and degree of acidotic stress in trout. *Am. J. Physiol. Regul. Integr. Comp. Physiol.* 255: R395-R399.

- Tetens, V., Lykkeboe, G., and Christensen, N.J. (1988). Potency of adrenaline and noradrenaline for beta-adrenergic proton extrusion from red cells of rainbow trout, *Salmo gairdneri*. *J. Exp. Biol.* 134: 267-280.
- Teugels, G. (1982). *A systematic outline of the African species of the genus Clarias (Pisces, Clariidae), with an annotated bibliography*. PhD-thesis, Koninklijk Museum voor Midden-Afrika, Tervuren, Belgium, 249 p.
- Thetmeyer, H., Waller, U., Black, K.D., Inselmann, S., and Rosenthal, H. (1999). Growth of European sea bass (*Dicentrarchus labrax* L.) under hypoxic and oscillating oxygen conditions. *Aquaculture* 174 (3-4): 355-367.
- Thomas, S., Kinkad, R., Walsh, P.J., Wood, C.M., and Perry, S.F. (1991). Desensitization of adrenaline-induced red blood cell H^+ extrusion in vitro after chronic exposure of rainbow trout to moderate environmental hypoxia. *J. Exp. Biol.* 156: 233-248.
- Tilzey, J.F., Waights, V., and Holmes, R. (1985a). Adrenergic control of insulin release from isolated islet tissue in the rainbow trout, *Salmo gairdneri* Richardson. *Gen. Comp. Endocrin.* 59 (3): 460-467.
- Tilzey, J.F., Waights, V., and Holmes, R. (1985b). The development of a homologous teleost insulin radioimmunoassay and its use in the study of adrenaline on insulin-secretion from isolated pancreatic-islet tissue of the Rainbow trout, *Salmo gairdnerii* (R). *Comp. Biochem. Phys.* 81A (4): 821-825.
- Van den Thillart, G. (1982). Adaptations of fish energy-metabolism to hypoxia and anoxia. *Mol. Physiol.* 2 (1): 49-61.
- Van den Thillart, G., and Van Waarde, A. (1985). Teleosts in hypoxia – aspects of anaerobic metabolism. *Mol. Physiol.* 8 (3): 393-409.
- Van den Thillart, G.E.E.J.M., Vianen, G.J., Campus Ponce, M., Lelieveld, H., Nieveen, M., Van Raaij, M., Steffens, A., and Zaagsma, J. (2001). Differential role of adrenoceptors in the control of plasma glucose and fatty acid levels in carp, *Cyprinus carpio* (L.). *Am. J. Physiol. Regul. Integr. Comp. Physiol.* 281: R615-R624.
- Van den Thillart, G.E.E.J.M., Vianen, G.J., and Zaagsma, J. (2002). Adrenergic regulation of lipid mobilisation in fishes; a possible role in hypoxia survival. *Fish Physiol. Biochem.* 27: 189-204, Special Issue, published in 2004.
- Van der Vusse, G.J., Glatz, J.F., Stam, H.C., and Reneman, R.S. (1992). Fatty acid homeostasis in the normoxic and ischemic heart. *Physiol. Rev.* 72: 881-940.
- Van Ginneken, V.J.T., Van Caubergh, P., Nieveen, M., Balm, P., Van den Thillart, G., and Addink, A. (1998). Influence of hypoxia exposure on the energy metabolism of common carp (*Cyprinus carpio* L.). *Neth. J. Zool.* 48 (1): 65-82.
- Van Raaij, M.T.M., Van den Thillart, G.E.E.J.M., Hallemeesch, M., Balm, P.H.M., and Steffens, A.B. (1995). Effect of arterially infused catecholamines and insulin on plasma glucose and free fatty acids in

- carp (*Cyprinus carpio* L.). *Am. J. Physiol. Regul. Integr. Comp. Physiol.* 268: R1163-R1170.
- Van Raaij, M.T.M., Van den Thillart, G.E.E.J.M., Vianen, G.J., Pit, D.S.S., Balm, P.H.M., and Steffens, A.B. (1996a). Substrate mobilisation and hormonal changes in rainbow trout (*Oncorhynchus mykiss* L.) and common carp (*Cyprinus carpio* L.) during deep hypoxia and subsequent recovery. *J. Comp. Physiol. B* 166: 443-452.
- Van Raaij, M.T.M., Pit, D.S.S., Balm, P.H.M., Steffens, A.B., and Van den Thillart, G.E.E.J.M. (1996b). Behavioral strategy and the physiological stress response in rainbow trout exposed to severe hypoxia. *Horm. Behav.* 30 (1): 85-92
- Vaughan, M., and Steinberg, D. (1963). Effect of hormones on lipolysis and esterification of fatty acids during incubation of adipose tissue in vitro. *J. Lipid Res.* 4 (2): 193-199.
- Vaughan, M., Berger, J.E., and Steinberg, D. (1964). Hormone-sensitive lipase and monoglyceride lipase activities in adipose tissue. *J. Biol. Chem.* 239 (2): 401-409.
- Vianen, G.J., Van Kampen, M., and Van den Thillart, G.E.E.J.M. (1995). Regulation of lipid-mobilization by catecholamines during chronic hypoxia in carp (*Cyprinus carpio*). *Physiol. Zool.* 68: 95.
- Vianen, G.J. (1999). *Hormonal control of energy metabolism in teleost fish during hypoxia*. PhD Thesis, Leiden University, The Netherlands, 176 p.
- Vianen, G.J., Van den Thillart, G.E.E.J.M., Van Kampen, M., Van Heel, T.I., and Steffens, A.B. (2001). Plasma lactate and stress hormones in common carp (*Cyprinus carpio*) and rainbow trout (*Oncorhynchus mykiss*) during stepwise decreasing oxygen levels. *Neth. J. Zool.* 51 (1): 33-50.
- Vianen, G.J., Obels, P.P., Van den Thillart, G.E.E.J.M., and Zaagsma, J. (2002). Beta-adrenoceptors mediate inhibition of lipolysis in adipocytes of tilapia (*Oreochromis mossambicus*). *Am. J. Physiol. Endocrinol. Metab.* 282: E318-E325.
- Vianen, G.J., Van den Thillart, G.E.E.J.M., Markwat, M., Onderwater, M.F., de Zeeuw, M.P., and Kaushik, S.J. (2003). Food absorption and conversion monitored in cannulated rainbow trout. In: Souffrant, W.B., and Metges, C.C. (Eds.), *Progress in research on energy and protein metabolism*. Wageningen Academic Publishers, Vol. 109, pp. 821-825.
- Vijayan, M.M., and Moon, T.W. (1992). Acute handling stress alters hepatic glycogen metabolism in food-deprived rainbow trout (*Oncorhynchus mykiss*). *Can. J. Fish. Aquat. Sci.* 49: 2260-2266.
- Vogel, J.A., and Hannon, J.P. (1966). Cardiovascular and metabolic responses of dogs to exercise at high altitude. *J. Appl. Physiol.* 21: 1595-1601.
- Wells, R.M.G., Baldwin, J., Seymour, R.S., Baudinette, Christian, K., and Bennett, M.B. (2003). Oxygen transport capacity in the air-breathing fish, *Megalops cyprinoides*: compensations for strenuous exercise. *Comp. Biochem. Physiol.* 134A: 45-53.

- Wendelaar Bonga, S.E. (1997). The stress response in fish. *Physiol. Rev.* 77 (3): 591-625.
- Winberg, G.G. (1971). *Methods for the estimation of production of aquatic animals*. Academic Press London and New York, 176 pp.
- Wolf, K. (1963). Physiological salines for fresh-water teleosts. *Progr. Fish-Cult.* 25: 414-420.
- Wolfe, R.R., Klein, S., Carraro, F., and Weber, J.M. (1990). Role of triglyceride fatty-acid cycle in controlling fat-metabolism in humans during and after exercise. *Am. J. Physiol. Endocrinol. Metab.* 258 (2): E382-E389.
- Woodward, J.J. (1982). Plasma catecholamines in resting rainbow trout, *Salmo gairdneri* Richardson, by high-pressure liquid chromatography. *J. Fish Biol.* 21: 429-432.
- Wright, P.A., Perry, S.F., and Moon, T.W. (1989). Regulation of hepatic gluconeogenesis and glycogenolysis by catecholamines in rainbow trout during environmental hypoxia. *J. Exp. Biol.* 147: 169-188.
- Zelnik, P.R., Hornsey, D.J., and Hardisty, M.W. (1977). Insulin and glucagon-like immunoreactivity in the river lamprey (*Lampetra fluviatilis*). *Gen. Comp. Endocrin.* 33: 53-60.

