



Universiteit
Leiden
The Netherlands

Targeted treatment in early rheumatoid arthritis

Klarenbeek, N.B.

Citation

Klarenbeek, N. B. (2013, March 21). *Targeted treatment in early rheumatoid arthritis*. Retrieved from <https://hdl.handle.net/1887/20644>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/20644>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/20644> holds various files of this Leiden University dissertation.

Author: Klarenbeek, Naomi Bertine

Title: Targeted treatment in early rheumatoid arthritis

Issue Date: 2013-03-21

Appendix



ROLE OF THE FUNDING SOURCE

The rheumatologists participating in the Foundation for Applied Rheumatology Research were responsible for the study design and data collection in the BeSt study. The authors are responsible for the data analysis, interpretation of all data, writing the manuscripts and the decision to publish. The BeSt study was supported by the Dutch College for Health Insurances with additional funding by Centocor Inc. and Schering-Plough B.V., but did not participate in other activities.

ACKNOWLEDGEMENTS

I would like to thank all members of the BeSt study group for their contribution: C.F. Allaart (Leiden University Medical Center, Leiden); W.M. de Beus (Medical Center Haaglanden, Leidschendam); C. Bijkerk (Reinier de Graaf Gasthuis, Delft); M.H.W. de Bois (Medical Center Haaglanden, The Hague); H. Boom (Spaarne Hospital, The Hague); F.C. Breedveld (Leiden University Medical Center, Leiden); M. de Buck (Medical Center Haaglanden, Leidschendam); G. Collée (Medical Center Haaglanden, The Hague); B.A.C. Dijkmans (VU Medical Center, Amsterdam); J.A.P.M. Ewals (Haga Hospital, The Hague); A.H. Gerards (Vlietland Hospital, Schiedam); R.J. Goekoop (Haga Hospital, The Hague); Y.P.M. Goekoop-Ruiterman (Haga Hospital, The Hague); B.A.M. Grillet (De Honte Hospital, Terneuzen); J.H.L.M. van Groenendael (Franciscus Hospital, Roosendaal); K.H. Han (Maasstad Hospital, Rotterdam); J.M.W. Hazes (Erasmus University Medical Center, Rotterdam); T.W.J. Huizinga (Leiden University Medical Center); H.M.J. Hulsmans (Haga Hospital, The Hague); J.M. de Jonge-Bok (retired); P.J.S.M. Kerstens (Jan van Breemen Research Institute | Reade, Amsterdam); M.V. van Krugten (Admiraal de Ruyter Hospital, Vlissingen); L. Lard (Medical Center Haaglanden, Leidschendam); H. van der Leeden (retired); W.F. Lems (VU Medical Center, Amsterdam); M.F. van Lieshout-Zuidema (Spaarne Hospital, Hoofddorp); A. Linssen (retired); P.A.H.M. van der Lubbe (Vlietland Hospital, Schiedam); C. Mallée (Kennemer Gasthuis, Haarlem); H.K. Markusse (deceased); E.T.H. Molenaar (Groene Hart Hospital, Gouda); M. van Oosterhout (Groene Hart Hospital, Gouda); A.J. Peeters (Reinier de Graaf Gasthuis, Delft); H.K. Runday (Haga Hospital, The Hague); N. Riyazi (Haga Hospital, The Hague); D. van Schaardenburg (VU Medical Center, Amsterdam); A.A. Schouffoer (Groene Hart Hospital, Gouda); P.E.H. Seys (retired); P.B.J. de Sonnaville (Admiraal de Ruyter Hospital, Goes); I. Speyer (Bronovo Hospital, The Hague); K.S.S. Steen (Kennemer Gasthuis, Haarlem); G.M. Steup-Beekman (Bronovo Hospital, The Hague); J.Ph. Terwel (retired); A.E. Voskuyl (VU Medical Center, Amsterdam); M.L. Westedt (Bronovo Hospital, The Hague); S. ten Wolde (Kennemer Gasthuis, Haarlem); D. van Zeben (Sint Franciscus Gasthuis, Rotterdam). I would also like to thank all other rheumatologists and trainee rheumatologists who enrolled patients in the BeSt study, and all research nurses for their contributions.

CURRICULUM VITAE

Naomi Bertine Klarenbeek is geboren op 8 februari 1981 in Woerden. Na het behalen van het Voorbereidend Wetenschappelijk Onderwijs in 1999 aan het Kalsbeek College te Woerden is ze gestart met de studie Geneeskunde aan de Universiteit van Antwerpen. Na het afronden van de eerste kandidatuur (met onderscheiding) heeft ze in 2000 haar studie Geneeskunde voortgezet aan de Erasmus Universiteit te Rotterdam.

In 2007 behaalde ze haar arts-examen, waarna ze als promovendus op de afdeling Reumatologie van het Leids Universitair Medisch Centrum is gaan werken. Onder leiding van dr. C.F. Allaart, prof. dr. T.W.J. Huizinga, dr. P.J.S.M. Kerstens, prof. dr. B.A.C. Dijkmans en prof. dr. W.F. Lems werkte ze aan het BeSt onderzoek waar dit proefschrift op gebaseerd is.

In september 2010 startte ze met de opleiding Interne Geneeskunde in het Leids Universitair Medisch Centrum (opleider: prof. dr. J.T. van Dissel). Momenteel volgt ze het eerste deel van de opleiding tot internist in het Rijnland Ziekenhuis te Leiderdorp (opleider dr. M.J.F.M. Janssen).

LIST OF PUBLICATIONS

Klarenbeek NB, Allaart CF, Kerstens PJSM, Huizinga TWJ, Dijkmans BAC. The BeSt story: on strategy trials in rheumatoid arthritis. *Curr Opin Rheumatol* 2009; 21(3): 291-8.

Van der Linden MP, Boja R, **Klarenbeek NB**, Huizinga TWJ, van der Heijde DMFM, van der Helm-van Mil AH. Repair of joint erosions in rheumatoid arthritis: prevalence and patient characteristics in a large inception cohort. *Ann Rheum Dis* 2010; 69(4): 727-9.

Klarenbeek NB, van der Kooij SM, Huizinga TWJ, Goekoop-Ruiterman YP, Hulsmans HMJ, van Krugten MV, Speyer I, de Vries-Bouwstra JK, Kerstens PJSM, Huizinga TWJ, Dijkmans BAC, Allaart CF. Blood pressure changes in patients with recent-onset rheumatoid arthritis treated with four different treatment strategies: a post hoc analysis from the BeSt trial. *Ann Rheum Dis* 2010; 69(7): 1342-5.

Güler-Yüksel M, **Klarenbeek NB**, Goekoop-Ruiterman YP, de Vries-Bouwstra JK, van der Kooij SM, Gerards AH, Roday HK, Huizinga TWJ, Dijkmans BAC, Allaart CF, Lems WF. Accelerated hand bone mineral density loss is associated with progressive joint damage in hands and feet in recent-onset rheumatoid arthritis. *Arthritis Res Ther* 2010; 12(3): R96

Klarenbeek NB, Güler-Yüksel M, van der Heijde DMFM, Hulsmans HMJ, Kerstens PJSM, Molenaar TH, de Sonnaville PB, Huizinga TWJ, Dijkmans BAC, Allaart CF. Clinical synovitis in a particular joint is associated with progression of erosions and joint space narrowing in that same joint, but not in patients initially treated with infliximab. *Ann Rheum Dis* 2010; 69(12): 2107-13.

Klarenbeek NB, van der Kooij SM, Güler-Yüksel M, van Groenendaal JH, Han KH, Kerstens PJSM, Huizinga TWJ, Dijkmans BAC, Allaart CF. Discontinuing treatment in patients with rheumatoid arthritis in sustained clinical remission: exploratory analyses from the BeSt study. *Ann Rheum Dis* 2011; 70(2): 315-9.

van der Kooi E, **Klarenbeek NB**, Güler-Yüksel M, Kerstens PJSM, van der Lubbe PA, Westedt ML, ten Wolde S, Huizinga TWJ, Dijkmans BAC, Allaart CF. A decrease in disease activity score (DAS) level is associated with a decrease in health assessment questionnaire (HAQ) score, independent of follow-up duration, during 5 years of tightly controlled treatment: results from the BeSt study. *Ann Rheum Dis* 2011; 70(1): 168-71.

Klarenbeek NB, Güler-Yüksel M, van der Heijde DMFM, Kerstens PJSM, Mallée C, Westedt ML, Huizinga TWJ, Dijkmans BAC, Allaart CF. A comparison between the simplified erosion and narrowing score and the Sharp-van der Heijde score: post hoc analysis from the Best study. *Ann Rheum Dis* 2011; 70(4): 714-6.

Klarenbeek NB, Kerstens PJSM, Huizinga TWJ, Dijkmans BAC, Allaart CF. Recent advances in the management of rheumatoid arthritis. *BMJ* 2010; 21: 341: c6942.

Klarenbeek NB, Güler-Yüksel M, van der Kooij SM, Han KH, Roday HK, Kerstens PJSM, Seys PE, Huizinga TWJ, Dijkmans BAC, Allaart CF. The impact of four dynamic, goal-steered treatment strategies on the 5-year outcomes of rheumatoid arthritis patients in the BeSt study. *Ann Rheum Dis* 2011; 70(6): 1039-46.

van den Broek M, **Klarenbeek NB**, Dirven L, van Schaardenburg D, Hulsmans HMJ, Kerstens PJSM, Huizinga TWJ, Dijkmans BAC, Allaart CF. Discontinuation of infliximab and potential predictors of persistent low disease activity in patients with early rheumatoid arthritis and disease activity score-steered therapy: subanalysis of the BeSt study. *Ann Rheum Dis* 2011; 70(8): 1389-94.

Koevoets R, **Klarenbeek NB**, Güler-Yüksel M, van Oosterhout M, van Krugten MV, Kerstens PJ, Huizinga TWJ, Dijkmans BAC, van der Heijde DMFM, Allaart CF. Simplified versions of the original disease activity score: validation in the BeSt trial. *Ann Rheum Dis* 2011; 70(8): 1471-4.

Klarenbeek NB, Koevoets R, van der Heijde DMFM, Gerards AH, Ten Wolde S, Kerstens PJSM, Huizinga TWJ, Dijkmans BAC, Allaart CF. Association with joint damage and physical functioning of nine composite indices and the 2011 ACR/EULAR remission criteria in rheumatoid arthritis. *Ann Rheum Dis* 2011; 70(10): 1815-21.

Dirven L, Visser K, **Klarenbeek NB**, Ewals JA, Han KH, Peeters AJ, Kerstens PJSM, Huizinga TWJ, Dijkmans BAC, Allaart CF. Towards personalized treatment: predictors of short-term HAQ response in recent-onset active rheumatoid arthritis are different from predictors of rapid radiological progression. *Scand J Rheumatol* 2012; 41(1): 15-9.

van den Broek M, Dirven L, **Klarenbeek NB**, Molenaar TH, Han KH, Kerstens PJSM, Huizinga TWJ, Dijkmans BAC, Allaart CF. The association of treatment response and joint damage with ACPA-status in recent-onset RA: a subanalysis of the 8-year follow-up of the BeSt study. *Ann Rheum Dis* 2012; 71(2): 245-8.

van der Woude D, Visser K, **Klarenbeek NB**, Roday HK, Peeters AJ, Kerstens PJSM, Dijkmans BAC, Huizinga TWJ, van der Helm-van Mil AH, Allaart CF. Sustained drug-free remission in rheumatoid arthritis after DAS-driven or non-DAS-driven therapy: a comparison of two cohort studies. *Rheumatology (Oxford)* 2012; 51(6): 1120-8.

Koevoets R, Dirven L, **Klarenbeek NB**, van Krugten MV, Roday HK, van der Heijde DMFM, Huizinga TWJ, Kerstens PJSM, Lems WF, Allaart CF. Insights in the relationship of joint space narrowing versus erosive joint damage and physical functioning of patients with RA. *Ann Rheum Dis* 2012 Jun 30. [Epub ahead of print]

Dirven L, **Klarenbeek NB**, van den Broek M, van Groenendaal JH, de Sonnaville PB, Kerstens PJ, Huizinga TW, Dijkmans BA, Lems WF, Allaart CF. Risk of alanine transferase (ALT) elevation in patients with rheumatoid arthritis treated with methotrexate in a DAS-steered strategy. *Clin Rheumatol*. 2012 Dec 9. [Epub ahead of print]