



Universiteit
Leiden
The Netherlands

Energetic requirements and environmental constraints of reproductive migration and maturation of European silver eel (*Anguilla anguilla* L.)

Palstra, Arjan Peter

Citation

Palstra, A. P. (2006, October 24). *Energetic requirements and environmental constraints of reproductive migration and maturation of European silver eel (Anguilla anguilla L.)*. Retrieved from <https://hdl.handle.net/1887/4926>

Version: Corrected Publisher's Version

[Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

License:

Downloaded from: <https://hdl.handle.net/1887/4926>

Note: To cite this publication please use the final published version (if applicable).

References

- Aarts J.M.M.JG., Denison M.S., Cox M.A., et al (1995) Species-specific antagonism of Ah receptor action by 2,2',5,5,-tetrachloro- and 2,2',3,3',4,4'-hexachlorobiphenyl. *Eur J Pharmacol* 293: 463-474.
- Abraham, M., Higle, V., Lison, S. and Tibika, H. (1984) The cellular envelope of oocytes in teleosts. *Cell and Tissue Research* 235: 403-410.
- Adachi, S., Ijiri, S., Kazeto, Y., Yamauchi, K. (2003) Oogenesis in the Japanese Eel, *Anguilla japonica*. In: Aida, K., Tsukamoto, K., Yamauchi, K., (Eds.), *Eel Biology*, Springer, pp. 502-518.
- Almeida, P., Póvoa, I., Quintella, B. (2005). Swimming performance and behaviour of upriver-migrating adult sea lamprey (*Petromyzon marinus* L.) assessed in laboratory by electromyogram telemetry. *Fish and Diadromy in Europe. Ecology, Management, Conservation*. Bordeaux 29 March – 1 April 2005.
- Anonymous (2001) Council regulation (EC) No 2375/2001, 29 November 2001
- Anonymous (2003) Worldwide decline of eel resources necessitates immediate action. *Fisheries* 28:28-30.
- Aoyama, J. & Tsukamoto, K. (1997) Evolution of the freshwater eels. *Naturwissenschaften* 84: 17-21.
- Aoyama, J., Nishida, M., Tsukamoto, K. (2001) Molecular phylogeny and evolution of the freshwater eel, genus *Anguilla*. *Mol. Phylogenetic Evol.* 20: 450-459.
- Aoyama, J. (2003) Origin and evolution of the freshwater eels, genus *Anguilla*. In: Aida, K., Tsukamoto, K., Yamauchi, K., (Eds.), *Eel Biology*, Springer, pp. 19-30.
- Arai, T., Otake, T., Tsukamoto, K. (2000) Timing of metamorphosis and larval segregation of the Atlantic eels *Anguilla rostrata* and *A. anguilla*, as revealed by otolith microstructure and microchemistry. *Marine Biology* 137: 39-45.
- Asanuma, H., Ohashi, H., Matsubara, H., Iijiri, S., Matsubara, T., Todo, T., Adachi, S., Yamauchi, K. (2003) 11-Ketotestosterone potentiates estrogen-induced vitellogenin production in liver of Japanese eel (*Anguilla japonica*). *Fish Physiology and Biochemistry* 28: 383-384.
- Ashworth, S.T. & Kennedy, C.R. (1999) Density-dependent effects on *Anguillicolae crassus* (Nematoda) within its European definitive host. *Parasitology* 118: 289-296. Association of Fish Pathologists 24 (5): 268-271.
- Audenaert, V., Huyse, T., Goemans, G., Belpaire, C., Volckaert, F.A.M. (2003). Spatio-temporal dynamics of the parasitic nematode *Anguillicolae crassus* in Flanders, Belgium. *Diseases of Aquatic Organisms* 56: 223-233.
- Avise, J.C. (2003) Catadromous eels of the North Atlantic: a review of molecular genetic findings relevant to natural history, population structure, speciation, and phylogeny. In: Aida, K., Tsukamoto, K., Yamauchi, K., (Eds.), *Eel Biology*, Springer, pp. 3-18.

- B**arbin, G.P. & Krueger, W.H. 1994. Behaviour and swimming performance of elvers of the American eel, *Anguilla rostrata*, in an experimental flume. Journal of Fish Biology 45: 111-121.
- Bark, A., Williams, B., Knights, B. (2005) The implications of facultative catadromy in the European eel at the drainage basin level. In: Fish & Diadromy in Europe. Ecology, Management, Conservation. Bordeaux 29 March – 1 April 2005: pp. 64.
- Barni, S., Bernocchi, G., Gerzelli, G. (1985) Morphohistochemical changes during the life cycle of the European eel. Tissue & Cell 17: 97-109.
- Bast, H.D. & Klinkhardt, M.B. (1988) Fang eines Silberaales (*Anguilla anguilla* (L. 1758)) im Iberischen Becken (Nordostatlantik) (Teleostei: Anguillidae). Zool. Anz. 221: 386-398.
- Bastrop, R., Strehlow, B., Jürss, K., Sturmbauer, C. (2000) A new molecular phylogenetic hypothesis for the evolution of freshwater eels. Molecular Phylogenetics and Evolution 14: 250-258.
- Beamish, F.W.H. 1978. Swimming capacity. In: Hoar, W.S. & Randall, D.J. (Eds.), Fish physiology. Academic press, pp. 101-189.
- Békési, L., Hornok, S., Székely, Cs. (1997) Attempts to analyse *Anguillicola crassus* infection and the humoral host response in eels (*Anguilla anguilla*) of Lake Balaton, Hungary. Acta Veterinaria Hungarica 45 (4): 439-445.
- Beregi, A., Molnár, K., Békési, L., Székely, Cs. (1998). Radiodiagnostic method for studying swimbladder inflammation caused by *Anguillicola crassus* (Nematoda: Dracunculoidea). Diseases of Aquatic Organisms 34: 155-160.
- Bertin, L. (1957) Eels: a biological study. Philosophical Library, New York.
- Bezdenezhnykh, V.A., Prokhorik, G.A., Petrikov, A.M., Petukov, V.B., Plyuta, M.V. (1983) Obtaining the larvae of European eel *Anguilla anguilla* L. (Pisces, Anguillidae), under experimental conditions. Dokl. Akad. Nauk SSSR 268 (5), 1264-1266 (In Russian).
- Bezdenezhnykh, V.A., Prokhorik, G.A. (1984). Period of oocyte maturation and assessment of egg quality of eel, *Anguilla anguilla* (Anguillidae), under stimulation of maturation with gonadotrophic hormones. Vopr. Ikhtiol. 5, 814-821 (In Russian).
- Bidwell, C.A. (2000) Reproductive biology in freshwater fish. Department of animal science, Purdue University. <http://aquanic.org/publicat/state/il-in/ces/bidwell.pdf>.
- Billard, R. (1995). Sperm physiology and quality. In: Bromage, N.R. and Roberts, R.J. (Eds.), Broodstock Management and Egg and Larval Quality. Blackwell Science, Cambridge, pp. 25-52.
- Billard, R., Fostier, A., Weil, C., Breton, B. (1982) Endocrine control of spermatogenesis in teleost fish. Can J Fish Aquat Sci 89: 65-79.
- Biró, P. (1992). Die geschichte des Aals (*Anguilla anguilla* L.) im Plattensee (Balaton). Österreichs Fischerei 45: 197-207.
- Blazka, P., Volf, M., & Ceplea, M. 1960. A new type of respirometer for determination of the metabolism of fish in an active state. Physiol Bohemoslov 9, 553-560.
- Boëtius, J. & Boëtius, L. (1980) Experimental maturation of female silver eels, *Anguilla anguilla*. Estimates of fecundity and energy reserves for migration and spawning. Dana 1:1-28

REFERENCES

- Boëtius, J. & Harding, E.F. (1985) A re-examination of Johannes Schmidt's Atlantic eel investigations. *Dana* 4: 129-162.
- Bone, Q., Marshall, N.B., Blaxter, J.H.S. (1999). Biology of fishes. 2nd edition. Stanley Thornes (Publishers) Ltd, Cheltenham, UK.
- Boon, J.H., Lokin, C.J.A., Ceusters, R., Ollevier, F. (1989). Some properties of the blood of European eel (*Anguilla anguilla*) and the possible relationship with *Anguillicola crassus* infestations. *Aquaculture* 76: 203-208.
- Boon, J.H., Augustijn, H., Cannaeerts, V.M.H., Lokin, C.J.A., Machiels, M.A.M., Ollevier, F. (1990a). The suitability of experimental inoculations with infective larvae of *Anguillicola crassus* and their effects on the growth and mortality of the European eel (*Anguilla anguilla*). *Aquaculture* 87: 111-120.
- Boon, J.H., Cannaeerts, V.M.H., Augustijn, H., Machiels, M.A.M., De Charleroy, D., Ollevier, F. (1990b). The effect of different infection levels with infective larvae of *Anguillicola crassus* on haematological parameters of European eel (*Anguilla anguilla*). *Aquaculture* 87: 243-253.
- Brafield, A.E. & Llewellyn, M.J. 1982. Animal energetics. Glasgow: Blackie.
- Brett, J.R. (1964) The respiratory metabolism and swimming performance of young sockeye salmon. *Journal of the Fisheries Research Board of Canada* 21: 1183-1226.
- Brett, J.R. (1965a) The relation of size to the rate of oxygen consumption and sustained swimming speeds of sockeye salmon (*Oncorhynchus nerka*). *J. Fish. Res. Board Can.* 22: 1491.
- Brett, J.R. (1965b) The swimming energetics of salmon. *Sci. Am.* 213: 80.
- Brett, J.R. & Glass, N.R. (1973) Metabolic rates and critical swimming speeds of sockeye salmon (*Oncorhynchus nerka*) in relation to size and temperature. *J. Fish. Res. Board Can.* 30: 379.
- Bromley, P.J., Sykes, P.A., Howell, B.R., 1986. Egg production of turbot (*Scophthalmus maximus* L.) spawning in tank conditions. *Aquaculture* 53, 287-295.
- Brommage, N.R., Jones, J., Randall, C., Thrush, M., Davies, B., Springate, J., Duston, J., Barker, G., 1992. Broodstock management, fecundity, egg quality and the timing of egg production in the rainbow trout (*Oncorhynchus mykiss*). *Aquaculture* 100, 141-166.
- Brommage, N.R., Shields, R., Basavaraja, N., Bruce, M., Young, C., Dye, J., Smith, P., Gillespie, M., Gamble, J., Rana, K., 1994. Egg quality determinants in finfish: the role of overripening with special reference to the timing of stripping in the Atlantic halibut, *Hipoglossus hipoglossus*. *Journal of the World Aquaculture Society* 25, 13-21.
- Bruijs, M. (2005) Management of silver eel: Human impact on downstream migrating eel in the River Meuse. In: Fish & Diadromy in Europe. Ecology, Management, Conservation. Bordeaux 29 March – 1 April 2005: pp. 98.
- Burzawa-Gérard, E., Nath, P.; Baloche, S.; Peyon, P. (1991). ELISA (enzyme-linked-immunosorbent assay) for vitellogenin and vitellus in the eel (*Anguilla anguilla*) and in the Indian major carp (*Labeo rohita*). In: Scott AP, Sumpter JP, Kime DE Rolfe MS (eds.), Reproductive Physiology of Fish. Sheffield: Fish Symp: 1991: 319.

- C**arillo, M., Bromage, N.R., Zanuy, S., Serrano, R., Prat, F., 1989. The effects of modifications in photoperiod on spawning time, ovarian development and egg quality in the sea bass (*Dicentrarchus labrax* L.). Aquaculture 81, 351-365.
- Carnevali, O., Mosconi, G., Angelini, F., Limatola, E., Ciarcia, G., Polzonetti-Magni, A. (1991) Plasma vitellogenin and 17β -estradiol levels during the annual reproductive cycle of *Podarcis s. sicula* Raf. Gen. Comp. Endocrinol. 84: 337-343.
- Carnevali, O., Mosconi, G., Roncarati, A., Romano, M. and Limatola, L. (1992) Changes in the electrophoretic pattern of the yolk proteins during vitellogenesis in the gilt-head sea bream *Sparus aurata* L. Comp. Biochem. Physiol. 103B: 955-962
- Carnevali, O., Centroze, F., Brooks, S., Marota, I., Sumpter, J.P. (1999) Molecular cloning and expression of ovarian cathepsin D in seabream *Sparus aurata*. Biol. Reprod. 61: 785-791.
- Castonguay M., Hodson, P.V., Moriarty, C., Drinkwater, K.F., Jessop, B.M. (1994) Is there a role of ocean environment in American and European eel decline? Fisheries Oceanography 3: 197-203.
- Cau, A. & Manconi, P. (1983) Sex-ratio and spatial displacement in *Conger conger* (L.). Rapp. Comm. Int. Mer Médit. 28: 93-96.
- Chiba, H., Iwatsuki, K., Hayami, K., Hara, A., Yamauchi, K. (1994) Changes in serum steroid hormones and vitellogenin levels in cultured female European eels *Anguilla anguilla* during artificially induced ovarian development. J World Aquaculture Society 25: 553-560.
- Clarke, T. (2003) World's eels on slippery slope. Nature Science Update.
- Colombo, G., Grandi, G., Rossi, R. (1984) Gonad differentiation and body growth in *Anguilla anguilla* L. Journal of Fish Biology 24: 215-228.
- Cottrial, R.A., McKinley, R.S., van der Kraak, G., Dutil, J-D, Reid, K.B., McGrath, K.J. (2001) Plasma non-esterified fatty acid profiles and 17β -oestradiol levels of juvenile immature and maturing adult American eels in the St Lawrence River. Journal of Fish Biology 50: 364-379.
- Couillard, C.M., Hodson, P.V., Castonguay, M. (1997) Correlation between pathological changes and chemical contamination in American eels, *Anguilla rostrata*, from the St Lawrence River. Canadian Journal of Fisheries and Aquatic Sciences 54: 1916-1927.
- Council of the European Union, Working Party on Internal/External Fisheries Policy (2003) 13219/03 PECHÉ 229 – COM(2003) 573 final.
- Coward, K., Bromage, N.R., Hibbitt, O., Parrington, J. (2002). Gamete physiology, fertilization and egg activation in teleost fish. Reviews in Fish Biology and Fisheries 12, 33-58.
- D**aemen, E., Cross, T., Ollevier, F., Volckaert, F.A.M. (2001) Analysis of the genetic structure of European eel (*Anguilla anguilla*) using microsatellite DNA and mtDNA markers. Marine Biology 139: 755-764.

REFERENCES

- Dannewitz, J., Maes, G.E., Johansson, L., Wickström, H., Volckaert, F.A.M., Jarvi, T. (2005) Panmixia in the European eel: a matter of time. Proceedings of the Royal Society of London Series B: 272: 1129-1137.
- Dave, G., Johansson, M., Larsson, A., Lewander, K., Lidman, U. (1974) Metabolic and haematological studies on the yellow and silver phases of the European eel, *Anguilla anguilla* (L.) II. Fatty acid composition. Comparative Biochemistry and Physiology 47B: 583-591.
- Daverat, F., Gazeau-Naudin, C., Camoin, P. - Cemagref Bordeaux (2005a). Eel otolith preparation for ageing. CD-ROM.
- Daverat, F., Tomas, J., Lahaye, M., Elie, P. (2005b) Ecological versatility in eels: tactics of habitat use of the Gironde estuary, a large tidal estuary, implications at the population level. In: Fish & Diadromy in Europe. Ecology, Management, Conservation. Bordeaux 29 March – 1 April 2005: pp. 45.
- Davidson, V.M. 1949. Salmon and eel movement in constant circular current. Journal of Fisheries Research Bulletin Canada 7: 432-448.
- de Boer J, van der Valk F, Kerkhoff MAT, Hagel P (1994) 8-Year study on the elimination of PCBs and other organochlorine compounds from eel (*Anguilla anguilla*) under natural conditions. Environ Sci Technol 28 (13): 2242-2248
- de Charleroy, D., Grisez, L., Thomas, K., Belpaire, C. Ollevier, F. (1990). The life cycle of *Anguilliflora crassus*. Dis Aquat Org 8: 77-84.
- de Vries J (2002) Handhaving dioxine-norm in paling. Project OT0205 Keuringsdienst van waren oost
- Deelder, C.L. (1984) Synopsis of biological data on the eel, *Anguilla anguilla* (Linnaeus, 1758). FAO Fish. Synop. (80, Rev. 1):73 p.
- Dekker, W. (2003) Eel stocks dangerously close to collapse. ICES Newsletter 40.
- Dekker, W. (2004) Slipping through our hands. Population dynamics of the European eel. PhD thesis, University of Amsterdam, Amsterdam, The Netherlands.
- Desaunay, Y. & Guérault, D. (1997) Seasonal and long-term changes in biometrics of eel larvae: a possible relationship between recruitment variation and North Atlantic Ecosystem Productivity. Journal of Fish Biology 56: 461-473.
- Dufour, S. (1994) Neuroendocrinologie de la reproduction de l'anguille: de la recherche fondamentale aux problèmes appliqués. Bull.Fr.Pêche Piscic 335: 187-211.
- Dufour, S., Huang, Y.S., Rousseau, K., Shaihi, M., Le Belle, N., Vidal, B., Marchelidon, J., Querat, B., Burzawa-Gerard, E., Chang, C.F., Schmitz, M. (2000) Puberty in teleosts: new insights into the role of peripheral signals in the stimulation of pituitary gonadotropins. In: Norberg, B., Kjesbu, O.S., Taranger, G.L., Anderson, E., Stefansson, S.O. (eds.), Reproductive physiology of fish. University of Bergen/Institute of Marine Research, Bergen, Norway, pp. 455-461.
- Dufour, S., Burzawa-Gerard, E., Le Belle, N., Shaihi, M., Vidal, B. (2003) Reproductive endocrinology of the European eel, *Anguilla anguilla*. In: Aida, K., Tsukamoto, K., Yamauchi, K. (Eds.), Eel Biology. Springer, pp. 373-386.
- Durif, C., Dufour, S., Elie, P. (2005) The silverying process of the eel: a new classification from the yellow resident stage to the silver migrating stage. Journal of Fish Biology 66: 1-19.

Durif, C.M.F., Dufour, S., Elie, P. Impact of silvering stage, age, body size and condition on the reproductive potential of the European eel. *Marine Ecology Progress Series*, in press.

Dye, H.M., Sumpter, J.P., Fagerlund, U.H.M., Donaldson, E.M. (1986) Changes in reproductive parameters during the spawning migration of pink salmon, *Oncorhynchus gorbuscha* (Walbaum). *J. Fish Biol.* 29: 167-176

- Eckman, S. (1953) *Zoogeography of the sea*. Sidgwick and Jackson, London.
- Edeline, E., Elie, P., Briand, C., Dufour, S., Bolliet, V., Bardonnet, A. (2005) The endocrine control of the eel (*Anguilla anguilla*) migration. In: *Fish & Diadromy in Europe. Ecology, Management, Conservation*. Bordeaux 29 March – 1 April 2005: pp. 63.
- EELREP (2005a) Estimation of the reproduction capacity of European eel. Final report. <http://www.fishbiology.net/eelrepsum.html>
- EELREP (2005b) Estimation of the reproduction capacity of European eel. Summary & recommendations. <http://www.fishbiology.net/eelrepsum.html>
- Ege, V. (1939) A revision of the genus *Anguilla* Shaw, a systematic, phylogenetic and geographical study. *Dana Rep* 16: 1-256.
- Egginton, S. (1987) Metamorphosis of the American eel, *Anguilla rostrata* LeSueur: III Contractile characteristics of skeletal muscle. *J Exp Zool* 243: 39-50.
- Egusa, S. (1979). Notes on the culture of the European eel (*Anguilla anguilla* L.) in Japanese-eel farming ponds. Rapp. P.-v. Réun. Cons. Int. Explor. Mer 174: 51-58.
- Ellerby, D.J., Spierts, I.L.Y., Altringham, J.D. (2001) Slow muscle power output of yellow- and silver-phase European eels (*Anguilla anguilla* L.): changes in muscle performance prior to migration. *The Journal of Experimental Biology* 204: 1369-1379.
- Epler, P., Bieniarz, K. (1978). In vitro ovulation of European eel (*Anguilla anguilla* L.) oocytes following in vivo stimulation of sexual maturation. *Ann. Biol. Anim. Bioch. Biophys.* 18 (4), 991-995.
- Epler, P. (1981). Effects of steroid and gonadotropic hormones on the maturation of carp ovaries. Part V. Ovulation, fertilization, and embryonal development of carp oocytes in vitro. *Pol. Arch. Hydrobiol.* 28, 119-125.
- Ernst, P. (1975) Catch of an eel (*Anguilla anguilla* L.) northeast of the Faeroe Islands. *Ann. Biol.* 32: 175.
- Evans, D.W. & Matthews, M.A. (1999). *Anguillicola crassus* (Nematoda, Dracunculoidae): first documented record of this swimbladder parasite of eels in Ireland. *Journal of Fish Biology* 55: 665-668.
- Evens, D.H. (1997) *The physiology of fishes*, second edition. CRC Pres LLC. 544 pp.

- Feunteun, E., Acou, A., Lafaille, P. & Legault, A. (2000) The European eel: prediction of spawner escapement from continental population parameters. *Canadian Journal of Fisheries and Aquatic Sciences* 57, 1627-1635.
- Feunteun, E., Acou, A., Boury, P., Gabrielle, G. (2005) Estimation of downstream migration fluxes of silver eels from various systems: A methodological review and

REFERENCES

- biological implications. In: Fish & Diadromy in Europe. Ecology, Management, Conservation. Bordeaux 29 March – 1 April 2005: pp. 47.
- Fontaine, M. (1936) Sur la maturation complète des organes génitaux de l'anguille male et l'émission spontanée. C.r.hebd.Séanc.Acad.Sci.Paris 202:132-134
- Fontaine, M., Bertrand, E., Lopez, E and Callamand, O. (1964) Sur la maturation des organes génitaux de l'anguille femelle (*Anguilla anguilla* L.) et l'émission spontanée des œufs en aquarium. Comp.Rend.Acad.Sci. 259: 2907-2910.
- Fort, T. (2002) The book of eels. Harper Collins Publishers, London, England.
- Fricke, H., Kaese, R. (1995) Tracking of artificially matured eels (*Anguilla anguilla*) in the Sargasso Sea and the problem of the Eel's Spawning site. Naturwissenschaften 83: 32-36.
- Frost, W.E. (1950) The eel fisheries of the River Bann, Northern Ireland and observations on the age of the silver eels. Journal du Conseil Permanent International pour l'Exploration de la Mer 16: 358-383.
- Fry, F.E.J. 1971. The effect of environmental factors on the physiology of fish. In: Hoar, W.S., Randall, D.J. (eds.), Fish physiology. Academic press, pp. 1.
- Gemballa, S. 2005. Locomotory specializations in aquatic environments: Morphological differences in the axial musculotendinous system of cruising specialists and accelerators. Comparative Biochemistry and Physiology Part A 141: S163-S173.
- Gilbertson M, Kubiak T, Ludwig J, Fox G (1991) Great Lakes embryo mortality, edema, and deformities syndrome (GLEMEDS) in colonial fish-eating birds: similarity to chick-edema disease. Toxicol Environ Health 33(4): 455-520
- Goetz, F.W., Theofan, G. (1979) In vitro stimulation of germinal vesicle breakdown and ovulation of yellow perch (*Perca flavescens*) oocytes. Effects of 17α -hydroxy- 20β -dihydroxyprogesterone and prostaglandins. Gen. Comp. Endocrinol. 37, 273-285.
- Goetz, F.W. (1983). Hormonal control of oocyte final maturation and ovulation in fishes. In: Hoar, W.S., Randall, D.J., Donaldson, E.M. (Eds.), Fish Physiology, Volume IX, Part B, Behavior and Fertility Control, Academic Press, New York, pp. 117-170.
- Goswami, S.V. and B.I. Sundararaj (1971) In vitro maturation and ovulation of oocytes of the Catfish, (*Heteropneustes fossilis*; Bloch): Effects of mammalian hypophyseal hormones, catfish pituitary homogenate, steroid precursors and metabolites, and gonadal and adrenocortical steroids. J. Exp. Zool., 178: 467-78
- Grassi, G.B. (1896) The reproduction and metamorphosis of the common eel (*Anguilla vulgaris*). Proceedings of the Royal Society of London 60: 262-271.
- Guraya, S.S. (1979) Recent advances in the morphology, cytochemistry and function of Balbiani's vitellines body in animal oocytes. Int. Rev. Cytol. 59: 249-321.
- Gutleb AC, Appelman J, Bronkhorst MC, van den Berg JHJ, Spenkelink A, Brouwer A, Murk AJ (1999) Delayed effects of pre- and early-life time exposure to polychlorinated biphenyls on tadpoles of two amphibian species (*Xenopus laevis* and *Rana temporaria*). Environ Toxicol Pharmacol 8:1-14

- H**aenen, O.L.M., Grisez, L., DeChareleroy, D., Belpaire, C. Ollevier, F. (1989). Experimentally induced infections of European eel *Anguilla anguilla* with *Anguillicola crassus* (Nematoda, Dracunculoidea) and subsequent migration of larvae. Dis Aquat Org 7: 97-101.
- Haenen, O.L.M., Banning van, P., Dekker, W. (1994) Infection of eel *Anguilla anguilla* (L.) and smelt *Osmerus eperlanus* (L.) with *Anguillicola crassus* (Nematoda, Dracunculoidea) in the Netherlands from 1986 to 1992. Aquaculture 126, 219-229.
- Hara, A., Yamauchi, K., Hirai, H. (1980) Studies on female specific serum protein (vitellogenin) and egg yolk protein in Japanese eel (*Anguilla japonica*). Comp Biochem Physiol 65B: 315-320.
- Hara, T.J. (1993) Role of olfaction in fish behaviour. In: Behaviour of teleost fishes (ed. Pitcher, T.J.), pp 171-199. Chapman and Hall, London.
- Helder T (1980) Effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) on early life stages of the pike (*Esox lucius* L.). Sci Total Environ 14:255-264
- Hiroi, J., Yasumasu, S., Kawazu, K., & Kaneko, T., 2003. Hatching enzymes in the Japanese eel. In: Aida, K., Tsukamoto, K., Yamauchi, K., (Eds.), Eel Biology, Springer.
- Hites, R.A., Foran, J.A., Carpenter, D.O., Hamilton, M.C., Knuth, B.A., Schwager, S.J. (2004) Global assessment of organic contaminants in farmed salmon. Science 303: 226-229.
- Höglund, J., Andersson, J., Härdig, J. (1992) Hamaetological responses in the European eel, *Anguilla anguilla* L., to sublethal infestation by *Anguillicola crassus* in a thermal effluent of the Swedish Baltic. Journal of Fish Diseases 15: 507-514.
- Holmefjord, I., Gulbrandsen, J., Lein, I., Refstie, T., Leger, Ph., Harboe, T., Huse, I., Sorgeloos, P., Bolla, S., Olsen, Y., Reitan, K.I., Vadstein, O., Øie, G., Danielsberg, A., 1993. An intensive approach to Atlantic halibut fry production. J. World Aquat. Soc. 24, 275-284.
- Houghton, R.G., Last, J.M., Bromley, P.J., 1985. Fecundity and egg diameter of sole (*Solea solea* L.) spawning in captivity. Jouranal du Conseil International pour L'Exploration de la Mer 42, 162-165.
- Huang, Y.S. (1998) Roles of sexual steroids and metabolic hormones on the direct control of pituitary gonadotropin (GtH-II) in the European eel, *Anguilla anguilla*. PhD thesis, University of Paris.
- Huver, C. W. (1960) The stage at fertilisation of the egg Fundulus heteroclitus. Biol. Bull. 119: 320. (Abstr).

ICES (2003). Report of the ICES/EIFAC Working Group on Eels.
ICES (2004). Report of the ICES/EIFAC Working Group on Eels.

Jalabert, B. et al., (1973) Étude comparée de l'action des hormones hypophysaires et stéroïds sur la maturation in vitro des ovocytes de la truite et du carassin (Poissons téléostéen). Ann. Biol. Anim. Biochim. Biophys. 13:59-72

REFERENCES

- Jalabert, B. (1976) In vitro oocyte maturation and ovulation in rainbow trout (*Salmo gairdneri*), northern pike (*Esox lucius*), and goldfish (*Carassius auratus*). J. Fish. Res. Board Can. 33: 974-88
- Jellyman, D.J. & Tsukamoto, K. (2002) First use of archival transmitters to track migrating freshwater eels *Anguilla dieffenbachii* at sea. Mar Ecol Prog Ser 233: 207-215.
- Johnson, S.K., Loraine, T.F., Williams, J., Huffman, D.G. (1995). Presence of the parasitic swimbladder nematode, *Anguillicola crassus*, in Texas aquaculture. World Aquaculture 26: 35-36.
- Jones, D.R. & Randall, D.J. (1978). The respiratory and circulatory systems during exercise. In: Hoar, W.S., Randall, D.J. (eds.), Fish physiology VII: Locomotion. Academic Press, pp. 425-502.
- Jonge, H.W. de, Bakker, M.A.G. de, Verbeek, F.J., Weijts, W. (2005). Embedding of large specimens in glycol methacrylate: prerequisites for multi-signal detection and high-resolution imaging. Microscopy research and technique 66: 25-30.
- Jonsson, B. (2005) Lipid energy reserves influence life history decisions of anadromous Atlantic salmon and brown trout. In: Fish & Diadromy in Europe. Ecology, Management, Conservation. Bordeaux 29 March - 1 April 2005: pp. 52.
- Jonsson, N. (1991) Influence of water flow, water temperature and light on fish migration in rivers. Nordic Journal of Freshwater Research 66: 20-35.
- K**agawa, H., Young, G., Adach, S. and Nagahama, Y. (1982) Estradiol-17 β production in amago salmon (*Oncorhynchus rhodurus*) ovarian follicles: role of the thecal and granulosa cells. Gen. Comp. Endocrinol. 47: 440-448.
- Kagawa, H., Tanaka, H., Ohta, H., Okuzawa, K., Hirose, K. (1995). In vitro effects of 17 α -hydroxyprogesterone and 17,20 β -dihydroxy-4-pregnen-3-one on final maturation of oocytes at various developmental stages in artificially matured Japanese eel *Anguilla Japonica*. Fish Sci. 61, 1012-1015.
- Kagawa, H., Tanaka, H., Ohta, H., Okuzawa, K., Inuma, N. (1997). Induced ovulation of 17,20 β -dihydroxy-4-pregnen-3-one in the artificially matured Japanese eel, with special reference to ovulation time. Fish Sci. 63, 356-367.
- Kagawa, H. (2003). Artificial induction of oocyte maturation and ovulation. In: Aida, K., Tsukamoto, K., Yamauchi, K., (Eds.), Eel Biology, Springer, pp. 403-414.
- Kelly, C.E., Kennedy, C.R., Brown, J.A. (2000). Physiological status of wild European eels (*Anguilla anguilla*) infected with the parasitic nematode, *Anguillicola crassus*. Parasitology 120: 195-202.
- Kennedy, C.R. & Fitch, D.J. (1990). Colonization, larval survival and epidemiology of the nematode *Anguillicola crassus*, parasitic in the eel, *Anguilla anguilla*, in Britain. Journal of Fish Biology 36: 117-131.
- Kirk, R.S., Morritt, D., Lewis, J.W., Kennedy, C.R. (2002). The osmotic relationship of the swimbladder nematode *Anguillicola crassus* with seawater eels. Parasitology 124: 339-347.
- Kirk, R.S., Lewis, J.W., Kennedy, C.R. (2000a). Survival and transmission of *Anguillicola crassus* Kuwahara, Niimi & Itagaki, 1974 (Nematoda) in seawater eels. Parasitology 120: 289-295.

- Kirk, R.S., Kennedy, C.R., Lewis, J.W. (2000b). Effect of salinity on hatching, survival and infectivity of *Anguillicola crassus* (Nematoda: Dracunculoidea) larvae. *Dis Aquat Org* 40 (3): 211-218.
- Kirschner, L.B. (1993) The energetics of osmotic regulation in ureotelic and hypoosmotic fishes. *Journal of Experimental Zoology* 267: 19-26.
- Kirschner, L.B. (1995) Energetics of osmoregulation of freshwater vertebrates. *Journal of Experimental Zoology* 271: 243-252.
- Kleckner, R.C. (1980a) Swim bladder volume maintenance related to initial oceanic migratory depth in silver-phase *Anguilla rostrata*. *Science* 208: 1481-1482.
- Kleckner, R.C. (1980b) Swim bladder wall guanine enhancement related to migratory depth in silver phase *Anguilla rostrata*. *Comp Biochem Physiol* 65A: 351.
- Kleckner, R.C. & McCleave, J.D. (1988) The northern limit of spawning by Atlantic eels (*Anguilla* spp.) in the Sargasso Sea in relation to the thermal fronts and surface water masses. *J Mar Res* 46: 647-667.
- Klein Breteler, J.G.P. (1996) Application of a Habitat Suitability Index Model for eel *A. anguilla* in a Habitat Evaluation Procedure for The Netherlands in the 19th and 20th century. Paper presented at the EIFAC/ICES Working Party on Eel in IJmuiden, The Netherlands.
- Knights, B. (1987) Agnostic behaviour and growth in the European eel, *Anguilla anguilla* L., in relation to warm-water aquaculture. *Journal of Fish Biology* 31: 265-276.
- Knights, B., White, E., Naismith, I.A. (1996) Stock assessment of European eel, *Anguilla anguilla* L. In: Cowx, I.G. (ed.), Stock assessment in inland fisheries. Fishing News Books, Oxford, pp. 431-447.
- Knights, B. (2003) A review of the possible impact of long term oceanic and climate changes and fishing mortality on recruitment of anguillid eels on the Northern Hemisphere. *Science of the Total Environment* 310: 237-244.
- Knopf, K. & Mahnke, M. (2004). Differences in the susceptibility of the European eel (*Anguilla anguilla*) and the Japanese eel (*Anguilla japonica*) to the swim-bladder nematode *Anguillifilar crassus*. *Parasitology* 129 (4): 491-496.
- Konopacka, B. (1935) Recherches histochimiques sur le développement des poissons. I. La vitellogénèse chez le Goujon (*Gobio fluviatilis*) et al carpe (*Cyprinus carpio*). *Bull. Internat. Acad. Pol. Sci. Let. Ser. B.* 163-182
- L**am, T.J. (1983) Environmental influences on gonadal activity in fish. In: Fish physiology. Volume IX. Reproduction. Part B Behaviour and fertility control, Hoar, W.S., Randall, D.J., Donaldson, E.M. (eds.), pp. 65-116. Academic Press.
- Langdon, S.A., Collins, A.L. (2000). Quantification of the maximal swimming performance of Australasian glass eels, *Anguilla australis* and *Anguilla reinhardtii*, using a hydraulic flume swimming chamber. *New Zealand Journal of Marine and Freshwater Research* 34: 629-636.
- Larsen, L.O. & Dufour, S. (1993) Growth, reproduction and death in lampreys and eels. In: Fish Ecophysiology, J.C. Rankin & F.B.Jensen (eds.), pp 72-104. London: Chapman and Hall.

REFERENCES

- Larsson, P., Hamrin, S., Okla, L. (1990) Fat content as a factor inducing migratory behaviour in the eel (*Anguilla anguilla* L.) to the Sargasso Sea. *Naturwissenschaften* 77: 488-490.
- Lecomte-Finiger, R. (1994) The early life of the European eel. *Nature* 370: 424.
- Lee, C.G., Farrell, A.P., Lotto, A., MacNutt, M.J., Hinch, S.G., Healey, M.C. (2003a). The effect of temperature on swimming performance and oxygen consumption in adult sockeye (*Oncorhynchus nerka*) and coho (*O. kisutch*) salmon stocks. *The Journal of Experimental Biology* 206: 3239-3251.
- Lee, C.G., Farrell, A.P., Lotto, A., Hinch, S.G., Healey, M.C. (2003b). Excess post-exercise oxygen consumption in adult sockeye (*Oncorhynchus nerka*) and coho (*O. kisutch*) salmon following critical speed swimming. *The Journal of Experimental Biology* 206: 3253-3260.
- Lefebvre, F., Contournet, P., Crivelli, J. (2002a). The health state of the eel swimbladder as a measure of parasite pressure by *Anguillicola crassus*. *Parasitology* 124: 457-463.
- Lefebvre, F., Contournet, P., Priour, F., Soulas, O., Crivelli, AJ. (2002b). Spatial and temporal variation in *Anguillicola crassus* counts: results of a 4 year survey of eels in Mediterranean lagoons. *Dis Aquat Org* 50 (3): 181-188.
- Lefebvre, F., & Crivelli, J. (2004). Anguilliclosis: dynamics of the infection over two decades. *Dis Aquat Org* 62 (3): 227-232.
- Lelek, A. (1987) Threatened fishes of Europe. In: Anonymous, pp. 63-66. Aula-Verlag, Wiesbaden.
- Lewander, K., Dave, G., Johansson, M.L., Larsson, A., Lidman, U. (1974) Metabolic and haematological studies on the yellow and silver phases of the European eel, *Anguilla anguilla* L. -I. Carbohydrate, lipid, protein and inorganic ion metabolism. *Comp Biochem Physiol* 47B: 571-581.
- Lighthill, M.J. (1970) Aquatic animal propulsion of high hydromechanical efficiency. *J. Fluid. Mech.* 44: 265-301.
- Liley, N.R. & Stacey, N.E. (1983) Hormones, pheromones, and reproductive behaviour in fish. In: *Fish physiology. Volume IX. Reproduction. Part B Behaviour and fertility control*, Hoar, W.S., Randall, D.J., Donaldson, E.M. (eds.), pp. 1-64. Academic Press.
- Lintas, C., Hirano, J., Archer, S. (1998) Genetic variation of the European eel (*Anguilla anguilla*). *Molecular Marine Biology and Biotechnology* 7: 263-269.
- Lokman, P.M., Young, G. (2000) Induced spawning and early ontogeny of New Zealand freshwater eels (*Anguilla dieffenbachii* and *A. australis*). *N.Z.J. Mar. Freshwater Res.* 34, 135-145.
- Lokman, P.M., Rohr, D.H., Davie, P.S., Young, G. (2003) The physiology of silverying in anguillid eels: androgens and control of metamorphosis from the yellow to silver stage. In: Aida, K., Tsukamoto, K., Yamauchi, K. (Eds.), *Eel Biology*. Springer, pp. 331-350.
- Lucas, M.C., Baras, E. (2001) Migration of freshwater fishes. Blackwell Science Ltd.
- M**acKenzie, B.R., Koster, F.W. (2004) Fish production and climate: Sprat in the Baltic Sea. *Ecology* 85: 784-794.

- Maes, G.E. & Volckaert, F.A.M. (2002) Clinal variation and isolation by distance in the European eel *Anguilla anguilla* (L.). Biol J Linn Soc 77: 509-521.
- Marchelidon, J., Le Belle, N., Hardy, A., Vidal, B., Sbaihi, M., Burzawa-Gerard, E., Schmitz, M., Dufour, S. (1999) Study of variations of anatomical and endocrine parameters in sedentary and downstream migrating female European eels (*Anguilla anguilla*): application to the characterization of the silver stage. Bull Fr Pech Piscic 355: 349-368.
- Marza, V.D. (1938) Histophysiologie de l'ovogenèse. Hermann, Paris.
- Masui, Y. & Clarke, H.G. (1979) Oocyte maturation. Int. Rev. Cytol. 57:185-282
- McCleave, J.D. (1980). Swimming performance of European eel (*Anguilla anguilla* L.) elvers. Journal of Fish Biology 16, 445-452.
- McCleave, J.D., Kleckner, R.C., Castonguay, M. (1987) Reproductive sympatry of American and European eels and implications for migration and taxonomy. Am Fish Soc Symp 1: 286-297.
- McCleave, J.D., Arnold, G.P. (1999) Movements of yellow- and silver-phase European eels (*Anguilla anguilla* L.) tracked in the western North Sea. ICES J Mar Sci 56: 510-536.
- McCleave, J.D. (2003) Spawning areas of atlantic eels. In: Eel Biology. Aida, K., Tsukamoto, K., Yamauchi, K. eds. Springer-Verlag Tokyo, p. 141-156.
- McKenzie, D. (2003) Eels slide towards extinction. New Scientist.
- Mills, D. (1989) Ecology and management of Atlantic Salmon. Chapman & Hall, London.
- Mitchell, C.P. 1989. Swimming performance of some native freshwater fishes. New Zealand Journal of Marine and Freshwater Research 23: 181-187.
- Miura, T., Yamauchi, K., Nagahama, Y., Takahashi, H. (1991) Induction of spermatogenesis in male Japanese eel, *Anguilla japonica*, by a single injection of human chorionic gonadotropin. Zool. Sci. 8: 63-73.
- Miura, T., Yamauchi, K., Takahashi, H. and Nagahama, Y. (1992) The role of hormones in the acquisition of sperm motility in salmonid fish. J. Exp. Zool. 261: 359-363.
- Miura, T., Miura, C., Yamauchi, K. (2003) Spermatogenesis in the Japanese eel. In: Aida, K., Tsukamoto, K., Yamauchi, K., (Eds.), Eel Biology, Springer, pp. 319-330.
- Molnár, K., Székely, Cs., Baska, F. (1991). Mass mortality of eel in Lake Balaton due to *Anguillicola crassus* infection. Bulletin of the European Association of Fish Pathologists. Bull. Eur. Ass. Fish. Pathol. 11: 211-212.
- Molnár,K. (1993).Effect of decreased oxygen content on eels (*Anguilla anguilla*) infected by *Anguillicola crassus* (Nematoda: Dracunculoidea). Acta Veterinaria Hungarica.41:349-360.
- Molnár, K., Baska, F., Csaba, Gy., Glávits, R., Székely, Cs. (1993). Pathological and histopathological studies of the swimbladder of eels *Anguilla anguilla* infected by *Anguillicola crassus* (Nematoda: Dracunculoidea). Diseases of Aquatic Organisms 15: 41-50.
- Moravec, F. & Taraschewski, H. (1988). Revision of the genus *Anguillicola*, Yamaguti, 1935 (Nematoda: Anguillicolidae) of the swim-bladder of eels, including descriptions of two new species, *A. novaezelandia* sp.n. and *A. papernai* sp.n. Folia parasitologica 35: 125-146.

REFERENCES

- Moravec, F. (1992). Spreading of the nematode *Anguilllicola crassus* (Dracunculoidea) among eel populations in Europe. *Folia Parasitologica* 39: 247-248.
- Moravec, F. & Konecny, R. (1994). Some new data on the intermediate and paratenic hosts of the nematode *Anguilllicola crassus* Kuwahara, Niimi et Itagaki, 1974 (Dracunculoidea), a swimbladder parasite of eels. *Folia Parasitologica* 41: 65-70.
- Moravec, F. (1996). Aquatic invertebrates (snails) as new paratenic hosts of *Anguilllicola crassus* (Nematoda, Dracunculoidea) and the role of paratenic hosts in the life cycle of this parasite. *Dis Aquat Org* 27: 237-239.
- Moravec, F. & Skorikova, B. (1998). Amphibians and larvae of aquatic insects as new paratenic hosts of *Anguilllicola crassus* (Nematoda: Dracunculoidea), a swimbladder parasite of eels. *Dis Aquat Org* 34 (3): 217-222.
- Morgan, J.D. & Iwama, G.K. (1991). Effects of salinity on growth, metabolism, and ion regulation in juvenile rainbow trout and steelhead trout (*Oncorhynchus mykiss*) and fall chinook salmon (*Oncorhynchus tsawytscha*). *Canadian Journal of Fisheries and Aquatic Sciences* 48: 2083-2094.
- Morgan, J.D. & Iwama, G.K. (1998). Salinity effects on oxygen consumption, gill Na⁺,K⁺-ATPase and ion regulation in juvenile coho salmon. *Journal of Fish Biology* 53: 1110-1119.
- Müller, T., Binder, T., Váradí, B., Horn, P., Bercsenyi, (2002). Artificial induction of sexual maturation in the European eel males (*Anguilla anguilla* L.) (Preliminary results). *Acta Agraria Kaposvárensis* 6, 1, 53-57.
- Münsterle, M., Sures, B., Taraschewski, H. (2004). Influence of *Anguilllicola crassus* (Nematoda) and *Ichthyophthirius multifiliis* (Ciliophora) on swimming activity of European eel *Anguilla anguilla*. *Diseases of Aquatic Organisms* 60:133-139
- Murk AJ, Leonards PEG, van Hattum B, Luit R, van der Weiden MEJ, Smit M (1998) Application of biomarkers for exposure and effect of polyhalogenated aromatic hydrocarbons in naturally exposed European otters (*Lutra lutra*). *Environ Toxicol and Pharmacol* 6:91-103
- Nagahama, Y. (1983) The functional morphology of teleost gonads. In Hoar, H.S., Randall, D.J. and Donaldson, E.M., eds. *Reproduction - Endocrine Tissues and Hormones*. New York: Academic Press, pp. 223-275.
- Nagahama, Y. (1987) 17 α , 20 β -dihydroxy-4-pregnen-3-one: a teleost maturation-inducing hormone. *Develop. Growth. Diff.* 29, 1-12.
- Nagahama, Y. and Yamashita, M. (1989) Mechanisms of synthesis and action of 17 α , 20 β -trihydroxy-4-pregnen-3-one, a teleost maturation-inducing substance. *Fish Physiol. Biochem.* 7, 193.
- Nagahama, Y. (1994) Endocrine regulation of gametogenesis in fish. *Int. J. Dev. Biol.* 38: 217-229.
- Nagahama, Y. (2000) Gonadal steroid hormones: major regulators of gonadal sex differentiation and gametogenesis in fish. In: In: Norberg, B., Kjesbu, O.S., Taranger, G.L., Anderson, E., Stefansson, S.O. (eds.) *Reproductive physiology of fish*. University of Bergen/Institute of Marine Research, Bergen, Norway, pp. 211-222.

- Neumann, W. (1985). Schwimmblasenparasit *Anguillicola* bei Aalen. Fischer und Teichwirt 11: 322.
- Nimeth, K., Zwerger, P., Würtz, J., Salvenmoser, W., Pelster, B. (2000). Infection of the glass-eel swimbladder with the nematode *Anguillicola crassus*. Parasitology 121: 75-83.
- Nordberg, B., Valkner, V., Huse, I., Karlsen, I., Lerøy Grung, G. (1991). Ovulatory rhythms and egg viability in the Atlantic halibut (*Hippoglossus hippoglossus*). Aquaculture 97, 365-371.
- O**hta, H., Kagawa, H., Tanaka, H., Okuzawa, K., Hirose, K. (1996). Changes in fertilization and hatching rates with time after ovulation induced by 17,20 β -dihydroxy-4-pregnen-3-one in the Japanese eel, *Anguilla japonica*. Aquaculture 139, 291-301.
- Ohta, H., Kagawa, H., Tanaka, H., Okuzawa, K., Inuma, N., Hirose, K. (1997). Artificial induction of maturation and fertilization in the Japanese eel, *Anguilla japonica*. Fish Physiology and Biochemistry 17, 163-169.
- Ohta, H., Unuma, T. (2003). Induction of sperm maturation. In: Aida, K., Tsukamoto, K., Yamauchi, K. (Eds.), Eel Biology. Springer-Verlag.
- Oka, P.H. (1979). Studies on the artificial maturation in the Japanese eel, *Anguilla japonica*-III. On the relation between the changes in body weight and the oogenesis during the course of maturation. Bull. Shizuoka Pref. Fish. Exp. Stn. 13, 101-111 (In Japanese with English summary).
- Okamura, A., Zhang, H., Utoh, T., Akazawa, A., Yamada, Y., Horie, N., Mikawa, N., Tanaka, S., Oka, H.P. (2004) Artificial hybrid between *Anguilla anguilla* and *A. japonica*. Journal of Fish Biology 64: 1450-1454.
- Olivereau, M. & Olivereau, J. (1979). Effects of estradiol-17 β on the cytology of the liver, gonads and pituitary, and on plasma electrolytes in the female freshwater eel. Cell Tissue Res 199: 431-454.
- Owen, J. (2003) Europe's eels are slipping away, scientists warn. National Geographic.
- Ozaki, Y., Okumura, H., Kazeto, Y., Ikeuchi, T., Ijiri, S., Nage, M., Adachi, S., Yamauchi, K. (2000) Developmental changes in pituitary thyroid axis, and formation of gonads in leptocephali and glass eels of *Anguilla* spp. Fish Sci 66: 1115-1122.
- P**alstra, A.P., Graaf, M. de, Sibbing, F.A. (2004a) Riverine spawning and reproductive segregation in a lacustrine cyprinid species flock, facilitated by homing? Animal Biology 54 (4): 393-416.
- Palstra, A.P., van Ginneken, V., van den Thillart, G. (2004b). Artificial reproduction of the European silver eel (*Anguilla anguilla* L.). EAS Special Publication No 34.
- Palstra, A.P. (2005a) Een schier onmogelijke taak. De Roofvis 51.
- Palstra AP, Cohen EGH, Niemantsverdriet PRW, van Ginneken V.J.T., van den Thillart, G.E.E.J.M. (2005b) Artificial maturation and reproduction of European silver eel: Development of oocytes during final maturation. Aquaculture 249 (1-4): 533-547

REFERENCES

- Palstra, A.P., van Ginneken, V.J.T., Murk, A.J., van den Thillart, G.E.E.J.M. (2006) Are dioxin-like contaminants responsible for the eel (*Anguilla anguilla*) drama? Naturwissenschaften 93: 145-148. (Short communication).
- Pankhurst, N.W. (1982) Relation of visual changes to the onset of sexual maturation in the European eel *Anguilla anguilla* L. Journal of Fish Biology 21: 127-140.
- Pankhurst, N.W. & Lythgoe, J.N. (1983) Changes in vision and olfaction during sexual maturation in the European eel *Anguilla anguilla* (L.) Journal of Fish Biology 23: 229-240.
- Patterson, D.A., MacDonald, J.S., Hinch, S.G., Healey, M.C., Farrell, A.P. (2004) The effect of exercise and captivity on energy partitioning, reproductive maturation and fertilization success in adult sockeye salmon. Journal of Fish Biology 64: 1039-1059.
- Pazooki, J. & Székely, Cs. (1994). Survey of the paratenic hosts of *Anguilllicola crassus* in Lake Velence, Hungary. Acta Veterinaria Hungarica 42: 87-97.
- Pedersen, B.H. (2003) Induced sexual maturation of the European eel *Anguilla anguilla* and fertilisation of the eggs. Aquaculture 224, 323-338.
- Pedersen, B.H. (2004) Fertilisation of eggs, rate of embryonic development and hatching following induced maturation of the European eel *Anguilla anguilla*. Aquaculture 237, 461-473.
- Perez, L., Asturiano, J.F., Tomás, A., Zegrari, S., Barrera, R., Espinos, F.J., Navarro, J.C., Jover, M., 2000. Induction of maturation and spermiation in the male European eel: assessment of sperm quality throughout treatment. Journal of Fish Biology 57, 1448-1504.
- Petersen, I. & Korsgaard, B. 1989. Experimental induction of vitellogenin synthesis in eel (*Anguilla anguilla*) adapted to sea-water or freshwater. Comp. Biochem. Physiol. 93B: 57-60.
- Peyon, P., Balochse, S., Burzawa-Gerard, E. 1993. Synthesis of vitellogenin by eel (*Anguilla anguilla* L.) hepatocytes in primary culture: requirement of estradiol-17 β priming. Gen. Comp. Endocrinol. 91: 318-329.
- Pocar P, Brevini TA, Fischer B, Gandolfi F (2003) The impact of endocrine disruptors on oocyte competence. Reproduction 125:313-325.
- Polzer, M. & Taraschewski, H. (1993). Identification and characterization of proteolytic enzymes in the developmental stages of the eel-pathogenic nematode *A. crassus*. Parasitology Research 79: 24-27.
- Pough, F.H., Heiser, J.B., McFarland, W.N. (1996) Vertebrate life. 4th edition. Prentice Hall, Upper Saddle River, New Jersey.

Quinn, G.P. & Keough, M.J. 2002. Experimental design and data analysis for biologists. Cambridge University Press.

Rankin, C., Madsen, S., Lafont, A., Fouchereau-Peyron, M., Palstra, A., van den Thillart, G. (2006). Effects of silvering and maturation on acclimation to sea water in the European eel, *Anguilla anguilla* L. Comparative Physiology and Biochemistry Abstracts SEB 2006 Canterbury.

- Redi, F. (1676) Observations of living animals in living animals.
- Robinet T, Feunteun, E (2002) Sublethal effects of exposure to chemical compounds: a cause for the decline in Atlantic eels? *Ecotoxicology* 11: 265-277
- Robins, C.R., Cohen, D.M. and Robins, C.H. (1979) The eels *Anguilla* and *Histiobranchus*, photographed on the floor of the deep Atlantic in the Bahamas. *Bull. Mar. Sci.* 29, 401-405.
- Rohr, D.H., Lokman, P.M., Davie, P.S., Young, G. (2001) 11-Ketotestosterone induces silvering-related changes in immature female short-finned eels, *Anguilla australis*. *Comp Biochem Physiol* 130A: 701-714.
- S**afe S (1994) Polychlorinated biphenyls (PCBs): Environmental impact, biochemical and toxic responses, and implications for risk assessment. *Crit Rev Toxicol* 24(2): 87-149
- Sasai, S., Kaneko, T., Hasegawa, S., Tsukamoto, K. (1998) Morphological alteration in two types of gill chloride cells in Japanese eels (*Anguilla japonica*) during catadromous migration. *Can J Zool* 76: 1480-1487.
- Satoh, H., Yamamori, K., Hibiya, T., 1992. Induced spawning of the Japanese eel. *Nippon Suisan Gakkaishi* 58, 825-832.
- Schmidt, J. (1912) The reproduction and spawning places of the fresh-water eel (*Anguilla vulgaris*). *Nature* 89: 633-636.
- Schmidt, J. (1922) The breeding places of the eel. *Philosophical Transactions of the Royal Society of London B* 211: 179-208.
- Schmidt, J. (1923) Breeding places and migration of the eel. *Nature* 111: 51-54.
- Schmidt, J. (1925) The breeding places of the eel. *Annu Rep Smithson Inst* 1924: 279-316.
- Schmidt, J. (1935) Danish eel investigations during 25 years (1905-1930). Carlsberg Foundation, Copenhagen, pp. 1-16.
- Schmidt-Nielsen, K. 1972. Locomotion: energetic cost of swimming, flying and running. *Science* 177: 222-228.
- Schweid, R. (2002) Consider the eel. University of North Carolina Press, US.
- Sébert, P. & Theron, M. (2001) Why can the eel, unlike the trout, migrate under pressure. *Mitochondrion* 1, 79-85.
- Seibel, B. (2005). Reduced locomotory capacity in the deep, pelagic biosphere: environmental constraint or energetic opportunity. *Comparative Biochemistry and Physiology Part A* 141: S163-S173.
- Smith, L.S., & Newcomb, T.W. (1970). A modified version of the Blazka respirometer and exercise chamber for large fish. *Journal of the Fisheries Research Board of Canada* 27, 1321-1324.
- Sorbera, L.A., Asturiano, J.F., Carrillo, M., Zanuy, S. (2001). Effects of polyunsaturated fatty acids and prostaglandins on oocyte maturation in a marine teleost, the European Sea Bass (*Dicentrarchus labrax*). *Biology of Reproduction* 64: 382-389.
- Sprengel, G. and Lüchtenberg, H. (1991). Infection by endoparasites reduces maximum swimming speed of European smelt *Osmerus eperlanus* and European eel *Anguilla anguila*. *Diseases of Aquatic Organisms* 11: 31-35.
- Stone, R. (2003) Freshwater eels are slip-sliding away. *Science* 203: 221-222.

REFERENCES

- Stouthart X.J.H.X., Huijbregts M.A.J., Baln P.H.M., Lock R.A.C., Wendelaar Bonga S.E. (1998) Endocrine stress response and abnormal development in carp (*Cyprinus carpio*) larvae after exposure of the embryos to PCB 126. Fish Physiology and Biochemistry 18:321-329
- Sugimoto, Y., Takeuchi, Y., Yamauchi, K., Takahashi, H., 1976. Induced maturation of female Japanese eels (*Anguilla japonica*) by administration of salmon pituitaries, with notes on changes of oil droplets in eggs of matured eels. Bull. Fac. Fish. Hokkaido Univ. 27, 107-120 (In Japanese with English summary).
- Sures, Knopf, K., Kloas, W. (2001). Induction of stress by the swimbladder nematode *Anguillicola crassus* in the European eels, *Anguilla anguilla*, after repeated experimental infection. Parasitology 123 (2): 179-184.
- Svedäng H, Wickström, H (1997) Low fat contents in female silver eels: indications of insufficient energetic stores for migration and gonadal development. J Fish Biol 50: 475-486
- Svedäng H, Wickström H, Reizenstein M, Holmgren K, Florenius P (1998) Accuracy and precision in eel age estimation, using otoliths of known and unknown age. J Fish Biol 53(2): 456-464
- Swanson, P., Suzuki, K., Kawauchi, H. and Dickhoff, W.W. (1991) Isolation and characterization of two coho salmon gonadotropins, GtH I and GtH II. Biol Reprod. 44: 29-38.
- Székely, C., Láng, M., Csaba, G. (1991). First occurrence of *Anguillicola crassus* in Hungary. Bulletin of the European Association of Fish Pathologists 11: 162-163.
- Székely, Cs. (1994). Paratenic hosts for the parasitic nematode *Anguillicola crassus* in Lake Balaton, Hungary. Diseases of Aquatic Organisms 18: 11-20.
- Székely, Cs. (1995). Dynamics of *Anguillicola crassus* (Nematoda: Dracunculoidae) larval infection in paratenic host fishes of Lake Balaton, Hungary. Acta Veterinaria Hungarica 43 (4): 401-422.
- Székely, Cs., Molnár, K., Müller, T., Szabó A., Romvári, R., Hancz, Cs., Bercesényi, M. (2004). Comparative study of X-ray computed tomography and conventional X-ray methods in the diagnosis of swimbladder infection of eel caused by *Anguillicola crassus*. Diseases of Aquatic Organisms. 58 (2-3): 157-164.
- Székely, Cs., Molnár, K., Rácz, O.(2005):Radiodiagnostic method for studying the dynamics of *Anguillicola crassus* (Nematoda:Dracunculoidae)infection and pathological status of the swimbladder in Lake Balaton eels. Diseases of Aquatic Organisms 64 (1):53-61.
- Tachiki, H., Nakagawa, T. (1993). Induction of spawning in female cultured eel *Anguilla japonica*. Bull. Aichi Fish. Res. Inst. 1, 79-83 (In Japanese).
- Tachiki, H., Nakagawa, T., Tamura, K., Hirose, K. (1997) Effects of oral administration of estadiol-17 β to young on gonadal sex and growth of Japanese eel *Anguilla japonica*. Suisanzoshoku 45: 61-66.
- Tanaka, H., Kagawa, H., Ohta, H. (2001) Production of leptocophali of Japanese eel (*Anguilla japonica*) in captivity. Aquaculture 201, 51-60.

- Tátrai, I., Paulovits, G., Józsa, V., Szabó I. (2003). Stocks of introduced fishes in Lake Balaton. In: Mahunka, S. and Banczerowski, J. (eds.). Results of the research of Lake Balaton in 2002. Hungarian Academy of Sciences. pp: 140-148. (in Hungarian)
- Tesch, F.W. (1972) Versuch zur telemetrischen Verfolgung der Laichwanderung von Aalen (*Anguilla anguilla*) in der Nordsee. Helgoländer Wisserei Meeresunters 23: 165-183.
- Tesch, F.W. (1974) Speed and direction of silver and yellow eels, *Anguilla anguilla*, released and tracked in the open North Sea. Ber Dtsch Wiss Komm Meeresforsch 23: 181-197.
- Tesch, F.W. (1977) The eel. Biology and management of anguillid eels, Chapman & Hall, London, 434 pag.
- Tesch, F.W. (1978) Horizontal and vertical swimming of eels (*Anguilla anguilla*) during the spawning migration at the edge of the continental shelf. In: Schmidt-Koenig, K., Keeton, W.T. (eds.) Animal migration, navigation and homing, Springer, Berlin, pp. 378-393.
- Tesch, F.W. (1989) Changes in swimming depth and direction of silver eels (*Anguilla anguilla* L.) from the continental shelf to the deep sea. Aquat Living Resour 2: 9-20.
- Tesch, F.W., Westerberg, H., Karlsson, L. (1991) Tracking studies on migrating silver eels in the Central Baltic. Meeresforschung 35: 193-196.
- Tesch, F.W. & Röhlif, N. (2003) Migration from continental waters to the spawning grounds. In: Aida, K., Tsukamoto, K., Yamauchi, K., (Eds.), Eel Biology, Springer, pp. 223-236.
- Tesch, F.W. (2003) The eel. Blackwell Science Ltd, Oxford.
- Thibault, I., Mizuka, Y., Tzeng, W-N., Shiao J-C., Dodson, J., Caron, F. (2005) Alternative migratory behavior of American eel (*Anguilla rostrata*) in the Saint John River, Gaspé (Quebec). In: Fish & Diadromy in Europe. Ecology, Management, Conservation. Bordeaux 29 March – 1 April 2005: pp. 36.
- Thomas, K. & Ollivier, F. (1992). Population biology of *Anguillicola crassus* in the final host *Anguilla anguilla*. Diseases of Aquatic Organisms 14: 163-170.
- Thomas, K. (1993). The life cycle of the eel parasite *Anguillicola crassus* (Nematoda: Dracunculidae). PhD thesis, Katholieke Universiteit Leuven, Belgium.
- Todd, P.R. (1981) Morphometric changes, gonad histology, and fecundity estimates in migrating New Zealand freshwater eels (*Anguilla* spp.). N Z J Mar Freshw. Res. 15: 155-170.
- Tokartz, R.R. (1978) Oogonial proliferation, oogenesis, and folliculogenesis in nonmammalian vertebrates. In R.E. Jones (ed.), The vertebrate ovary. pp.145-179. Plenum Press, New York.
- Tsukamoto, K., Kajihara, T., Nishiwaki, M. (1975). Swimming ability of fish. Bulletin of the Japanese Society of Scientific Fisheries 41 (2): 167-174.
- Tsukamoto, K., Nakai, I., Tesch, W.V. (1998) Do all freshwater eels migrate? Nature 396, 635-636.
- Tucker, D.W. (1959). A new solution to the Atlantic eel problem. Nature 183: 495-501.
- Tucker, V.A. (1970). Energetic cost of locomotion in animals. Comp Biochem Physiol 34: 841-

REFERENCES

- Tyler, C.R. (1991). Vitellogenesis in salmonids. In: Scott, A.P., Sumpter, J.P., Kime, D.E., Rolfe, J. (eds.). Proc. Fourth Int. Symp. Reproductive Physiology of fish. Sheffield University Press, pp. 295-299.
- Tyler, C.R. & Sumpter, J.P. (1996) Oocyte growth and development in teleosts. Reviews in Fish Biology and Fisheries 6, 287-318.
- Tytell, E.D. & Lauder, G.V. (2004) The hydrodynamics of eel swimming. I. Wake structure. J.Exp.Biol. 207, 1825-1841.
- Tzeng, W.N., Lin, H.R., Wang, C.H., Xu, S.N. (2000) Differences in size and growth rates of male and female migrating Japanese eels in Pearl River, China. Journal of Fish Biology 57: 1245-1253.
- V**an Banning, P. & Haenen, O.L.M. (1990). Effects of the swimbladder nematode *Anguillicola crassus* in wild and farmed eel *Anguilla anguilla*. In: Perkins, F.O., Cheng, T.C. (eds.). Pathology in marine science. Proc. 3rd Int Coll on Path in Marine Aquaculture, Gloucester Point, Virginia. Academic Press, New York, pp. 317-330.
- van den Thillart, G., van Ginneken, V., Körner, F., Heijmans, R., van der Linden, R., Gluvers, A. (2004) Endurance swimming of European eel. Journal of Fish Biology 65: 1-7.
- van Dijk, P.L., Thillart, G. van den, Balm, P., & Wendelaar Bonga, S. 1993. The influence of gradual water acidification on the acid/base status and plasma hormone levels in the carp. Journal of Fish Biology 42, 661-671.
- van Ginneken V.J.T. & van den Thillart G.E.E.J.M. (2000) Eel fat stores are enough to reach the Sargasso. Nature 403:156-157
- van Ginneken, V.J.T.; Balm, B.; Commandas, V.; Onderwater, M. and Thillart, G. van den (2002). Acute stress syndrome of the yellow European eel (*Anguilla anguilla* Linnaeus) when exposed to a graded swimming-load. Netherlands Journal of Zoology 52:29-42.
- van Ginneken, V.; O. Haenen; Coldenhoff, K.; Willemze, R.; Antonissen, E.; van Tulden, P.; Dijkstra, S.; Wagenaar, F.; van den Thillart, G. (2004) Presence of virus infections in eel populations from various geographic areas. Bull. Eur. Ass. Fish Pathol. 24(5): 268.
- van Ginneken, V., Vianen, G., Muusze, B., Palstra, A., Verschoor, L., Lugten, O., Onderwater, M., van Schie, S., Niemantsverdriet, P., van Heeswijk, R., Eding, E., van den Thillart, G. (2005a) Gonad development and spawning behaviour of artificially-matured European eel (*Anguilla anguilla* L.). Animal Biology 55 (3): 203-218.
- van Ginneken, V., Antonissen, E., Muller, U.K., Booms, R., Eding, E., Verreth, J., Thillart, G. van den. (2005b) Eel migration to the Sargasso: remarkably high swimming efficiency and low energy costs. The Journal of Experimental Biology 208: 1329-1335.
- van Ginneken, V., Ballieux, B., Willemze, R., Coldenhoff, K., Lentjes, E., Antonissen, E., Haenen, O., van den Thillart, G. (2005c) Hematology patterns of migrating European eels and the role of EVEX virus. Comparative Biochemistry and Physiology, Part C 140: 97-102.

- van Ginneken, V. (2006). Simulated migration of European eel (*Anguilla Anguilla*, Linnaeus 1758). PhD thesis, Wageningen Universiteit, Wageningen.
- van Ginneken, V.J.T. & Maes, G.E. The European eel (*Anguilla anguilla*, Linnaeus), its lifecycle, evolution and reproduction: a literature review. *Reviews in Fish Biology and Fisheries*, accepted.
- van Ginneken, V., Durif, C., Dufour, S., Sbaihi, M., Boot, R., Noorlander, K., Doornbos, J., Goos, H., Antonissen, E., Mayer, I., Thillart, G. van den. A 5,500-km swim trial stimulates gonad maturation in the European eel (*Anguilla anguilla* L.). submitted.
- van Ginneken, V., Palstra, A., Nieven, M., van den Berg, H., Hanzen, D., Lock, R., Spawnings, T., Niemantsverdriet, P., van den Thillart, G., Murk, T. Effects of PCBs on the energy costs of migration and blood parameters of European silver eel (*Anguilla anguilla*). To be submitted.
- van Leeuwen C, Hermens J (1995) Risk assessment of chemicals: an introduction. Kluwer Academic Pub, Dordrecht, the Netherlands
- van Leeuwen SPJ, Traag WA, Hoogenboom LAP, de Boer J (2002) Dioxins, furans and dioxin-like pcbs in wild, farmed, imported and smoked eel from the Netherlands. RIVO Rapport C034/02
- Vettier, A., Székely, C., Sébert, P. (2003) Are yellow eels from Lake Balaton able to cope with high pressure encountered during migration to the Sargasso sea? The case of energy metabolism. *Animal Biology* 53 (4): 329-338.
- Vidal, B., Pasqualini, C., Le Belle, N., Claire, M., Holland, H., Sbaihi, M., Vernier, P., Zohar, Y., Dufour, S. (2004) Dopamine inhibits luteinizing hormone synthesis and release in the juvenile European eel: A neuroendocrine lock for the onset of puberty. *Biology of Reproduction* 71: 1491-1500.
- Videler, JJ. (1993) Fish Swimming. Chapman & Hall, London, Fish and Fisheries Series 10, 260 pp.
- Vlad, M. (1976) Nucleolar DNA in oocytes of *Salmo irideus* (Gibbons). *Cell Tissue Res.* 167: 407-424.
- Vollestad, L.A., Jonsson, B., Hvidsten, N.A., Næsje, T.F., Haraldstad, Ø., Ruud-Hansen, J. (1986) Environmental factors regulating the seaward migration of European silver eels (*Anguilla anguilla*). *Canadian Journal of Fisheries & Aquatic Sciences* 43: 1909-1919.

- W**alker MK, Cook PM, Batterman AR, Butterworth BC, Berini C, Libal JJ, Hufnagle LC, Peterson RE (1994) Translocation of 2,3,7,8-tetrachlorodibenzo-p-dioxin from adult female Lake Trout (*Salvelinus namaycush*) to oocytes: effects on early life stage development and sac fry survival. *Can J Fish Aquat Sci* 51:1410-1419
- Walker MK, Peterson RE (1991) Potencies of polychlorinated dibenzo-p-dioxin, dibenzofuran, and biphenyl congeners, relative to 2,3,7,8-tetrachlorodibenzo-p-dioxin, for producing early life stage mortality in rainbow trout (*Oncorhynchus mykiss*). *Aquat Toxicol* 21:219-238
- Wallace R.A., Selman K. (1978) Oogenesis in fundulus heteroclitus. I. Preliminary observations on oocyte maturation in vivo and in vitro. *Developmental Biology*. 62: 354-369.

REFERENCES

- Wallace R.A., Selman K. (1981) Cellular dynamic aspects of oocyte growth in teleosts. Am. Zool. 21: 325-343.
- Wang, Y., Zhao, C., Shi, Z., Tan, Y., Zhang, K., Li, T., 1980. Studies on the artificial induction of reproduction in common eel. J. Fish. China 4, 147-156 (In Chinese with English summary).
- Watanabe, S. (2003) Taxonomy of the freshwater eels, genus *Anguilla* Schrank, 1798. In: Aida, K., Tsukamoto, K., Yamauchi, K., (Eds.), Eel Biology, Springer, pp. 3-18.
- Webb, P.W. 1975. Hydrodynamics and energetics of fish propulsion. Journal of the Fisheries - Research Board of Canada 190, 77-105.
- Westin, L. (1998) The spawning migration of European silver eel (*Anguilla anguilla* L.) with particular reference to stocked eel in the Baltic. Fish. Res. 38:257-270.
- Wickström, H. (2005) Where do all the silver eels come from? New results from the Baltic Sea. In: Fish & Diadromy in Europe. Ecology, Management, Conservation. Bordeaux 29 March – 1 April 2005: pp. 67.
- Wirth, T. & Bernatchez, L. (2001) Genetic evidence against panmixia in the European eel. Nature 409: 1037-1040.
- Wootton, R.J. (1990) The ecology of teleost fishes. Chapman and Hall, London.
- Würtz, J., Taraschewski, H., Pelsner, B. (1996). Changes in gas composition in the swimbladder of the European eel (*Anguilla anguilla*) infected with *Anguillicolacrassus* (Nematoda). Parasitology 112: 233-238.
- Würtz, J., Knopf, K., Taraschewski, H. (1998). Distribution and prevalence of *Anguillicolacrassus* (Nematoda) in eels *Anguilla anguilla* of the rivers Rhine and Naab, Germany. Dis Aquat Org 32 (2): 137-143.

- Yamada, Y., Okamura, A., Tanaka, S., Utoh, T., Horie, N., Mikawa, N., Oka, H.P. (2002). The roles of bone and muscle as phosphorus reservoirs during the sexual maturation of female Japanese eels, *Anguilla japonica* Temminck and Schlegel (Anguilliformes). Fish Physiology and Biochemistry 24: 327-334.
- Yamamoto, K. & Yamauchi, K. (1974) Sexual maturation of japanese eel and production of eel larvae in the aquarium. Nature 251: 381.
- Yamamoto, K., Morioka, T., Hiroi, O., Oomori, M., (1974). Artificial maturation of female Japanese eels by the injection of salmonid pituitary. Bull. Jpn. Soc. Sci. Fish. 40, 1-7 (In Japanese with English summary).
- Yamauchi, K., Nakamura, M., Takahashi, H and Takano, K. (1976) Cultivation of larvae of japanese eel. Nature, 263: 412
- Yamauchi, K., Yamamoto, K., (1982). Experiments on artificial maturation and fertilization of the Japanese eel (*Anguilla japonica*). In: Richter, C.J., Goos, G.J.Th. (Eds.), Reproductive Physiology of Fish. Pudoc, Wageningen, pp. 185-189.
- Yamauchi, K., (1990). Studies of gonadal steroids involved in final gonadal maturation in the Japanese eel, *Anguilla japonica*, a review. Int. Revue Ges. Hydrobiol. 75, 859-860. Amer. Zool. 21, 325-343.

