



Universiteit  
Leiden  
The Netherlands

## Molecular aspects of cutaneous T-cell lymphoma : genetic alterations underlying clinical behavior

Kester, M.S. van

### Citation

Kester, M. S. van. (2012, November 20). *Molecular aspects of cutaneous T-cell lymphoma : genetic alterations underlying clinical behavior*. Retrieved from <https://hdl.handle.net/1887/20177>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/20177>

**Note:** To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/20177> holds various files of this Leiden University dissertation.

**Author:** Kester, Maria Sophia van (Marloes)

**Title:** Molecular aspects of cutaneous T-cell lymphoma : genetic alterations underlying clinical behavior

**Issue Date:** 2012-11-20

Molecular aspects of cutaneous T-cell lymphoma:  
genetic alterations underlying clinical behavior

Marloes van Kester

The studies in this thesis were financially supported by a grant from the Fondation René Touraine (chapter 4 & 5)

Financial support for the publication of this thesis was kindly provided by DDL Diagnostic Laboratory, Astellas Pharma B.V., Novartis Pharma B.V., Bauerfeind Benelux B.V., Janssen-Cilag B.V.

ISBN: 978-94-6191-482-8

Cover design: Nexstudio, Rijswijk

Lay out: [www.wenziD.nl](http://www.wenziD.nl), W. Schoneveld

Printed by Ipskamp Drukkers BV, Enschede

Molecular aspects of cutaneous T-cell lymphoma: genetic alterations underlying clinical behavior

© Marloes van Kester, 2012

No part of this thesis may be reproduced, stored or transmitted in any way without prior permission of the author.

Molecular aspects of cutaneous T-cell lymphoma:  
genetic alterations underlying clinical behavior

Proefschrift

ter verkrijging van  
de graad van Doctor aan de Universiteit Leiden,  
op gezag van Rector Magnificus prof.mr. P.F. van der Heijden,  
volgens besluit van het College voor Promoties  
te verdedigen op dinsdag 20 november 2012  
klokke 16.15 uur

door

**Maria Sophia van Kester**  
geboren te Rotterdam  
in 1984

## Promotiecommissie

Promotor Prof.dr. R. Willemze

Co-promotores Dr. C.P. Tensen  
Dr. R. van Doorn

Overige leden Prof.dr. C.J.L.M. Meijer (VU medisch centrum)  
Prof.dr. J.H. Veelken  
Prof.dr. P. Devilee





## Contents

List of abbreviations	8
Chapter 1 General introduction	11
Chapter 2 Oncogenomic analysis of mycosis fungoides reveals major differences with Sézary syndrome <i>Blood 2009; 113(1):127-36</i>	29
Chapter 3 A meta-analysis of gene expression data identifies a molecular signature characteristic for tumor-stage mycosis fungoides <i>Journal of Investigative Dermatology 2012; 132(8):2050-9</i>	53
Chapter 4 MicroRNA expression in Sézary syndrome: identification, function, and diagnostic potential <i>Blood 2010; 116(7):1105-13</i>	75
Chapter 5 miRNA expression profiling of mycosis fungoides <i>Molecular Oncology 2011; 5(3):273-80</i>	99
Chapter 6 Cutaneous anaplastic large cell lymphoma and peripheral T-cell lymphoma NOS show distinct chromosomal alterations and differential expression of chemokine receptors and apoptosis regulators <i>Journal of Investigative Dermatology 2010; 130(2):563-75</i>	115
Chapter 7 General discussion	143
Nederlandse samenvatting	163
List of publications	166
Curriculum vitae	169
Nawoord	170

## List of abbreviations

aCGH	array-based comparative genomic hybridization
ACP2	acid phosphatase 2, lysosomal
ARHB	synonym RHOB
ARPC4	actin related protein 2/3 complex, subunit 4, 20kDa
ATP5J2	ATP synthase, H <sup>+</sup> transporting, mitochondrial Fo complex, subunit F2
BAC	bacterial artificial chromosome
BCL2	B cell lymphoma 2
BCL7a	B-cell CLL/lymphoma 7A
BCL11a	B-cell CLL/lymphoma 11A (zinc finger protein)
C-ALCL	primary cutaneous anaplastic large cell lymphoma
CCL5	chemokine (C-C motif) ligand 5
CCR7	chemokine (C-C motif) receptor 7
CCR10	chemokine (C-C motif) receptor 10
CD30	synonym TNFRSF8
CDCA7	cell division cycle associated 7
CDKN2A	cyclin-dependent kinase inhibitor 2A
cDNA	complementary DNA
CGH	comparative genomic hybridization
CHN1	chimerin (chimaerin) 1
CLL	chronic lymphocytic leukemia
CNA	copy number alteration
C-PTCL-NOS	primary cutaneous peripheral T-cell lymphoma not otherwise specified
CRIP1	cysteine-rich protein 1 (intestinal)
CTCL	cutaneous T-cell lymphoma
DE	differentially expressed
DIABLO	diablo, IAP-binding mitochondrial protein
DUSP1	dual specificity phosphatase 1
EPHA4	EPH receptor A4
FAS	Fas (TNF receptor superfamily, member 6)
FASTK	Fas-activated serine/threonine kinase
FrAGL	Frequency of Amplicon, Gain, and Loss
GATA-3	synonym PRDM2
HDAC	histone deacetylase
IL32	interleukin 32

IRF4	interferon regulatory factor 4
ITGB1	integrin, beta 1 (fibronectin receptor, beta polypeptide, antigen CD29 includes MDF2, MSK12)
JUNB	jun B proto-oncogene
KIR3DL2	killer cell immunoglobulin-like receptor, three domains, long cytoplasmic tail, 2
LyP	Lymphomatoid papulosis
MCR	minimal common region
MET	met proto-oncogene (hepatocyte growth factor receptor)
MF	Mycosis fungoïdes
miRNA	microRNA
MYC	v-myc myelocytomatosis viral oncogene homolog (avian)
MXI1	MAX interactor 1
NF-κB	nuclear factor kappa B
NFKBIZ	nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, zeta
NKG7	natural killer cell group 7 sequence
PRDM2	PR domain containing 2, with ZNF domain
PRKCQ	protein kinase C, theta
PTPRG	protein tyrosine phosphatase, receptor type, G
PTPRN2	protein tyrosine phosphatase, receptor type, N polypeptide 2
PUVA	psoralen UVA
RANKL	synonym TNFSF11
RANTES	synonym CCL5
RHOF	ras homolog family member F (in filopodia)
RB1	retinoblastoma 1
SCYA5	synonym CCL5
SMAC	synonym DIABLO
STAT4	signal transducer and activator of transcription 4
Sz	Sézary syndrome
TBX21	T-Box 21
TGFBR2	transforming growth factor, beta receptor II (70/80kDa)
TIA-1	TIA1 cytotoxic granule-associated RNA binding protein
T-MF	tumor-stage mycosis fungoïdes
TNFRSF8	tumor necrosis factor receptor superfamily, member 8
TNFSF11	tumor necrosis factor (ligand) superfamily, member 11
TRAF1	TNF receptor-associated factor 1
TWIST1	twist homolog 1 ( <i>Drosophila</i> )
WHO-EORTC	World Health Organization-European Organization of Research and Treatment of Cancer classification

