



Universiteit
Leiden
The Netherlands

A functional genomics study of extracellular protease production by *Aspergillus niger*

Braaksma, M.

Citation

Braaksma, M. (2010, December 15). *A functional genomics study of extracellular protease production by Aspergillus niger*. Retrieved from <https://hdl.handle.net/1887/16246>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/16246>

Note: To cite this publication please use the final published version (if applicable).

REFERENCES

- Affymetrix (2001).** Statistical algorithms reference guide, technical report. Santa Clara, CA: Affymetrix.
- Affymetrix (2004).** GeneChip expression analysis technical manual. Santa Clara, CA: Affymetrix.
- Almaas, E. (2007).** Biological impacts and context of network theory. *J Exp Biol* **210**, 1548-1558.
- Altschul, S.F., Madden, T. L., Schäffer, A. A., Zhang, J., Zhang, Z., Miller, W. & Lipman, D. J. (1997).** Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acids Res* **25**, 3389-402.
- Andersen, M. R. & Nielsen, J. (2009).** Current status of systems biology in *Aspergilli*. *Fungal Genet Biol* **46**, S180-S190.
- Andersen, M. R., Nielsen, M. L. & Nielsen, J. (2008a).** Metabolic model integration of the bibliome, genome, metabolome and reactome of *Aspergillus niger*. *Mol Syst Biol* **4**, 178.
- Andersen, M. R., Vongsangnak, W., Panagiotou, G., Salazar, M. P., Lehmann, L. & Nielsen, J. (2008b).** A trispecies *Aspergillus* microarray: Comparative transcriptomics of three *Aspergillus* species. *Proc Natl Acad Sci U S A* **105**, 4387-4392.
- Archer, D. B., MacKenzie, D. A., Jeenes, D. J. & Roberts, I. N. (1992).** Proteolytic degradation of heterologous proteins expressed in *Aspergillus niger*. *Biotechnol Lett* **14**, 357-362.
- Arvas, M., Pakula, T., Lanthaler, K., Saloheimo, M., Valkonen, M., Suortti, T., Robson, G. & Penttilä, M. (2006).** Common features and interesting differences in transcriptional responses to secretion stress in the fungi *Trichoderma reesei* and *Saccharomyces cerevisiae*. *BMC Genomics* **7**:32.
- Askenazi, M., Driggers, E. M., Holtzman, D. A., Norman, T. C., Iverson, S., Zimmer, D. P., Boers, M. E., Blomquist, P. R., Martinez, E. J. & other authors (2003).** Integrating transcriptional and metabolite profiles to direct the engineering of lovastatin-producing fungal strains. *Nat Biotechnol* **21**, 150-156.
- Baker, S. E. (2006).** *Aspergillus niger* genomics: past, present and into the future. *Med Mycol* **44**, S17-S21.
- Barabási, A. & Oltvai, Z. N. (2004).** Network biology: Understanding the cell's functional organization. *Nat Rev Genet* **5**, 101-113.
- Barabási, A.-L. & Albert, R. (1999).** Emergence of scaling in random networks. *Science* **286**, 509-512.
- Barker, M. & Rayens, W. (2003).** Partial least squares for discrimination. *J Chemometr* **17**, 166-173.
- Basso, K., Margolin, A. A., Stolovitzky, G., Klein, U., Dalla-Favera, R. & Califano, A. (2005).** Reverse engineering of regulatory networks in human B cells. *Nat Genet* **37**, 382-390.
- Bendtsen, J. D., Nielsen, H., von Heijne & G., Brunak, S. (2004a).** Improved prediction of signal peptides: SignalP 3.0. *J Mol Biol* **340**, 783-795.
- Bendtsen, J. D., Jensen, L. J., Blom, N., von Heijne, G. & Brunak, S. (2004b).** Feature-based prediction of non-classical and leaderless protein secretion. *Protein Eng Des Sel* **17**, 349-356.
- Bennett, J. W. & Lasure, L. L. (1991).** Growth media. In *More Gene Manipulations in Fungi*, pp. 441-447. Edited by J. W. Bennett & L. L. Lasure. San Diego, CA: Academic Press.
- Bergmann, S., Ihmels, J. & Barkai, N. (2004).** Similarities and differences in genome-wide expression data of six organisms. *PLoS Biol* **2**:E9.

- Berka, R. M., Carmona, C. L., Hayenga, K. J., Thompson, S. A. & Ward, M. (1993). Isolation and characterization of the *Aspergillus oryzae* gene encoding aspergillopepsin O. *Gene* **125**, 195-198.
- Berka, R. M., Ward, M., Wilson, L. J., Hayenga, K. J., Kodama, K. H., Carlomagno, L. P. & Thompson, S. A. (1990). Molecular cloning and deletion of the gene encoding aspergillopepsin A from *Aspergillus awamori*. *Gene* **86**, 153-162.
- Bignell, E., Negrete-Urtasun, S., Calcagno, A. M., Haynes, K., Arst, H. N., Jr. & Rogers, T. (2005). The *Aspergillus* pH-responsive transcription factor PacC regulates virulence. *Mol Microbiol* **55**, 1072-1084.
- Bijlsma, S., Bobeldijk, I., Verheij, E. R., Ramaker, R., Kochhar, S., Macdonald, I. A., van Ommen, B. & Smilde, A. K. (2006). Large scale human metabolomics studies. A strategy for data (pre-) processing and validation. *Anal Chem* **78**, 567-574.
- Bos, C. J., Debets, A. J. M., Swart, K., Huybers, A., Kobus, G. & Slakhorst, S. M. (1988). Genetic analysis and the construction of master strains for assignment of genes to six linkage groups in *Aspergillus niger*. *Curr Genet* **14**, 437-443.
- Braaksma, M. & Punt, P. J. (2008). *Aspergillus* as a cell factory for protein production: controlling protease activity in fungal production. In *The Aspergilli: Genomics, Medical Aspects, Biotechnology, and Research Methods*, pp. 441-455. Edited by G. H. Goldman & S. A. Osmani. Boca Raton, FL: CRC Press.
- Braaksma, M., Smilde, A. K., van der Werf, M. J. & Punt, P. J. (2009). The effect of environmental conditions on extracellular protease activity in controlled fermentations of *Aspergillus niger*. *Microbiol* **155**, 3430-3439.
- Braaksma, M., van den Berg, R. A., van der Werf, M. J. & Punt, P. J. (2010a). A top-down systems biology approach for the identification of targets for fungal strain and process development. In *Cellular and Molecular Biology of Filamentous Fungi*, pp. 25-35. Edited by K. A. Borkovich and D. J. Ebbole. Washington, DC: ASM Press.
- Braaksma, M., Martens-Uzunova, E., Punt, P. J. & Schaap, P. J. (2010b). An inventory of the *Aspergillus niger* secretome by combining in silico predictions with shotgun proteomics data. *BMC Genomics* **11**, doi:10.1186/1471-2164-11-584.
- Breakspear, A. & Momany, M. (2007). The first fifty microarray studies in filamentous fungi. *Microbiol* **153**, 7-15.
- Bruggeman, F. J. & Westerhoff, H. V. (2007). The nature of systems biology. *Trends Microbiol.* **15**, 45-50.
- Buxton, F. P., Gwynne, D. I. & Davies, R. W. (1985). Transformation of *Aspergillus niger* using the *argB* gene of *Aspergillus nidulans*. *Gene* **37**, 207-214.
- Buxton, F., Gwynne, D. & Davies, R. (1989). Cloning of a new bidirectionally selectable marker for *Aspergillus* strains. *Gene* **84**, 329-334.
- Carberry, S. & Doyle, S. (2007). Proteomic studies in biomedically and industrially relevant fungi. *Cytotechnology* **53**, 95-100.
- Carberry, S., Neville, C. M., Kavanagh, K. A. & Doyle, S. (2006). Analysis of major intracellular proteins of *Aspergillus fumigatus* by MALDI mass spectrometry: Identification and characterisation of an elongation factor 1B protein with glutathione transferase activity. *Biochem Biophys Res Commun* **341**, 1096-1104.

- Christensen, T. & Hynes, M. J. (2000).** Fungus wherein the *areA* gene has been modified and an *areA* gene from *Aspergillus oryzae*. US patent 6025185.
- Christensen, T. & Lehmbeck, J. (2000).** Fungus wherein the *areA*, *pepC* and/or *pepE* genes have been inactivated. US patent 6013452.
- Christensen, T., Hynes, M. J. & Davis, M. A. (1998).** Role of the regulatory gene *areA* of *Aspergillus oryzae* in nitrogen metabolism. *Appl Environ Microbiol* **64**, 3232-3237.
- Cohen, B. L. (1972).** Ammonium repression of extracellular protease in *Aspergillus nidulans*. *J Gen Microbiol* **71**, 293-299.
- Cohen, B. L. (1973).** Regulation of intracellular and extracellular neutral and alkaline proteases in *Aspergillus nidulans*. *J Gen Microbiol* **79**, 311-320.
- Cohen, B. L. (1981).** Regulation of protease production in *Aspergillus*. *Trans Br Mycol Soc* **76**, 447-450.
- Conesa, A., Punt, P. J., van Luijk, N. & van den Hondel, C. A. M. J. J. (2001).** The secretion pathway in filamentous fungi: A biotechnological view. *Fungal Genet Biol* **33**, 155-171.
- Connelly, M. and Brody, H. (2004).** Methods for producing biological substances in enzyme-deficient mutants of *Aspergillus niger*. World patent WO/2004/090155.
- Coulier, L., Bas, R., Jespersen, S., Verheij, E., van der Werf, M. J. & Hankemeier, T. (2006).** Simultaneous quantitative analysis of metabolites using ion-pair liquid chromatography-electrospray ionization mass spectrometry. *Anal Chem* **78**, 6573-6582.
- Coutinho P. M., Andersen M. R., Kolenova K., vanKuyk P. A., Benoit I., Gruben B. S., Trejo-Aguilar B., Visser H., van Solingen P. & others authors (2009).** Post-genomic insights into the plant polysaccharide degradation potential of *Aspergillus nidulans* and comparison to *Aspergillus niger* and *Aspergillus oryzae*. *Fungal Genet Biol* **46**, S161-S169.
- Daub, C. O. & Sonnhammer, E. L. (2008).** Employing conservation of co-expression to improve functional inference. *BMC Syst Biol* **2**:81.
- David, H., Hofmann, G., Oliveira, A. P., Jarmer, H. & Nielsen, J. (2006).** Metabolic network driven analysis of genome-wide transcription data from *Aspergillus nidulans*. *Genome Biol.* **7**:R108.
- de Vries, R. P., Burgers, K., van de Vondervoort, P. J., Frisvad, J. C., Samson, R. A., & Visser, J. (2004).** A new black *Aspergillus* species, *A. vadensis*, is a promising host for homologous and heterologous protein production. *Appl Environ Microbiol* **70**, 3954-3959.
- DeRisi, J. L., Iyer, V. R. & Brown, P. O. (1997).** Exploring the metabolic and genetic control of gene expression on a genomic scale. *Science* **278**, 680-686.
- Dobrev, G. T., Pishtiyski, I. G., Stanchev, V. S. & Mircheva, R. (2007).** Optimization of nutrient medium containing agricultural wastes for xylanase production by *Aspergillus niger* B03 using optimal composite experimental design. *Bioresour Technol* **98**, 2671-2678.
- Dowzer, C. E. & Kelly, J. M. (1989).** Cloning of the *creA* gene from *Aspergillus nidulans*: a gene involved in carbon catabolite repression. *Curr Genet* **15**, 457-459.
- Dowzer, C. E. & Kelly, J. M. (1991).** Analysis of the *creA* gene, a regulator of carbon catabolite repression in *Aspergillus nidulans*. *Mol Cell Biol* **11**, 5701-5709.
- Drysdale, M. R., Kolze, S. E. & Kelly, J. M. (1993).** The *Aspergillus niger* carbon catabolite repressor encoding gene, *creA*. *Gene* **130**, 241-245.

- Edens, L., Dekker, P., van der Hoeven, R., Deen, F., de Roos, A. & Floris, R. (2005). Extracellular prolyl endoprotease from *Aspergillus niger* and its use in the debittering of protein hydrolysates. *J Agric Food Chem* **53**, 7950-7957.
- Edgar, R., Domrachev, M. & Lash, A. E. (2002). Gene Expression Omnibus: NCBI gene expression and hybridization array data repository. *Nucleic Acids Res* **30**, 207-210.
- Edgar, R.C. (2004). MUSCLE: multiple sequence alignment with high accuracy and high throughput. *Nucl Acids Res* **32**, 1792-1797.
- Efron, B. & R. J. Tibshirani (1993). An introduction to the bootstrap. New York, NY: Chapman & Hall.
- Eilers, P. H. C. (2003). A Perfect Smoother. *Anal Chem* **75**, 3631-3636.
- Eisen, M. B., Spellman, P. T., Brown, P. O. & Botstein, D. (1998). Cluster analysis and display of genome-wide expression patterns. *Proc Natl Acad Sci U S A* **95**, 14863-14868.
- Elias, J. E. & Gygi, S. P. (2007). Target-decoy search strategy for increased confidence in large-scale protein identifications by mass spectrometry. *Nat Meth* **4**, 207-214.
- Featherstone, D. E. & Broadie, K. (2002). Wrestling with pleiotropy: genomic and topological analysis of the yeast gene expression network. *Bioessays* **24**, 267-274.
- Foreman, P. K., Brown, D., Dankmeyer, L., Dean, R., Diener, S., Dunn-Coleman, N. S., Goedegebuur, F., Houfek, T. D., England, G. J. & other authors (2003). Transcriptional regulation of biomass-degrading enzymes in the filamentous fungus *Trichoderma reesei*. *J Biol Chem* **278**, 31988-31997.
- Fraissinet-Tachet, L., van den Hombergh, J. P. T. W., van de Vondervoort, P. J. I., Jarai, G. & Visser, J. (1996). Complex regulation of extracellular proteases in *Aspergillus niger*; an analysis of wide domain regulatory mutants demonstrates CREA, AREA and PACC control. In *An analysis of the proteolytic system in Aspergillus in order to improve protein production*, pp. 229-250. Edited by J. P. T. W. van den Hombergh. PhD thesis, Wageningen Agriculture University, Wageningen.
- Frisvad, J. C., Rank, C., Nielsen, K. F. & Larsen, T. O. (2009). Metabolomics of *Aspergillus fumigatus*. *Med Mycol* **47**, S53-S71.
- Fryksdale, B. G., Jedrzejewski, P. T., Wong, D. L., Gaertner, A. L. & Miller, B. S. (2002). Impact of deglycosylation methods on two-dimensional gel electrophoresis and matrix assisted laser desorption/ionization-time of flight-mass spectrometry for proteomic analysis. *Electrophoresis* **23**, 2184-2193.
- Fu, X., Gharib, S. A., Green, P. S., Aitken, M. L., Frazer, D. A., Park, D. R., Vaisar, T. & Heinecke, J. W. (2008). Spectral index for assessment of differential protein expression in shotgun proteomics. *J Proteome Res* **7**, 845-854.
- Fujinaga, M., Cherney, M. M., Oyama, H., Oda, K. & James, M. N. G. (2004). The molecular structure and catalytic mechanism of a novel carboxyl peptidase from *Scytalidium lignicolum*. *PNAS* **101**, 3364-3369.
- Fukushima, Y., Itoh, H., Fukase, T. & Motai, H. (1989). Continuous protease production in a carbon-limited chemostat culture by salt tolerant *Aspergillus oryzae*. *Appl Microbiol Biotechnol* **30**, 604-608.
- Galagan, J. E., Calvo, S. E., Cuomo, C., Ma, L. J., Wortman, J. R., Batzoglou, S., Lee, S. I., Basturkmen, M., Spevak, C. C. & other authors (2005). Sequencing of *Aspergillus nidulans* and comparative analysis with *A. fumigatus* and *A. oryzae*. *Nature* **438**, 1105-1115.

- Geer, L.Y., Markey, S. P., Kowalak, J. A., Wagner, L., Xu, M., Maynard, D. M., Yang, X., Shi, W. & Bryant, S. H. (2004). Open mass spectrometry search algorithm. *J Proteome Res* **3**, 958-964.
- Geladi, P. & Kowalski, B. R. (1986). Partial least squares regression: A tutorial. *Anal Chim Acta* **185**, 1-17.
- Gheshlaghi, R., Scharer, J. M., Moo-Young, M. & Douglas, P. L. (2007). Metabolic flux analysis for optimizing the specific growth rate of recombinant *Aspergillus niger*. *Bioprocess Biosyst Eng* **30**, 397-418.
- Gordon, C. L., Archer, D. B., Jeenes, D. J., Doonan, J. H., Wells, B., Trinci, A. P. J. & Robson, G. D. (2000). A glucoamylase::GFP gene fusion to study protein secretion by individual hyphae of *Aspergillus niger*. *J Microbiol Methods* **42**, 39-48.
- Grimm, L., Kelly, S., Krull, R. & Hempel, D. (2005). Morphology and productivity of filamentous fungi. *Appl Microbiol Biotechnol* **69**, 375-384.
- Guillemette, T., van Peij, N. N. M. E., Goosen, T., Lanthaler, K., Robson, G. D., van den Hondel, C. A. M. J. J., Stam, H. & Archer, D. B. (2007). Genomic analysis of the secretion stress response in the enzyme-producing cell factory *Aspergillus niger*. *BMC Genomics* **8**:188.
- Gwynne, D. I. & Devchand, M. (1992). Expression of foreign proteins in the genus *Aspergillus*. In *Aspergillus: Biology and industrial applications*, pp. 203-214. Edited by J. W. Bennett & M. A. Klich. Stoneham, MA: Butterworth-Heinemann.
- Hara, S., Kitamoto, K. & Gomi, K. (1992). New developments in fermented beverages and foods with *Aspergillus*. In *Aspergillus: Biology and industrial applications*, pp. 133-153. Edited by J. W. Bennett & M. A. Klich. Stoneham, MA: Butterworth-Heinemann.
- Hartingsveldt, W. v., Mattern, I. E., Zeijl, C. M. J., Pouwels, P. H. & Hondel, C. A. M. J. (1987). Development of a homologous transformation system for *Aspergillus niger* based on the *pyrG* gene. *Mol Gen Genet* **206**, 71-75.
- Heerikhuisen, M., van den Hondel, C. A. M. J. J. & Punt, P. J. (2005). *Aspergillus sojae*. In *roduction of Recombinant Proteins. Novel Microbial and Eucaryotic Expression Systems*, pp. 191-214. Edited by G. Gelissen. Weinheim, DE: Wiley-VCH.
- Herrgård, M. J., Covert, M. W. & Palsson, B. Ø. (2003). Reconciling gene expression data with known genome-scale regulatory network structures. *Genome Res* **13**, 2423-2434.
- Holm, K. A. (1980). Automated colorimetric determination of acid proteinase activity in fermentation samples using a trinitrobenzenesulphonic acid reagent. *Analyst* **105**, 18-24.
- Hong, E. L., Balakrishnan, R., Dong, Q., Christie, K. R., Park, J., Binkley, G., Costanzo, M. C., Dwight, S. S., Engel, S. R. & other authors (2008). Gene Ontology annotations at SGD: new data sources and annotation methods. *Nucleic Acids Res* **36**, D577-581.
- Hoogerbrugge, R., Willig, S. J. & Kistemaker, P. G. (1983). Discriminant analysis by double stage principal component analysis. *Anal Chem* **55**, 1710-1712.
- Horvath, S. & Dong, J. (2008). Geometric interpretation of gene coexpression network analysis. *PLoS Comput Biol* **4**:e1000117.
- Hughes, T. R., Robinson, M. D., Mitsakakis, N. & Johnston, M. (2004). The promise of functional genomics: completing the encyclopedia of a cell. *Curr Opin Microbiol* **7**, 546-554.

- Hynes, M. J., Murray, S. L., Duncan, A., Khew, G. S. & Davis, M. A. (2006). Regulatory genes controlling fatty acid catabolism and peroxisomal functions in the filamentous fungus *Aspergillus nidulans*. *Eukaryot Cell* **5**, 794-805.
- Iimura, Y., Gomi, K., Uzu, H. & Hara, S. (1987). Transformation of *Aspergillus oryzae* through plasmid-mediated complementation of the methionine-auxotrophic mutation. *Agric Biol Chem* **51**, 323-328.
- Irizarry, R., Bolstad, B., Collin, F., Cope, L., Hobbs, B. & Speed, T. (2003). Summaries of Affymetrix Genechip probe level data. *Nucleic Acids Res* **31**:e15.
- Jackson, J. E. (1991). A user's guide to principal components. New York, NY: John Wiley & Sons.
- Jarai, G. & Buxton, F. (1994). Nitrogen, carbon, and pH regulation of extracellular acidic proteases of *Aspergillus niger*. *Curr Genet* **26**, 238-244.
- Jaton-Ogay, K., Paris, S., Huerre, M., Quadroni, M., Falchetto, R., Togni, G., Latge, J. & Monod, M. (1994). Cloning and disruption of the gene encoding an extracellular metalloprotease of *Aspergillus fumigatus*. *Mol Microbiol* **14**, 917-928.
- Jin, Y., Bok, J. W., Guzman-de-Peña, D. & Keller, N. P. (2002). Requirement of spermidine for developmental transitions in *Aspergillus nidulans*. *Mol Microbiol* **46**, 801-812.
- Jolliffe, I. T. (2002). Principal Component Analysis. New York, NY: Springer-Verlag.
- Jordan, I. K., Katz, L. S., Denver, D. R. & Streelman, J. T. (2008). Natural selection governs local, but not global, evolutionary gene coexpression networks in *Caenorhabditis elegans*. *BMC Syst Biol* **2**:96.
- Jørgensen, T. R., Goosen, T., van den Hondel, C. A. M. J. J., Ram, A. F. J. & Iversen, J. J. L. (2009). Transcriptomic comparison of *Aspergillus niger* growing on two different sugars reveals coordinated regulation of the secretory pathway. *BMC Genomics* **10**:44.
- Käll, L., Krogh, A. & Sonnhammer, E.L.L. (2004). A combined transmembrane topology and signal peptide prediction method. *J Mol Biol* **338**, 1027-1036.
- Kanehisa, M. & Goto, S. (2000). KEGG: Kyoto encyclopedia of genes and genomes. *Nucleic Acids Res* **28**, 27-30.
- Katz, M. E., Bernardo, S. M. & Cheetham, B. F. (2008). The interaction of induction, repression and starvation in the regulation of extracellular proteases in *Aspergillus nidulans*: Evidence for a role for CreA in the response to carbon starvation. *Curr Genet* **54**, 47-55.
- Katz, M. E., Flynn, P. K., vanKuyk, P. A. & Cheetham, B. F. (1996). Mutations affecting extracellular protease production in the filamentous fungus *Aspergillus nidulans*. *Mol Gen Genet* **250**, 715-724.
- Katz, M. E., Gray, K. A. & Cheetham, B. F. (2006). The *Aspergillus nidulans xprG* (*phoG*) gene encodes a putative transcriptional activator involved in the response to nutrient limitation. *Fungal Genet Biol* **43**, 190-199.
- Katz, M. E., Masoumi, A., Burrows, S. R., Shirliff, C. G. & Cheetham, B. F. (2000). The *Aspergillus nidulans xprF* gene encodes a hexokinase-like protein involved in the regulation of extracellular proteases. *Genetics* **156**, 1559-1571.
- Katz, M. E., Rice, R. N. & Cheetham, B. F. (1994). Isolation and characterization of an *Aspergillus nidulans* gene encoding an alkaline protease. *Gene* **150**, 287-292.
- Kennedy, M. & Krouse, D. (1999). Strategies for improving fermentation medium performance: A review. *J Ind Microbiol Biotechnol* **23**, 456-475.

- Kim, S., Kim, J. H., Whang, S. S. & Chae, K. S. (2001). Isolation and the nucleotide sequence of the *creA* gene for a carbon catabolite repressor of *Aspergillus oryzae*. *Food Sci Biotechnol* **10**, 90-93.
- Kim, Y., Nandakumar, M. P. & Marten, M. R. (2007a). Proteome map of *Aspergillus nidulans* during osmoadaptation. *Fungal Genet Biol* **44**, 886-895.
- Kim, Y., Nandakumar, M. P. & Marten, M. R. (2007b). Proteomics of filamentous fungi. *Trends Biotechnol* **25**, 395-400.
- Kim, Y., Nandakumar, M. P. & Marten, M. R. (2008). The state of proteome profiling in the fungal genus *Aspergillus*. *Brief Funct Genomic Proteomic* **7**, 87-94.
- Kimura, S., Maruyama, J. I., Takeuchi, M. & Kitamoto, K. (2008). Monitoring global gene expression of proteases and improvement of human lysozyme production in the *nptB* gene disruptant of *Aspergillus oryzae*. *Biosci Biotechnol Biochem* **72**, 499-505.
- Koek, M. M., Muilwijk, B., van der Werf, M. J. & Hankemeier, T. (2006). Microbial metabolomics with gas chromatography/mass spectrometry. *Anal Chem* **78**, 1272-1281.
- Kolattukudy, P. E., Lee, J. D., Rogers, L. M., Zimmerman, P., Ceselski, S., Fox, B., Stein, B. & Copelan, E. A. (1993). Evidence for possible involvement of an elastolytic serine protease in aspergillosis. *Infect Immun* **61**, 2357-2368.
- Kouskoumvekaki, I., Yang, Z., Jónsdóttir, S. O., Olsson, L. & Panagiotou, G. (2008). Identification of biomarkers for genotyping *Aspergilli* using non-linear methods for clustering and classification. *BMC Bioinformatics* **9**:59.
- Kudla, B., Caddick, M. X., Langdon, T., Martinez-Rossi, N. M., Bennett, C. F., Sibley, S., Davies, R. W. & Arst, H. N., Jr. (1990). The regulatory gene *areA* mediating nitrogen metabolite repression in *Aspergillus nidulans*. Mutations affecting specificity of gene activation alter a loop residue of a putative zinc finger. *EMBO J* **9**, 1355-1364.
- Kudo, Y., Ootani, T., Kumagai, T., Fukuchi, Y., Ebina, K. & Yokota, K. (2002). A novel oxidized low-density lipoprotein-binding protein, Asp-hemolysin, recognizes lysophosphatidylcholine. *Biol Pharm Bull* **25**, 787-790.
- Lashkari, D. A., DeRisi, J. L., McCusker, J. H., Namath, A. F., Gentile, C., Hwang, S. Y., Brown, P. O. & Davis, R.W. (1997). Yeast microarrays for genome wide parallel genetic and gene expression analysis. *Proc Natl Acad Sci U S A* **94**, 13057-13062.
- Lee, H. K., Hsu, A. K., Sajdak, J., Qin, J. & Pavlidis, P. (2004). Coexpression analysis of human genes across many microarray data sets. *Genome Res* **14**, 1085-1094.
- Lee, J. D. & Kolattukudy, P. E. (1995). Molecular cloning of the cDNA and gene for an elastinolytic aspartic proteinase from *Aspergillus fumigatus* and evidence of its secretion by the fungus during invasion of the host lung. *Infect Immun* **63**, 3796-3803.
- Lehmbeck, J. (1999). Host cell expressing reduced levels of a metalloprotease and methods using the host cell in protein production. US patent 5968774.
- Lehmbeck, J. (2001). Alkaline protease deficient filamentous fungi. US patent 6291209.
- Lenouvel, F., Fraissinet-Tachet, L., van de Vondervoort, P. J. I. & Visser, J. (2001). Isolation of UV-induced mutations in the *areA* nitrogen regulatory gene of *Aspergillus niger*, and construction of a disruption mutant. *Mol Genet Genomics* **266**, 42-47.

- Leung, Y. F. & Cavalieri, D. (2003).** Fundamentals of cDNA microarray data analysis. *Trends Genet.* **19**, 649-659.
- Levin, A. M., de Vries, R. P., Conesa, A., de Bekker, C., Talon, M., Menke, H. H., van Peij, N. N. M. E. & Wösten, H. A. B. (2007).** Spatial differentiation in the vegetative mycelium of *Aspergillus niger*. *Eukaryot Cell* **6**, 2311-2322.
- Li, Q., Harvey, L. M. & McNeil, B. (2008).** The effects of bioprocess parameters on extracellular proteases in a recombinant *Aspergillus niger* B1-D. *Appl Microbiol Biotechnol* **78**, 333-341.
- Li, Y., Liu, Z., Cui, F., Xu, Y., Zhao, H. & Liu, Z. (2007).** Application of statistical experimental design to optimize culture requirements of *Aspergillus* sp. Zh-26 producing xylanase for degradation of arabinoxylans in mashing. *J Food Sci* **72**, e320-e329.
- Ligon, B. L. (2004).** Penicillin: Its discovery and early development. *Semin Pediatr Infect Dis* **15**, 52-57.
- Lin, Y., Means, G. E. & Feeney, R. E. (1969).** The action of proteolytic enzymes on N,N-dimethyl proteins. Basis for a microassay for proteolytic enzymes. *J Biol Chem* **244**, 789-793.
- Liu, F., Li, W., Ridgway, D., Gu, T. & Moo-Young, M. (1998).** Inhibition of extracellular protease secretion by *Aspergillus niger* using cell immobilization. *Biotechnol Lett* **20**, 539-542.
- Liu, H., Sadygov, R. G. & Yates, J. R. (2004).** A model for random sampling and estimation of relative protein abundance in shotgun proteomics. *Anal Chem* **76**, 4193-4201.
- Lu, X., Sun, J., Nimtz, M., Wissing, J., Zeng, A.-P. & Rinas, U. (2010).** The intra- and extracellular proteome of *Aspergillus niger* growing on defined medium with xylose or maltose as carbon substrate. *Microb Cell Fact* **9**, doi:10.1186/1475-2859-9-23.
- Lundstedt, T., Seifert, E., Abramo, L., Thelin, B., Nyström, Å., Pettersen, J. & Bergman, R. (1998).** Experimental design and optimization. *Chemometr Intell Lab Syst* **42**, 3-40.
- MacCabe, A. P., van den Hombergh, J. P. T. W., Tilburn, J., Arst, H. N., Jr. & Visser, J. (1996).** Identification, cloning and analysis of the *Aspergillus niger* gene *pacC*, a wide domain regulatory gene responsive to ambient pH. *Mol Gen Genet* **250**, 367-374.
- MacCabe, A. P., Vanhanen, S., Sollewijn, G., van, d., V, Arst, H. N., Jr. & Visser, J. (1998).** Identification, cloning and sequence of the *Aspergillus niger* *areA* wide domain regulatory gene controlling nitrogen utilisation. *Biochim Biophys Acta* **1396**, 163-168.
- Machida, M., Asai, K., Sano, M., Tanaka, T., Kumagai, T., Terai, G., Kusumoto, K. I., Arima, T., Akita, O. & other authors (2005).** Genome sequencing and analysis of *Aspergillus oryzae*. *Nature* **438**, 1157-1161.
- Magnuson, J. K. & Lasure, L. L. (2004).** Organic acid production by filamentous fungi. In *Advances in fungal biotechnology for industry, agriculture, and medicine*, pp. 307-339. Edited by J. S. Tkacz & L. Lange. New York, NY: Kluwer Academic/Plenum Publishers.
- Mardia, K. V., Kent, J. T. & Bibby, J. M. (1979).** Multivariate analysis. London; New York, NY: Academic Press.
- Martens-Uzunova, E. S. & Schaap, P. J. (2008).** An evolutionary conserved d-galacturonic acid metabolic pathway operates across filamentous fungi capable of pectin degradation. *Fungal Genet Biol* **45**, 1449-1457.

- Martens-Uzunova, E. S. & Schaap, P. J. (2009). Assessment of the pectin degrading enzyme network of *Aspergillus niger* by functional genomics. *Fungal Genet Biol* **46**, S170-S179.
- Mattern, I. E., van Noort, J. M., van den Berg, P., Archer, D. A., Roberts, I. N. & van den Hondel, C. A. M. J. (1992). Isolation and characterization of mutants of *Aspergillus niger* deficient in extracellular proteases. *Mol Gen Genet* **2**, 332-336.
- Melzer, G., Dalpiaz, A., Grote, A., Kucklick, M., Göcke, Y., Jonas, R., Dersch, P., Franco-Lara, E., Nörtemann, B. & Hempel, D. C. (2007). Metabolic flux analysis using stoichiometric models for *Aspergillus niger*: Comparison under glucoamylase-producing and non-producing conditions. *J Biotechnol* **132**, 405-417.
- Meyer, V., Damveld, R. A., Arentshorst, M., Stahl, U., van den Hondel, C. A. M. J. J., & Ram, A. F. J. (2007). Survival in the presence of antifungals: genome-wide expression profiling of *Aspergillus niger* in response to sublethal concentrations of caspofungin and fenpropimorph. *J Biol Chem* **282**, 32935-32948.
- Monod, M., Paris, S., Sarfati, J., Jatton-Ogay, K., Ave, P. & Latge, J. (1993). Virulence of alkaline protease-deficient mutants of *Aspergillus fumigatus*. *FEMS Microbiol Lett* **106**, 39-46.
- Moralejo, F. J., Cardoza, R. E., Gutiérrez, S., Lombrana, M., Fierro, F. & Martín, J. F. (2002). Silencing of the aspergillopepsin B (*pepB*) gene of *Aspergillus awamori* by antisense RNA expression or protease removal by gene disruption results in a large increase in thaumatin production. *Appl Environ Microbiol* **68**, 3550-3559.
- Moralejo, F. J., Cardoza, R. E., Gutiérrez, S., Sisniega, H., Faus, I. & Martín, J. F. (2000). Overexpression and lack of degradation of thaumatin in an aspergillopepsin A-defective mutant of *Aspergillus awamori* containing an insertion in the *pepA* gene. *Appl Microbiol Biotechnol* **54**, 772-777.
- Mouyna, I., Fontaine, T., Vai, M., Monod, M., Fonzi, W. A., Diaquin, M., Popolo, L., Hartland, R. P. & Latgé, J. P. (2000). Glycosylphosphatidylinositol-anchored glucanosyltransferases play an active role in the biosynthesis of the fungal cell wall. *J Biol Chem* **275**, 14882-14889.
- Nasution, U., van Gulik, W. M., Kleijn, R. J., van Winden, W. A., Proell, A. & Heijnen, J. J. (2006). Measurement of intracellular metabolites of primary metabolism and adenine nucleotides in chemostat cultivated *Penicillium chrysogenum*. *Biotechnol Bioeng* **94**, 159-166.
- Nasution, U., van Gulik, W. M., Ras, C., Proell, A. & Heijnen, J. J. (2008). A metabolome study of the steady-state relation between central metabolism, amino acid biosynthesis and penicillin production in *Penicillium chrysogenum*. *Metab Eng* **10**, 10-23.
- Natorff, R., Balinska, M. & Paszewski, A. (1993). At least four regulatory genes control sulphur metabolite repression in *Aspergillus nidulans*. *Mol Gen Genet* **238**, 185-192.
- Natorff, R., Sienko, M., Brzywczy, J. & Paszewski, A. (2003). The *Aspergillus nidulans metR* gene encodes a bZIP protein which activates transcription of sulphur metabolism genes. *Mol Microbiol* **49**, 1081-1094.
- Neretti, N., Remondini, D., Tatar, M., Sedivy, J. M., Pierini, M., Mazzatti, D., Powell, J., Franceschi, C., & Castellani, G. C. (2007). Correlation analysis reveals the emergence of coherence in the gene expression dynamics following system perturbation. *BMC Bioinformatics* **8**:S16.
- Nevalainen, K. M. H. & Te'o, V. S. J. (2003). Enzyme production in industrial fungi - molecular genetic strategies for integrated strain improvement. In *Applied Mycology and Biotechnology* **3**, pp. 241-259. Edited by D. K. Arora & G. G. Khachatourians. Amsterdam: Elsevier Science.

- Nierman, W. C., Pain, A., Anderson, M. J., Wortman, J. R., Kim, H. S., Arroyo, J., Berriman, M., Abe, K., Archer, D. B. & other authors (2005). Genomic sequence of the pathogenic and allergenic filamentous fungus *Aspergillus fumigatus*. *Nature* **438**, 1151-1156.
- Nikolov, Z. L., Meagher, M. M. & Reilly, P. J. (1989). Kinetics, equilibria, and modeling of the formation of oligosaccharides from D-glucose with *Aspergillus niger* glucoamylases I and II. *Biotechnol Bioeng* **34**, 694-704.
- O'Donnell D., Wang L., Xu J., Ridgway D., Gu T. & Moo-Young M. (2001). Enhanced heterologous protein production in *Aspergillus niger* through pH control of extracellular protease activity. *Biochem Eng J* **8**, 187-193.
- Old, W. M., Meyer-Arendt, K., Aveline-Wolf, L., Pierce, K. G., Mendoza, A., Sevinsky, J. R., Resing, K. A. & Ahn, N. G. (2005). Comparison of label-free methods for quantifying human proteins by shotgun proteomics. *Mol Cell Proteomics* **4**, 1487-1502.
- Oldiges, M., Lütz, S., Pflug, S., Schroer, K., Stein, N. & Wiendahl, C. (2007). Metabolomics: Current state and evolving methodologies and tools. *Appl Microbiol Biotechnol* **76**, 495-511.
- Oliver, S. (2000). Guilt-by-association goes global. *Nature* **403**, 601-603.
- Papagianni, M. & Moo-Young, M. (2002). Protease secretion in glucoamylase producer *Aspergillus niger* cultures: fungal morphology and inoculum effects. *Process Biochem* **37**, 1271-1278.
- Papagianni, M., Joshi, N. & Moo-Young, M. (2002). Comparative studies on extracellular protease secretion and glucoamylase production by free and immobilized *Aspergillus niger* cultures. *J Ind Microbiol Biotechnol* **29**, 259-263.
- Pedersen, H., Beyer, M. & Nielsen, J. (2000). Glucoamylase production in batch, chemostat and fed-batch cultivations by an industrial strain of *Aspergillus niger*. *Appl Microbiol Biotechnol* **53**, 272-277.
- Pel, H. J., de Winde, J. H., Archer, D. B., Dyer, P. S., Hofmann, G., Schaap, P. J., Turner, G., de Vries, R. P., Albang, R. & other authors (2007). Genome sequencing and analysis of the versatile cell factory *Aspergillus niger* CBS 513.88. *Nat Biotechnol* **25**, 221-231.
- Peñalva, M. A. & Arst, H. N., Jr. (2002). Regulation of gene expression by ambient pH in filamentous fungi and yeasts. *Microbiol Mol Biol Rev* **66**, 426-446.
- Pierleoni, A., Martelli, P. L. & Casadio, R. (2008). PredGPI: a GPI-anchor predictor. *BMC Bioinformatics* **9**:392.
- Pieterse, B., Jellema, R. H. & van der Werf, M. J. (2006). Quenching of microbial samples for increased reliability of microarray data. *J Microbiol Methods* **64**, 207-216.
- Plackett, R. L. & Burman, J. P. (1946). The design of optimum multifactorial experiments. *Biometrika* **33**, 305-325.
- Pontecorvo, G., Roper, J. A., Hemmons, L. M., Macdonald, K. D., & Bufton, A. W. (1953). The genetics of *Aspergillus nidulans*. *Adv Genet* **5**, 141-238.
- Punt, P. J., Schuren, F. H. J., Lehmbeck, J., Christensen, T., Hjort, C. & van den Hondel, C. A. M. J. J. (2008). Characterization of the *Aspergillus niger prtT*, a unique regulator of extracellular protease encoding genes. *Fungal Genet Biol* **45**, 1591-1599.

- Punt, P. J., van Biezen, N. A., Conesa, A., Albers, A., Mangnus, J. & van den Hondel, C. A. M. J. J. (2002). Filamentous fungi as cell factories for heterologous protein production. *Trends Biotechnol* **20**, 200-206.
- Punt, P. J., van den Hondel, C. A. M. J. J. (1992). Analysis of transcription control sequences in filamentous fungi. In *EMBO Workshop on Molecular Biology of Filamentous Fungi*, pp. 177-187. Edited by U. Stahl & P. Tudzynski. Weinheim: VCH.
- Ramesh, M. V. & Kolattukudy, P. E. (1996). Disruption of the serine proteinase gene (*sep*) in *Aspergillus flavus* leads to a compensatory increase in the expression of a metalloproteinase gene (*mep20*). *J Bacteriol* **178**, 3899-3907.
- Reguly, T., Breitkreutz, A., Boucher, L., Breitkreutz, B. J., Hon, G., Myers, C., Parsons, A., Friesen, H., Oughtred, R. & other authors (2006). Comprehensive curation and analysis of global interaction networks in *Saccharomyces cerevisiae*. *J Biol* **5**, 11.
- Reichard, U., Monod, M., Odds, F. & Ruchel, R. (1997). Virulence of an aspergillopepsin-deficient mutant of *Aspergillus fumigatus* and evidence for another aspartic proteinase linked to the fungal cell wall. *J Med Vet Mycol* **35**, 189-196.
- Rubingh, C. M., Bijlsma, S., Jellema, R. H., Overkamp, K. M., van der Werf, M. J. & Smilde, A. K. (2009). Analyzing longitudinal microbial metabolomics data. *J Proteome Res* **8**, 4319-4327.
- Ruepp, A., Zollner, A., Maier, D., Albermann, K., Hani, J., Mokrejs, M., Tetko, I., Güldener, U., Mannhaupt, G. & other authors (2004). The FunCat, a functional annotation scheme for systematic classification of proteins from whole genomes. *Nucl Acids Res* **32**, 5539-5545.
- Ruijter, G. J. G. & Visser, J. (1996). Determination of intermediary metabolites in *Aspergillus niger*. *J Microbiol Methods* **3**, 295-302.
- Ruijter, G. J. G. & Visser, J. (1997). Carbon repression in *Aspergilli*. *FEMS Microbiol Lett* **151**, 103-114.
- Salamov, A. A. & Solovyev, V. V. (2000). Ab initio gene finding in *Drosophila* genomic DNA. *Genome Res* **10**, 516-522.
- Schäfer, T., Borchert, T. W., Nielsen, V. S., Skagerlind, P., Gibson, K., Wenger, K., Hatzack, F., Nilsson, L. D., Salmon, S. & other authors (2007). Industrial enzymes. *Adv Biochem Eng Biotechnol* **105**, 59-131.
- Schrickx, J. M., Krave, A. S., Verdoes, J. C., van den Hondel, C. A. M. J. J., Stouthamer, A. H. & van Verseveld, H. W. (1993). Growth and product formation in chemostat and recycling cultures by *Aspergillus niger* N402 and a glucoamylase overproducing transformant, provided with multiple copies of the *glaA* gene. *J Gen Microbiol* **139**, 2801-2810.
- Schroeder, A., Mueller, O., Stocker, S., Salowsky, R., Leiber, M., Gassmann, M., Lightfoot, S., Menzel, W., Granzow, M. & Ragg, T. (2006). The RIN: an RNA integrity number for assigning integrity values to RNA measurements. *BMC Mol Biol* **7**:3.
- Scott, M., Lu, G., Hallett, M. & Thomas, D. Y. (2004). The Hera database and its use in the characterization of endoplasmic reticulum proteins. *Bioinformatics* **20**, 937-944.
- Shannon, P., Markiel, A., Ozier, O., Baliga, N. S., Wang, J. T., Ramage, D., Amin, N., Schwikowski, B. & Ideker, T. (2003). Cytoscape: a software environment for integrated models of biomolecular interaction networks. *Genome Res* **13**, 2498-2504.

- Shintani, T. & Ichishima, E. (1994).** Primary structure of aspergillopepsin I deduced from nucleotide sequence of the gene and aspartic acid-76 is an essential active site of the enzyme for trypsinogen activation. *Biochim Biophys Acta* **1204**, 257-264.
- Shroff, R. A., O'Connor, S. M., Hynes, M. J., Lockington, R. A. & Kelly, J. M. (1997).** Null alleles of *creA*, the regulator of carbon catabolite repression in *Aspergillus nidulans*. *Fungal Genet Biol* **22**, 28-38.
- Singh, A., Ghosh, V. & Ghosh, P. (1994).** Production of thermostable acid protease by *Aspergillus niger*. *Lett Appl Microbiol* **18**, 177-180.
- Singh, D. P. & Vyas, S. R. (1977).** Standardization of cultural conditions for maximum acid protease production by fungi. *Haryana Agric Univ J Res* **7**, 37-42.
- Sokal, R. R. & Rohlf, F. J. (1995).** Biometry: the principles and practice of statistics in biological research. New York, NY: W. H. Freeman.
- Srinivasan, M. & Dhar, S. C. (1990).** Factors influencing extracellular protease synthesis in an *Aspergillus flavus* isolate. *Acta Microbiol Hung* **37**, 15-23.
- Sumner, J. B. & Somers, G. F. (1949).** Dinitrosalicylic method for glucose. In *Laboratory experiments in biological chemistry*, pp. 38-39. Edited by J.B. Sumner & G. F. Somers. New York, NY: Academic Press.
- Swift, R. J., Karandikar, A., Griffen, A. M., Punt, P. J., van den Hondel, C. A. M. J. J., Robson, G. D., Trinci, A. P. J. & Wiebe, M. G. (2000).** The effect of organic nitrogen sources on recombinant glucoamylase production by *Aspergillus niger* in chemostat culture. *Fungal Genet Biol* **31**, 125-133.
- Swift, R. J., Wiebe, M. G., Robson, G. D. & Trinci, A. P. J. (1998).** Recombinant glucoamylase production by *Aspergillus niger* B1 in chemostat and pH auxostat cultures. *Fungal Genet Biol* **25**, 100-109.
- Tabor, C. W. & Tabor, H. (1985).** Polyamines in microorganisms. *Microbiol Rev* **49**, 81-99.
- Tanay, A., Regev, A. & Shamir, R. (2005).** Conservation and evolvability in regulatory networks: the evolution of ribosomal regulation in yeast. *Proc Natl Acad Sci U S A* **102**, 7203-7208.
- Tang, C. M., Cohen, J. & Holden, D. W. (1992).** An *Aspergillus fumigatus* alkaline protease mutant constructed by gene disruption is deficient in extracellular elastase activity. *Mol Microbiol* **6**, 1663-1671.
- Tilburn, J., Sarkar, S., Widdick, D. A., Espeso, E. A., Orejas, M., Mungroo, J., Peñalva, M. A. & Arst, H. N., Jr. (1995).** The *Aspergillus PacC* zinc finger transcription factor mediates regulation of both acid- and alkaline-expressed genes by ambient pH. *EMBO J* **14**, 779-790.
- Tobert, J. A. (2003).** Lovastatin and beyond: The history of the HMG-CoA reductase inhibitors. *Nat Rev Drug Discov* **2**, 517-526.
- Tomonaga, G., Ōhama, H. & Yanagita, T. (1964).** Effect of sulfur compounds on the protease formation by *Aspergillus niger*. *J Gen Appl Microbiol* **10**, 373-386.
- Trygg, J., Gullberg, J., Johansson, A., Jonsson, P. & Moritz, T. (2006).** Chemometrics in metabolomics - An introduction. In *Plant Metabolomics*, p. 117-128. Edited by K. Saito, R. A. Dixon & L. Willmitzer. Berlin Heidelberg: Springer-Verlag.
- Trygg, J., Holmes, E. & Lundstedt, T. (2007).** Chemometrics in metabonomics. *J Proteome Res* **6**, 469-479.
- Tsang, A., Butler, G., Powlowski, J., Panisko, E. A. & Baker, S.E. (2009).** Analytical and computational approaches to define the *Aspergillus niger* secretome. *Fungal Genet Biol* **46**, S153-S160.

- Unkles, S. E., Campbell, E. I., de Ruiter-Jacobs, Y. M. J. T., Broekhuijsen, M., Macro, J. A., Carrez, D., Contreras, R., van den Hondel, C. A. M. J. J. & Kinghorn, J. R. (1989). The development of a homologous transformation system for *Aspergillus oryzae* based on the nitrate assimilation pathway: a convenient and general selection system for filamentous fungal transformation. *Mol Gen Genet* **218**, 99-104.
- van den Berg, R. A., Hoefsloot, H. C., Westerhuis, J. A., Smilde, A. K. & van der Werf, M. J. (2006). Centering, scaling, and transformations: improving the biological information content of metabolomics data. *BMC Genomics* **7**, 142.
- van den Hazel, H. B., Kielland-Brandt, M. C. & Winther, J. R. (1996). Review: biosynthesis and function of yeast vacuolar proteases. *Yeast* **12**, 1-16.
- van den Hombergh, J. P. T. W. (1996). An analysis of the proteolytic system in *Aspergillus* in order to improve protein production. PhD thesis, Wageningen Agriculture University, Wageningen.
- van den Hombergh, J. P. T. W. & Visser, J. (1997). Fungal metallo protease genes. World patent WO9746689.
- van den Hombergh, J. P. T. W., MacCabe, A. P., van de Vondervoort, P. J. I. & Visser, J. (1996). Regulation of acid phosphatases in an *Aspergillus niger* *pacC* disruption strain. *Mol Gen Genet* **251**, 542-550.
- van den Hombergh, J. P. T. W., Jarai, G., Buxton, F. P. & Visser, J. (1994). Cloning, characterization and expression of *pepF*, a gene encoding a serine carboxypeptidase from *Aspergillus niger*. *Gene* **151**, 73-79.
- van den Hombergh, J. P. T. W., Sollewijn-Gelpke, M. D., van de Vondervoort, P. J. I., Buxton, F. P. & Visser, J. (1997a). Disruption of three acid proteases in *Aspergillus niger*: effects on protease spectrum, intracellular proteolysis, and degradation of target proteins. *Eur J Biochem* **247**, 605-613.
- van den Hombergh, J. P. T. W., van de Vondervoort, P. J. I., van der Heijden, N. C. B. A. & Visser, J. (1995). New protease mutants in *Aspergillus niger* result in strongly reduced in vitro degradation of target proteins; genetical and biochemical characterization of seven complementation groups. *Curr Genet* **28**, 299-308.
- van den Hombergh, J. P. T. W., van de Vondervoort, P. J., Fraissinet-Tachet, L. & Visser, J. (1997b). *Aspergillus* as a host for heterologous production: the problem of proteases. *Trends Biotechnol* **7**, 256-263.
- van der Greef, J., Vogels, J. T. W. E., Wulfert, F. & Tas, A. C. (2004). Method and system for identifying and quantifying chemical components of a mixture. US Patent 267459.
- van der Veen, D. (2009). Transcriptional profiling of *Aspergillus niger*. PhD thesis, Wageningen University, Wageningen.
- van der Veen, D., Oliveira, J. M., van den Berg, W. A. M. & de Graaff, L. H. (2009). Variance components analysis reveals contribution of sample processing to transcript variation. *Appl Environ Microbiol* **75**, 2414-2422.
- van der Werf, M. J. (2005). Towards replacing closed with open target selection strategies. *Trends Biotechnol* **23**, 11-16.
- van der Werf, M. J., Jellema, R. H. & Hankemeier, T. (2005). Microbial metabolomics: replacing trial-and-error by the unbiased selection and ranking of targets. *J Ind Microbiol Biotechnol* **32**, 234-252.

- van der Werf, M. J., Overkamp, K. M., Muilwijk, B., Coulter, L. & Hankemeier, T. (2007). Microbial metabolomics: Toward a platform with full metabolome coverage. *Anal Biochem* **370**, 17-25.
- van Esse, H. P., van't Klooster, J. W., Bolton, M. D., Yadeta, K. A., van Baarlen, P., Boeren, S., Vervoort, J., de Wit, P. J. G. M. & Thomma, B. P. H. J. (2008). The *Cladosporium fulvum* virulence protein Avr2 inhibits host proteases required for basal defense. *Plant Cell* **20**, 1948-63.
- van Hartingsveldt, W., Mattern, I. E., van Zeijl, C. M. J., Pouwels, P. H. & van den Hondel, C. A. M. J. J. (1987). Development of a homologous transformation system for *Aspergillus niger* based on the *pyrG* gene. *Mol Gen Genet* **206**, 71-75.
- van Noort, J. M., van den Berg, P. & Mattern, I. E. (1991). Visualization of proteases within a complex sample following their selective retention on immobilized bacitracin, a peptide antibiotic. *Anal Biochem* **198**, 385-390.
- van Noort, V., Snel, B. & Huynen, M. A. (2004). The yeast coexpression network has a small-world, scale-free architecture and can be explained by a simple model. *EMBO Rep* **5**, 280-284.
- VanKuyk, P. A., Cheetham, B. F. & Katz, M. E. (2000). Analysis of two *Aspergillus nidulans* genes encoding extracellular proteases. *Fungal Genet Biol* **29**, 201-210.
- Vizcaino, J. A., Cote, R., Reisinger, F., Barsnes, H., Foster, J. M., Rameseder, J., Hermjakob, H. & Martens, L. (2010). The Proteomics Identifications database: 2010 update. *Nucl Acids Res* **38**, D736-742.
- Vogels, J. T. W. E., Tas, A. C., Venekamp, J. & van der Greef, J. (1996). Partial linear fit: a new NMR spectroscopy preprocessing tool for pattern recognition applications. *J Chemom* **10**, 425-438.
- Walker, M. G., Volkmoth, W., Sprinzak, E., Hodgson, D. & Klingler, T. (1999). Prediction of gene function by genome-scale expression analysis: prostate cancer-associated genes. *Genome Res* **9**, 1198-1203.
- Wang, L. P., Ridgway, D., Gu, T. Y. & Moo-Young, M. (2003). Effects of process parameters on heterologous protein production in *Aspergillus niger* fermentation. *J Chem Technol Biotechnol* **78**, 1259-1266.
- Wang, Y., Xue, W., Sims, A. H., Zhao, C., Wang, A., Tang, G., Qin, J. & Wang, H. (2008). Isolation of four pepsin-like protease genes from *Aspergillus niger* and analysis of the effect of disruptions on heterologous laccase expression. *Fungal Genet Biol* **45**, 17-27.
- Wanke, C., Eckert, S., Albrecht, G., van Hartingsveldt, W., Punt, P. J., van den Hondel, C. A. M. J. J., & Braus, G. H. (1997). The *Aspergillus niger* GCN4 homologue, *cpcA*, is transcriptionally regulated and encodes an unusual leucine zipper. *Mol Microbiol* **23**, 23-33.
- Ward, O. P., Qin, W. M., Dhanjoon, J., Ye, J. & Singh, A. (2005). Physiology and biotechnology of *Aspergillus*. In *Advances in Applied Microbiology* **58**, pp. 1-75. Edited by A. I. Laskin, J. W. Bennett, G. M. Gadd & S. Sariaslani. Amsterdam: Academic Press.
- Weatherburn, M. W. (1967). Phenol-hypochlorite reaction for determination of ammonia. *Anal Chem* **39**, 971-974.
- Westerhuis, J. A., Hoefsloot, H. C. J., Smit, S., Vis, D. J., Smilde, A. K., Velzen, E. J. J., Duijnhoven, J. P. M. & Dorsten, F. A. (2008). Assessment of PLS-DA cross validation. *Metabolomics* **4**, 81-89.
- Weuster-Botz, D. (2000). Experimental design for fermentation media development: Statistical design or global random search? *J Biosci Bioeng* **90**, 473-483.

- Wheelock, C. E., Wheelock, A. M., Kawashima, S., Diez, D., Kanehisa, M., van Erk, M., Kleemann, R., Haeggström, J. Z. & Goto, S. (2009). Systems biology approaches and pathway tools for investigating cardiovascular disease. *Mol Biosyst* **5**, 588-602.
- White, S., McIntyre, M., Berry, D. R. & McNeil, B. (2002). The autolysis of industrial filamentous fungi. *Crit Rev Biotechnol* **22**, 1-14.
- Wiebe, M. G. (2003). Stable production of recombinant proteins in filamentous fungi - problems and improvements. *Mycologist* **17**, 140-144.
- Wiebe, M. G., Karandikar, A., Robson, G. D., Trinci, A. P. J., Candia, J.-L. F., Trappe, S., Wallis, G., Rinas, U., Derkx, P. M. F. & other authors (2001). Production of tissue plasminogen activator (t-PA) in *Aspergillus niger*. *Biotechnol Bioeng* **76**, 164-174.
- Withers, J. M., Swift, R. J., Wiebe, M. G., Robson, G. D., Punt, P. J., van den Hondel, C. A. M. J. J. & Trinci, A. P. J. (1998). Optimization and stability of glucoamylase production by recombinant strains of *Aspergillus niger* in chemostat culture. *Biotechnol Bioeng* **59**, 407-418.
- Withers, J. M., Wiebe, M. G., Robson, G. D., Osborne, D., Turner, G. & Trinci, A. P. J. (1995). Stability of recombinant protein production by *Penicillium chrysogenum* in prolonged chemostat culture. *FEMS Microbiol Lett* **133**, 245-251.
- Wolfe, C. J., Kohane, I. S. & Butte, A. J. (2005). Systematic survey reveals general applicability of "guilt-by-association" within gene coexpression networks. *BMC Bioinformatics* **6**:227.
- Wright, J. C., Sugden, D., Francis-McIntyre, S., Riba-Garcia, I., Gaskell, S. J., Grigoriev, I. V., Baker, S. E., Beynon, R. J. & Hubbard, S. J. (2009). Exploiting proteomic data for genome annotation and gene model validation in *Aspergillus niger*. *BMC Genomics* **10**:61.
- Xu, J. F., Wang, L. P., Ridgway, D., Gu, T. Y. & Moo-Young, M. (2000). Increased heterologous protein production in *Aspergillus niger* fermentation through extracellular proteases inhibition by pelleted growth. *Biotechnol Progr* **16**, 222-227.
- Yoder, W. T. & Lembeck, J. (2004). Heterologous expression and protein secretion in filamentous fungi. In *Advances in fungal biotechnology for industry, agriculture, and medicine*, pp. 201-219. Edited by J. S. Tkacz & L. Lange. New York, NY: Kluwer Academic/Plenum Publishers.
- Yuan, X. L., Goosen, C., Kools, H., van der Maarel, M. J. E. C., van den Hondel, C. A. M. J. J., Dijkhuizen, L. & Ram, A. F. J. (2006). Database mining and transcriptional analysis of genes encoding inulin-modifying enzymes of *Aspergillus niger*. *Microbiology* **152**, 3061-3073.
- Yuan, X., Roubos, J. A., van den Hondel, C. A. M. J. J. & Ram, A. F. J. (2008a). Identification of InuR, a new Zn(II)2Cys6 transcriptional activator involved in the regulation of inulinolytic genes in *Aspergillus niger*. *Mol Genet Genomics* **279**, 11-26.
- Yuan, X., van der Kaaij, R. M., van den Hondel, C. A. M. J. J., Punt, P. J., van der Maarel, M. J. E. C., Dijkhuizen, L. & Ram, A. F. J. (2008b). *Aspergillus niger* genome-wide analysis reveals a large number of novel alpha-glucan acting enzymes with unexpected expression profiles. *Mol Genet Genomics* **279**, 545-561.
- Zar, J. H. (1996). Biostatistical analysis. Upper Saddle River, NJ: Prentice-Hall.
- Zhang, Z. & Wood, W. I. (2003). A profile hidden Markov model for signal peptides generated by HMMER. *Bioinformatics* **19**, 307-308.

- Zheng, X. F., Kobayashi, Y. & Takeuchi, M. (1998).** Construction of a low-serine-type-carboxypeptidase-producing mutant of *Aspergillus oryzae* by the expression of antisense RNA and its use as a host for heterologous protein secretion. *Appl Microbiol Biotechnol* **49**, 39-44.
- Zybailov, B., Coleman M. K., Florens, L. & Washburn, M.P. (2005).** Correlation of relative abundance ratios derived from peptide ion chromatograms and spectrum counting for quantitative proteomic analysis using stable isotope labeling. *Anal Chem* **77**, 6218-6224.

LIST OF PUBLICATIONS

R. te Biesebeke, A. Boussier, N.A. van Biezen, M. Braaksma, C.A.M.J.J. van den Hondel, W.M. de Vos & P.J. Punt (2006). Expression of *Aspergillus* hemoglobin domain activities in *Aspergillus oryzae* grown on solid substrates improves growth rate and enzyme production. *Biotechnology Journal* 1, 822-827.

M. Braaksma & P.J. Punt (2008). *Aspergillus* as a cell factory for protein production: controlling protease activity in fungal production. In *The Aspergilli: Genomics, Medical Aspects, Biotechnology, and Research Methods*, pp. 441-455. Edited by G.H. Goldman & S.A. Osmani. Boca Raton, FL: CRC Press.

M. Braaksma, A.K. Smilde, M.J. van der Werf & P.J. Punt (2009). The effect of environmental conditions on extracellular protease activity in controlled fermentations of *Aspergillus niger*. *Microbiology* 155, 3430-3439.

M. Braaksma, R.A. van den Berg, M.J. van der Werf & P.J. Punt (2010). A top-down systems biology approach for the identification of targets for fungal strain process development. In *Cellular and Molecular Biology of Filamentous Fungi*, pp. 25-35. Edited by K.A Borkovich & D.J. Ebbole. Washington, DC: ASM Press.

R.A. van den Berg, M. Braaksma, D. van der Veen, M.J. van der Werf, P.J. Punt, J. van der Oost & L.H. de Graaff (2010). Identification of modules in *Aspergillus niger* by gene co-expression network analysis. *Fungal Genetics and Biology* 47, 539-550.

M. Braaksma, E. Martens-Uzunova, P.J. Punt & P.J. Schaap (2010). An inventory of the *Aspergillus niger* secretome by combining *in silico* predictions with shotgun proteomics data. *BMC Genomics* 11, doi:10.1186/1471-2164-11-584.

M. Braaksma, S. Bijlsma, L. Coulier, P.J. Punt & M.J. van der Werf (2010). Metabolomics as a tool for target identification in strain improvement: the influence of phenotype definition. *Microbiology*, doi:10.1099/mic.0.041244-0.

CURRICULUM VITAE

Machtelt Braaksma werd geboren op 30 oktober 1977 te Stadskanaal en groeide op in Lollum. In 1996 behaalde zij haar VWO diploma aan het Marne College te Bolsward. In datzelfde jaar begon zij met de opleiding Biotechnologie aan het Van Hall Instituut / de Noordelijke Hogeschool Leeuwarden, met als specialisatie voeding en bioprocestechnologie. Tijdens haar studie heeft ze stage gelopen bij de Slowaakse bierbrouwerij Zlatý Bažant, een dochter van Heineken, en bij de afdeling Koolhydraattechnologie van TNO Voeding te Groningen.

Na het behalen van haar hbo-diploma in augustus 2000 is Machtelt als analist bij TNO Voeding (het huidige TNO Kwaliteit van Leven) in Zeist gaan werken. Vanaf juli 2004 heeft ze bij TNO en binnen programma 2 van het Kluyver Centre for Genomics of Industrial Fermentation het promotieonderzoek uitgevoerd wat heeft geleid tot dit proefschrift. Met ingang van juli 2008 heeft Machtelt haar werkzaamheden bij TNO Kwaliteit van Leven voortgezet, eerst als assistent projectleider, nu als scientist / projectleider.

