



Universiteit
Leiden
The Netherlands

Towards a sustainable synthesis of aromatic isocyanates : by the palladium diphosphane catalyzed reduction of nitrobenzene; a first step
Mooibroek, T.J.

Citation

Mooibroek, T. J. (2011, December 22). *Towards a sustainable synthesis of aromatic isocyanates : by the palladium diphosphane catalyzed reduction of nitrobenzene; a first step*. Retrieved from <https://hdl.handle.net/1887/18270>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/18270>

Note: To cite this publication please use the final published version (if applicable).

Towards a sustainable synthesis of aromatic isocyanates

by the palladium diphosphane catalyzed reduction of nitrobenzene; a first step

PROEFSCHRIFT

Ter verkrijging van
de graad van Doctor aan de Universiteit Leiden,
op gezag van Rector Magnificus Prof. Mr. P. F. van der Heijden,
volgens besluit van het College voor Promoties
te verdedigen op donderdag 22 december 2011
klokke 13.45 uur

door

Tiddo Jonathan Mooibroek
Geboren te Delft
In 1982

Samenstelling promotiecommissie

Promotores	Prof. Dr. E. Drent Prof. Dr. E. Bouwman
Overige leden	Prof. Dr. J. Reedijk Prof. Dr. C. J. Elsevier (Universiteit van Amsterdam) Prof. Dr. P.W.N.M. van Leeuwen (ICIQ, Tarragona, Spain) Prof. Dr. F. Ragaini (Università di Milano, Italy) Prof. Dr. J. Brouwer

This research was financially supported by the Dutch Organization for Scientific Research NWO (OND 1325300) and the printing of this thesis was made possible by a kind donation from Screening Devices B. V.

Printed by: Wöhrmann Print Service, Zutphen, The Netherlands

The whole is more than the sum of its parts
Aristotle, *Metaphysica*, 384-322 BC

Seek not to understand that you may believe, but believe that you may understand
Saint Augustine, *Civitate Dei*, 426 AC

voor mijn ouders,
voor Lauranne

Table of contents

List of abbreviations.....	6
Chapters	
1 General introduction.....	9
2 Complex formation and structure.....	41
3 A complex network of reactions centred around a Pd-imido intermediate.....	69
4 Mechanistic study of the palladium–bidentate diarylphosphane catalysed carbonylation of nitrobenzene in methanol; a palladium-imido complex as the central product-releasing species.....	107
5 Mechanistic study of the Pd-diphosphane catalyzed oxidative carbonylation of methanol, using nitrobenzene as oxidant.....	153
6 Mechanistic study of the L ₂ Pd catalyzed reduction of nitrobenzene with CO in methanol; a comparative study between diphosphane and 1,10-phenanthroline ligated complexes.....	175
7 The use of nucleophiles other than methanol in reductive carbonylation of nitrobenzene.....	205
8 Summary, conclusions, and outlook.....	221
Appendices	
AI Supporting information of Chapter 2.....	239
AII Supporting information of Chapter 3.....	243
AIII Supporting information of Chapter 4.....	257
AIV Supporting information of Chapter 5.....	267
AV Supporting information of Chapter 6.....	269
AVI Supporting information of Chapter 7.....	277
Samenvatting (Dutch abstract).....	281
List of Publications.....	295
Curriculum Vitae.....	297
Nawoord.....	299

List of abbreviations

AC	autoclave
ax	axial
Azo	azobenzene
Azoxy	azoxybenzene
bipy	bipyridine
BP	Becke Perdew functional
bpap	1,3-bis(1,3,5,7-tetramethyl-4,6,8-trioxa-2-phospha-amantyl)propane
br	broad (in NMR)
Bu	butyl
cal	Calories (1 cal = 4.184 Joule)
COD	1,4-cyclo-octadiene
COSY	correlation spectroscopy
CPCam	<i>p</i> -cresyl phenyl carbamate
CSD	Cambridge Structural Database
d	doublet (in NMR)
dba	dibenzylidene acetone
dd	double doublet (in NMR)
DFT	density functional theory
DMAN	1,8-bis(dimethylamino)naphthalene (Proton Sponge®)
DMC	dimethyl carbonate
DME	dimethyl ether
DMM	dimethoxy methane
DMO	dimethyl oxalate
DMPU	<i>N,N'</i> -di(3-methylphenyl) urea
DPC	diphenyl carbonate
DPO	<i>N,N'</i> -diphenyl oxalimide
dppb	1,4-bis(diphenylphosphanyl)butane
dppbz	1,2-bis(diphenylphosphanyl)benzene
dppe	1,2-bis(diphenylphosphanyl)ethane
dppe	1,2-bis(diphenylphosphanyl)ethane
dppm	bis(diphenylphosphanyl)methane
dppp	1,3-bis(diphenylphosphanyl)propane
DPU	<i>N,N'</i> -diphenyl urea
EA	elemental analysis
eq	equatorial
Eq(s).	Equation(s)
ESI	electron spray ionization
Et	ethyl
Exp.	experiment
F ₅ -L2	1,2-bis(di-pentafluorophenylphosphanyl)ethane
FID	free inductive decay (NMR) or flame ionization detector (GC)
FT	fourier transform
GLC	gas liquid chromatography
h	hour(s)

HOTs	<i>p</i> -toluenesulfonic acid
HPLC	high performance liquid chromatography
<i>i</i> (or <i>iso</i>)	iso
IR	infra red
<i>J</i>	coupling constant (in Hertz)
L2	1,2-bis(diphenylphosphanyl)ethane
L3	1,3-bis(diphenylphosphanyl)propane
L3X	2,2-dimethyl-1,3-bis(diphenylphosphanyl)propane
L4	1,4-bis(diphenylphosphanyl)butane
L4X	4,5-bis(diphenylphosphanylmethyl)-2,2-dimethyl-1,3-dioxolane
L5Fc	1,1'-bis(diphenylphosphanyl)ferrocene
LD50	lethal dose, whereby 50% of a given population dies
M	metal
m	multiplet (in NMR)
<i>m</i>	<i>meta</i>
MBA	<i>N</i> -methylene benzenamine
MDA	4,4'-methylene dianiline
MDI	4,4'-methylene diphenyl diisocyanate
Me	methyl
MEG	mono ethylene glycol
Mes	mesitylene
MF	methyl formate
MMFF	Merck molecular force field
MOF	metal organic framework
MPC	methyl phenylcarbamate
MPPU	3-methylphenyl phenylurea
MS	mass spectrometry
napht	naphtalene
NMR	nuclear magnetic resonance
<i>o</i>	<i>ortho</i>
OAc	acetate
oEtO-L2	1,2-bis(di- <i>o</i> -ethoxyphenylphosphanyl)ethane
oEtO-L3	1,3-bis(di- <i>o</i> -ethoxyphenylphosphanyl)propane
oEtO-L3X ²	2,2-diethyl-1,3-bis(di- <i>o</i> -ethoxyphenylphosphanyl)propane
oEtO-L4	1,4-bis(di- <i>o</i> -ethoxyphenylphosphanyl)butane
oMe-L3	1,3-bis(di- <i>o</i> -methylphenylphosphanyl)propane
oMeO-L2	1,2-bis(di- <i>o</i> -methoxyphenylphosphanyl)ethane
oMeO-L3	1,3-bis(di- <i>o</i> -methoxyphenylphosphanyl)propane
oMeO-L3X	2,2-dimethyl-1,3-bis(di- <i>o</i> -methoxyphenylphosphanyl)propane
oMeO-L3X ²	2,2-diethyl-1,3-bis(di- <i>o</i> -methoxyphenylphosphanyl)propane
oMeO-L3X ^R	5,5-bis(di- <i>o</i> -methoxyphenylphosphanylmethyl)-2-cyclohexyl-1,3-dioxane
oMeO-L4	1,4-bis(di- <i>o</i> -methoxyphenylphosphanyl)butane
oMeO-L4X	4,5-bis(di- <i>o</i> -methoxyphenylphosphanylmethyl)-2,2-dimethyl-1,3-dioxolane
oMeO-L5Fc	1,1'-bis(di- <i>o</i> -methoxyphenylphosphanyl)ferrocene
P	pressure in bar
<i>p</i>	<i>para</i>

pbq	parabenzoquinone
Ph	phenyl
phen	1,10-phenanthroline
pKa	-log (ionisation constant (<i>K</i> _a))
pMeO-L3	1,3-bis(di- <i>p</i> -methoxyphenylphosphanyl)propane
pMeO-L4	1,4-bis(di- <i>p</i> -methoxyphenylphosphanyl)butane
PPA	phenylphosphonic acid
ppm	parts per million
Pr	propyl
rpm	revolutions per minute
s	singlet (in NMR)
Sym.	simulation
t	triplet (in NMR)
TDI	2,4-toluene diisocyanate
<i>tert</i>	<i>tertiary</i>
TFE	2,2,2-trifluoroethanol
TLV	threshold limit value (in mg/kg)
TMBA	2,4,6-trimethylbenzoic acid
tmof	Trimethyl orthoformate
TMS	tetramethylsilane
TOF	turn over frequency (moles substrate / moles catalyst × unit of time)
TON	turn over number (moles substrate / moles catalyst)
TPB	<i>N,N,N'</i> -triphenylbiurea
UHV	ultra high vacuum
UV	ultra violet
Δ <i>H</i> _f ^o	heat of formation

