



Universiteit
Leiden
The Netherlands

Dynamics in electron transfer protein complexes

Bashir, Q.

Citation

Bashir, Q. (2010, October 27). *Dynamics in electron transfer protein complexes*. Retrieved from <https://hdl.handle.net/1887/16077>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/16077>

Note: To cite this publication please use the final published version (if applicable).

References

1. Hemsath, L., Dvorsky, R., Fiegen, D., Carlier, M.-F. & Ahmadian, M.R. An electrostatic steering mechanism of cdc42 recognition by wiskott-aldrich syndrome proteins. *Mol Cell* **20**, 313-324 (2005).
2. Marchand, J.-B., Kaiser, D.A., Pollard, T.D. & Higgs, H.N. Interaction of WASP/Scar proteins with actin and vertebrate Arp2/3 complex. *Nat Cell Biol* **3**, 76-82 (2001).
3. Sugase, K., Dyson, H.J. & Wright, P.E. Mechanism of coupled folding and binding of an intrinsically disordered protein. *Nature* **447**, 1021-1025 (2007).
4. Turjanski, A.G., Gutkind, J.S., Best, R.B. & Hummer, G. Binding-induced folding of a natively unstructured transcription factor. *PLoS Comput Biol* **4**, e1000060 (2008).
5. Wallis, R., Moore, G.R., James, R. & Kleanthous, C. Protein-protein interactions in colicin E9 DNase-immunity protein complexes. Diffusion-controlled association and femtomolar binding for the cognate complex. *Biochemistry* **34**, 13743-13750 (1995).
6. Schreiber, G. & Fersht, A.R. Rapid, electrostatically assisted association of proteins. *Nat Struct Mol Biol* **3**, 427-431 (1996).
7. Shapiro, R., Ruiz-Gutierrez, M. & Chen, C.-Z. Analysis of the interactions of human ribonuclease inhibitor with angiogenin and ribonuclease A by mutagenesis: importance of inhibitor residues inside versus outside the C-terminal "hot spot". *J Mol Biol* **302**, 497-519 (2000).
8. Johnson, R.J., McCoy, J.G., Bingman, C.A., Phillips Jr, G.N. & Raines, R.T. Inhibition of human pancreatic ribonuclease by the human ribonuclease inhibitor protein. *J Mol Biol* **368**, 434-449 (2007).
9. Schreiber, G., Haran, G. & Zhou, H.-X. Fundamental aspects of protein-protein association kinetics. *Chem Rev* **109**, 839-860 (2009).
10. Ruffner, H., Bauer, A. & Bouwmeester, T. Human protein-protein interaction networks and the value for drug discovery. *Drug Discov Today* **12**, 709-716 (2007).
11. Lee, F.S., Shapiro, R. & Vallee, B.L. Tight-binding inhibition of angiogenin and ribonuclease A by placental ribonuclease inhibitor. *Biochemistry* **28**, 225-230 (1989).
12. Janin, J. Kinetics and thermodynamics of protein-protein interactions. in *Protein-protein recognition* (ed. Klaenthous, C.) 1-32 (Oxford University Press, New York, 2000).
13. Shapiro, R. & Vallee, B.L. Interaction of human placental ribonuclease with placental ribonuclease inhibitor. *Biochemistry* **30**, 2246-2255 (1991).
14. Crowley, P.B. & Ubbink, M. Close encounters of the transient kind: Protein interactions in the photosynthetic redox chain investigated by NMR spectroscopy. *Acc Chem Res* **36**, 723-730 (2003).
15. Marcus, R.A. On the theory of oxidation-reduction reactions involving electron transfer. *J Chem Phys* **24**, 966-978 (1956).
16. Marcus, R.A. & Sutin, N. Electron transfers in chemistry and biology. *Biochim Biophys Acta* **811**, 265-322 (1985).
17. Ubbink, M. The courtship of proteins: Understanding the encounter complex. *FEBS lett* **583**, 1060-1066 (2009).
18. Sheinerman, F.B., Norel, R. & Honig, B. Electrostatic aspects of protein-protein interactions. *Curr Opin Struct Biol* **10**, 153-159 (2000).
19. Volkov, A.N., Worrall, J.A.R., Holtzmann, E. & Ubbink, M. Solution structure and dynamics of the complex between cytochrome *c* and cytochrome *c* peroxidase determined by paramagnetic NMR. *Proc Natl Acad Sci USA* **103**, 18945-18950 (2006).
20. Tang, C., Iwahara, J. & Clore, G.M. Visualization of transient encounter complexes in protein-protein association. *Nature* **444**, 383-386 (2006).

21. Iwahara, J. & Clore, G.M. Detecting transient intermediates in macromolecular binding by paramagnetic NMR. *Nature* **440**, 1227-1230 (2006).
22. Clore, G.M. Visualizing lowly-populated regions of the free energy landscape of macromolecular complexes by paramagnetic relaxation enhancement. *Mol BioSyst* **4**, 1058-1069 (2008).
23. Kim, Y.C., Tang, C., Clore, G.M. & Hummer, G. Replica exchange simulations of transient encounter complexes in protein-protein association. *Proc Natl Acad Sci USA* **105**, 12855-12860 (2008).
24. Vlasie, M.D., Fernández-Busnadio, R., Prudêncio, M. & Ubbink, M. Conformation of pseudoazurin in the 152 kDa electron transfer complex with nitrite reductase determined by paramagnetic NMR. *J Mol Biol* **375**, 1405-1415 (2008).
25. Ubbink, M., Ejdeback, M., Karlsson, B.G. & Bendall, D.S. The structure of the complex of plastocyanin and cytochrome *f*, determined by paramagnetic NMR and restrained rigid-body molecular dynamics. *Structure* **6**, 323-335 (1998).
26. Xu, X. et al. Dynamics in a pure encounter complex of two proteins studied by solution scattering and paramagnetic NMR spectroscopy. *J Am Chem Soc* **130**, 6395-6403 (2008).
27. Liang, Z.-X. et al. Dynamic docking and electron transfer between Zn-myoglobin and cytochrome *b*₅. *J Am Chem Soc* **124**, 6849-6859 (2002).
28. Liang, Z.-X. et al. Dynamic docking and electron-transfer between cytochrome *b*₅ and a suite of myoglobin surface-charge mutants. Introduction of a functional-docking algorithm for protein-protein complexes. *J Am Chem Soc* **126**, 2785-2798 (2004).
29. Worrall, J.A.R., Reinle, W., Bernhardt, R. & Ubbink, M. Transient protein interactions studied by NMR spectroscopy: the case of cytochrome C and adrenodoxin. *Biochemistry* **42**, 7068-7076 (2003).
30. Worrall, J.A.R. et al. Myoglobin and cytochrome *b*₅: A nuclear magnetic resonance study of a highly dynamic protein complex. *Biochemistry* **41**, 11721-11730 (2002).
31. Xiong, P., Nocek, J.M., Griffin, A.K.K., Wang, J. & Hoffman, B.M. Electrostatic redesign of the [myoglobin, cytochrome b5] interface to create a well-defined docked complex with rapid interprotein electron transfer. *J Am Chem Soc* **131**, 6938-6939 (2009).
32. Hulsker, R., Baranova, M.V., Bullerjahn, G.S. & Ubbink, M. Dynamics in the transient complex of plastocyanin-cytochrome *f* from *Prochlorothrix hollandica*. *J Am Chem Soc* **130**, 1985-1991 (2008).
33. Zuideweg, E.R.P. Mapping protein-protein interactions in solution by NMR spectroscopy. *Biochemistry* **41**, 1-7 (2001).
34. Pellecchia, M. Solution nuclear magnetic resonance spectroscopy techniques for probing intermolecular interactions. *Chem Biol* **12**, 961-971 (2005).
35. Iwahara, J., Schwieters, C.D. & Clore, G.M. Ensemble approach for NMR structure refinement against ¹H paramagnetic relaxation enhancement data arising from a flexible paramagnetic group attached to a macromolecule. *J Am Chem Soc* **126**, 5879-5896 (2004).
36. Clore, G.M., Tang, C. & Iwahara, J. Elucidating transient macromolecular interactions using paramagnetic relaxation enhancement. *Curr Opin Struct Biol* **17**, 603-616 (2007).
37. Tang, C., Ghirlando, R. & Clore, G.M. Visualization of transient ultra-weak protein self-association in solution using paramagnetic relaxation enhancement. *J Am Chem Soc* **130**, 4048-4056 (2008).
38. Tang, C., Louis, J.M., Aniana, A., Suh, J.-Y. & Clore, G.M. Visualizing transient events in amino-terminal autoprocessing of HIV-1 protease. *Nature* **455**, 693-696 (2008).
39. Tang, C., Schwieters, C.D. & Clore, G.M. Open-to-closed transition in apo maltose-binding protein observed by paramagnetic NMR. *Nature* **449**, 1078-1082 (2007).
40. Henzler-Wildman, K.A. et al. Intrinsic motions along an enzymatic reaction trajectory. *Nature* **450**, 838-844 (2007).

41. Russell, R.B. et al. A structural perspective on protein-protein interactions. *Curr Opin Struct Biol* **14**, 313-324 (2004).
42. Zhou, H.-X. & Shan, Y. Prediction of protein interaction sites from sequence profile and residue neighbor list. *Proteins* **44**, 336-343 (2001).
43. Fariselli, P., Pazos, F., Valencia, A. & Casadio, R. Prediction of protein-protein interaction sites in heterocomplexes with neural networks. *Eur J Biochem* **269**, 1356-1361 (2002).
44. Northrup, S.H., Boles, J.O. & Reynolds, J.C.L. Electrostatic effects in the Brownian dynamics of association and orientation of heme proteins. *J Phys Chem* **91**, 5991-5998 (1987).
45. Andrew, S.M., Thomasson, K.A. & Northrup, S.H. Simulation of electron-transfer self-exchange in cytochromes *c* and *b5*. *J Am Chem Soc* **115**, 5516-5521 (1993).
46. Keskin, O., Bahar, I., Flatow, D., Covell, D.G. & Jernigan, R.L. Molecular mechanisms of chaperonin GroEL-GroES Function. *Biochemistry* **41**, 491-501 (2001).
47. Ming, D., Kong, Y., Wakil, S.J., Brink, J. & Ma, J. Domain movements in human fatty acid synthase by quantized elastic deformational model. *Proc Natl Acad Sci USA* **99**, 7895-7899 (2002).
48. Gray, J.J. et al. Protein-protein docking predictions for the CAPRI experiment. *Proteins* **52**, 118-122 (2003).
49. Smith, G.R. & Sternberg, M.J.E. Prediction of protein-protein interactions by docking methods. *Curr Opin Struct Biol* **12**, 28-35 (2002).
50. Strynadka, N.C.J. et al. Molecular docking programs successfully predict the binding of a beta-lactamase inhibitory protein to TEM-1 beta-lactamase. *Nat Struct Mol Biol* **3**, 233-239 (1996).
51. Morillas, M. et al. Structural model of a malonyl-CoA-binding site of carnitine octanoyltransferase and carnitine palmitoyltransferase I. *J Biol Chem* **277**, 11473-11480 (2002).
52. Anand, G.S. et al. Identification of the protein kinase A regulatory R¹ $\alpha\lambda\pi\alpha$ -catalytic subunit interface by amide H/²H exchange and protein docking. *Proc Natl Acad Sci USA* **100**, 13264-13269 (2003).
53. Dobrodumov, A. & Gronenborn, A.M. Filtering and selection of structural models: Combining docking and NMR. *Proteins* **53**, 18-32 (2003).
54. Dominguez, C., Boelens, R. & Bonvin, A.M.J.J. HADDOCK: A protein-protein docking approach based on biochemical or biophysical information. *J Am Chem Soc* **125**, 1731-1737 (2003).
55. Tovchigrechko, A., Wells, C.A. & Vakser, I.A. Docking of protein models. *Protein Sci* **11**, 1888-1896 (2002).
56. Fersht, A.R. Structure and mechanism in protein science: a guide to enzyme catalysis and protein folding. (Freeman, W. H., NewYork, 1998).
57. Louie, G.V. & Brayer, G.D. High-resolution refinement of yeast iso-1-cytochrome *c* and comparisons with other eukaryotic cytochromes *c*. *J Mol Biol* **214**, 527-555 (1990).
58. Baistrocchi, P. et al. Three-dimensional solution structure of *saccharomyces cerevisiae* reduced Iso-1-cytochrome *c* *Biochemistry* **35**, 13788-13796 (1996).
59. Louie, G.V., Hutcheon, W.L.B. & Brayer, G.D. Yeast iso-1-cytochrome *c*: A 2.8 Å resolution three-dimensional structure determination. *J Mol Biol* **199**, 295-314 (1988).
60. Berghuis, A.M. & Brayer, G.D. Oxidation state-dependent conformational changes in cytochrome *c*. *J Mol Biol* **223**, 959-976 (1992).
61. Banci, L. et al. Solution structure of oxidized *saccharomyces cerevisiae* Iso-1-cytochrome *c*. *Biochemistry* **36**, 8992-9001 (1997).
62. Saraste, M. Oxidative Phosphorylation at the fin de siècle. *Science* **283**, 1488-1493 (1999).

63. Liu, X., Kim, C.N., Yang, J., Jemmerson, R. & Wang, X. Induction of apoptotic programs in cell-free extracts: Requirement for dATP and cytochrome *c*. *Cell* **86**, 147-157 (1996).
64. Fraaije, M.W., van Berkel, W.J.H., Benen, J.A.E., Visser, J. & Mattevi, A. A novel oxidoreductase family sharing a conserved FAD-binding domain. *Trends Biochem Sci* **23**, 206-207 (1998).
65. Leferink, N.G.H., Heuts, D.P.H.M., Fraaije, M.W. & van Berkel, W.J.H. The growing VAO flavoprotein family. *Arch Biochem Biophys* **474**, 292-301 (2008).
66. Leferink, N.G.H., van den Berg, W.A.M. & van Berkel, W.J.H. L-galactono- γ -lactone dehydrogenase from *Arabidopsis thaliana*, a flavoprotein involved in vitamin C biosynthesis. *FEBS J* **275**, 713-726 (2008).
67. Mapson, L.W. & Breslow, E. Biological synthesis of ascorbic acid: L-galactono- γ -lactone dehydrogenase. *Biochem J* **68**, 395-406 (1958).
68. Oba, K., Fukui, M., Imai, Y., Iriyama, S. & Nogami, K. L-galactono- γ -lactone dehydrogenase: Partial characterization, induction of activity and role in the synthesis of ascorbic acid in wounded white potato tuber tissue. *Plant Cell Physiol* **35**, 473-478 (1994).
69. Oba, Kazuko, Ishikawa, S., Nishikawa, M., Mizuno, H. & Yamamoto, T. Purification and properties of L-galactono- γ -lactone dehydrogenase, a key enzyme for ascorbic acid biosynthesis, from sweet potato roots. *J Biochem* **117**, 120-124 (1995).
70. Mutsuda, M., Ishikawa, T., Takeda, T. & Shigeoka, S. Subcellular localization and properties of L-galactono- γ -lactone dehydrogenase in spinach leaves. *Biosci Biotech Biochem* **59**, 1983-1984 (1995).
71. Ostergaard, J., Persiau, G., Davey, M.W., Bauw, G. & Van Montagu, M. Isolation of a cDNA coding for L-galactono- γ -lactone dehydrogenase, an enzyme involved in the biosynthesis of ascorbic acid in plants. *J Biol Chem* **272**, 30009-30016 (1997).
72. Imahori, Y., Zhou, Y.-F., Ueda, Y., Abe, K. & Chachin, K. Effects of Wound Stress by Slicing Sweet Pepper Fruits on Ascorbic Acid Metabolism. *J. Jpn. Soc. Hortic. Sci.* **66**, 175-183 (1997).
73. Siendones, E., Gonzalez-Reyes, J.A., Santos-Ocana, C., Navas, P. & Cordoba, F. Biosynthesis of ascorbic acid in kidney bean. L-galactono- γ -lactone dehydrogenase is an intrinsic protein located at the mitochondrial inner membrane. *Plant Physiol* **120**, 907-912 (1999).
74. Alhagdow, M. et al. Silencing of the mitochondrial ascorbate synthesizing enzyme L-galactono-1,4-lactone dehydrogenase affects plant and fruit development in tomato. *Plant Physiol* **145**, 1408-1422 (2007).
75. Smirnoff, N. & Wheeler, G.L. Ascorbic Acid in Plants: Biosynthesis and Function. *Crit Rev Biochem Mol* **35**, 291-314 (2000).
76. Yonetani, T. Studies on cytochrome *c* peroxidase. *J Biol Chem* **240**, 4509-4514 (1965).
77. Bonagura, C.A. et al. High-resolution crystal structures and spectroscopy of native and compound I cytochrome *c* peroxidase. *Biochemistry* **42**, 5600-5608 (2003).
78. Altschul, A.M., Abrams, R. & Hogness, T.R. Cytochrome *c* peroxidase. *J Biol Chem* **136**, 777-794 (1940).
79. Poulos, T.L. et al. The crystal structure of cytochrome *c* peroxidase. *J Biol Chem* **255**, 575-580 (1980).
80. McLendon G, Rogalsky JS, Magner E & Conklin K, T. Determinants of electron transfer rates: the cytochrome *c*: cytochrome *c* peroxidase system. *Prog Clin Biol Res* **274**(1988).
81. Pelletier, H. & Kraut, J. Crystal structure of a complex between electron transfer partners, cytochrome *c* peroxidase and cytochrome *c*. *Science* **258**, 1748-1755 (1992).
82. Yonetani, T., Schleyer, H. & Ehrenberg, A. Studies on cytochrome *c* peroxidase. *J Biol Chem* **241**, 3240-3243 (1966).

83. Mauro, J.M. et al. Tryptophan-191 .fwdarw. phenylalanine, a proximal-side mutation in yeast cytochrome *c* peroxidase that strongly affects the kinetics of ferrocyanochrome *c* oxidation. *Biochemistry* **27**, 6243-6256 (1988).
84. Sivaraja, M., Goodin, D., Smith, M. & Hoffman, B. Identification by ENDOR of Trp191 as the free-radical site in cytochrome *c* peroxidase compound ES. *Science* **245**, 738-740 (1989).
85. Miller, M.A., Han, G.W. & Kraut, J. A cation binding motif stabilizes the compound I radical of cytochrome *c* peroxidase. *Proc Nat Acad Sci USA* **91**, 11118-11122 (1994).
86. Fitzgerald, M.M., Churchill, M.J., McRee, D.E. & Goodin, D.B. Small molecule binding to an artificially created cavity at the active site of cytochrome *c* peroxidase. *Biochemistry* **33**, 3807-3818 (1994).
87. Huyett, J.E. et al. Compound ES of Cytochrome *c* Peroxidase Contains a Trp .pi.-Cation Radical: Characterization by Continuous Wave and Pulsed Q-Band External Nuclear Double Resonance Spectroscopy. *J Am Chem Soc* **117**, 9033-9041 (1995).
88. Hahn, S. et al. Reaction of horse cytochrome *c* with the radical and the oxyferryl heme in cytochrome *c* peroxidase compound I. *Biochemistry* **33**, 1473-1480 (1994).
89. Liu, R.-Q. et al. Role of methionine 230 in intramolecular electron transfer between the oxyferryl heme and tryptophan 191 in cytochrome *c* peroxidase compound II. *Biochemistry* **33**, 8678-8685 (1994).
90. Kang, C.H., Ferguson-Miller, S. & Margoliash, E. Steady state kinetics and binding of eukaryotic cytochromes *c* with yeast cytochrome *c* peroxidase. *J Biol Chem* **252**, 919-926 (1977).
91. Kornblatt, J.A. & English, A.M. The binding of porphyrin cytochrome *c* to yeast cytochrome *c* peroxidase. *Eur J Biochem* **155**, 505-511 (1986).
92. Matthis, A.L., Vitello, L.B. & Erman, J.E. Oxidation of yeast iso-1 ferrocyanochrome *c* by yeast cytochrome *c* peroxidase compounds I and II. Dependence upon ionic strength. *Biochemistry* **34**, 9991-9999 (1995).
93. Miller, M.A. et al. Identifying the physiological electron transfer site of cytochrome *c* peroxidase by structure-based engineering. *Biochemistry* **35**, 667-673 (1996).
94. Vitello, L.B. & Erman, J.E. Binding of horse heart cytochrome *c* to yeast porphyrin cytochrome *c* peroxidase: A fluorescence quenching study on the ionic strength dependence of the interaction. *Arch Biochem Biophys* **258**, 621-629 (1987).
95. Dowe, R.J., Vitello, L.B. & Erman, J.E. Sedimentation equilibrium studies on the interaction between cytochrome *c* and cytochrome *c* peroxidase. *Arch Biochem Biophys* **232**, 566-573 (1984).
96. Erman, J.E. & Vitello, L.B. The binding of cytochrome *c* peroxidase and ferricyanochrome *c*. A spectrophotometric determination of the equilibrium association constant as a function of ionic strength. *J Biol Chem* **255**, 6224-6227 (1980).
97. Stemp, E.D.A. & Hoffman, B.M. Cytochrome *c* peroxidase binds two molecules of cytochrome *c*: Evidence for a low-affinity, electron-transfer-active site on cytochrome *c* peroxidase. *Biochemistry* **32**, 10848-10865 (1993).
98. Zhou, J.S. & Hoffman, B.M. Cytochrome *c* peroxidase simultaneously binds cytochrome *c* at two different sites with strikingly different reactivities: titrating a "substrate" with an enzyme. *J Am Chem Soc* **115**, 11008-11009 (1993).
99. Zhou, J. & Hoffman, B. Stern-volmer in reverse: 2:1 stoichiometry of the cytochrome *c*-cytochrome *c* peroxidase electron-transfer complex. *Science* **265**, 1693-1696 (1994).
100. Yi, Q., Erman, J.E. & Satterlee, J.D. ¹H NMR evaluation of yeast isoenzyme-1 ferricyanochrome *c* equilibrium exchange dynamics in noncovalent complexes with two forms of yeast cytochrome *c* peroxidase. *J Am Chem Soc* **116**, 1981-1987 (1994).
101. Worrall, J.A.R., Kolczak, U., Canters, G.W. & Ubbink, M. Interaction of yeast iso-1-cytochrome *c* with cytochrome *c* peroxidase investigated by [¹⁵N, ¹H] heteronuclear NMR spectroscopy. *Biochemistry* **40**, 7069-7076 (2001).

102. Northrup, S., Boles, J. & Reynolds, J. Brownian dynamics of cytochrome *c* and cytochrome *c* peroxidase association. *Science* **241**, 67-70 (1988).
103. Gabdoulline, R.R. & Wade, R.C. Protein-protein association: Investigation of factors influencing association rates by Brownian dynamics simulations. *J Mol Biol* **306**, 1139-1155 (2001).
104. Almagdow, M. et al. Silencing of the mitochondrial ascorbate synthesizing enzyme L-galactono-1,4-lactone dehydrogenase (L-GalLDH) affects plant and fruit development in tomato. *Plant Physiol* **145**, 1408-1422 (2007).
105. Bartoli, C.G., Pastori, G.M. & Foyer, C.H. Ascorbate biosynthesis in mitochondria is linked to the electron transport chain between complexes III and IV. *Plant Physiol* **123**, 335-344 (2000).
106. Pineau, B., Layouné, O., Danon, A. & De Paepe, R. L-galactono-1,4-lactone dehydrogenase is required for the accumulation of plant respiratory complex I. *J Biol Chem* **283**, 32500-32505 (2008).
107. Saraste, M. Oxidative phosphorylation at the fin de siècle. *Science* **283**, 1488-1493 (1999).
108. Ubbink, M. & Bendall, D.S. Complex of plastocyanin and cytochrome *c* characterized by NMR chemical shift analysis. *Biochemistry* **36**, 6326-6335 (1997).
109. Baud, F. & Karlin, S. Measures of residue density in protein structures. *Proc Natl Acad Sci U S A* **96**, 12494-12499 (1999).
110. Derewenda, Z.S. Rational protein crystallization by mutational surface engineering. *Structure* **12**, 529-535 (2004).
111. Crowley, P.B. & Carrondo, M.A. The architecture of the binding site in redox protein complexes: implications for fast dissociation. *Proteins* **55**, 603-612 (2004).
112. Morar, A.S., Kakouras, D., Young, G.B., Boyd, J. & Pielak, G.J. Expression of ¹⁵N-labeled eukaryotic cytochrome *c* in *Escherichia coli*. *J Biol Inorg Chem* **4**, 220-222 (1999).
113. Pollock, W.B., Rosell, F.I., Twitchett, M.B., Dumont, M.E. & Mauk, A.G. Bacterial expression of a mitochondrial cytochrome *c*. Trimethylation of lys72 in yeast iso-1-cytochrome *c* and the alkaline conformational transition. *Biochemistry* **37**, 6124-6131 (1998).
114. Margoliash, E. & Frohwirt, N. Spectrum of horse-heart cytochrome *c*. *Biochem J* **71**, 570-572 (1959).
115. Helgstrand, M., Kraulis, P., Allard, P. & Härd, T. Ansig for Windows: An interactive computer program for semiautomatic assignment of protein NMR spectra. *J Biomol NMR* **18**, 329-336 (2000).
116. Derewenda, Z.S. & Vekilov, P.G. Entropy and surface engineering in protein crystallization. *Acta Crystallogr D Biol Crystallog* **62**, 116-24 (2006).
117. Coulombe, R., Yue, K.Q., Ghisla, S. & Vrielink, A. Oxygen access to the active site of cholesterol oxidase through a narrow channel is gated by an Arg-Glu pair. *J Biol Chem* **276**, 30435-30441 (2001).
118. Forneris, F. et al. Structural analysis of the catalytic mechanism and stereoselectivity in *Streptomyces coelicolor* alditol oxidase. *Biochemistry* **47**, 978-985 (2008).
119. Eswar, N. et al. Tools for comparative protein structure modeling and analysis. *Nucleic Acids Res* **31**, 3375-80 (2003).
120. Sali, A. & Blundell, T.L. Comparative protein modelling by satisfaction of spatial restraints. *J Mol Biol* **234**, 779-815 (1993).
121. Harada, Y., Shimizu, M., Murakawa, S. & Takahashi, T. Identification of FAD of D-gluconolactone dehydrogenase: D-erythorbic acid producing enzyme of *Penicillium cyaneo-fulvum*. *Agr. Biol. Chem.* **43**, 2635-2636 (1979).
122. Kenney, W.C., Edmondson, D.E. & Singer, T.P. Identification of the covalently bound flavin of L-gulono-gamma-lactone oxidase. *Biochem. Biophys. Res. Commun.* **71**, 1194-200 (1976).

123. Kenney, W.C. et al. Identification of the covalently-bound flavin of L-galactonolactone oxidase from yeast. *FEBS Lett.* **97**, 40-2 (1979).
124. Volkov, A.N., Ferrari, D., Worrall, J.A.R., Bonvin, A.M.J.J. & Ubbink, M. The orientations of cytochrome *c* in the highly dynamic complex with cytochrome *b*₅ visualized by NMR and docking using HADDOCK. *Protein Sci* **14**, 799-811 (2005).
125. Worrall, J.A.R., Kolczak, U., Canters, G.W. & Ubbink, M. Interaction of yeast iso-1-cytochrome *c* with cytochrome *c* peroxidase investigated by [¹⁵N, ¹H] heteronuclear NMR spectroscopy. *Biochemistry* **40**, 7069-7076 (2001).
126. Crowley, P.B., Rabe, K.S., Worrall, J.A.R., Canters, G.W. & Ubbink, M. The ternary complex of cytochrome *f* and cytochrome *c*: identification of a second binding site and competition for plastocyanin binding. *Chembiochem* **3**, 526-533 (2002).
127. Jones, S. & Thornton, J.M. Principles of protein-protein interactions. *Proc Natl Acad Sci USA* **93**, 13-20 (1996).
128. Tsai, C.-J., Lin, S., Wolfson, H. & Nussinov, R. Studies of protein-protein interfaces: A statistical analysis of the hydrophobic effect. *Protein Sci* **6**, 53-64 (1997).
129. Bogan, A.A. & Thorn, K.S. Anatomy of hot spots in protein interfaces. *J Mol Biol* **280**, 1-9 (1998).
130. Conte, L.L., Chothia, C. & Janin, J. The atomic structure of protein-protein recognition sites. *J Mol Biol* **285**, 2177-2198 (1999).
131. Brinda, K. & Vishveshwara, S. Oligomeric protein structure networks: insights into protein-protein interactions. *BMC Bioinf* **6**, 296 (2005).
132. Moreira, I.S., Fernandes, P.A. & Ramos, M.J. Hot spots - A review of the protein-protein interface determinant amino-acid residues. *Proteins* **68**, 803-812 (2007).
133. Ma, B., Wolfson, H.J. & Nussinov, R. Protein functional epitopes: hot spots, dynamics and combinatorial libraries. *Curr Opin Struct Biol* **11**, 364-369 (2001).
134. DeLano, W.L. Unraveling hot spots in binding interfaces: progress and challenges. *Curr Opin Struct Biol* **12**, 14-20 (2002).
135. Reichmann, D., Rahat, O., Cohen, M., Neuvirth, H. & Schreiber, G. The molecular architecture of protein-protein binding sites. *Curr Opin Struct Biol* **17**, 67-76 (2007).
136. Clackson, T. & Wells, J. A hot spot of binding energy in a hormone-receptor interface. *Science* **267**, 383-386 (1995).
137. Kiel, C., Selzer, T., Shaul, Y., Schreiber, G. & Herrmann, C. Electrostatically optimized Ras-binding Ral guanine dissociation stimulator mutants increase the rate of association by stabilizing the encounter complex. *Proc Natl Acad Sci USA* **101**, 9223-9228 (2004).
138. Nocek, J.M. et al. Theory and practice of electron transfer within protein-protein complexes: Application to the multidomain binding of cytochrome *c* by cytochrome *c* peroxidase. *Chem Rev* **96**, 2459-2490 (1996).
139. Erman, J.E. & Vitello, L.B. Yeast cytochrome *c* peroxidase: mechanistic studies via protein engineering. *Biochim Biophys Acta* **1597**, 193-220 (2002).
140. Sobolev, V., Sorokine, A., Prilusky, J., Abola, E. & Edelman, M. Automated analysis of interatomic contacts in proteins. *Bioinformatics* **15**, 327-332 (1999).
141. Volkov, A.N., Bashir, Q., Worrall, J.A.R. & Ubbink, M. Binding hot spot in the weak protein complex of physiological redox partners yeast cytochrome *c* and cytochrome *c* peroxidase. *J Mol Biol* **385**, 1003-1013 (2009).
142. Erman, J.E., Kresheck, G.C., Vitello, L.B. & Miller, M.A. Cytochrome *c*/cytochrome *c* peroxidase complex: effect of binding-site mutations on the thermodynamics of complex formation. *Biochemistry* **36**, 4054-4060 (1997).
143. Pielak, G.J. & Wang, X. Interactions between yeast iso-1-cytochrome *c* and its peroxidase *Biochemistry* **40**, 422-428 (2001).
144. Pollock, W.B.R., Rosell, F.I., Twitchett, M.B., Dumont, M.E. & Mauk, A.G. Bacterial expression of a mitochondrial cytochrome *c*. Trimethylation of Lys72 in yeast iso-1-cytochrome *c* and the alkaline conformational transition. *Biochemistry* **37**, 6124-6131 (1998).

145. Goodin, D.B., Davidson, M.G., Roe, J.A., Mauk, A.G. & Smith, M. Amino acid substitutions at tryptophan-51 of cytochrome *c* peroxidase: Effects on coordination, species preference for cytochrome *c*, and electron transfer. *Biochemistry* **30**, 4953-4962 (1991).
146. Piotto, M., Saudek, V. & Sklenář, V. Gradient-tailored excitation for single-quantum NMR spectroscopy of aqueous solutions. *J Biomol NMR* **2**, 661-665 (1992).
147. Frisch, C., Schreiber, G., Johnson, C.M. & Fersht, A.R. Thermodynamics of the interaction of barnase and barstar: changes in free energy versus changes in enthalpy on mutation. *J Mol Biol* **267**, 696-706 (1997).
148. Case, D.A. Calibration of ring-current effects in proteins and nucleic acids. *J Biomol NMR* **6**, 341-346 (1995).
149. Haigh, C.W. & Mallion, R.B. Ring current theories in nuclear magnetic resonance. *Prog NMR Spectrosc* **13**, 303-344 (1979).
150. Schwieters, C.D., Kuszewski, J.J., Tjandra, N. & Marius Clore, G. The Xplor-NIH NMR molecular structure determination package. *J Magn Reson* **160**, 65-73 (2003).
151. Reichmann, D. et al. The modular architecture of protein-protein binding interfaces. *Proc Natl Acad Sci USA* **102**, 57-62 (2005).
152. Schreiber, G. & Fersht, A.R. Energetics of protein-protein interactions: analysis of the barnase-barstar interface by single mutations and double mutant cycles. *J Mol Biol* **248**, 478-486 (1995).
153. Harel, M., Cohen, M. & Schreiber, G. On the dynamic nature of the transition state for protein-protein association as determined by double-mutant cycle analysis and simulation. *J Mol Biol* **371**, 180-196 (2007).
154. Zuiderweg, E.R.P. Mapping protein-protein interactions in solution by NMR spectroscopy. *Biochemistry* **41**, 1-7 (2002).
155. Prudêncio, M. & Ubbink, M. Transient complexes of redox proteins: structural and dynamic details from NMR studies. *J Mol Recognit* **17**, 524-539 (2004).
156. Kraulis, P.J. MOLSCRIPT: a program to produce both detailed and schematic plots of protein structures. *J Appl Crystallogr* **24**, 946-950 (1991).
157. Merritt, E.A., Bacon, D.J., Charles, W.C., Jr. & Robert, M.S. Raster3D: Photorealistic molecular graphics. *Methods Enzymol Volume* **277**, 505-524 (1997).
158. Rajamani, D., Thiel, S., Vajda, S. & Camacho, C.J. Anchor residues in protein-protein interactions. *Proc Natl Acad Sci USA* **101**, 11287-11292 (2004).
159. Solmaz, S.R.N. & Hunte, C. Structure of complex III with bound cytochrome *c* in reduced state and definition of a minimal core interface for electron transfer. *J Biol Chem* **283**, 17542-17549 (2008).
160. Reichmann, D., Phillip, Y., Carmi, A. & Schreiber, G. On the contribution of water-mediated interactions to protein-complex stability *Biochemistry* **47**, 1051-1060 (2007).
161. Janin, J. Wet and dry interfaces: the role of solvent in protein-protein and protein-DNA recognition. *Structure* **7**, R277-R279 (1999).
162. Rodier, F., Bahadur, R.P., Chakrabarti, P. & Janin, J. Hydration of protein-protein interfaces. *Proteins* **60**, 36-45 (2005).
163. Hoffman, B.M. et al. Differential influence of dynamic processes on forward and reverse electron transfer across a protein-protein interface. *Proc Natl Acad Sci USA* **102**, 3564-3569 (2005).
164. Teske, J.G., Savenkova, M.I., Mauro, J.M., Erman, J.E. & Satterlee, J.D. Yeast cytochrome *c* peroxidase expression in *Escherichia coli* and rapid isolation of various highly pure holoenzymes. *Protein Expression Purif* **19**, 139-147 (2000).
165. Vitello, L.B., Huang, M. & Erman, J.E. pH-Dependent spectral and kinetic properties of cytochrome *c* peroxidase: comparison of freshly isolated and stored enzyme. *Biochemistry* **29**, 4283-4288 (1990).

166. Riener, C., Kada, G. & Gruber, H. Quick measurement of protein sulphydryls with Ellman's reagent and with 4,4'-dithiodipyridine. *Anal Bioanal Chem* **373**, 266-276 (2002).
167. Kraulis, P. Ansig - a program for the assignment of protein ¹H and 2D NMR spectra by interactive computer graphics. *J Magn Reson* **84**(1989).
168. Battiste, J.L. & Wagner, G. Utilization of site-directed spin labeling and high-resolution heteronuclear nuclear magnetic resonance for global fold determination of large proteins with limited nuclear overhauser effect data. *Biochemistry* **39**, 5355-5365 (2000).
169. Ullmann, G.M., Knapp, E.-W. & Kostic, N.M. Computational simulation and analysis of dynamic association between plastocyanin and cytochrome *f*. Consequences for the electron-transfer reaction. *J Am Chem Soc* **119**, 42-52 (1997).
170. Bashford, D. An object-oriented programming suite for electrostatic effects in biological molecules. An experience report on the MEAD project. in *Scientific Computing in Object-Oriented Parallel Environments* 233-240 (Springer, Berlin, 1997).
171. MacKerell, A. D. et al. All-atom empirical potential for molecular modeling and dynamics studies of proteins. *J Phys Chem B* **102**, 3586-3616 (1998).
172. García de la Torre, J., Huertas, M.L. & Carrasco, B. HYDRONMR: Prediction of NMR relaxation of globular proteins from atomic-level structures and hydrodynamic calculations. *J Magn Reson* **147**, 138-146 (2000).
173. Camacho, C.J., Weng, Z., Vajda, S. & DeLisi, C. Free energy landscapes of encounter complexes in protein-protein association. *Biophys J* **76**, 1166-1178 (1999).
174. Miyashita, O., Onuchic, J.N. & Okamura, M.Y. Transition state and encounter complex for fast association of cytochrome *c*₂ with bacterial reaction center. *Proc Natl Acad Sci USA* **101**, 16174-16179 (2004).
175. Suh, J.-Y., Tang, C. & Clore, G.M. Role of electrostatic interactions in transient encounter complexes in protein-protein association investigated by paramagnetic relaxation enhancement. *J Am Chem Soc* **129**, 12954-12955 (2007).
176. Liang, Z.-X., Jiang, M., Ning, Q. & Hoffman, B. Dynamic docking and electron transfer between myoglobin and cytochrome *b*₅. *J Biol Inorg Chem* **7**, 580-588 (2002).
177. Moser, C.C., Keske, J.M., Warncke, K., Farid, R.S. & Dutton, P.L. Nature of biological electron transfer. *Nature* **355**, 796-802 (1992).
178. Miller, M.A., Vitello, L. & Erman, J.E. Regulation of interprotein electron transfer by Trp 191 of cytochrome *c* peroxidase. *Biochemistry* **34**, 12048-12058 (1995).
179. Hays Putnam, A.-M.A., Lee, Y.-T. & Goodin, D.B. Replacement of an electron transfer pathway in cytochrome *c* peroxidase with a surrogate peptide. *Biochemistry* **48**, 1-3 (2009).
180. Chance, B., Devault, D., Legallais, V., Mela, L. & Yonetani, T. Kinetics of electron transfer reactions in biological systems. in *Fast reactions and primary processes in chemical reactions* (ed. Claesson, S.) 437-464 (Interscience, New York, 1967).
181. Nakani, S., Viriyakul, T., Mitchell, R., Vitello, L.B. & Erman, J.E. Characterization of a covalently linked yeast cytochrome *c*-cytochrome *c* peroxidase complex: evidence for a single, catalytically active cytochrome *c* binding site on cytochrome *c* peroxidase *Biochemistry* **45**, 9887-9893 (2006).
182. Pearl, N.M., Jacobson, T., Arisa, M., Vitello, L.B. & Erman, J.E. Effect of single-site charge-reversal mutations on the catalytic properties of yeast cytochrome *c* peroxidase: mutations near the high-affinity cytochrome *c* binding site *Biochemistry* **46**, 8263-8272 (2007).
183. Pearl, N.M. et al. Effect of single-site charge-reversal mutations on the catalytic properties of yeast cytochrome *c* peroxidase: evidence for a single, catalytically active, cytochrome *c* binding domain *Biochemistry* **47**, 2766-2775 (2008).

184. Bashir, Q., Volkov, A.N., Ullmann, G.M. & Ubbink, M. Visualization of the encounter ensemble of the transient electron transfer complex of cytochrome *c* and cytochrome *c* peroxidase. *J Am Chem Soc* **132**, 241-247 (2010).
185. Volkov, A.N., Bashir, Q., Worrall, J.A.R., Ullmann, G.M. & Ubbink, M. Shifting the equilibrium between the encounter state and the specific form of a protein complex by interfacial point mutations. *J Am Chem Soc* **132**, 11487-11495 (2010).
186. Everest, A.M. et al. Aromatic hole superexchange through position 82 of cytochrome *c* is not required for intracomplex electron transfer to zinc cytochrome *c* peroxidase. *J Am Chem Soc* **113**, 4337-4338 (1991).
187. Kang, S.A. & Crane, B.R. Effects of interface mutations on association modes and electron-transfer rates between proteins. *Proc Natl Acad Sci USA* **102**, 15465-15470 (2005).
188. Rumbley, J.N., Hoang, L. & Englander, S.W. Recombinant equine cytochrome *c* in *Escherichia coli*: High-level expression, characterization, and folding and assembly mutants. *Biochemistry* **41**, 13894-13901 (2002).
189. Leslie, A.G. Integration of macromolecular diffraction data. *Acta Cryst D* **55**, 1696-1702 (1999).
190. Evans, P.R. Data collection and processing. in *Proceedings of the CCP4 study weekend* (eds Dodson, E., Moore, M., Ralph, A. & Bailey, S.) 114-122 (Warrington: Daresbury Laboratory, 1993).
191. Collaborative Computational Project 4. The CCP4 suite: programs for protein crystallography. *Acta Cryst D* **50**, 760-763 (1994).
192. Vagin, A. & Teplyakov, A. *MOLREP*: an Automated Program for Molecular Replacement. *J Appl Cryst* **30**, 1022-1025 (1997).
193. Emsley, P. & Cowtan, K. *Coot*: model-building tools for molecular graphics. *Acta Cryst D* **60**, 2126-2132 (2004).
194. Murshudov, G.N., Vagin, A.A., Lebedev, A., Wilson, K.S. & Dodson, E.J. Efficient anisotropic refinement of macromolecular structures using FFT. *Acta Cryst D* **55**, 247-255 (1999).
195. Perrakis, A., Morris, R. & Lamzin, V.S. Automated protein model building combined with iterative structure refinement. *Nat Struct Mol Biol* **6**, 458-463 (1999).
196. Liu, W., Rumbley, J., Englander, S.W. & Wand, A.J. Backbone and side-chain heteronuclear resonance assignments and hyperfine NMR shifts in horse cytochrome *c*. *Protein Sci* **12**, 2104-2108 (2003).
197. Metropolis, N., Rosenbluth, A.W., Rosenbluth, M.N., Teller, A.H. & Teller, E. Equation of state calculations by fast computing machines. *J Chem Phys* **21**, 1087-1092 (1953).
198. Weiss, M.S. & Hilgenfeld, R. On the use of the merging *R* factor as a quality indicator for X-ray data. *J Appl Cryst* **30**, 203-205 (1997).
199. Diederichs, K. & Karplus, P.A. Improved *R*-factors for diffraction data analysis in macromolecular crystallography. *Nat Struct Biol* **4**, 269-275 (1997).
200. Murshudov, G.N., Vagin, A.A. & Dodson, E.J. Refinement of macromolecular structures by the maximum-likelihood method. *Acta Cryst D* **53**, 240-255 (1997).
201. Keizers, P.H.J., Saragliadis, A., Hiruma, Y., Overhand, M. & Ubbink, M. Design, synthesis, and evaluation of a lanthanide chelating protein probe: CLaNP-5 yields predictable paramagnetic effects independent of environment. *J Am Chem Soc* **130**, 14802-14812 (2008).