



Universiteit
Leiden
The Netherlands

Infrared Interferometric observation of dust in the nuclei of active galaxies

Raban, D.

Citation

Raban, D. (2009, November 24). *Infrared Interferometric observation of dust in the nuclei of active galaxies*. Retrieved from <https://hdl.handle.net/1887/14564>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/14564>

Note: To cite this publication please use the final published version (if applicable).

Infrared Interferometric
Observations of Dust In The Nuclei
of Active Galaxies

Printed by Wöhrman Print Service, Zutphen

Infrared Interferometric Observations of Dust In The Nuclei of Active Galaxies

Proefschrift

ter verkrijging van
de graad van Doctor aan de Universiteit Leiden,
op gezag van de Rector Magnificus prof. mr. P.F. van der Heijden,
volgens besluit van het College voor Promoties
te verdedigen op dinsdag 24 november 2009
klokke 13.45 uur

door

David Raban

geboren te Israël
in 1976

Promotiecommissie

Promotores: Prof. dr. H. Röttgering
Dr. W. Jaffe

Overige leden: Prof. dr. K. Meisenheimer (Max-Planck-Institut für Astronomie)
Prof. dr. K. H. Kuijken
Prof. dr. M. Elitzur (University of Kentucky)
Prof. dr. G. Miley
Prof. dr. F . Israël

Dedicated to my parents Ellen and Erez

Table of contents

	Page
Chapter 1. Introduction	1
1.1 Goals of this thesis	1
1.2 Active Galactic Nuclei	1
1.2.1 The dusty torus	3
1.2.2 The central engine	3
1.2.3 Broad and narrow lines regions	3
1.2.4 The Jet	4
1.2.5 AGN Types	5
1.3 Unification models	5
1.4 The obscuring torus	6
1.4.1 Indirect Observational evidence	6
1.4.2 The $10\mu\text{m}$ spectral feature	9
1.4.3 Implication on unified models	10
1.4.4 The dust L-r-T relation	12
1.4.5 Masers	13
1.4.6 Outlook to the future: 3D radiative transfer models	14
1.4.7 Origin and dynamical state	14
1.5 Introduction to Interferometry	17
1.5.1 Modelling	18
1.5.2 Image reconstruction	18
1.5.3 Spectro-interferometry	19
1.6 The Very Large Telescope Interferometer and MIDI	19
1.6.1 The MIDI instrument	20
1.6.2 Observational procedure and data reduction	21
1.7 This thesis	21
Chapter 2. The core flux of the brightest $10\mu\text{m}$ galaxies in the southern sky	25
2.1 Introduction	26
2.2 Sample selection	26
2.3 Observations	28
2.4 Reduction	30
2.5 Results	32
2.6 Conclusion	38
Chapter 3. Resolving the dusty torus in NGC 1068	43
3.1 Introduction	44
3.2 Observations, uv coverage and data reduction	45
3.2.1 Calibration	47

3.2.2	Correlated flux. vs. visibility	47
3.3	Results	47
3.3.1	The total flux	47
3.3.2	The correlated (interferometric) fluxes	48
3.3.3	Discussion of the results	48
3.4	Modelling	51
3.4.1	Two grey body model	51
3.4.2	Maximum entropy imaging	55
3.4.3	Channel by channel Gaussian fits	56
3.4.4	The properties of each component	58
3.4.5	Summary of modelling results	59
3.4.6	Comparison with previous MIDI studies of NGC 1068	60
3.5	Discussion	60
3.5.1	The inclination and thickness of the dust	62
3.5.2	The orientation with respect to the jet	62
3.5.3	Relation between the torus and the ionization cone	63
3.5.4	The dust and the radio emission	64
3.5.5	Comparison with Circinus	65
3.5.6	Comparison with other infrared interferometric measurements	66
3.6	Conclusions	68
Chapter 4. Dust emission from the Seyfert 1 nucleus of NGC 4151		73
4.1	Introduction	73
4.2	Instrument, observations and data reduction	74
4.3	Results and modelling	75
4.3.1	Single-dish spectrum	75
4.3.2	Correlated spectra	75
4.3.3	A possible silicate emission feature	75
4.3.4	Simple Gaussian model	77
4.4	Discussion	79
4.4.1	The extended source and the Sy 1 / Sy 2 paradigm	79
4.4.2	Greybody models and the nature of the extended source	79
4.4.3	The point source and its relation to K band measurements	80
4.5	Conclusions	80
Chapter 5. Resolved infrared emission from the QSO 3C 273		83
5.1	Introduction	84
5.2	Instrument, observations and data reduction	85
5.2.1	Observations	85
5.3	Results	86
5.3.1	MIDI	86
5.3.2	VISIR & Spitzer	86
5.4	Discussion	86
5.4.1	size constraints	86
5.4.2	A possible silicate feature in emission	87

5.4.3	Implications on the AGN unification model	87
5.4.4	Elongation and the inclination of the jet	89
5.4.5	Emission mechanism	90
5.4.6	Variability	90
5.5	Summary and conclusions	91
Chapter 6. Parsec-scale dust distributions in Seyfert galaxies		95
6.1	Introduction	96
6.2	Target list	97
6.3	Observations and data reduction	99
6.3.1	The MIDI instrument	99
6.3.2	Observing sequence	99
6.3.3	Data reduction	101
6.3.4	Compilation of comparison spectra	102
6.4	Results	102
6.4.1	NGC 1365	103
6.4.2	MCG-05-23-016	106
6.4.3	Mrk 1239	107
6.4.4	NGC 4151	108
6.4.5	3C 273	108
6.4.6	IC 4329A	111
6.4.7	NGC 7469	112
6.5	Discussion	113
6.5.1	Spectral features	115
6.5.2	Sizes of the dust distributions	117
6.5.3	Elongation of the dust emission	119
6.6	Conclusions	119
Appendix A.		120
A.1	General observational comments	120
A.2	Remarks on the observations and the data reduction for the individual sources	122
Chapter 7. The millimeter-wave continuum spectrum of Centaurus A and its nucleus		129
7.1	Introduction	130
7.2	Observations and reduction	130
7.2.1	WMAP data	130
7.2.2	SEST data	134
7.2.3	JCMT data	138
7.3	Results and analysis	138
7.3.1	The overall Centaurus A radio source spectrum	138
7.3.2	Millimeter-wave emission of the Centaurus A core region	139
7.3.3	Core variability at mm wavelengths	140
7.3.4	Nature of the core emission	142
7.4	Conclusions	143

Nederlandse samenvatting	147
Acknowledgements	153
Curriculum vitae	155