



Universiteit
Leiden
The Netherlands

Magnetism of a single atom

Otte, A.F.

Citation

Otte, A. F. (2008, March 19). *Magnetism of a single atom. Casimir PhD Series*. LION, AMC research group, Faculty of Science, Leiden University. Retrieved from <https://hdl.handle.net/1887/12660>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/12660>

Note: To cite this publication please use the final published version (if applicable).

Bibliography

- [1] R. P. Feynman, *There's Plenty of Room at the Bottom*, California Institute of Technology, Pasadena, CA, December 29th 1959.
- [2] D. M. Eigler and E. K. Schweizer, Nature **344**, 524 (1990).
- [3] J. A. Stroscio and D. M. Eigler, Science **254**, 1319 (1991).
- [4] G. Binnig, H. Rohrer, C. Gerber, and E. Weibel, Phys. Rev. Lett. **50**, 120 (1983).
- [5] M. F. Crommie, C. P. Lutz, and D. M. Eigler, Science **262**, 218 (1993).
- [6] A. J. Heinrich, C. P. Lutz, J. A. Gupta, and D. M. Eigler, Science **298**, 1381 (2002).
- [7] B. E. Kane, Nature **393**, 133 (1998).
- [8] S. A. Wolf, D. D. Awschalom, R. A. Buhrman, J. M. Daughton, S. von Molnar, M. L. Roukes, A. Y. Chtchelkanova, and D. M. Treger, Science **294**, 1488 (2001).
- [9] J. M. Elzerman, R. Hanson, L. H. W. van Beveren, B. Witkamp, L. M. K. Vandersypen, and L. P. Kouwenhoven, Nature **430**, 431 (2004).
- [10] F. H. L. Koppens, C. Buizert, K. J. Tielrooij, I. T. Vink, K. C. Nowack, T. Meunier, L. P. Kouwenhoven, and L. M. K. Vandersypen, Nature **442**, 766 (2006).
- [11] Y. Manassen, R. J. Hamers, J. E. Demuth, and A. J. Castellano, Phys. Rev. Lett. **62**, 2531 (1989).
- [12] D. Rugar, R. Budakian, H. J. Mamin, and B. W. Chui, Nature **430**, 329 (2004).
- [13] M. Bode, M. Getzlaff, and R. Wiesendanger, Phys. Rev. Lett. **81**, 4256 (1998).
- [14] A. Kubetzka, M. Bode, O. Pietzsch, and R. Wiesendanger, Phys. Rev. Lett. **88**, 057201 (2002).

- [15] R. C. Jaklevic and J. Lambe, Phys. Rev. Lett. **17**, 1139 (1966).
- [16] B. C. Stipe, M. A. Rezaei, and W. Ho, Science **280**, 1732 (1998).
- [17] R. H. M. Smit, Y. Noat, C. Untiedt, N. D. Lang, M. C. van Hemert, and J. M. van Ruitenbeek, Nature **419**, 906 (2002).
- [18] A. J. Heinrich, J. A. Gupta, C. P. Lutz, and D. M. Eigler, Science **306**, 466 (2004).
- [19] C. F. Hirjibehedin, C. P. Lutz, and A. J. Heinrich, Science **312**, 1021 (2006).
- [20] C. F. Hirjibehedin, C. Y. Lin, A. F. Otte, M. Ternes, C. P. Lutz, B. A. Jones, and A. J. Heinrich, Science **317**, 1199 (2007).
- [21] J. Wiebe, A. Wachowiak, F. Meier, D. Haude, T. Foster, M. Morgenstern, and R. Wiesendanger, Rev. Sci. Instr. **75**, 4871 (2004).
- [22] H.-J. Güntherodt and R. Wiesendanger, *Scanning Tunneling Microscopy I* (Springer Verlag, Berlin/Heidelberg, 1992).
- [23] S. H. Pan, International Patent Publication Number WO 93/19494 (International Bureau, World Intellectual Property Organization), 30 September 1993.
- [24] S. H. Pan, E. W. Hudson, and J. C. Davis, Review Of Scientific Instruments **70**, 1459 (1999).
- [25] G. J. C. van Baarle, *Vortices in Superconductors Imaged by Scanning Tunneling Microscopy* (PhD Thesis, Leiden University, Leiden, 2005).
- [26] M. Tinkham, *Introduction to Superconductivity* (McGraw Hill, New York, 1996).
- [27] G. K. White, *Experimental Techniques in Low-Temperature Physics* (Clarendon Press, Oxford, UK, 1979).
- [28] J. Repp, G. Meyer, S. M. Stojkovic, A. Gourdon, and C. Joachim, Phys. Rev. Lett. **94**, 026803 (2005).
- [29] F. M. Leibsle, C. F. J. Flipse, and A. W. Robinson, Phys. Rev. B **47**, 15865 (1993).
- [30] With 2 kV acceleration voltage and emission current I_e , each target was preheated for 3 minutes after which the sample was exposed for a duration of t_e . **Mn:** $I_e = 5.0$ mA, $t_e = 75$ s; **Fe:** $I_e = 20.0$ mA, $t_e = 180$ s; **Co:** $I_e = 22.5$ mA, $t_e = 270$ s.
- [31] J. I. Pascual, N. Lorente, Z. Song, H. Conrad, and H. P. Rust, Nature **423**, 525 (2003).

- [32] Y. Sugimoto, P. Pou, M. Abe, P. Jelinek, R. Perez, S. Morita, and O. Custance, *Nature* **446**, 64 (2007).
- [33] L. Bartels, G. Meyer, and K. H. Rieder, *Phys. Rev. Lett.* **79**, 697 (1997).
- [34] J. A. Stroscio and R. J. Celotta, *Science* **306**, 242 (2004).
- [35] N. Nilius, T. M. Wallis, and W. Ho, *Science* **297**, 1853 (2002).
- [36] D. M. Eigler, C. P. Lutz, and W. E. Rudge, *Nature* **352**, 600 (1991).
- [37] M. Brandbyge and P. Hedegard, *Phys. Rev. Lett.* **72**, 2919 (1994).
- [38] R. L. White, *J. Mag. Mag. Mat.* **209**, 1 (2000).
- [39] P. Gambardella, S. Rusponi, M. Veronese, S. S. Dhesi, C. Grazioli, A. Dallmeyer, I. Cabria, R. Zeller, P. H. Dederichs, K. Kern, C. Carbone, and H. Brune, *Science* **300**, 1130 (2003).
- [40] M. Bode, O. Pietzsch, A. Kubetzka, and R. Wiesendanger, *Phys. Rev. Lett.* **92**, 067201 (2004).
- [41] R. Sessoli, D. Gatteschi, A. Caneschi, and M. A. Novak, *Nature* **365**, 141 (1993).
- [42] J. R. Long, in: P. Yang, *Chemistry of Nanostructured Materials* (World Scientific Publishing, Hong Kong, 2003), pp. 241–315.
- [43] D. Gatteschi, R. Sessoli, and J. Villain, *Molecular Nanomagnets* (Oxford University Press, Oxford, UK, 2006).
- [44] P. Blaha, K. Schwarz, G. Madsen, D. Kvasnicka, J. Luitz, WIEN2k (Technische Univ. Wien, Vienna, 1999).
- [45] J. P. Perdew, K. Burke, and M. Ernzerhof, *Phys. Rev. Lett.* **77**, 3865 (1996).
- [46] The surface was simulated by a supercell of 5-layer slabs (7-layers for bare CuN) separated by 8 vacuum layers. Each slab had the CuN monolayers on both sides and three Cu layers in between (5 layers of Cu for bare CuN). Fe or Mn atoms were located on top of the CuN surface at 10.8 Å lateral separation. The crystal structure was optimized until the forces acting on any atom were below 10 mRy/ a_0 , where a_0 is the Bohr radius. From the calculated electronic states of the optimized structure, the charge on each atom was obtained by Bader analysis [47].
- [47] R. F. W. Bader, *Atoms in Molecules: A Quantum Theory* (Clarendon Press, Oxford, UK, 1994).
- [48] A. V. Postnikov, J. Kortus, and M. R. Pederson, *Phys. Stat. Sol. B* **243**, 2533 (2006).

- [49] J. Krzystek, A. Ozarowski, and J. Telser, *Coord. Chem. Rev.* **250**, 2308 (2006).
- [50] S. Y. Ohno, K. Yagyuu, K. Nakatsuji, and F. Komori, *Surf. Sci.* **547**, L871 (2003).
- [51] R. Caciuffo, G. Amoretti, A. Murani, R. Sessoli, A. Caneschi, and D. Gatteschi, *Phys. Rev. Lett.* **81**, 4744 (1998).
- [52] J. Lambe and R. C. Jaklevic, *Physical Review* **165**, 821 (1968).
- [53] A. Kogan, S. Amasha, D. Goldhaber-Gordon, G. Granger, M. A. Kastner, and H. Shtrikman, *Phys. Rev. Lett.* **93**, 166602 (2004).
- [54] W. J. de Haas and G. J. van den Berg, *Physica* **3**, 440 (1936).
- [55] J. Kondo, *Phys. Rev.* **169**, 437 (1968).
- [56] P. W. Anderson, *Phys. Rev.* **124**, 41 (1961).
- [57] J. R. Schrieffer and P. A. Wolff, *Phys. Rev.* **149**, 491 (1966).
- [58] A. C. Hewson, *The Kondo Problem to Heavy Fermions* (Cambridge University Press, Cambridge, UK, 1997).
- [59] D. Goldhaber-Gordon, H. Shtrikman, D. Mahalu, D. Abusch-Magder, U. Meirav, and M. A. Kastner, *Nature* **391**, 156 (1998).
- [60] S. M. Cronenwett, T. H. Oosterkamp, and L. P. Kouwenhoven, *Science* **281**, 540 (1998).
- [61] W. G. van der Wiel, S. De Franceschi, T. Fujisawa, J. M. Elzerman, S. Tarucha, and L. P. Kouwenhoven, *Science* **289**, 2105 (2000).
- [62] N. J. Craig, J. M. Taylor, E. A. Lester, C. M. Marcus, M. P. Hanson, and A. C. Gossard, *Science* **304**, 565 (2004).
- [63] R. M. Potok, I. G. Rau, H. Shtrikman, Y. Oreg, and D. Goldhaber-Gordon, *Nature* **446**, 167 (2007).
- [64] V. Madhavan, W. Chen, T. Jamneala, M. F. Crommie, and N. S. Wingreen, *Science* **280**, 567 (1998).
- [65] J. T. Li, W. D. Schneider, R. Berndt, and B. Delley, *Phys. Rev. Lett.* **80**, 2893 (1998).
- [66] P. Wahl, L. Diekhoner, M. A. Schneider, L. Vitali, G. Wittich, and K. Kern, *Phys. Rev. Lett.* **93**, 176603 (2004).
- [67] J. Nygård, D. H. Cobden, and P. E. Lindelof, *Nature* **408**, 342 (2000).
- [68] T. W. Odom, J. L. Huang, C. L. Cheung, and C. M. Lieber, *Science* **290**, 1549 (2000).

- [69] P. Jarillo-Herrero, J. Kong, H. S. J. van der Zant, C. Dekker, L. P. Kouwenhoven, and S. De Franceschi, *Nature* **434**, 484 (2005).
- [70] J. Park, A. N. Pasupathy, J. I. Goldsmith, C. Chang, Y. Yaish, J. R. Petta, M. Rinkoski, J. P. Sethna, H. D. Abruna, P. L. McEuen, and D. C. Ralph, *Nature* **417**, 722 (2002).
- [71] W. J. Liang, M. P. Shores, M. Bockrath, J. R. Long, and H. Park, *Nature* **417**, 725 (2002).
- [72] U. Fano, *Phys. Rev.* **124**, 1866 (1961).
- [73] K. Nagaoka, T. Jamneala, M. Grobis, and M. F. Crommie, *Phys. Rev. Lett.* **88**, 077205 (2002).
- [74] M. Ternes, *Scanning Tunneling Spectroscopy at the Single Atom Scale* (PhD Thesis N° 3465, École Polytechnique Fédérale de Lausanne, Lausanne, 2006).
- [75] A. Messiah, *Quantum Mechanics II* (North-Holland Publishing Co., Amsterdam, 1961).
- [76] O. Ujsaghy, A. Zawadowski, and B. L. Gyorffy, *Phys. Rev. Lett.* **76**, 2378 (1996).
- [77] C. Romeike, M. R. Wegewijs, W. Hofstetter, and H. Schoeller, *Phys. Rev. Lett.* **96**, 196601 (2006).
- [78] Y. Meir, N. S. Wingreen, and P. A. Lee, *Phys. Rev. Lett.* **70**, 2601 (1993).
- [79] J. E. Moore and X. G. Wen, *Phys. Rev. Lett.* **85**, 1722 (2000).
- [80] H. Jeong, A. M. Chang, and M. R. Melloch, *Science* **293**, 2221 (2001).
- [81] H. B. Heersche, Z. de Groot, J. A. Folk, L. P. Kouwenhoven, H. S. J. van der Zant, A. A. Houck, J. Labaziewicz, and I. L. Chuang, *Phys. Rev. Lett.* **96**, 017205 (2006).
- [82] R. I. Nepomechie, *A Spin Chain Primer*, arXiv:hep-th 9810032 v1 (1998).
- [83] H. Tsunetsugu, M. Sigrist, and K. Ueda, *Rev. Mod. Phys.* **69**, 809 (1997).
- [84] M. G. Vavilov and L. I. Glazman, *Phys. Rev. Lett.* **94**, 086805 (2005).
- [85] C. Kittel, *Quantum Theory of Solids* (Wiley, New York, 1987), pp. 360–363.
- [86] S. Heinze, M. Bode, A. Kubetzka, O. Pietzsch, X. Nie, S. Blugel, and R. Wiesendanger, *Science* **288**, 1805 (2000).
- [87] M. Kleiber, M. Bode, R. Ravlic, and R. Wiesendanger, *Phys. Rev. Lett.* **85**, 4606 (2000).

