



Universiteit
Leiden
The Netherlands

Photoperiodic encoding by the neuronal network of the suprachiasmatic nucleus

Leest, H.T. van der

Citation

Leest, H. T. van der. (2010, November 3). *Photoperiodic encoding by the neuronal network of the suprachiasmatic nucleus*. Retrieved from <https://hdl.handle.net/1887/16100>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/16100>

Note: To cite this publication please use the final published version (if applicable).

REFERENCES

- Abe, M., Herzog, E.D., Yamazaki, S., Straume, M., Tei, H., Sakaki, Y., Menaker, M., and Block, G.D. (2002). Circadian rhythms in isolated brain regions. *J. Neurosci.* *22*, 350-356.
- Abraham, U., Prior, J.L., Granados-Fuentes, D., Piwnica-Worms, D.R., and Herzog, E.D. (2005). Independent circadian oscillations of *Period1* in specific brain areas in vivo and in vitro. *J. Neurosci.* *25*, 8620-8626.
- Abrahamson, E.E. and Moore, R.Y. (2001). Suprachiasmatic nucleus in the mouse: retinal innervation, intrinsic organization and efferent projections. *Brain Res.* *916*, 172-191.
- Abrahamson, E.E. and Moore, R.Y. (2006). Lesions of suprachiasmatic nucleus efferents selectively affect rest-activity rhythm. *Mol. Cell Endocrinol.* *252*, 46-56.
- Aida, R., Moriya, T., Araki, M., Akiyama, M., Wada, K., Wada, E., and Shibata, S. (2002). Gastrin-releasing peptide mediates photic entrainable signals to dorsal subsets of suprachiasmatic nucleus via induction of *Period* gene in mice. *Mol. Pharmacol.* *61*, 26-34.
- Akiyama, M., Kouzu, Y., Takahashi, S., Wakamatsu, H., Moriya, T., Maetani, M., Watanabe, S., Tei, H., Sakaki, Y., and Shibata, S. (1999). Inhibition of light- or glutamate-induced *mPer1* expression represses the phase shifts into the mouse

- circadian locomotor and suprachiasmatic firing rhythms. *J. Neurosci.* *19*, 1115-1121.
- Albrecht,U., Sun,Z.S., Eichele,G., and Lee,C.C. (1997). A differential response of two putative mammalian circadian regulators, *mper1* and *mper2*, to light. *Cell* *91*, 1055-1064.
- Albus,H., Bonnefont,X., Chaves,I., Yasui,A., Doczy,J., van der Horst,G.T., and Meijer,J.H. (2002). Cryptochrome-deficient mice lack circadian electrical activity in the suprachiasmatic nuclei. *Curr. Biol.* *12*, 1130-1133.
- Albus,H., Vansteensel,M.J., Michel,S., Block,G.D., and Meijer,J.H. (2005). A GABAergic mechanism is necessary for coupling dissociable ventral and dorsal regional oscillators within the circadian clock. *Curr. Biol.* *15*, 886-893.
- Allada,R., Emery,P., Takahashi,J.S., and Rosbash,M. (2001). Stopping time: the genetics of fly and mouse circadian clocks. *Annu. Rev. Neurosci.* *24*, 1091-1119.
- Asai,M., Yamaguchi,S., Isejima,H., Jonouchi,M., Moriya,T., Shibata,S., Kobayashi,M., and Okamura,H. (2001). Visualization of *mPer1* transcription in vitro: NMDA induces a rapid phase shift of *mPer1* gene in cultured SCN. *Curr. Biol.* *11*, 1524-1527.
- Aschoff,J. and Pohl,H. (1978). Phase relations between a circadian rhythm and its zeitgeber within the range of entrainment. *Naturwissenschaften* *65*, 80-84.
- Aton,S.J., Colwell,C.S., Hattar,A.J., Waschek,J., and Herzog,E.D. (2005). Vasoactive intestinal polypeptide mediates circadian rhythmicity and synchrony in mammalian clock neurons. *Nat. Neurosci.* *8*, 476-483.
- Aton,S.J., Huettnner,J.E., Straume,M., and Herzog,E.D. (2006). GABA and Gi/o differentially control circadian rhythms and synchrony in clock neurons. *Proc. Natl. Acad. Sci. U. S. A* *103*, 19188-19193.
- Bao,A.M., Meynen,G., and Swaab,D.F. (2008). The stress system in depression and neurodegeneration: focus on the human hypothalamus. *Brain Res. Rev.* *57*, 531-553.
- Barnard,A.R., Hattar,S., Hankins,M.W., and Lucas,R.J. (2006). Melanopsin regulates visual processing in the mouse retina. *Curr Biol* *16*, 389-395.
- Bayliss,D.A. and Barrett,P.Q. (2008). Emerging roles for two-pore-domain potassium channels and their potential therapeutic impact. *Trends Pharmacol. Sci.* *29*, 566-575.

- Beersma,D.G., van Bunnik,B.A., Hut,R.A., and Daan,S. (2008). Emergence of circadian and photoperiodic system level properties from interactions among pacemaker cells. *J. Biol. Rhythms* 23, 362-373.
- Belenky,M.A., Yarom,Y., and Pickard,G.E. (2008). Heterogeneous expression of gamma-aminobutyric acid and gamma-aminobutyric acid-associated receptors and transporters in the rat suprachiasmatic nucleus. *J. Comp Neurol.* 506, 708-732.
- Belle,M.D., Diekman,C.O., Forger,D.B., and Piggins,H.D. (2009). Daily electrical silencing in the mammalian circadian clock. *Science* 326, 281-284.
- Bendova,Z. and Sumova,S. (2006). Photoperiodic regulation of PER1 and PER2 protein expression in rat peripheral tissues. *Physiol. Res.* 55, 623-632.
- Bergeron,H.E., Danielson,B., Biggs,K.R., and Prosser,R.A. (1999). TTX blocks baclofen-induced phase shifts of the mammalian circadian pacemaker in vitro. *Brain Res.* 841, 193-196.
- Berson,D.M., Dunn,F.A., and Takao,M. (2002). Phototransduction by retinal ganglion cells that set the circadian clock. *Science* 295, 1070-1073.
- Best,J.D., Maywood,E.S., Smith,K.L., and Hastings,M.H. (1999). Rapid resetting of the mammalian circadian clock. *J. Neurosci.* 19, 828-835.
- Biello,S.M., Golombek,D.A., and Harrington,M.E. (1997). Neuropeptide Y and glutamate block each other's phase shifts in the suprachiasmatic nucleus in vitro. *Neuroscience* 77, 1049-1057.
- Bouskila,Y. and Dudek,F.E. (1993). Neuronal synchronization without calcium-dependent synaptic transmission in the hypothalamus. *Proc. Natl. Acad. Sci. U. S. A.* 90, 3207-3210.
- Brown,T.M., Banks,J.R., and Piggins,H.D. (2006). A novel suction electrode recording technique for monitoring circadian rhythms in single and multiunit discharge from brain slices. *J. Neurosci.* 156, 173-181.
- Brown,T.M., Colwell,C.S., Waschek,J.A., and Piggins,H.D. (2007). Disrupted neuronal activity rhythms in the suprachiasmatic nuclei of vasoactive intestinal polypeptide-deficient mice. *J. Neurophysiol.* 97, 2553-2558.
- Brown,T.M., Hughes,A.T., and Piggins,H.D. (2005). Gastrin-releasing peptide promotes suprachiasmatic nuclei cellular rhythmicity in the absence of

- vasoactive intestinal polypeptide-VPAC2 receptor signaling. *J. Neurosci.* *25*, 11155-11164.
- Brown,T.M. and Piggins,H.D. (2007). Electrophysiology of the suprachiasmatic circadian clock. *Prog. Neurobiol.* *82*, 229-255.
- Brown,T.M. and Piggins,H.D. (2009). Spatiotemporal Heterogeneity in the Electrical Activity of Suprachiasmatic Nuclei Neurons and their Response to Photoperiod. *J. Biol. Rhythms* *24*, 44-54.
- Bunger,M.K., Wilsbacher,L.D., Moran,S.M., Clendenin,C., Radcliffe,L.A., Hogenesch,J.B., Simon,M.C., Takahashi,J.S., and Bradfield,C.A. (2000). *Mop3* is an essential component of the master circadian pacemaker in mammals. *Cell* *103*, 1009-1017.
- Burgoon,P.W., Lindberg,P.T., and Gillette,M.U. (2004). Different patterns of circadian oscillation in the suprachiasmatic nucleus of hamster, mouse, and rat. *J. Comp. Physiol. A Neuroethol Sens Neural Behav. Physiol* *190*, 167-171.
- Cao,G. and Nitabach,M.N. (2008). Circadian control of membrane excitability in *Drosophila melanogaster* lateral ventral clock neurons. *J. Neurosci.* *28*, 6493-6501.
- Card,J.P. and Moore,R.Y. (1984). The suprachiasmatic nucleus of the golden hamster: immunohistochemical analysis of cell and fiber distribution. *Neuroscience* *13*, 415-431.
- Carr,A.J., Johnston,J.D., Semikhodskii,A.G., Nolan,T., Cagampang,F.R., Stirland,J.A., and Loudon,A.S. (2003). Photoperiod differentially regulates circadian oscillators in central and peripheral tissues of the Syrian hamster. *Curr. Biol.* *13*, 1543-1548.
- Challet,E., Scarbrough,K., Penev,P.D., and Turek,F.W. (1998). Roles of suprachiasmatic nuclei and intergeniculate leaflets in mediating the phase-shifting effects of a serotonergic agonist and their photic modulation during subjective day. *J. Biol. Rhythms* *13*, 410-421.
- Cheng,M.Y., Bullock,C.M., Li,C., Lee,A.G., Bermak,J.C., Belluzzi,J., Weaver,D.R., Leslie,F.M., and Zhou,Q.Y. (2002). Prokineticin 2 transmits the behavioural circadian rhythm of the suprachiasmatic nucleus. *Nature* *417*, 405-410.

- Choi,H.J., Lee,C.J., Schroeder,A., Kim,Y.S., Jung,S.H., Kim,J.S., Kim,d.Y., Son,E.J., Han,H.C., Hong,S.K., Colwell,C.S., and Kim,Y.I. (2008). Excitatory actions of GABA in the suprachiasmatic nucleus. *J. Neurosci.* 28, 5450-5459.
- Colwell,C.S. (2005). Bridging the gap: coupling single-cell oscillators in the suprachiasmatic nucleus. *Nat. Neurosci.* 8, 10-12.
- Colwell,C.S., Foster,R.G., and Menaker,M. (1991). NMDA receptor antagonists block the effects of light on circadian behavior in the mouse. *Brain Res.* 554, 105-110.
- Colwell,C.S., Michel,S., Itri,J., Rodriguez,W., Tam,J., Lelievre,V., Hu,Z., Liu,X., and Waschek,J.A. (2003). Disrupted circadian rhythms in VIP- and PHI-deficient mice. *Am. J. Physiol. Regul. Integr. Comp. Physiol.* 285, R939-R949.
- Colwell,C.S., Ralph,M.R., and Menaker,M. (1990). Do NMDA receptors mediate the effects of light on circadian behavior? *Brain Res.* 523, 117-120.
- Daan,S., Mewes,M., and Roenneberg,T. (2002). External time--internal time. *J. Biol. Rhythms* 17, 107-109.
- Daan,S. and Pittendrigh,C.S. (1976a). A functional analysis of circadian pacemakers in nocturnal rodents. II. The variability of phase response curves. *J. Comp. Physiol.* 106, 267-290.
- Daan,S. and Pittendrigh,C.S. (1976b). A functional analysis of circadian pacemakers in nocturnal rodents. III. Heavy Water and Constant Light: Homeostasis of Frequency? *Journal of Comparative Physiology ? A* 106, 267-290.
- Dacey,D.M., Liao,H.W., Peterson,B.B., Robinson,F.R., Smith,V.C., Pokorny,J., Yau,K.W., and Gamlin,P.D. (2005). Melanopsin-expressing ganglion cells in primate retina signal colour and irradiance and project to the LGN. *Nature* 433, 749-754.
- Dardente,H. and Cermakian,N. (2007). Molecular circadian rhythms in central and peripheral clocks in mammals. *Chronobiol. Int.* 24, 195-213.
- Dardente,H., Poirel,V.J., Klosen,P., Pevet,P., and Masson-Pevet,M. (2002). Per and neuropeptide expression in the rat suprachiasmatic nuclei: compartmentalization and differential cellular induction by light. *Brain Res.* 958, 261-271.

References

- Davidson,A.J., Yamazaki,S., and Menaker,M. (2003). SCN: ringmaster of the circadian circus or conductor of the circadian orchestra? *Novartis Found. Symp.* 253, 110-121.
- De Jeu,M. and Pennartz,C. (2002). Circadian modulation of GABA function in the rat suprachiasmatic nucleus: excitatory effects during the night phase. *J. Neurophysiol.* 87, 834-844.
- de la Iglesia,H.O., Meyer,J., Carpino,A., Jr., and Schwartz,W.J. (2000). Antiphase oscillation of the left and right suprachiasmatic nuclei. *Science* 290, 799-801.
- de la Iglesia,H.O., Meyer,J., and Schwartz,W.J. (2004). Using Per gene expression to search for photoperiodic oscillators in the hamster suprachiasmatic nucleus. *Brain Res. Mol. Brain Res.* 127, 121-127.
- de Vries,M.J., Treep,J.A., de Pauw,E.S., and Meijer,J.H. (1994). The effects of electrical stimulation of the optic nerves and anterior optic chiasm on the circadian activity rhythm of the Syrian hamster: involvement of excitatory amino acids. *Brain Res.* 642, 206-212.
- Deboer,T., Vansteensel,M.J., Detari,L., and Meijer,J.H. (2003). Sleep states alter activity of suprachiasmatic nucleus neurons. *Nat. Neurosci.* 6, 1086-1090.
- DeCoursey,P.J. (1964). Function of a light response rhythm in hamsters. *J Cell Physiol* 63, 189-196.
- DeCoursey,P.J. and Krulas,J.R. (1998). Behavior of SCN-lesioned chipmunks in natural habitat: a pilot study. *J. Biol. Rhythms* 13, 229-244.
- DeCoursey,P.J., Krulas,J.R., Mele,G., and Holley,D.C. (1997). Circadian performance of suprachiasmatic nuclei (SCN)-lesioned antelope ground squirrels in a desert enclosure. *Physiol. Behav.* 62, 1099-1108.
- DeCoursey,P.J., Walker,J.K., and Smith,S.A. (2000). A circadian pacemaker in free-living chipmunks: essential for survival? *J. Comp. Physiol. [A]*. 186, 169-180.
- Ding,J.M., Chen,D., Weber,E.T., Faiman,L.E., Rea,M.A., and Gillette,M.U. (1994). Resetting the biological clock: mediation of nocturnal circadian shifts by glutamate and NO. *Science* 266, 1713-1717.
- Doyle,S.E., Castrucci,A.M., McCall,M., Provencio,I., and Menaker,M. (2006). Nonvisual light responses in the Rpe65 knockout mouse: rod loss restores

- sensitivity to the melanopsin system. *Proc Natl Acad Sci U. S. A* *103*, 10432-10437.
- Drouyer,E., Rieux,C., Hut,R.A., and Cooper,H.M. (2007). Responses of suprachiasmatic nucleus neurons to light and dark adaptation: relative contributions of melanopsin and rod-cone inputs. *J. Neurosci.* *27*, 9623-9631.
- Dudek,F.E., Kim,Y.I., and Bouskila,Y. (1993). Electrophysiology of the suprachiasmatic nucleus: synaptic transmission, membrane properties, and neuronal synchronization. *J. Biol. Rhythms* *8 Suppl*, S33-S37.
- Duncan,M.J. (2006). Aging of the Mammalian Circadian Timing System: Changes in the Central Pacemaker and Its Regulation by Photic and Nonphotic Signals. *Neuroembryology and Aging* *4*, 85-101.
- Eilers,P.H.C. (2003). A perfect smoother. *Anal. Chem.* *75*, 3631-3636.
- Eskes,G.A. and Rusak,B. (1985). Horizontal knife cuts in the suprachiasmatic area prevent hamster gonadal responses to photoperiod. *Neurosci. Lett.* *61*, 261-266.
- Evans,J.A., Elliott,J.A., and Gorman,M.R. (2004). Photoperiod differentially modulates photic and nonphotic phase response curves of hamsters. *Am J Physiol Regul Integr. Comp Physiol* *286*, R539-R546.
- Fee,M.S., Mitra,P.P., and Kleinfeld,D. (1996). Automatic sorting of multiple unit neuronal signals in the presence of anisotropic and non-Gaussian variability. *J. Neurosci. Methods* *69*, 175-188.
- Foster,R.G., Provencio,I., Hudson,D., Fiske,S., De,G.W., and Menaker,M. (1991). Circadian photoreception in the retinally degenerate mouse (rd/rd). *J Comp Physiol A* *169*, 39-50.
- Gekakis,N., Staknis,D., Nguyen,H.B., Davis,F.C., Wilsbacher,L.D., King,D.P., Takahashi,J.S., and Weitz,C.J. (1998). Role of the CLOCK protein in the mammalian circadian mechanism. *Science* *280*, 1564-1569.
- Gillette,M.U. (1986). The suprachiasmatic nuclei: circadian phase-shifts induced at the time of hypothalamic slice preparation are preserved in vitro. *Brain Res.* *379*, 176-181.
- Gillette,M.U., DeMarco,S.J., Ding,J.M., Gallman,E.A., Faiman,L.E., Liu,C., McArthur,A.J., Medanic,M., Richard,D., and Tchong,T.K. (1993). The organization of the suprachiasmatic circadian pacemaker of the rat and its

- regulation by neurotransmitters and modulators. *J. Biol. Rhythms* 8 *Suppl*, S53-S58.
- Gillette, M.U., Medanic, M., McArthur, A.J., Liu, C., Ding, J.M., Faiman, L.E., Weber, E.T., Tchong, T.K., and Gallman, E.A. (1995). Intrinsic neuronal rhythms in the suprachiasmatic nuclei and their adjustment. *Ciba Found. Symp.* 183, 134-144.
- Gillette, M.U. and Prosser, R.A. (1988). Circadian rhythm of the rat suprachiasmatic brain slice is rapidly reset by daytime application of cAMP analogs. *Brain Res.* 474, 348-352.
- Goldman, B.D. (2001). Mammalian photoperiodic system: formal properties and neuroendocrine mechanisms of photoperiodic time measurement. *J. Biol. Rhythms* 16, 283-301.
- Gorman, M.R., Goldman, B.D., and Zucker, I. (2001). Mammalian Photoperiodism. In *Circadian Clocks*, J.S. Takahashi, F.W. Turek, and R.Y. Moore, eds. (New York: Kluwer Academic / Plenum Publishers), pp. 481-510.
- Green, D.J. and Gillette, R. (1982). Circadian Rhythm of Firing Rate Recorded from Single Cells in the Rat Suprachiasmatic Brain Slice. *Brain Res.* 245, 198-200.
- Gribkoff, V.K., Pieschl, R.L., Wisialowski, T.A., van den Pol, A.N., and Yocca, F.D. (1998). Phase shifting of circadian rhythms and depression of neuronal activity in the rat suprachiasmatic nucleus by neuropeptide Y: mediation by different receptor subtypes. *J. Neurosci.* 18, 3014-3022.
- Groos, G. and Hendriks, J. (1982). Circadian rhythms in electrical discharge of rat suprachiasmatic neurones recorded in vitro. *Neurosci. Lett.* 34, 283-288.
- Groos, G.A. and Meijer, J.H. (1985). Effects of illumination on suprachiasmatic nucleus electrical discharge. *Ann. N. Y. Acad. Sci.* 453, 134-146.
- Güler, A.D., Ecker, J.L., Lall, G.S., Haq, S., Altimus, C.M., Liao, H.W., Barnard, A.R., Cahill, H., Badea, T.C., Zhao, H., Hankins, M.W., Berson, D.M., Lucas, R.J., Yau, K.W., and Hattar, S. (2008). Melanopsin cells are the principal conduits for rod-cone input to non-image-forming vision. *Nature* 453, 102-105.
- Hannibal, J. (2002). Neurotransmitters of the retino-hypothalamic tract. *Cell Tissue Res.* 309, 73-88.

- Hannibal,J. (2006). Roles of PACAP-containing retinal ganglion cells in circadian timing. *Int. Rev. Cytol.* *251*, 1-39.
- Hannibal,J. and Fahrenkrug,J. (2002). Melanopsin: a novel photopigment involved in the photoentrainment of the brain's biological clock? *Ann. Med.* *34*, 401-407.
- Härmä,M.I., Hakola,T., Akerstedt,T., and Laitinen,J.T. (1994). Age and adjustment to night work. *Occup. Environ. Med.* *51*, 568-573.
- Harmar,A.J., Marston,H.M., Shen,S., Spratt,C., West,K.M., Sheward,W.J., Morrison,C.F., Dorin,J.R., Piggins,H.D., Reubi,J.C., Kelly,J.S., Maywood,E.S., and Hastings,M.H. (2002). The VPAC(2) receptor is essential for circadian function in the mouse suprachiasmatic nuclei. *Cell* *109*, 497-508.
- Harrington,M.E., Hoque,S., Hall,A., Golombek,D., and Biello,S. (1999). Pituitary adenylate cyclase activating peptide phase shifts circadian rhythms in a manner similar to light. *J. Neurosci.* *19*, 6637-6642.
- Harrington,M.E. and Rusak,B. (1986). Lesions of the thalamic intergeniculate leaflet alter hamster circadian rhythms. *J Biol Rhythms* *1*, 309-325.
- Harrington,M.E. and Rusak,B. (1988). Ablation of the geniculo-hypothalamic tract alters circadian activity rhythms of hamsters housed under constant light. *Physiol. Behav.* *42*, 183-189.
- Hastings,M.H., Field,M.D., Maywood,E.S., Weaver,D.R., and Reppert,S.M. (1999). Differential regulation of mPER1 and mTIM proteins in the mouse suprachiasmatic nuclei: new insights into a core clock mechanism. *J. Neurosci.* *19*, RC11.
- Hastings,M.H. and Herzog,E.D. (2004). Clock genes, oscillators, and cellular networks in the suprachiasmatic nuclei. *J. Biol. Rhythms* *19*, 400-413.
- Hazlerigg,D.G., Ebling,F.J., and Johnston,J.D. (2005). Photoperiod differentially regulates gene expression rhythms in the rostral and caudal SCN. *Curr. Biol.* *15*, R449-R450.
- Herzog,E.D., Aton,S.J., Numano,R., Sakaki,Y., and Tei,H. (2004). Temporal precision in the mammalian circadian system: a reliable clock from less reliable neurons. *J. Biol. Rhythms* *19*, 35-46.

References

- Herzog,E.D., Geusz,M.E., Khalsa,S.B., Straume,M., and Block,G.D. (1997). Circadian rhythms in mouse suprachiasmatic nucleus explants on multimicroelectrode plates. *Brain Res.* 757, 285-290.
- Herzog,E.D., Takahashi,J.S., and Block,G.D. (1998). Clock controls circadian period in isolated suprachiasmatic nucleus neurons. *Nat. Neurosci.* 1, 708-713.
- Hong,H.K., Chong,J.L., Song,W., Song,E.J., Jyawook,A.A., Schook,A.C., Ko,C.H., and Takahashi,J.S. (2007). Inducible and reversible Clock gene expression in brain using the tTA system for the study of circadian behavior. *PLoS Genet.* 3, e33.
- Honma,S., Honma,K., and Hiroshige,T. (1984). Dissociation of circadian rhythms in rats with a hypothalamic island. *Am J Physiol* 246, R949-R954.
- Honma,S., Shirakawa,T., Katsuno,Y., Namihira,M., and Honma,K. (1998). Circadian periods of single suprachiasmatic neurons in rats. *Neurosci. Lett.* 250, 157-160.
- Inagaki,N., Honma,S., Ono,D., Tanahashi,Y., and Honma,K. (2007). Separate oscillating cell groups in mouse suprachiasmatic nucleus couple photoperiodically to the onset and end of daily activity. *Proc. Natl. Acad. Sci. U. S. A.* 104, 7664-7669.
- Indic,P., Schwartz,W.J., Herzog,E.D., Foley,N.C., and Antle,M.C. (2007). Modeling the behavior of coupled cellular circadian oscillators in the suprachiasmatic nucleus. *J. Biol. Rhythms* 22, 211-219.
- Inouye,S. and Kawamura,H. (1982). Characteristics of a circadian pacemaker in the suprachiasmatic nucleus. *Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology* 146, 153-160.
- Inouye,S.T. and Kawamura,H. (1979). Persistence of circadian rhythmicity in a mammalian hypothalamic "island" containing the suprachiasmatic nucleus. *Proc. Natl. Acad. Sci. U. S. A.* 76, 5962-5966.
- Itri,J.N., Michel,S., Vansteensel,M.J., Meijer,J.H., and Colwell,C.S. (2005). Fast delayed rectifier potassium current is required for circadian neural activity. *Nat. Neurosci.* 8, 650-656.
- Jac,M., Sumova,A., and Illnerova,H. (2000). c-Fos rhythm in subdivisions of the rat suprachiasmatic nucleus under artificial and natural photoperiods. *Am. J. Physiol. Regul. Integr. Comp. Physiol.* 279, R2270-R2276.

- Jagota,A., de la Iglesia,H.O., and Schwartz,W.J. (2000). Morning and evening circadian oscillations in the suprachiasmatic nucleus in vitro. *Nat. Neurosci.* *3*, 372-376.
- Jiang,Z.G., Yang,Y.Q., and Allen,C.N. (1997). Tracer and electrical coupling of rat suprachiasmatic nucleus neurons. *Neuroscience* *77*, 1059-1066.
- Johnson,C.H. (1999). Forty years of PRCs--what have we learned? *Chronobiol. Int.* *16*, 711-743.
- Johnson,C.H., Mori,T., and Xu,Y. (2008). A cyanobacterial circadian clockwork. *Curr Biol* *18*, R816-R825.
- Johnson,M.S. (1926). Activity and distribution of certain wild mice in relation to biotic communities. *J. Mammal.* *7*, 245-277.
- Johnson,M.S. (1939). Effects of continuous light on periodic spontaneous activity of white-footed mice (*Peromyscus*). *J. Exp. Zool.* *82*, 315-328.
- Johnston,J.D. (2005). Measuring seasonal time within the circadian system: regulation of the suprachiasmatic nuclei by photoperiod. *J. Neuroendocrinol.* *17*, 459-465.
- Johnston,J.D., Ebling,F.J., and Hazlerigg,D.G. (2005). Photoperiod regulates multiple gene expression in the suprachiasmatic nuclei and pars tuberalis of the Siberian hamster (*Phodopus sungorus*). *Eur. J. Neurosci.* *21*, 2967-2974.
- Kalsbeek,A., Foppen,E., Schaliij,I., Van,H.C., van,d., V, Fliers,E., and Buijs,R.M. (2008). Circadian control of the daily plasma glucose rhythm: an interplay of GABA and glutamate. *PLoS One.* *3*, e3194.
- Kalsbeek,A., Palm,I.F., La Fleur,S.E., Scheer,F.A., Perreau-Lenz,S., Ruitter,M., Kreier,F., Cailotto,C., and Buijs,R.M. (2006). SCN outputs and the hypothalamic balance of life. *J. Biol. Rhythms* *21*, 458-469.
- Kim,D.Y., Kang,H.C., Shin,H.C., Lee,K.J., Yoon,Y.W., Han,H.C., Na,H.S., Hong,S.K., and Kim,Y.I. (2001). Substance p plays a critical role in photic resetting of the circadian pacemaker in the rat hypothalamus. *J. Neurosci.* *21*, 4026-4031.
- King,V.M., Chahad-Ehlers,S., Shen,S., Harmar,A.J., Maywood,E.S., and Hastings,M.H. (2003). A hVIPR transgene as a novel tool for the analysis of circadian function in the mouse suprachiasmatic nucleus. *Eur. J. Neurosci.* *17*, 822-832.

References

- Klein,D.C. and Moore,R.Y. (1979). Pineal N-acetyltransferase and hydroxyindole-O-methyltransferase: control by the retinohypothalamic tract and the suprachiasmatic nucleus. *Brain Res.* *174*, 245-262.
- Ko,C.H. and Takahashi,J.S. (2006). Molecular components of the mammalian circadian clock. *Hum. Mol. Genet.* *15 Spec No 2*, R271-R277.
- Kopp,M.D., Meissl,H., Dehghani,F., and Korf,H.W. (2001). The pituitary adenylate cyclase-activating polypeptide modulates glutamatergic calcium signalling: investigations on rat suprachiasmatic nucleus neurons. *J. Neurochem.* *79*, 161-171.
- Kramer,A., Yang,F.C., Snodgrass,P., Li,X., Scammell,T.E., Davis,F.C., and Weitz,C.J. (2001). Regulation of daily locomotor activity and sleep by hypothalamic EGF receptor signaling. *Science* *294*, 2511-2515.
- Kuhlman,S.J. and McMahon,D.G. (2004). Rhythmic regulation of membrane potential and potassium current persists in SCN neurons in the absence of environmental input. *Eur. J. Neurosci.* *20*, 1113-1117.
- Kuhlman,S.J. and McMahon,D.G. (2006). Encoding the ins and outs of circadian pacemaking. *J. Biol. Rhythms* *21*, 470-481.
- Kuhlman,S.J., Silver,R., Le Sauter,J., Bult-Ito,A., and McMahon,D.G. (2003). Phase resetting light pulses induce *Per1* and persistent spike activity in a subpopulation of biological clock neurons. *J. Neurosci.* *23*, 1441-1450.
- Kume,K., Zylka,M.J., Sriram,S., Shearman,L.P., Weaver,D.R., Jin,X., Maywood,E.S., Hastings,M.H., and Reppert,S.M. (1999). *mCRY1* and *mCRY2* are essential components of the negative limb of the circadian clock feedback loop. *Cell* *98*, 193-205.
- Lee,C., Etchegaray,J.P., Cagampang,F.R., Loudon,A.S., and Reppert,S.M. (2001). Posttranslational mechanisms regulate the mammalian circadian clock. *Cell* *107*, 855-867.
- Lewicki,M.S. (1998). A review of methods for spike sorting: the detection and classification of neural action potentials. *Network.* *9*, R53-R78.
- Lincoln,G., Messenger,S., Andersson,H., and Hazlerigg,D. (2002). Temporal expression of seven clock genes in the suprachiasmatic nucleus and the pars tuberalis of the sheep: evidence for an internal coincidence timer. *Proc. Natl. Acad. Sci. U. S. A.* *99*, 13890-13895.

- Linden,A.M., Sandu,C., Aller,M.I., Vekovischeva,O.Y., Rosenberg,P.H., Wisden,W., and Korpi,E.R. (2007). TASK-3 Knockout Mice Exhibit Exaggerated Nocturnal Activity, Impairments in Cognitive Functions, and Reduced Sensitivity to Inhalation Anesthetics. *J. Pharmacol. Exp. Ther.* *323*, 924-934.
- Liu,A.C., Welsh,D.K., Ko,C.H., Tran,H.G., Zhang,E.E., Priest,A.A., Buhr,E.D., Singer,O., Meeker,K., Verma,I.M., Doyle,F.J., III, Takahashi,J.S., and Kay,S.A. (2007). Intercellular Coupling Confers Robustness against Mutations in the SCN Circadian Clock Network. *Cell* *129*, 605-616.
- Liu,C. and Gillette,M.U. (1996). Cholinergic regulation of the suprachiasmatic nucleus circadian rhythm via a muscarinic mechanism at night. *J. Neurosci.* *16*, 744-751.
- Liu,C. and Reppert,S.M. (2000). GABA synchronizes clock cells within the suprachiasmatic circadian clock. *Neuron* *25*, 123-128.
- Liu,C., Weaver,D.R., Jin,X., Shearman,L.P., Pieschl,R.L., Gribkoff,V.K., and Reppert,S.M. (1997a). Molecular dissection of two distinct actions of melatonin on the suprachiasmatic circadian clock. *Neuron* *19*, 91-102.
- Liu,C., Weaver,D.R., Strogatz,S.H., and Reppert,S.M. (1997b). Cellular construction of a circadian clock: period determination in the suprachiasmatic nuclei. *Cell* *91*, 855-860.
- Long,M.A., Jutras,M.J., Connors,B.W., and Burwell,R.D. (2005). Electrical synapses coordinate activity in the suprachiasmatic nucleus. *Nat. Neurosci.* *8*, 61-66.
- Low-Zeddies,S.S. and Takahashi,J.S. (2001). Chimera analysis of the Clock mutation in mice shows that complex cellular integration determines circadian behavior. *Cell* *105*, 25-42.
- Lowrey,P.L., Shimomura,K., Antoch,M.P., Yamazaki,S., Zemenides,P.D., Ralph,M.R., Menaker,M., and Takahashi,J.S. (2000). Positional syntenic cloning and functional characterization of the mammalian circadian mutation tau. *Science* *288*, 483-492.
- Lowrey,P.L. and Takahashi,J.S. (2000). Genetics of the mammalian circadian system: Photic entrainment, circadian pacemaker mechanisms, and posttranslational regulation. *Annu. Rev. Genet.* *34*, 533-562.

References

- Lucas,R.J., Freedman,M.S., Lupi,D., Munoz,M., vid-Gray,Z.K., and Foster,R.G. (2001). Identifying the photoreceptive inputs to the mammalian circadian system using transgenic and retinally degenerate mice. *Behav. Brain Res.* *125*, 97-102.
- Lucas,R.J., Hattar,S., Takao,M., Berson,D.M., Foster,R.G., and Yau,K.W. (2003). Diminished pupillary light reflex at high irradiances in melanopsin-knockout mice. *Science* *299*, 245-247.
- Lucassen,P.J., Hofman,M.A., and Swaab,D.F. (1995). Increased light intensity prevents the age related loss of vasopressin-expressing neurons in the rat suprachiasmatic nucleus. *Brain Res.* *693*, 261-266.
- Lucassen,P.J., Tilders,F.J., Salehi,A., and Swaab,D.F. (1997). Neuropeptides vasopressin (AVP), oxytocin (OXT) and corticotropin-releasing hormone (CRH) in the human hypothalamus: activity changes in aging, Alzheimer's disease and depression. *Aging (Milano.)* *9*, 48-50.
- Lundkvist,G.B. and Block,G.D. (2005). Role of neuronal membrane events in circadian rhythm generation. *Methods Enzymol.* *393*, 623-642.
- Lundkvist,G.B., Kwak,Y., Davis,E.K., Tei,H., and Block,G.D. (2005). A calcium flux is required for circadian rhythm generation in mammalian pacemaker neurons. *J. Neurosci.* *25*, 7682-7686.
- Mason,R. and Rusak,B. (1990). Neurophysiological responses to melatonin in the SCN of short-day sensitive and refractory hamsters. *Brain Res.* *533*, 15-19.
- Maywood,E.S., Reddy,A.B., Wong,G.K., O'Neill,J.S., O'Brien,J.A., McMahon,D.G., Hattar,A.J., Okamura,H., and Hastings,M.H. (2006). Synchronization and maintenance of timekeeping in suprachiasmatic clock cells by neuropeptidergic signaling. *Curr. Biol.* *16*, 599-605.
- McArthur,A.J., Coogan,A.N., Ajpru,S., Sugden,D., Biello,S.M., and Piggins,H.D. (2000). Gastrin-releasing peptide phase-shifts suprachiasmatic nuclei neuronal rhythms in vitro. *J. Neurosci.* *20*, 5496-5502.
- McArthur,A.J., Gillette,M.U., and Prosser,R.A. (1991). Melatonin directly resets the rat suprachiasmatic circadian clock in vitro. *Brain Res.* *565*, 158-161.
- Meijer,J.H. (2001). Photic Entrainment in Mammals. In *Circadian Clocks*, J.S.Takahashi, F.W.Turek, and R.Y.Moore, eds. (New York: Kluwer Academic / Plenum Publishers), pp. 183-222.

- Meijer, J.H., Groos, G.A., and Rusak, B. (1986). Luminance coding in a circadian pacemaker: the suprachiasmatic nucleus of the rat and the hamster. *Brain Res.* 382, 109-118.
- Meijer, J.H. and Rietveld, W.J. (1989). Neurophysiology of the suprachiasmatic circadian pacemaker in rodents. *Physiol. Rev.* 69, 671-707.
- Meijer, J.H., Schaap, J., Watanabe, K., and Albus, H. (1997). Multiunit activity recordings in the suprachiasmatic nuclei: in vivo versus in vitro models. *Brain Res.* 753, 322-327.
- Meijer, J.H., Thio, B., Albus, H., Schaap, J., and Ruijs, A.C. (1999). Functional absence of extraocular photoreception in hamster circadian rhythm entrainment. *Brain Res.* 831, 337-339.
- Meijer, J.H., Watanabe, K., Detari, L., and Schaap, J. (1996). Circadian rhythm in light response in suprachiasmatic nucleus neurons of freely moving rats. *Brain Res.* 741, 352-355.
- Meijer, J.H., Watanabe, K., Schaap, J., Albus, H., and Detari, L. (1998). Light responsiveness of the suprachiasmatic nucleus: long-term multiunit and single-unit recordings in freely moving rats. *J. Neurosci.* 18, 9078-9087.
- Menaker, M. (1971). Rhythms, reproduction, and photoreception. *Biol Reprod* 4, 295-308.
- Meng, Q.J., Logunova, L., Maywood, E.S., Gallego, M., Lebiecki, J., Brown, T.M., Sladek, M., Semikhodskii, A.S., Glossop, N.R., Piggins, H.D., Chesham, J.E., Bechtold, D.A., Yoo, S.H., Takahashi, J.S., Virshup, D.M., Boot-Handford, R.P., Hastings, M.H., and Loudon, A.S. (2008). Setting clock speed in mammals: the CK1 epsilon tau mutation in mice accelerates circadian pacemakers by selectively destabilizing PERIOD proteins. *Neuron* 58, 78-88.
- Meredith, A.L., Wiler, S.W., Miller, B.H., Takahashi, J.S., Fodor, A.A., Ruby, N.F., and Aldrich, R.W. (2006). BK calcium-activated potassium channels regulate circadian behavioral rhythms and pacemaker output. *Nat. Neurosci.* 9, 1041-1049.
- Messenger, S., Hazlerigg, D.G., Mercer, J.G., and Morgan, P.J. (2000). Photoperiod differentially regulates the expression of *Per1* and *ICER* in the pars tuberalis and the suprachiasmatic nucleus of the Siberian hamster. *Eur. J. Neurosci.* 12, 2865-2870.

References

- Messenger,S., Ross,A.W., Barrett,P., and Morgan,P.J. (1999). Decoding photoperiodic time through *Per1* and *ICER* gene amplitude. *Proc. Natl. Acad. Sci. U. S. A.* *96*, 9938-9943.
- Michel,S., Clark,J.P., Ding,J.M., and Colwell,C.S. (2006). Brain-derived neurotrophic factor and neurotrophin receptors modulate glutamate-induced phase shifts of the suprachiasmatic nucleus. *Eur. J. Neurosci.* *24*, 1109-1116.
- Michel,S., Geusz,M.E., Zaritsky,J.J., and Block,G.D. (1993). Circadian rhythm in membrane conductance expressed in isolated neurons. *Science* *259*, 239-241.
- Michel,S., Manivannan,K., Zaritsky,J.J., and Block,G.D. (1999). A delayed rectifier current is modulated by the circadian pacemaker in *Bulla*. *J. Biol. Rhythms* *14*, 141-150.
- Miller,J.D., Morin,L.P., Schwartz,W.J., and Moore,R.Y. (1996). New insights into the mammalian circadian clock. *Sleep* *19*, 641-667.
- Moore,R.Y. and Eichler,V.B. (1972). Loss of a circadian adrenal corticosterone rhythm following suprachiasmatic lesions in the rat. *Brain Res.* *42*, 201-206.
- Moore,R.Y. and Klein,D.C. (1974). Visual pathways and the central neural control of a circadian rhythm in pineal serotonin N-acetyltransferase activity. *Brain Res.* *71*, 17-33.
- Moore,R.Y. and Lenn,N.J. (1972). A retinohypothalamic projection in the rat. *J. Comp. Neurol.* *146*, 1-14.
- Morin,L.P. (1994). The circadian visual system. *Brain Res. Brain Res. Rev.* *19*, 102-127.
- Morin,L.P. and Allen,C.N. (2006). The circadian visual system, 2005. *Brain Res. Rev.* *51*, 1-60.
- Mrosovsky,N., Edelstein,K., Hastings,M.H., and Maywood,E.S. (2001). Cycle of period gene expression in a diurnal mammal (*Spermophilus tridecemlineatus*): implications for nonphotic phase shifting. *J. Biol. Rhythms* *16*, 471-478.
- Mrugala,M., Zlomanczuk,P., Jagota,A., and Schwartz,W.J. (2000). Rhythmic multiunit neural activity in slices of hamster suprachiasmatic nucleus reflect prior photoperiod. *Am. J. Physiol. Regul. Integr. Comp. Physiol.* *278*, R987-R994.

- Nagano,M., Adachi,A., Nakahama,K., Nakamura,T., Tamada,M., Meyer-Bernstein,E., Sehgal,A., and Shigeyoshi,Y. (2003). An abrupt shift in the day/night cycle causes desynchrony in the mammalian circadian center. *J. Neurosci.* *23*, 6141-6151.
- Naito,E., Watanabe,T., Tei,H., Yoshimura,T., and Ebihara,S. (2008). Reorganization of the suprachiasmatic nucleus coding for day length. *J. Biol. Rhythms* *23*, 140-149.
- Nakamura,W., Honma,S., Shirakawa,T., and Honma,K. (2001). Regional pacemakers composed of multiple oscillator neurons in the rat suprachiasmatic nucleus. *Eur. J. Neurosci.* *14*, 666-674.
- Nakamura,W., Yamazaki,S., Takasu,N.N., Mishima,K., and Block,G.D. (2005). Differential response of Period 1 expression within the suprachiasmatic nucleus. *J. Neurosci.* *25*, 5481-5487.
- Nelson,R.J. and Zucker,I. (1981). Photoperiodic control of reproduction in olfactory-bulbectomized rats. *Neuroendocrinology* *32*, 266-271.
- Nitabach,M.N., Blau,J., and Holmes,T.C. (2002). Electrical silencing of *Drosophila* pacemaker neurons stops the free-running circadian clock. *Cell* *109*, 485-495.
- Nuesslein-Hildesheim,B., O'Brien,J.A., Ebling,F.J., Maywood,E.S., and Hastings,M.H. (2000). The circadian cycle of mPER clock gene products in the suprachiasmatic nucleus of the siberian hamster encodes both daily and seasonal time. *Eur. J. Neurosci.* *12*, 2856-2864.
- Nygård,M. and Palomba,M. (2006). The GABAergic network in the suprachiasmatic nucleus as a key regulator of the biological clock: does it change during senescence? *Chronobiol. Int.* *23*, 427-435.
- Ohta,H., Yamazaki,S., and McMahon,D.G. (2005). Constant light desynchronizes mammalian clock neurons. *Nat. Neurosci.* *8*, 267-269.
- Okamura,H., Miyake,S., Sumi,Y., Yamaguchi,S., Yasui,A., Muijtjens,M., Hoeijmakers,J.H., and van der Horst,G.T. (1999). Photic induction of mPer1 and mPer2 in cry-deficient mice lacking a biological clock. *Science* *286*, 2531-2534.
- Panda,S. and Hogenesch,J.B. (2004). It's all in the timing: many clocks, many outputs. *J. Biol. Rhythms* *19*, 374-387.

References

- Panda,S., Provencio,I., Tu,D.C., Pires,S.S., Rollag,M.D., Castrucci,A.M., Pletcher,M.T., Sato,T.K., Wiltshire,T., Andahazy,M., Kay,S.A., Van Gelder,R.N., and Hogenesch,J.B. (2003). Melanopsin is required for non-image-forming photic responses in blind mice. *Science* 301, 525-527.
- Paxinos,G. and Franklin,K.B.J. (2001). *The Mouse Brain in Stereotaxic Coordinates*, Second Edition. (San Diego: Academic Press).
- Pennartz,C.M., de Jeu,M.T., Bos,N.P., Schaap,J., and Geurtsen,A.M. (2002). Diurnal modulation of pacemaker potentials and calcium current in the mammalian circadian clock. *Nature* 416, 286-290.
- Pickard,G.E., Ralph,M.R., and Menaker,M. (1987). The intergeniculate leaflet partially mediates effects of light on circadian rhythms. *J. Biol. Rhythms* 2, 35-56.
- Piggins,H.D. and Rusak,B. (1997). Effects of microinjections of substance P into the suprachiasmatic nucleus region on hamster wheel-running rhythms. *Brain Res. Bull.* 42, 451-455.
- Pittendrigh,C.S. and Daan,S. (1976a). A functional analysis of circadian pacemakers in nocturnal rodents. IV. Entrainment: Pacemaker as Clock. *Journal of Comparative Physiology ? A* 106, 291-331.
- Pittendrigh,C.S. and Daan,S. (1976b). A functional analysis of circadian pacemakers in nocturnal rodents: V. Pacemaker structure: a clock for all seasons. *J. Comp. Physiol. [A]*. 333-355.
- Pittendrigh,C.S., Elliott,J., and Takamura,T. (1984). The Circadian Component in Photoperiodic induction. In *Photoperiodic Regulation of Insect and Molluscan Hormones*, R.Porter and J.M.Collins, eds. (London: Pitman), pp. 26-47.
- Pittendrigh,C.S., Kyner,W.T., and Takamura,T. (1991). The amplitude of circadian oscillations: temperature dependence, latitudinal clines, and the photoperiodic time measurement. *J. Biol. Rhythms* 6, 299-313.
- Pitts,G.R., Ohta,H., and McMahon,D.G. (2006). Daily rhythmicity of large-conductance Ca²⁺-activated K⁺ currents in suprachiasmatic nucleus neurons. *Brain Res.* 1071, 54-62.
- Portaluppi,F., Touitou,Y., and Smolensky,M.H. (2008). Ethical and methodological standards for laboratory and medical biological rhythm research. *Chronobiol Int* 25, 999-1016.

- Preitner,N., Damiola,F., Lopez-Molina,L., Zakany,J., Duboule,D., Albrecht,U., and Schibler,U. (2002). The orphan nuclear receptor REV-ERB α controls circadian transcription within the positive limb of the mammalian circadian oscillator. *Cell* *110*, 251-260.
- Prosser,R.A. (1998). In vitro circadian rhythms of the mammalian suprachiasmatic nuclei: comparison of multi-unit and single-unit neuronal activity recordings. *J. Biol. Rhythms* *13*, 30-38.
- Provencio,I. and Foster,R.G. (1995). Circadian rhythms in mice can be regulated by photoreceptors with cone-like characteristics. *Brain Res* *694*, 183-190.
- Provencio,I., Rodriguez,I.R., Jiang,G., Hayes,W.P., Moreira,E.F., and Rollag,M.D. (2000). A novel human opsin in the inner retina. *J Neurosci* *20*, 600-605.
- Pulivarthy,S.R., Tanaka,N., Welsh,D.K., De,H.L., Verma,I.M., and Panda,S. (2007). Reciprocity between phase shifts and amplitude changes in the mammalian circadian clock. *Proc Natl Acad Sci U. S. A* *104*, 20356-20361.
- Quintero,J.E., Kuhlman,S.J., and McMahon,D.G. (2003). The biological clock nucleus: a multiphasic oscillator network regulated by light. *J. Neurosci.* *23*, 8070-8076.
- Ralph,M.R., Foster,R.G., Davis,F.C., and Menaker,M. (1990). Transplanted suprachiasmatic nucleus determines circadian period. *Science* *247*, 975-978.
- Ralph,M.R. and Menaker,M. (1988). A mutation of the circadian system in golden hamsters. *Science* *241*, 1225-1227.
- Rangarajan,R., Heller,H.C., and Miller,J.D. (1994). Chloride channel block phase advances the single-unit activity rhythm in the SCN. *Brain Res. Bull.* *34*, 69-72.
- Reddy,A.B., Field,M.D., Maywood,E.S., and Hastings,M.H. (2002). Differential resynchronisation of circadian clock gene expression within the suprachiasmatic nuclei of mice subjected to experimental jet lag. *J. Neurosci.* *22*, 7326-7330.
- Reed,H.E., Cutler,D.J., Brown,T.M., Brown,J., Coen,C.W., and Piggins,H.D. (2002). Effects of vasoactive intestinal polypeptide on neurones of the rat suprachiasmatic nuclei in vitro. *J. Neuroendocrinol.* *14*, 639-646.

- Reed,H.E., Meyer-Spasche,A., Cutler,D.J., Coen,C.W., and Piggins,H.D. (2001). Vasoactive intestinal polypeptide (VIP) phase-shifts the rat suprachiasmatic nucleus clock in vitro. *Eur. J. Neurosci.* *13*, 839-843.
- Refinetti,R. (2001). Dark adaptation in the circadian system of the mouse. *Physiol. Behav.* *74*, 101-107.
- Refinetti,R. (2002). Compression and expansion of circadian rhythm in mice under long and short photoperiods. *Integr. Physiol. Behav. Sci.* *37*, 114-127.
- Reppert,S.M. and Weaver,D.R. (2001). Molecular analysis of mammalian circadian rhythms. *Annu. Rev. Physiol.* *63*, 647-676.
- Reppert,S.M. and Weaver,D.R. (2002). Coordination of circadian timing in mammals. *Nature* *418*, 935-941.
- Rohling,J., Meijer,J.H., VanderLeest,H.T., and Admiraal,J. (2006a). Phase differences between SCN neurons and their role in photoperiodic encoding; a simulation of ensemble patterns using recorded single unit electrical activity patterns. *J. Physiol Paris* *100*, 261-270.
- Rohling,J., Wolters,L., and Meijer,J.H. (2006b). Simulation of day-length encoding in the SCN: from single-cell to tissue-level organization. *J. Biol. Rhythms* *21*, 301-313.
- Ruby,N.F., Hwang,C.E., Wessells,C., Fernandez,F., Zhang,P., Sapolsky,R., and Heller,H.C. (2008). Hippocampal-dependent learning requires a functional circadian system. *Proc. Natl. Acad. Sci. U. S. A* *105*, 15593-15598.
- Rusak,B. (1977). The role of the Suprachiasmatic Nuclei in the Generation of Circadian-Rhythms in the Golden-Hamster, *Mesocricetus-auratus*. *Journal of Comparative Physiology* *118*, 145-164.
- Rusak,B. and Boulos,Z. (1981). Pathways for photic entrainment of mammalian circadian rhythms. *Photochem Photobiol* *34*, 267-273.
- Saeb-Parsy,K. and Dyball,R.E. (2003). Defined cell groups in the rat suprachiasmatic nucleus have different day/night rhythms of single-unit activity in vivo. *J. Biol. Rhythms* *18*, 26-42.
- Sato,T.K., Panda,S., Miraglia,L.J., Reyes,T.M., Rudic,R.D., McNamara,P., Naik,K.A., FitzGerald,G.A., Kay,S.A., and Hogenesch,J.B. (2004). A functional genomics strategy reveals Rora as a component of the mammalian circadian clock. *Neuron* *43*, 527-537.

- Schaap,J., Albus,H., Eilers,P.H., Detari,L., and Meijer,J.H. (2001). Phase differences in electrical discharge rhythms between neuronal populations of the left and right suprachiasmatic nuclei. *Neuroscience* 108, 359-363.
- Schaap,J., Albus,H., VanderLeest,H.T., Eilers,P.H., Detari,L., and Meijer,J.H. (2003). Heterogeneity of rhythmic suprachiasmatic nucleus neurons: Implications for circadian waveform and photoperiodic encoding. *Proc. Natl. Acad. Sci. U. S. A.* 100, 15994-15999.
- Schaap,J. and Meijer,J.H. (2001). Opposing effects of behavioural activity and light on neurons of the suprachiasmatic nucleus. *Eur. J. Neurosci.* 13, 1955-1962.
- Schak,K.M. and Harrington,M.E. (1999). Protein kinase C inhibition and activation phase advances the hamster circadian clock. *Brain Res.* 840, 158-161.
- Schibler,U. and Sassone-Corsi,P. (2002). A web of circadian pacemakers. *Cell* 111, 919-922.
- Schwartz,W.J., Carpino,A., Jr., de la Iglesia,H.O., Baler,R., Klein,D.C., Nakabeppu,Y., and Aronin,N. (2000). Differential regulation of fos family genes in the ventrolateral and dorsomedial subdivisions of the rat suprachiasmatic nucleus. *Neuroscience* 98, 535-547.
- Schwartz,W.J., Gross,R.A., and Morton,M.T. (1987). The suprachiasmatic nuclei contain a tetrodotoxin-resistant circadian pacemaker. *Proc. Natl. Acad. Sci. U. S. A.* 84, 1694-1698.
- Shearman,L.P., Sriram,S., Weaver,D.R., Maywood,E.S., Chaves,I., Zheng,B., Kume,K., Lee,C.C., van der Horst,G.T., Hastings,M.H., and Reppert,S.M. (2000). Interacting molecular loops in the mammalian circadian clock. *Science* 288, 1013-1019.
- Shearman,L.P., Zylka,M.J., Weaver,D.R., Kolakowski,L.F., Jr., and Reppert,S.M. (1997). Two period homologs: circadian expression and photic regulation in the suprachiasmatic nuclei. *Neuron* 19, 1261-1269.
- Shibata,S. and Moore,R.Y. (1993). Neuropeptide Y and optic chiasm stimulation affect suprachiasmatic nucleus circadian function in vitro. *Brain Res.* 615, 95-100.
- Shibata,S., Oomura,Y., Kita,H., and Hattori,K. (1982). Circadian rhythmic changes of neuronal activity in the suprachiasmatic nucleus of the rat hypothalamic slice. *Brain Res.* 247, 154-158.

References

- Shibata,S., Tsuneyoshi,A., Hamada,T., Tominaga,K., and Watanabe,S. (1992). Effect of substance P on circadian rhythms of firing activity and the 2-deoxyglucose uptake in the rat suprachiasmatic nucleus in vitro. *Brain Res.* 597, 257-263.
- Shibata,S., Watanabe,A., Hamada,T., Ono,M., and Watanabe,S. (1994). N-methyl-D-aspartate induces phase shifts in circadian rhythm of neuronal activity of rat SCN in vitro. *Am. J. Physiol. Regul. Integr. Comp. Physiol.* 267, R360-R364.
- Shimomura,K., Low-Zeddies,S.S., King,D.P., Steeves,T.D., Whiteley,A., Kushla,J., Zemenides,P.D., Lin,A., Vitaterna,M.H., Churchill,G.A., and Takahashi,J.S. (2001). Genome-wide epistatic interaction analysis reveals complex genetic determinants of circadian behavior in mice. *Genome Res.* 11, 959-980.
- Shinohara,K., Funabashi,T., Mitushima,D., and Kimura,F. (2000a). Effects of gap junction blocker on vasopressin and vasoactive intestinal polypeptide rhythms in the rat suprachiasmatic nucleus in vitro. *Neurosci. Res.* 38, 43-47.
- Shinohara,K., Honma,S., Katsuno,Y., Abe,H., and Honma,K. (1995). Two distinct oscillators in the rat suprachiasmatic nucleus in vitro. *Proc. Natl. Acad. Sci. U. S. A.* 92, 7396-7400.
- Shinohara,K., Honma,S., Katsuno,Y., and Honma,K. (2000b). Circadian release of excitatory amino acids in the suprachiasmatic nucleus culture is Ca^{2+} -independent. *Neurosci. Res.* 36, 245-250.
- Shirakawa,T., Honma,S., Katsuno,Y., Oguchi,H., and Honma,K.I. (2000). Synchronization of circadian firing rhythms in cultured rat suprachiasmatic neurons. *Eur. J. Neurosci.* 12, 2833-2838.
- Silver,R., LeSauter,J., Tresco,P.A., and Lehman,M.N. (1996). A diffusible coupling signal from the transplanted suprachiasmatic nucleus controlling circadian locomotor rhythms. *Nature* 382, 810-813.
- Silver,R. and Schwartz,W.J. (2005). The Suprachiasmatic Nucleus is a Functionally Heterogeneous Timekeeping Organ. *Methods Enzymol.* 393, 451-465.
- Soscia,S.J. and Harrington,M.E. (2004). Neuropeptide Y attenuates NMDA-induced phase shifts in the SCN of NPY Y1 receptor knockout mice in vitro. *Brain Res.* 1023, 148-153.

- Stephan, F.K. and Zucker, I. (1972). Circadian rhythms in drinking behavior and locomotor activity of rats are eliminated by hypothalamic lesions. *Proc. Natl. Acad. Sci. U. S. A.* *69*, 1583-1586.
- Sumova, A., Jac, M., Sladek, M., Sauman, I., and Illnerova, H. (2003). Clock gene daily profiles and their phase relationship in the rat suprachiasmatic nucleus are affected by photoperiod. *J. Biol. Rhythms* *18*, 134-144.
- Sumova, A., Sladek, M., Jac, M., and Illnerova, H. (2002). The circadian rhythm of *Per1* gene product in the rat suprachiasmatic nucleus and its modulation by seasonal changes in daylength. *Brain Res.* *947*, 260-270.
- Sumova, A., Travnickova, Z., and Illnerova, H. (2000). Spontaneous c-Fos rhythm in the rat suprachiasmatic nucleus: location and effect of photoperiod. *Am. J. Physiol. Regul. Integr. Comp. Physiol.* *279*, R2262-R2269.
- Sumova, A., Travnickova, Z., Peters, R., Schwartz, W.J., and Illnerova, H. (1995). The rat suprachiasmatic nucleus is a clock for all seasons. *Proc. Natl. Acad. Sci. U. S. A.* *92*, 7754-7758.
- Takahashi, J.S. (1993). Circadian-clock regulation of gene expression. *Curr. Opin. Genet. Dev.* *3*, 301-309.
- Takahashi, J.S., DeCoursey, P.J., Bauman, L., and Menaker, M. (1984). Spectral sensitivity of a novel photoreceptive system mediating entrainment of mammalian circadian rhythms. *Nature* *308*, 186-188.
- Takahashi, J.S., Hong, H.K., Ko, C.H., and McDearmon, E.L. (2008). The genetics of mammalian circadian order and disorder: implications for physiology and disease. *Nat Rev Genet* *9*, 764-775.
- Takahashi, J.S., Turek, F.W., and Moore, R.Y. (2001). *Circadian Clocks*. (New York: Kluwer Academic / Plenum Publishers).
- Tournier, B.B., Menet, J.S., Dardente, H., Poirel, V.J., Malan, A., Masson-Pevet, M., Pevet, P., and Vuilleuz, P. (2003). Photoperiod differentially regulates clock genes' expression in the suprachiasmatic nucleus of Syrian hamster. *Neuroscience* *118*, 317-322.
- Ukai, H., Kobayashi, T.J., Nagano, M., Masumoto, K.H., Sujino, M., Kondo, T., Yagita, K., Shigeyoshi, Y., and Ueda, H.R. (2007). Melanopsin-dependent photoperturbation reveals desynchronization underlying the singularity of mammalian circadian clocks. *Nat. Cell Biol.* *9*, 1327-1334.

- van den Pol, A.N. (1980). The hypothalamic suprachiasmatic nucleus of rat: intrinsic anatomy. *J. Comp. Neurol.* *191*, 661-702.
- van den Pol, A.N. and Dudek, F.E. (1993). Cellular communication in the circadian clock, the suprachiasmatic nucleus. *Neuroscience* *56*, 793-811.
- van der Horst, G.T., Muijtjens, M., Kobayashi, K., Takano, R., Kanno, S., Takao, M., de, W.J., Verkerk, A., Eker, A.P., Van, L.D., Buijs, R., Bootsma, D., Hoeijmakers, J.H., and Yasui, A. (1999). Mammalian *Cry1* and *Cry2* are essential for maintenance of circadian rhythms. *Nature* *398*, 627-630.
- van Oosterhout, F., Michel, S., Deboer, T., Houben, T., van de Ven, R.C., Albus, H., Westerhout, J., Vansteensel, M.J., Ferrari, M.D., van den Maagdenberg, A.M., and Meijer, J.H. (2008). Enhanced circadian phase resetting in R192Q Cav2.1 calcium channel migraine mice. *Ann. Neurol.* *64*, 315-324.
- Van Someren, E.J., Riemersma, R.F., and Swaab, D.F. (2002). Functional plasticity of the circadian timing system in old age: light exposure. *Prog. Brain Res.* *138*, 205-231.
- Van Someren, E.J. and Riemersma-van der Lek RF (2007). Live to the rhythm, slave to the rhythm. *Sleep Med. Rev.* *11*, 465-484.
- VanderLeest, H.T., Houben, T., Michel, S., Deboer, T., Albus, H., Vansteensel, M.J., Block, G.D., and Meijer, J.H. (2007). Seasonal encoding by the circadian pacemaker of the SCN. *Curr. Biol.* *17*, 468-473.
- VanderLeest, H.T., Rohling, J.H., Michel, S., and Meijer, J.H. (2009a). Phase shifting capacity of the circadian pacemaker determined by the SCN neuronal network organization. *PLoS One.* *4*, e4976.
- VanderLeest, H.T., Vansteensel, M.J., Duintam, H., Michel, S., and Meijer, J.H. (2009b). Phase of the electrical activity rhythm in the SCN in vitro not influenced by preparation time. *Chronobiol. Int.* *26*, 1075-1089.
- Vansteensel, M.J., Deboer, T., Dahan, A., and Meijer, J.H. (2003a). Differential responses of circadian activity onset and offset following GABA-ergic and opioid receptor activation. *J. Biol. Rhythms* *18*, 297-306.
- Vansteensel, M.J., Michel, S., and Meijer, J.H. (2008). Organization of cell and tissue circadian pacemakers: a comparison among species. *Brain Res. Rev.* *58*, 18-47.

- Vansteensel, M.J., Yamazaki, S., Albus, H., Deboer, T., Block, G.D., and Meijer, J.H. (2003b). Dissociation between circadian *Per1* and neuronal and behavioral rhythms following a shifted environmental cycle. *Curr. Biol.* *13*, 1538-1542.
- Vitaterna, M.H., King, D.P., Chang, A.M., Kornhauser, J.M., Lowrey, P.L., McDonald, J.D., Dove, W.F., Pinto, L.H., Turek, F.W., and Takahashi, J.S. (1994). Mutagenesis and Mapping of A Mouse Gene Clock, Essential for Circadian Behavior. *Science* *264*, 719-725.
- Vitaterna, M.H., Selby, C.P., Todo, T., Niwa, H., Thompson, C., Fruechte, E.M., Hitomi, K., Thresher, R.J., Ishikawa, T., Miyazaki, J., Takahashi, J.S., and Sancar, A. (1999). Differential regulation of mammalian period genes and circadian rhythmicity by cryptochromes 1 and 2. *Proc. Natl. Acad. Sci. U. S. A.* *96*, 12114-12119.
- Vosko, A.M., Schroeder, A., Loh, D.H., and Colwell, C.S. (2007). Vasoactive intestinal peptide and the mammalian circadian system. *Gen. Comp Endocrinol.* *152*, 165-175.
- Warren, E.J., Allen, C.N., Brown, R.L., and Robinson, D.W. (2003). Intrinsic light responses of retinal ganglion cells projecting to the circadian system. *Eur. J. Neurosci.* *17*, 1727-1735.
- Watanabe, K., Deboer, T., and Meijer, J.H. (2001). Light-Induced resetting of the circadian pacemaker: quantitative analysis of transient versus steady-state phase shifts. *J. Biol. Rhythms* *16*, 564-573.
- Webb, A.B., Angelo, N., Huettner, J.E., and Herzog, E.D. (2009). Intrinsic, nondeterministic circadian rhythm generation in identified mammalian neurons. *Proc. Natl. Acad. Sci. U. S. A* *106*, 16493-16498.
- Welsh, D.K. (2007). VIP activates and couples clock cells. Focus on "Disrupted neuronal activity rhythms in the suprachiasmatic nucleus of vasoactive intestinal polypeptide-deficient mice". *J. Neurophysiol.* *97*, 1885-1886.
- Welsh, D.K., Logothetis, D.E., Meister, M., and Reppert, S.M. (1995). Individual neurons dissociated from rat suprachiasmatic nucleus express independently phased circadian firing rhythms. *Neuron* *14*, 697-706.
- Westermarck, P.O., Welsh, D.K., Okamura, H., and Herzog, H. (2009). Quantification of circadian rhythms in single cells. *PLoS. Comput. Biol.* *5*, e1000580.

- Winfree, A.T. (2000). *The Geometry of Biological Time*. (New York: Springer).
- Witting, W., Boerma, D., Hoffen, G.C.K., Swaab, D.F., and Mirmiran, M. (1995). Light suppresses frequency and endogenous amplitude of the circadian system in nocturnal animals. *Biological Rhythm Research* 26, 477-485.
- Woelfle, M.A., Ouyang, Y., Phanvijhitsiri, K., and Johnson, C.H. (2004). The adaptive value of circadian clocks: an experimental assessment in cyanobacteria. *Curr Biol* 14, 1481-1486.
- Yamaguchi, S., Isejima, H., Matsuo, T., Okura, R., Yagita, K., Kobayashi, M., and Okamura, H. (2003). Synchronization of cellular clocks in the suprachiasmatic nucleus. *Science* 302, 1408-1412.
- Yamaguchi, S., Kobayashi, M., Mitsui, S., Ishida, Y., van der Horst, G.T., Suzuki, M., Shibata, S., and Okamura, H. (2001). View of a mouse clock gene ticking. *Nature* 409, 684.
- Yamazaki, S., Alones, V., Irelan, W., and Menaker, M. (1999). Serotonin-containing cell bodies in novel brain locations: effects of light input. *Neuroreport* 10, 431-435.
- Yamazaki, S., Kerbeshian, M.C., Hocker, C.G., Block, G.D., and Menaker, M. (1998). Rhythmic properties of the hamster suprachiasmatic nucleus in vivo. *J. Neurosci.* 18, 10709-10723.
- Yamazaki, S., Numano, R., Abe, M., Hida, A., Takahashi, R., Ueda, M., Block, G.D., Sakaki, Y., Menaker, M., and Tei, H. (2000). Resetting central and peripheral circadian oscillators in transgenic rats. *Science* 288, 682-685.
- Yannielli, P.C. and Harrington, M.E. (2000). Neuropeptide Y applied in vitro can block the phase shifts induced by light in vivo. *Neuroreport* 11, 1587-1591.
- Yannielli, P.C., Kinley Brewer, J., and Harrington, M.E. (2002). Is novel wheel inhibition of *per1* and *per2* expression linked to phase shift occurrence? *Neuroscience* 112, 677-685.
- Yoo, S.H., Yamazaki, S., Lowrey, P.L., Shimomura, K., Ko, C.H., Buhr, E.D., Siepkka, S.M., Hong, H.K., Oh, W.J., Yoo, O.J., Menaker, M., and Takahashi, J.S. (2004). PERIOD2::LUCIFERASE real-time reporting of circadian dynamics reveals persistent circadian oscillations in mouse peripheral tissues. *Proc. Natl. Acad. Sci. U. S. A.* 101, 5339-5346.

- Yoshikawa,T., Yamazaki,S., and Menaker,M. (2005). Effects of preparation time on phase of cultured tissues reveal complexity of circadian organization. *J. Biol. Rhythms* 20, 500-512.
- Zhou,Q.Y. and Cheng,M.Y. (2005). Prokineticin 2 and circadian clock output. *Febs J.* 272, 5703-5709.
- Zlomanczuk,P., Margraf,R.R., and Lynch,G.R. (1991). In vitro electrical activity in the suprachiasmatic nucleus following splitting and masking of wheel-running behavior. *Brain Res.* 559, 94-99.

