



Universiteit
Leiden
The Netherlands

Towards the effective introduction of physical activity interventions in primary health care

Huijg, J.M.

Citation

Huijg, J. M. (2014, October 8). *Towards the effective introduction of physical activity interventions in primary health care*. Retrieved from <https://hdl.handle.net/1887/29082>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/29082>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/29082> holds various files of this Leiden University dissertation.

Author: Huijg, Johanna Maria

Title: Towards the effective introduction of physical activity interventions in primary health care

Issue Date: 2014-10-08

References



1. Glasgow RE, Lichtenstein E, Marcus AC. Why don't we see more translation of health promotion research to practice? Rethinking the efficacy-to-effectiveness transition. *American Journal of Public Health* 2003;93:1261–1267.
2. Harris J, Mason J, Spalding J, et al. *A review of the cost-effectiveness of individual level behaviour change interventions*. Liverpool: North West Public Health Observatory; 2011.
3. Glasgow R, Klesges L, Dzewaltowski DA, et al. The future of physical activity behavior change research: what is needed to improve translation of research into health promotion practice? *Annals of Behavioral Medicine* 2004;27:3–12.
4. Grimshaw JM, Eccles MP, Lavis JN, et al. Knowledge translation of research findings. *Implementation Science* 2012;7:50.
5. Grol R, Wensing M, Eccles M. *Improving patient care: the implementation of change in clinical practice*. Oxford: Elsevier; 2005.
6. Eccles M, Grimshaw J, Walker A, et al. Changing the behavior of healthcare professionals: the use of theory in promoting the uptake of research findings. *Journal of Clinical Epidemiology* 2005;58:107–112.
7. Grol R, Grimshaw J. From best evidence to best practice: effective implementation of change in patients' care. *Lancet* 2003;362:1225–1230.
8. Damschroder LJ, Aron DC, Keith RE, et al. Fostering implementation of health services research findings into practice: a consolidated framework for advancing implementation science. *Implementation Science* 2009;4:50.
9. Green LW, Kreuter MW. *Health promotion planning: an educational and environmental approach*. 3rd ed. Mayfield: Mountain View; 1999.
10. Glasgow RE, Bull SS, Gilette C, et al. Behavior change intervention research in healthcare settings: a review of recent reports with emphasis on external validity. *American Journal of Preventive Medicine* 2002;23:62–69.
11. Wandersman A, Duffy J, Flaspohler P, et al. Bridging the gap between prevention research and practice: the interactive systems framework for dissemination and implementation. *American Journal of Community Psychology* 2008;41:171–181.
12. Dzewaltowski DA, Estabrooks PA, Glasgow RE. The future of physical activity behavior change research: what is needed to improve translation of research into health promotion practice? *Exercise and Sport Sciences Reviews* 2004;32:57–63.
13. Aarons GA, Wells RS, Zagursky K, et al. Implementing evidence-based practice in community mental health agencies: a multiple stakeholder analysis. *American Journal of Public Health* 2009;99:2087–2095.
14. Eakin EG, Brown WJ, Marshall AL, et al. Physical activity promotion in primary care: bridging the gap between research and practice. *American Journal of Preventive Medicine* 2004;27:297–303.
15. Bartholomew KL, Parcel GS, Kok G, et al. *Planning health promotion programs: an intervention mapping approach*. 3rd ed. San Francisco: Jossey-Bass; 2011.
16. Carroll C, Patterson M, Wood S, et al. A conceptual framework for implementation fidelity. *Implementation Science* 2007;2:40.
17. Fleuren M, Wiefferink K, Paulussen T. Determinants of innovation within health care organizations: literature review and Delphi study. *International Journal for Quality in Health Care* 2004;16:107–123.

18. Fixsen DL, Naoom SF, Blase KA, et al. *Implementation research: a synthesis of the literature*. Tampa: University of South Florida; 2005.
19. Glasgow R, Vogt T, Boles S. Evaluating the public health impact of health promotion interventions: the RE-AIM framework. *American Journal of Public Health* 1999;89:1322–1327.
20. Paulussen TGWM, Wiefferink K, Mesters I. *Invoering van effectief gebleken interventies*. In: Brug J, van Asseman P, Lechner L, editors. *Gezondheidsvoorlichting en gedragsverandering*. Assen: van Gorcum; 2007. pp. 151-172.
21. Durlak JA, DuPre EP. Implementation matters: a review of research on the influence of implementation on program outcomes and the factors affecting implementation. *American Journal of Community Psychology* 2008;41:327–350.
22. Grol RPTM, Bosch MC, Hulscher MEJL, et al. Planning and studying improvement in patient care: the use of theoretical perspectives. *Milbank Quarterly* 2007;85:93–138.
23. Tabak RG, Khoong EC, Chambers DA, et al. Bridging research and practice: models for dissemination and implementation research. *American Journal of Preventive Medicine* 2012;43:337–350.
24. Rogers EM. *Diffusion of innovations*. 3rd ed. New York: The Free Press; 1983.
25. Grol R. Implementing guidelines in general practice care. *Quality in Health Care* 1992;1:184–191.
26. Grol R, Wensing M. What drives change? Barriers to and incentives for achieving evidence-based practice. *Medical Journal of Australia* 2004;180:S57–60.
27. Greenhalgh T, Robert G, Macfarlane F, et al. Diffusion of innovations in service organizations: systematic review and recommendations. *Milbank Quarterly* 2004;82:581–629.
28. Pathman DE, Konrad TR, Freed GL, et al. The awareness-to-adherence model of the steps to clinical guideline compliance. The case of pediatric vaccine recommendations. *Medical Care* 1996;34:873–889.
29. Davis D, Taylor-Vaisey A. Translating guidelines into practice: a systematic review of theoretic concepts, practical experience and research evidence in the adoption of clinical practice. *Canadian Medical Association Journal* 1997;157:408–416.
30. Cane J, O'Connor D, Michie S. Validation of the theoretical domains framework for use in behaviour change and implementation research. *Implementation Science* 2012;7:37.
31. Michie S, Johnston M, Abraham C, et al. Making psychological theory useful for implementing evidence based practice: a consensus approach. *Quality & Safety in Health Care* 2005;14: 26–33.
32. Francis JJ, Stockton C, Eccles MP, et al. Evidence-based selection of theories for designing behaviour change interventions: using methods based on theoretical construct domains to understand clinicians' blood transfusion behaviour. *British Journal of Health Psychology* 2009;14:625–646.
33. Eccles MP, Hawthorne G, Johnston M, et al. Improving the delivery of care for patients with diabetes through understanding optimised team work and organisation in primary care. *Implementation Science* 2009;4:22.
34. Foy R, Eccles M, Grimshaw J. Why does primary care need more implementation research? *Family Practice* 2001;18:353–355.
35. French SD, Green SE, O'Connor DA, et al. Developing theory-informed behaviour change interventions to implement evidence into practice: a systematic approach using the Theoretical Domains Framework. *Implementation Science* 2012;7:38.

36. Michie S, Johnston M, Francis J, et al. From theory to intervention: mapping theoretically derived behavioural determinants to behaviour change techniques. *Applied Psychology* 2008;57:660–680.
37. Presseau J, Johnston M, Francis J, et al. Theory-based predictors of multiple clinician behaviors in the management of diabetes. *Journal of Behavioral Medicine* 2013; epub ahead of print.
38. Flottorp SA, Oxman AD, Krause J, et al. A checklist for identifying determinants of practice: a systematic review and synthesis of frameworks and taxonomies of factors that prevent or enable improvements in healthcare professional practice. *Implementation Science* 2013;8:35.
39. Bartholomew LK, Mullen PD. Five roles for using theory and evidence in the design and testing of behavior change interventions. *Journal of Public Health Dentistry* 2011;71:S20–S33.
40. de Veer AJE, Fleuren MAH, Bekkema N, et al. Successful implementation of new technologies in nursing care: a questionnaire survey of nurse-users. *BMC Medical Informatics and Decision Making* 2011;11:67.
41. Rosman AN, Vlemmix F, Fleuren MAH, et al. Patients' and professionals' barriers and facilitators to external cephalic version for breech presentation at term, a qualitative analysis in the Netherlands. *Midwifery* 2013;1–7.
42. Fleuren M, Dusseldorp E, van den Bergh S, et al. Implementation of a shared care guideline for back pain: effect on unnecessary referrals. *International Journal for Quality in Health Care* 2010;22:415–420.
43. Francis JJ, Tinmouth A, Stanworth SJ, et al. Using theories of behaviour to understand transfusion prescribing in three clinical contexts in two countries: development work for an implementation trial. *Implementation Science* 2009;4:70.
44. Patey AM, Islam R, Francis JJ, et al. Anesthesiologists' and surgeons' perceptions about routine pre-operative testing in low-risk patients: application of the Theoretical Domains Framework (TDF) to identify factors that influence physicians' decisions to order pre-operative tests. *Implementation Science* 2012;7:52.
45. McSherry LA, Dombrowski SU, Francis JJ, et al. "It's a can of worms": understanding primary care practitioners' behaviours in relation to HPV using the theoretical domains framework. *Implementation Science* 2012;7:73.
46. Amemori M, Michie S, Korhonen T, et al. Assessing implementation difficulties in tobacco use prevention and cessation counselling among dental providers. *Implementation Science* 2011;6:50.
47. Beenstock J, Sniehotta FF, White M, et al. What helps and hinders midwives in engaging with pregnant women about stopping smoking? A cross-sectional survey of perceived implementation difficulties among midwives in the northeast of England. *Implementation Science* 2012;7:36.
48. Taylor N, Parveen S, Robins V, et al. Development and initial validation of the Influences on Patient Safety Behaviours Questionnaire. *Implementation Science* 2013;8:81.
49. Cheater F, Baker R, Gillies C, et al. Tailored interventions to overcome identified barriers to change: effects on professional practice and health care outcomes. *Cochrane Database Systematic Reviews* 2005;3.
50. Fallon EA, Wilcox S, Laken M. Health care provider advice for African American adults not meeting health behavior recommendations. *Preventing Chronic Disease* 2006;3:1–12.

51. Glasgow RE, Eakin EG, Fisher EB, et al. Physician advice and support for physical activity: results from a national survey. *American Journal of Preventive Medicine* 2001;21:189–196.
52. VanWormer JJ, Pronk NP, Kroeninger GJ. Clinical counseling for physical activity: translation of a systematic review into care recommendations. *Diabetes Spectrum* 2009;22:48–55.
53. Verheijden MW, Bakx JC, Delemarre ICG, et al. GPs' assessment of patients' readiness to change diet, activity and smoking. *British Journal of General Practice* 2005;55:452–457.
54. Helmink JHM, Meis JJM, de Weerd I, et al. Development and implementation of a lifestyle intervention to promote physical activity and healthy diet in the Dutch general practice setting: the BeweegKuur programme. *International Journal of Behavioral Nutrition and Physical Activity* 2010;7:49.
55. Barrett EM, Darker CD, Hussey J. Promotion of physical activity in primary care: knowledge and practice of general practitioners and physiotherapists. *Journal of Public Health* 2012.
56. Swinkels ICS, van den Ende CHM, van den Bosch W, et al. Physiotherapy management of low back pain: does practice match the Dutch guidelines? *Australian Journal of Physiotherapy* 2005;51:35–41.
57. van der Wees PJ, Hendriks EJM, Jansen MJ, et al. Adherence to physiotherapy clinical guideline acute ankle injury and determinants of adherence: a cohort study. *BMC Musculoskeletal Disorders* 2007;8:45.
58. Eakin EG, Smith BJ, Bauman AE. Evaluating the population health impact of physical activity interventions in primary care: are we asking the right questions? *Journal of Physical Activity and Health* 2005;2:197–215.
59. Estabrooks PA, Glasgow RE. Translating effective clinic-based physical activity interventions into practice. *American Journal Preventive Medicine* 2006;31:S45–S56.
60. Tulloch H, Fortier M, Hogg W. Physical activity counseling in primary care: who has and who should be counseling? *Patient Education Counseling* 2006;64:6–20.
61. Eakin EG, Glasgow RE, Riley KM. Review of primary care-based physical activity intervention studies. *Journal of Family Practice* 2000;49:158–168.
62. Orrow G, Kinmonth A-L, Sanderson S, et al. Effectiveness of physical activity promotion based in primary care: systematic review and meta-analysis of randomised controlled trials. *BMJ* 2012;344:e1389.
63. Sørensen JB, Skovgaard T, Puggaard L. Exercise on prescription in general practice: a systematic review. *Scandinavian Journal of Primary Health Care* 2006;24:69–74.
64. Chaudoir SR, Dugan AG, Barr CHI. Measuring factors affecting implementation of health innovations: a systematic review of structural, organizational, provider, patient, and innovation level. *Implementation Science* 2013;8:22.
65. Hébert ET, Caughy MO, Shuval K. Primary care providers' perceptions of physical activity counselling in a clinical setting: a systematic review. *British Journal of Sports Medicine* 2012;46:625–631.
66. Orwin RG. *Evaluation coding decisions*. In: Cooper H, Hedges L, editors. The handbook of research synthesis. New York: Russel Sage Foundation; 1994. pp. 139–162.
67. Arai L, Britten N, Popay J, et al. Testing methodological developments in the conduct of narrative synthesis: a demonstration review of research on the implementation of smoke alarm interventions. *Evidence & Policy* 2007;3:361–383.
68. Braun V, Clarke V. Using thematic analysis in psychology. *Qualitative Research in Psychology* 2006;3:77–101.

69. Patel A, Schofield GM, Kolt GS, et al. General practitioners' views and experiences of counselling for physical activity through the New Zealand Green Prescription program. *BMC Family Practice* 2011;12:119.
70. Swinburn BA, Walter LG, Arroll B, et al. Green prescriptions: attitudes and perceptions of general practitioners towards prescribing exercise. *British Journal of General Practice* 1997;47:567-569.
71. Tompkins TH, Belza B, Brown M-A. Nurse practitioner practice patterns for exercise counseling. *Journal of the American Academy of Nurse Practitioners* 2009;21:79-86.
72. Bull FCL, Schipper ECC, Jamrozik K, et al. Beliefs and behaviour of general practitioners regarding promotion of physical activity. *American Journal of Public Health* 1995;19:300-304.
73. Abramson S, Stein J, Schaufele M, et al. Personal exercise habits and counseling practices of primary care physicians: a national survey. *Clinical Journal of Sport Medicine* 2000;10:40-48.
74. Ackermann RT, Deyo RA, LoGerfo JP. Prompting primary providers to increase community exercise referral for older adults: a randomized controlled trial. *Journal of the American Geriatrics Society* 2005;53:283-289.
75. Allenspach EC, Handschin M, Kutlar Joss M, et al. Patient and physician acceptance of a campaign approach to promoting physical activity: the "Move for Health" project. *Swiss Medical Weekly* 2007;137:292-299.
76. Almeida FA, Smith-Ray RL, van den Berg R, et al. Utilizing a simple stimulus control strategy to increase physician referrals for physical activity promotion. *Journal of Sport & Exercise Psychology* 2005;27:505-514.
77. Al-Shahri MZ, Al-Almaei, Sameeh M. Promotion of physical exercise by primary health care physicians in Riyadh city. *Saudi Medical Journal* 1998;19:67-69.
78. Bize R, Cornuz J, Martin B. Opinions and attitudes of a sample of Swiss physicians about physical activity promotion in a primary care setting. *Swiss Medical Weekly* 2007;55:97-100.
79. Bull FC, Milton KE. A process evaluation of a "physical activity pathway" in the primary care setting. *BMC Public Health* 2010;10:463.
80. Burns KJ, Camaione DN, Chatterton CT. Prescription of physical activity by adult nurse practitioners: a national survey. *Nursing Outlook* 2000;48:28-33.
81. Croteau K, Schofield G, McLean G. Physical activity advice in the primary care setting: results of a population study in New Zealand. *Australian New Zealand Journal of Public Health* 2006;30:262-267.
82. Damush TM, Stewart AL, Mills KM, et al. Prevalence and correlates of physician recommendations to exercise among older adults. *Journal of Gerontology* 1999;54A:M423-M427.
83. Dauenhauer JA, Podgorski CA, Karuza J. Prescribing exercise for older adults. *Gerontology & Geriatrics Education* 2008;26:81-99.
84. Douglas F, Torrance N, van Teijlingen E, et al. Primary care staff's views and experiences related to routinely advising patients about physical activity. A questionnaire survey. *BMC Public Health* 2006;6:138.
85. Douglas F, van Teijlingen E, Torrance N, et al. Promoting physical activity in primary care settings: health visitors' and practice nurses' views and experiences. *Journal of Advanced Nursing* 2006;55:159-168.
86. Eakin E, Brown W, Schofield G, et al. General practitioner advice on physical activity: who gets it? *American Journal of Health Promotion* 2007;21:225-228.

87. Eckstrom E, Hickam DH, Lessler DS, et al. Changing physician practice of physical activity counseling. *Journal of General Internal Medicine* 1999;14:376–378.
88. Epel OB, Regev Z. Quality and correlates of physical activity counseling by health care providers in Israel. *Preventive Medicine* 2000;31:618–626.
89. Goodman C, Davies S, Dinan S, et al. Activity promotion for community dwelling older people: a survey of the contribution of primary care nurses. *British Journal of Community Nursing* 2011;16:12–17.
90. Graham RC, Dugdill L, Cable NT. Health professionals' perspectives in exercise referral: implications for the referral process. *Ergonomics* 2005;48:1411–1422.
91. Gribben B, Goodyear-smith F, Grobbelaar M, et al. The early experience of general practitioners using Green Prescription. *New Zealand Medical Journal* 2000;113:372–373.
92. Harrison RA, McNair F, Dugdill L. Access to exercise referral schemes: a population based analysis. *Journal of Public Health* 2005;27:326–330.
93. Hinrichs T, Moschny A, Klaassen-Mielke R, et al. General practitioner advice on physical activity: analyses in a cohort of older primary health care patients (getABI). *BMC Family Practice* 2011;12:26.
94. Huang N, Sims J, Pietsch J, et al. The Victorian Active Script Programme: promising signs for general practitioners, population health, and the promotion of physical activity. *British Journal of Sports Medicine* 2004;38:19–25.
95. James DVB, Johnston LH, Crone D, et al. Factors associated with physical activity referral uptake and participation. *Journal of Sports Sciences* 2008;26:217–224.
96. Johnson ST, Bates H, Fitzpatrick J, et al.. Promotion of physical activity by Canadian registered dietitians in daily practice. *Journal of Human Nutrition and Dietetics* 2007;20:37–40.
97. Kennedy MF, Meeuwisse WH. Exercise counselling by family physicians in Canada. *Preventive Medicine* 2003;373:226–232.
98. Lawlor DA, Keen S, Neal RD. Increasing population levels of physical activity through primary care: GPs' knowledge, attitudes and self-reported practice. *Family Practice* 1999;16:250–254.
99. Leijon ME, Bendtsen P, Nilsen P, et al. Physical activity referrals in Swedish primary health care: prescriber and patient characteristics, reasons for prescriptions, and prescribed activities. *BMC Health Services Research* 2008;8:201.
100. Märki A, Bauer GB, Angst F, et al. Systematic counselling by general practitioners for promoting physical activity in elderly patients: a feasibility study. *Swiss Medical Weekly* 2006;136:482–488.
101. McDowell N, McKenna J, Naylor P-J. Factors that influence practice nurses to promote physical activity. *British Journal of Sports Medicine* 1997;31:308–313.
102. McKenna J, Naylor P-J, McDowell N. Barriers to physical activity promotion by general practitioners and practice nurses. *British Journal of Sports Medicine* 1998;32:242–247.
103. McKenna J, Henderson L, Baic S. A survey to assess physical activity promotion by registered dietitians. *Journal of Human Nutrition and Dietetics* 2004;17:63–69.
104. McKenna J, Vernon M. How general practitioners promote "lifestyle" physical activity. *Patient Education and Counseling* 2004;54:101–106.
105. Morrato EH, Hill JO, Wyatt HR, et al. Are health care professionals advising patients with diabetes or at risk for developing diabetes to exercise more? *Diabetes Care* 2006;29:543–548.
106. Patel NK, Parchman ML. The Chronic Care Model and exercise discussions during primary care diabetes encounters. *Journal of the American Board of Family Medicine* 2011;24:26–32.

107. Petrella RJ, Wight D. An office-based instrument for exercise counseling and prescription in primary care. The Step Test Exercise Prescription (STEP). *Archives of Family Medicine* 2000;9:339–344.
108. Pinto BM, Goldstein MG, DePue JD, et al. Acceptability and feasibility of physician-based activity counseling. The PAL project. *American Journal of Preventive Medicine* 1998;15:95–102.
109. Podl TR, Goodwin MA, Kikano GE, et al. Direct observation of exercise counseling in community family practice. *American Journal of Preventive Medicine* 1999;17:207–210.
110. Puig Ribera A, McKenna J, Riddoch C. Attitudes and practices of physicians and nurses regarding physical activity promotion in the Catalan primary health-care system. *European Journal of Public Health* 2005;15:569–575.
111. Puig Ribera A, McKenna J, Riddoch C. Physical activity promotion in general practices of Barcelona: a case study. *Health Education Research* 2006;21:538–548.
112. Robertson R, Jepson R, Shepherd A, et al. Recommendations by Queensland GPs to be more physically active: which patients were recommended which activities and what action they took. *Australian and New Zealand Journal of Public Health* 2011;35:537–542.
113. Sassen B, Kok G, Vanhees L. Predictors of healthcare professionals' intention and behaviour to encourage physical activity in patients with cardiovascular risk factors. *BMC Public Health* 2011;11:246.
114. Schmid M, Egli K, Brian MW, et al. Health promotion in primary care: evaluation of a systematic procedure and stage specific information for physical activity counselling. *Swiss Medical Weekly* 2009;139:665–671.
115. Sherman SE, Hershman WY. Exercise counseling: how do general internists do? *Journal of General Internal Medicine* 1993;8:243–248.
116. Shirley D, van der Ploeg HP, Bauman AE. Physical activity promotion in the physical therapy setting: perspectives from practitioners and students. *Physical Therapy* 2010;90:1311–1322.
117. Smith PA, Gould MM, See Tai S, et al. Exercise as therapy? Results from group interviews with general practice teams involved in an inner-London "prescription for exercise" scheme. *Health Education Journal* 1996;55:439–446.
118. Sowden SL, Breeze E, Barber J, et al. Do general practices provide equitable access to physical activity interventions? *British Journal of General Practice* 2008;e1–8.
119. van der Ploeg HP, Smith BJ, Stubbs T, et al. Physical activity promotion: are GPs getting the message? *Australian Family Physician* 2007;36:871–874.
120. van Sluijs EMF, van Poppel MNM, Stalman WAB, et al. Feasibility and acceptability of a physical activity promotion programme in general practice. *Family Practice* 2004;21:429–436.
121. Walsh JM, Swangard DM, Davis T, et al. Exercise counseling by primary care physicians in the era of managed care. *American Journal of Preventive Medicine* 1999;16:307–313.
122. Wee CC, McCarthy EP, Davis RB, et al. Physician counseling about exercise. *JAMA* 1999;282:1583–1588.
123. Williford HN, Barfield BR, Lazenby RB, et al. A survey of physicians' attitudes and practices related to exercise promotion. *Preventive Medicine* 1992;21:630–636.
124. Wilson DM, Ciliska D, Singer J, et al. Family physicians and exercise counseling: can they be influenced to provide more? *Canadian Family Physician* 1992;38:2003–2010.
125. Winzenberg T, Reid P, Shaw K. Assessing physical activity in general practice: a disconnect between clinical practice and public health? *British Journal of General Practice* 2009;59:e359–367.

126. Palinkas LA, Aarons GA, Horwitz S, et al. Mixed method designs in implementation research. *Administration and Policy in Mental Health* 2011;38:44–53.
127. Fleuren MAH, Vrijkotte S, Jans MP, et al. The implementation of the functional task exercise programme for elderly people living at home. *BMC Musculoskeletal Disorders* 2012;13:128.
128. ATLAS.ti. *ATLAS.ti. software, version 5.2.0*. Berlin: Scientific Software Development GmbH; 2013.
129. Green LW, Ottoson JM, Garcia C, et al. Diffusion theory and knowledge dissemination, utilization, and integration in public health. *Annual Review of Public Health* 2009;30:151–174.
130. Huijg JM, Gebhardt WA, Verheijden MW, et al. Factors influencing primary health care professionals' physical activity promotion behaviors: a systematic review. *International Journal of Behavioral Medicine* 2014;Epub ahead of print.
131. Huijg JM, van der Zouwe N, Crone M, et al. Factors influencing the introduction of physical activity interventions in primary health care: a qualitative study. *International Journal of Behavioral Medicine* 2014;Epub ahead of print.
132. Qualtrics. *Qualtrics software, version 45433*. Provo, Utah, USA: Qualtrics; 2013.
133. Linstone HA, Turoff M. *The Delphi Method: Techniques and Applications (digital version)* [<http://is.njit.edu/pubs/delphibook/>].
134. Jones J, Hunter D. Qualitative Research: consensus methods for medical and health services research. *BMJ* 1995;311:376–380.
135. van Stralen MM, Lechner L, Mudde AN, et al. Determinants of awareness, initiation and maintenance of physical activity among the over-fifties: a Delphi study. *Health Education Research* 2010;25:233–247.
136. IBM Corp. *IBM SPSS Statistics for Windows, version 19.0*. Armonk, NY: IBM Corp.; 2010.
137. Carlford S, Lindberg M, Bendtsen P, et al. Key factors influencing adoption of an innovation in primary health care: a qualitative study based on implementation theory. *BMC Family Practice* 2010;11:60.
138. Ajzen I. The theory of planned behavior. *Organizational Behavior and Human Decision Processes* 1991;50:179–211.
139. Bandura A. Health promotion from the perspective of social cognitive theory. *Psychology & Health* 1998;13:623–649.
140. Custer RL, Scarcella JA, Stewart BR. The modified Delphi technique: a rotational modification. *Journal of Vocational and Technical Education* 1999;15.
141. Haines A, Kuruvilla S, Borchert M. Policy and Practice Bridging the implementation gap between knowledge and action for health. *Bulletin of the World Health Organization* 2004;82:724–732.
142. Petrella RJ, Lattanzio CN. Does counseling help patients get practice? Systematic review of the literature. *Canadian Family Physician* 2002;48:72–80.
143. Craig P, Dieppe P, Macintyre S, et al. Developing and evaluating complex interventions: the new Medical Research Council guidance. *BMJ* 2008;337.
144. Francis J, Johnston M, Bonetti D. Health psychology research advances theory by addressing problems: illustrations from theory-based studies of health professional behaviour. *The European Health Psychologist* 2007;21–26.
145. Rothman AJ. "Is there nothing more practical than a good theory?": Why innovations and advances in health behavior change will arise if interventions are used to test and refine theory. *International Journal of Behavioral Nutrition and Physical Activity* 2004;1:11.

146. Fishbein M. *Attitude and the prediction of behavior*. In: Fishbein M, editor. Readings attitude theory Measurement. New York: Wiley; 1967. p. 477–492.
147. Lynn MR. Determination and quantification of content validity. *Nursing Research* 1986; 382–385.
148. Rubio DM, Berg-Weger M, Tebb SS, et al. Objectifying content validity: conducting a content validity study in social work research. *Social Work Research* 2003;27:94–104.
149. Huijg JM, Crone MR, Verheijden MW, et al. Factors influencing the adoption, implementation, and continuation of physical activity interventions in primary health care: a Delphi study. *BMC Family Practice* 2013;14:142.
150. Maes S, Karoly P, de Gucht C, et al. *The self regulation skills battery (SRSB)*. Leiden/Phoenix (AZ): Leiden University/Arizona State University; 2006.
151. Sniehotta FF, Schwarzer R, Scholz U, et al. Action planning and coping planning for long-term lifestyle change: theory and assessment. *European Journal of Social Psychology* 2005;35:565–576.
152. Gardner B, Abraham C, Lally P, et al. Towards parsimony in habit measurement: Testing the convergent and predictive validity of an automaticity subscale of the Self-Report Habit Index. *International Journal of Behavioral Nutrition and Physical Activity* 2012;9:102.
153. Goldberg DP, Blackwell B. Psychiatric illness in general practice: a detailed study using a new method of case identification. *British Medical Journal* 1970;1:439–443.
154. Thompson ER. Development and Validation of an Internationally Reliable Short-Form of the Positive and Negative Affect Schedule (PANAS). *Journal of Cross-Cultural Psychology* 2007;38:227–242.
155. Frese M. Social support as a moderator of the relationship between work stressors and psychological dysfunctioning: a longitudinal study with objective measures. *Journal of Occupational Health Psychology* 1999;4:179–192.
156. Derryberry D, Reed MA. Anxiety-related attentional biases and their regulation by attentional control. *Journal of Abnormal Psychology* 2002;111:225–236.
157. Scheier MF, Carver CS, Bridges MW. Distinguishing optimism from neuroticism (and trait anxiety, self-mastery, and self-esteem): a reevaluation of the Life Orientation Test. *Journal of Personality and Social Psychology* 1994;67:1063–1078.
158. Cialdini R, Kallgren C, Reno R. A focus theory of normative conduct: a theoretical refinement and reevaluation of the role of norms in human behavior. *Advances in Experimental Social Psychology* 1991;24:201–234.
159. Dixon D, Pollard B, Johnston M. What does the chronic pain grade questionnaire measure? *Pain* 2007;130:249–253.
160. Dixon D, Johnston M, McQueen M, et al. The Disabilities of the Arm, Shoulder and Hand Questionnaire (DASH) can measure the impairment, activity limitations and participation restriction constructs from the International Classification of Functioning, Disability and Health (ICF). *BMC Musculoskeletal Disorders* 2008;9:114.
161. American Psychological Association (APA). *APA Dictionary of Psychology*. Washington, DC: American Psychological Association; 2007.
162. Benjamini Y, Hochberg Y. Controlling the false discovery rate: a practical and powerful approach to multiple testing. *Journal of the Royal Statistical Society. Series B (Methodological)* 1995;57:289–300.

163. Conger A. Integration and generalization of kappas for multiple raters. *Psychological Bulletin* 1980;88:322–328.
164. Landis JR, Koch GG. The measurement of observer agreement for categorical data. *Biometrics* 1977;33:159–174.
165. R Development Core Team R. *R: a language and environment for statistical computing*. Vienna, Austria: R Foundation for Statistical Computing; 2012.
166. Falissard B. *Psy: various procedures used in psychometry*. R Package Version 1.1; 2012.
167. Taylor N, Lawton R, Conner M. Development and initial validation of the determinants of physical activity questionnaire. *International Journal of Behavioral Nutrition and Physical Activity* 2013;10:74.
168. Stevens J. *Applied multivariate statistics for the social sciences*. 2nd edition. Hillsdale, NJ: Lawrence Erlbaum; 1992.
169. Taylor N, Lawton R, Slater B, et al. The demonstration of a theory-based approach to the design of localized patient safety interventions. *Implementation Science* 2013;8:123.
170. Dyson J, Lawton R, Jackson C, et al. Development of a theory-based instrument to identify barriers and levers to best hand hygiene practice among healthcare practitioners. *Implementation Science* 2013;8:111.
171. Dyson J, Lawton R, Jackson C, et al. Does the use of a theoretical approach tell us more about hand hygiene behaviour? The barriers and levers to hand hygiene. *Journal of Infection Prevention* 2011;12:17–24.
172. Bonetti D, Johnston M, Clarkson JE, et al. Applying psychological theories to evidence-based clinical practice: identifying factors predictive of placing preventive fissure sealants. *Implementation Science* 2010;5:25.
173. Huijg JM, Gebhardt WA, Dusseldorp E, et al. Measuring determinants of implementation behavior: psychometric properties of a questionnaire based on the Theoretical Domains Framework. *Implementation Science* 2014;9:33.
174. Davies P, Walker AE, Grimshaw JM. A systematic review of the use of theory in the design of guideline dissemination and implementation strategies and interpretation of the results of rigorous evaluations. *Implementation Science* 2010;5:14.
175. Grimshaw JM, Thomas RE, MacLennan G, et al. Effectiveness and efficiency of guideline dissemination and implementation strategies. *Health Technology Assessment* 2004 ;8:1–72.
176. Eccles MP, Armstrong D, Baker R, et al. An implementation research agenda. *Implementation Science* 2009;4:18.
177. Grimshaw JM, Shirran L, Thomas R, et al. Changing provider behavior: an overview of systematic reviews of interventions. *Medical Care* 2001;39:112–45.
178. The Improved Clinical Effectiveness through Behavioural Research Group (ICEBeRG). Designing theoretically-informed implementation interventions. *Implementation Science* 2006;1:4.
179. Islam R, Tinmouth AT, Francis JJ, et al. A cross-country comparison of intensive care physicians' beliefs about their transfusion behaviour: a qualitative study using the Theoretical Domains Framework. *Implementation Science* 2012;7:93.
180. Curran JA, Brehaut J, Patey AM, et al. Understanding the Canadian adult CT head rule trial: use of the theoretical domains framework for process evaluation. *Implementation Science* 2013;8:25.

181. Mazza D, Chapman A, Michie S. Barriers to the implementation of preconception care guidelines as perceived by general practitioners: a qualitative study. *BMC Health Services Research* 2013;13:36.
182. Michie S, Pilling S, Garety P, et al. Difficulties implementing a mental health guideline: an exploratory investigation using psychological theory. *Implementation Science* 2007;2:8.
183. Huijg JM, Gebhardt WA, Crone MR, et al. Discriminant content validity of a Theoretical Domains Framework questionnaire for use in implementation research. *Implementation Science* 2014;9:11.
184. van Veldhoven M, Meijman T, Broersen J, et al. *Handleiding VBBA*. Amsterdam: SKB Vragenlijst Services; 2002.
185. Stuive I, Kiers HAL, Timmerman ME, et al. The empirical verification of an assignment of items to subtests: the oblique multiple group method versus the confirmatory common factor method. *Educational and Psychological Measurement* 2008;68:923–939.
186. Holzinger K. A simple method of factor analysis. *Psychometrika* 1944;9:257–262.
187. Stuive I, Kiers HAL, Timmerman ME. Comparison of methods for adjusting incorrect assignments of items to subtests: oblique multiple group method versus confirmatory common factor method. *Educational and Psychological Measurement* 2009;69:948–965.
188. Jöreskog K. A general approach to confirmatory maximum likelihood factor analysis. *Psychometrika* 1969;34:183–202.
189. Jöreskog K. Testing a simple structure hypothesis in factor analysis. *Psychometrika* 1966;31:165–178.
190. Hotelling H. Analysis of a complex of statistical variables into principal components. *Journal of Educational Psychology* 1933;24:417–441.
191. Cronbach L. Coefficient alpha and the internal structure of tests. *Psychometrika* 1951;16:297–333.
192. Campbell D, Fiske D. Convergent and discriminant validation by the multitrait-multimethod matrix. *Psychological Bulletin* 1959;59:257–272.
193. Anderson JC, Gerbing DW. Structural equation modeling in practice: a review and recommended two-step approach. *Psychological Bulletin* 1988;103:411–423.
194. Spearman C. The proof and measurement of association between two things. *American Journal of Psychology* 1904;15:72–101.
195. Timmerman M, Stuive I, Kiers H. *MGM macro [SPSS macro]* 2007. Available from: <http://www.rug.nl/research/heyman-institute/research/psychometrics-and-statistics/software/>
196. Cohen J. *Statistical power analysis for the behavioral sciences*. 2nd edition. New Jersey: Lawrence Erlbaum; 1988.
197. Wännström I, Peterson U, Asberg M, et al. Psychometric properties of scales in the General Nordic Questionnaire for Psychological and Social Factors at Work (QPS): confirmatory factor analysis and prediction of certified long-term sickness absence. *Scandinavian Journal of Psychology* 2009;50:231–244.
198. Watson D, Clark LA, Tellegen A. Development and validation of brief measures of positive and negative affect: the PANAS scales. *Journal of Personality and Social Psychology* 1988;54:1063–1070.

199. Crawford JR, Henry JD. The positive and negative affect schedule (PANAS): construct validity, measurement properties and normative data in a large non-clinical sample. *British Journal of Clinical Psychology* 2004;43:245–265.
200. Wood W, Neal DT. The habitual consumer. *Journal of Consumer Psychology* 2009;19:579–592.
201. Deci E, Ryan R. *Intrinsic motivation and self-determination in human behavior*. New York: Plenum Publishing Co.; 1985.
202. Maslach C, Jackson SE. The measurement of experienced burnout. *Journal of Organizational Behavior* 1981;2:99–113.
203. Dannapfel P, Peolsson A, Nilsen P. What supports physiotherapists' use of research in clinical practice? A qualitative study in Sweden. *Implementation Science* 2013;8:31.
204. Forsman H, Rudman A, Gustavsson P, et al. Nurses' research utilization two years after graduation-a national survey of associated individual, organizational, and educational factors. *Implementation Science* 2012;7:46.
205. van der Wees PJ, Zegers CA, de Die SE, et al. Developing a questionnaire to identify perceived barriers for implementing the Dutch physical therapy COPD clinical practice guideline. *BMC Health Services Research* 2013;13:159.
206. Elley CR, Kerse N, Arroll B, et al. Effectiveness of counselling patients on physical activity in general practice: cluster randomised controlled trial. *BMJ* 2003;326:793–799.
207. Haskell WL, Blair SN, Hill JO. Physical activity: health outcomes and importance for public health policy. *Preventive Medicine* 2009;49:280–282.
208. Warburton DER, Nicol CW, Bredin SSD. Health benefits of physical activity: the evidence. *Canadian Medical Association Journal* 2006;174:801–809.
209. World Health Organization. *Physical inactivity: a global public health problem*. Available from: http://www.who.int/dietphysicalactivity/factsheet_inactivity/en/index.html
210. Wendel-Vos G. Hoeveel mensen zijn voldoende lichamelijke actief? In: Volksgezondheid Toekomst Verkenning, Nationaal Kompas Volksgezondheid. Bilthoven: RIVM; 2013. Available from: <http://www.nationaalkompas.nl/gezondheidsdeterminanten/leefstijl/lichamelijke-activiteit/hoeveel-mensen-zijn-voldoende-lichamelijk-actief/>
211. CBS Statline. *Gezondheidsmonitor, regio, 2012, bevolking van 19 jaar of ouder*. Available from: <http://statline.cbs.nl/StatWeb/publication/?DM=SLNL&PA=82166ned&D1=39&D2=a&D3=0&D4=0,16,19,128,133,158,192,197,215,223,348,415-443&D5=1&HDR=T,G2&STB=G1,G3,G4&CHART-TYPE=1&VW=T>
212. Hildebrandt VH, Bernaards CM, Stubbe JH. *Trendrapport Bewegen en Gezondheid 2010/2011*. Leiden: TNO; 2013.
213. Garrett S, Elley C, Rose S, et al. Are physical activity interventions in primary care and the community cost-effective? A systematic review of the evidence. *British Journal of General Practice* 2011;125–133.
214. Bessems KMH, van Assema P, Martens MK, et al. Appreciation and implementation of the Krachtvoer healthy diet promotion programme for 12- to 14- year-old students of prevocational schools. *BMC Public Health* 2011;11:909.
215. Verhagen E, Engbers L. The physical therapist's role in physical activity promotion. *British Journal of Sports Medicine* 2009;43:99–101.
216. Iles R, Davidson M. Evidence based practice: a survey of physiotherapists' current practice. *Physiotherapy Research International* 2006;11:93–103.

217. Bernhardtsson S, Johansson K, Nilsen P, et al. Determinants of guideline use in primary care physical therapy: A cross-sectional survey of attitudes, knowledge, and behavior. *Physical Therapy* 2014; 94:343-354.
218. van der Wees PJ, Hendriks EJM, Veldhuizen R. Quality assurance in the Netherlands: from development to implementation and evaluation. *Dutch Journal of Physiotherapy* 2003;113:8-11.
219. van der Wees PJ, Hendriks EJM, Custers JWH, et al. Comparison of international guideline programs to evaluate and update the Dutch program for clinical guideline development in physical therapy. *BMC Health Services Research* 2007;7:191.
220. Royal Dutch Society for Physical Therapy (KNGF). *KNGF evidence-based clinical practice guidelines*. Available from: <https://www.fysionet-evidencebased.nl/index.php/kngf-guidelines-in-english>
221. Royal Dutch Society for Physical Therapy (KNGF). *Beweeginterventies*. Available from: <http://www.fysionet-evidencebased.nl/index.php/beweeginterventies>
222. Michie S, Johnston M. Theories and techniques of behaviour change: developing a cumulative science of behaviour change. *Health Psychology Review* 2012;6:37-41.
223. Hox J. *Multilevel analysis: Techniques and applications*. New York: Routledge; 2010.
224. Raudenbush S, Bryk A. *Hierarchical linear models*. Second edition. Thousand Oaks, CA: SAGE; 2002.
225. Peugh JL. A practical guide to multilevel modeling. *Journal of School Psychology* 2010;48: 85-112.
226. Maes S, Karoly P. Self-regulation assessment and intervention in physical health and illness: a review. *Applied Psychology* 2005;54:267-299.
227. Lally P, Gardner B. Promoting habit formation. *Health Psychology Review* 2013;7:S137-S158.
228. Godin G, Bélanger-Gravel A, Eccles M, et al. Healthcare professionals' intentions and behaviours: a systematic review of studies based on social cognitive theories. *Implementation Science* 2008;3:36.
229. Michie S, Richardson M, Johnston M, et al. The behavior change technique taxonomy (v1) of 93 hierarchically clustered techniques: building an international consensus for the reporting of behavior change interventions. *Annals of Behavioral Medicine* 2013.
230. U.S. Department of Health and Human Services. *Healthy People 2020*. 2010. Available from: <http://www.healthypeople.gov/2020/default.aspx>
231. Jacobson DM, Strohecker L, Compton MT, et al. Physical activity counseling in the adult primary care setting: position statement of the American College of Preventive Medicine. *American Journal of Preventive Medicine* 2005;29:158-162.
232. Michie S, van Stralen MM, West R. The behaviour change wheel: A new method for characterising and designing behaviour change interventions. *Implementation Science* 2011;6:42.
233. Scott SD, Plotnikoff RC, Karunamuni N, et al. Factors influencing the adoption of an innovation: an examination of the uptake of the Canadian Heart Health Kit (HHK). *Implementation Science* 2008;3:41.
234. Curran GM, Sullivan G, Mendel P, et al. Implementation of the CALM intervention for anxiety disorders: a qualitative study. *Implementation Science*;7:14.
235. West R. Time for a change : putting the Transtheoretical (Stages of Change) Model to rest. *Addiction* 2005;100:1036-1039.

236. Hrisos S, Eccles MP, Francis JJ, et al. Are there valid proxy measures of clinical behaviour? A systematic review. *Implementation Science* 2009;4:37.
237. Green ME, Hogg W, Savage C, et al. Assessing methods for measurement of clinical outcomes and quality of care in primary care practices. *BMC Health Services Research* 2012;12:214.
238. Dusenbury L, Brannigan R, Falco M, et al. A review of research on fidelity of implementation: implications for drug abuse prevention in school settings. *Health Education Research* 2003;18:237–256.
239. Fleuren M, Paulussen T, van Dommelen P, et al. *Meetinstrument voor Determinanten van Innovaties (MIDI)*. TNO; 2012.
240. Baker R, Camosso-Stefinovic J, Gilles C, et al. Tailored interventions to overcome identified barriers to change: effects on professional practice and health care outcomes. *Cochrane Database of Systematic Reviews* 2010;3.
241. Wensing M, Oxman A, Baker R, et al. Tailored Implementation For Chronic Diseases (TICD): a project protocol. *Implementation Science* 2011;6:103.
242. Armstrong R, Waters E, Dobbins M, et al. Knowledge translation strategies to improve the use of evidence in public health decision making in local government: intervention design and implementation plan. *Implementation Science* 2013;8:121.
243. Sinnema H, Terluin B, Wensing M, et al. Systematic tailoring for the implementation of guideline recommendations for anxiety and depressive disorders in general practice: perceived usefulness of tailored interventions. *BMC Family Practice* 2013;14:94.
244. Haskell WL, Lee I-M, Pate RR, et al. Physical activity and public health: updated recommendation for adults from the American College of Sports Medicine and the American Heart Association. *Medicine and Science in Sports and Exercise* 2007;39:1423–1434.
245. Bauman A. Updating the evidence that physical activity is good for health: an epidemiological review 2000–2003. *Journal of Science and Medicine in Sport* 2004;7:6–19.
246. Centraal Bureau voor de Statistiek. *Gezondere leefstijl blijkt voor velen moeilijk haalbaar*. Available from: <http://www.cbs.nl/nl-NL/menu/themas/gezondheid-welzijn/publicaties/artikelen/archief/2010/2010-017-pb.htm>
247. Center for Disease Control and Prevention. *U.S. Physical Activity Statistics*. Available from: <http://apps.nccd.cdc.gov/PASurveillance/StateSumResultV.asp?CI=&Year=2007&State=1#data>
248. van Bakel A. *Lichamelijke activiteit samengevat*. In: Volksgezondheid Toekomst Verkenning, Nationaal Kompas Volksgezondheid. Bilthoven: RIVM; 2012. Available from: <http://www.nationaalkompas.nl/gezondheidsdeterminanten/leefstijl/lichamelijke-activiteit/lichamelijke-activiteit-samengevat/>
249. British Heart Foundation Health Promotion Research Group. *Physical activity statistics 2012*. Oxford: British Heart Foundation; 2012.
250. Kahn E, Ramsey L, Brownson R, et al. The effectiveness of interventions to increase physical activity: a systematic review. *American Journal of Preventive Medicine* 2002;22:73–107.
251. Foster C, Hillsdon M, Thorogood M, et al. Interventions for promoting physical activity. *Cochrane Database of Systematic reviews* 2005;1.
252. Whitlock E, Orleans CT, Pender N, et al. Evaluating primary care behavioral counseling interventions. *American Journal of Preventive Medicine* 2002;22:267–284.
253. Godin G, Shephard RJ. An evaluation of the potential role of the physician in influencing community exercise behavior. *American Journal of Health Promotion* 1990;4:255–259.

254. Wallace PG, Brennan PJ, Haines AP. Are general practitioners doing enough to promote healthy lifestyle ? Findings of the Medical Research Council's general practice research framework study on lifestyle and health. *British Medical Journal* 2000;294:940–942.
255. Stott NC, Pill RM. 'Advise yes, dictate no'. Patients' views on health promotion in the consultation. *Family Practice* 1990;7:125–131.
256. World Health Organization. *Health 2020: a European policy framework and strategy for the 21st century*. Available from: http://issuu.com/whoeurope/docs/health2020_policyframework_strategy.