



Universiteit  
Leiden  
The Netherlands

## **A chance for change : building an outcome monitoring feedback system for outpatient mental health care**

Jong, K. de

### **Citation**

Jong, K. de. (2012, April 17). *A chance for change : building an outcome monitoring feedback system for outpatient mental health care*. Retrieved from <https://hdl.handle.net/1887/18691>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/18691>

**Note:** To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/18691> holds various files of this Leiden University dissertation.

**Author:** Jong, Kim de

**Title:** A chance for change : building an outcome monitoring feedback system for outpatient mental health care

**Date:** 2012-04-17

## References

R

- Adams, G., Gulliford, M. C., Ukoumunne, O. C., Eldridge, S., Chinn, S., & Campbell, M. J. (2004). Patterns of intra-cluster correlation from primary care research to inform study design and analysis. *Journal of Clinical Epidemiology*, *57*, 785–794.
- Addis, M. E., Hatgis, C., Krasnow, A. D., Jacob, K., & Bourne, L. (2004). Effectiveness of cognitive-behavioral treatment for panic disorder versus treatment as usual in a managed care setting. *Journal of Consulting and Clinical Psychology*, *72*, 625-635.
- Ægisdóttir, S., White, M. J., Spengler, P. M., Maugherman, A. S., Anderson, L. A., Cook, R. S. (2006). The meta-analysis of clinical judgment project: Fifty-six years of accumulated research on clinical versus statistical prediction. *The Counseling Psychologist*, *34*, 341-382.
- Allison, P. D. (2003). Missing data techniques for structural equation modeling. *Journal of Abnormal Psychology*, *112*, 545-557.
- Ambler, G., Omar, R. Z., & Royston, P. (2007). A comparison of imputation techniques for handling missing predictor values in a risk model with a binary outcome. *Statistical Methods in Medical Research*, *16*, 277-298.
- Ambler, G., Omar, R. Z., Royston, P., Kinsman, R., Keogh, B. E., & Taylor, K. M. (2005). Generic, simple risk stratification model for heart valve surgery. *Circulation*, *112*, 224-231.
- American Group Psychotherapy Association Science to Service Task Force (2007). Practice guidelines for group psychotherapy. Retrieved November 2011, from <http://www.agpa.org/guidelines/index.html>
- Anderson, T., Ogles, B. M., Patterson, C. L., Lambert, M. J., & Vermeersch, D. A. (2009). Therapist effects: Facilitative interpersonal skills as a predictor of therapist success. *Journal of Clinical Psychology*, *65*, 755-768.
- Aoun, S., Pennebaker, D., & Janca, A. (2002). Outcome measurement in rural mental health care: A field trial of rooming-in models. *Australian Journal of Rural Health*, *10*, 302-307.
- APA Presidential Task Force on Evidence-Based Practice (2006). Evidence-based practice in psychology. *American Psychologist*, *61*, 271-285.
- APA Interdivisional Task Force on Evidence-based Therapy Relationships (2011). Conclusions and recommendations of the interdivisional (APA Divisions 12 & 29) task force on evidence-based therapy relationships, Retrieved November 2011, from <http://www.divisionofpsychotherapy.org/continuing-education/task-force-on-evidence-based-therapy-relationships/conclusions-of-the-task-force/>
- Arrindell, W.A., & Ettema, J.H.M. (1975). *Klachtenlijst (SCL-90)*. Lisse: Swets & Zeitlinger.
- Bandura, A. (1977). Self-efficacy: Toward a unifying theory of behavioral change. *Psychological Review*, *84*, 191-215.
- Barkham, M., Stiles, W. B., Connell, J., Twigg, E., Leach, C., Lucock, M. (2008). Effects of psychological therapies in randomized trials and practice-based studies. *British Journal of Clinical Psychology*, *47*, 397-415.
- Barlow, D. H. (2010). Negative effects from psychological treatments: A perspective. *American Psychologist*, *65*, 13-20.

- Berking, M., Orth, U., & Lutz, W. (2006). How effective is systematic feedback of treatment progress to the therapist? An empirical study in a cognitive-behavioural-oriented inpatient setting. *Zeitschrift für Klinische Psychologie und Psychotherapie: Forschung und Praxis*, *35*, 21-29.
- Beutler, L. E., Malik, M., Alimohamed, S., Harwood, T. M., Talebi, H., Noble, S. (2004). Therapist variables. In M. J. Lambert (Ed.), *Bergin and Garfield's Handbook of Psychotherapy and Behavior Change* (pp. 89-108). New York: Wiley.
- Bickman, L. (2008). A measurement feedback system is necessary to improve mental health outcomes. *Journal of American Academy of Child and Adolescent Psychiatry*, *47*, 1114-1119.
- Bickman, L., Douglas Kelley, S., Breda, C., De Andrade, A. R., & Riemer, M. (2011). Effects of routine feedback to clinicians on mental health outcomes of youths: Results of a randomized trial. *Psychiatric Services*, *62*, 1423-1429.
- Blais, M. A., Sinclair, S. J., Baity, M. R., Worth, J., Weiss, A. P., Ball, L. A., et al. (2011). Measuring outcomes in adult outpatient psychiatry. *Clinical Psychology and Psychotherapy*. doi: 10.1002/cpp.749
- Boelen, P.A., de Keijser, J., & van den Bout, J. (2001). Psychometrische eigenschappen van de Rouw Vragenlijst (RVL). *Gedrag en Gezondheid*, *29*, 172-185.
- Borckardt, J. J., Nash, M. R., Murphy, M. D., Moore, M., Shaw, D., & O'Neil, P. (2008). Clinical practice as natural laboratory for psychotherapy research: A guide to case-based time-series analysis. *American Psychologist*, *63*, 77-95.
- Borkovec, T. D., & Nau, S. D. (1972). Credibility of analogue therapy rationales. *Journal of Behavior Therapy and Experimental Psychiatry*, *3*, 257-260.
- Borm, G. F., Melis, R. J. F., Teerenstra, S., & Peer, P. G. M. (2005). Pseudo cluster randomization: a treatment allocation method to minimize contamination and selection bias. *Statistics in Medicine*, *24*, 3535-3547.
- Bosker, R. J., Snijders, T. A., & Guldemond, H. (1996). User's manual PinT. Program and manual available at <http://www.gamma.rug.nl/>
- Bouman, T.K. (1995). De Agoraphobic Cognitions Questionnaire (ACQ). *Gedragstherapie*, *27*, 69-72.
- Bouman, T.K. (1998). De Body Sensation Questionnaire (BSQ). *Gedragstherapie*, *31*, 162-168.
- Breiman, L. (1984). *Classification and regression trees*. Belmont, CA: Wadsworth International Group.
- Briand, B., Ducharme, G. R., Parache, V., & Mercat-Rommens, C. (2009). A similarity measure to assess the stability of classification trees. *Computational Statistics and Data Analysis*, *53*, 1208-1217.
- Brom, D., & Kleber, R.J. (1985). De schokverwerkingslijst. *Nederlands Tijdschrift voor Psychologie*, *40*, 164-168.
- Burgess, P., Pirkis, J., & Coombs, T. (2006). Do adults in contact with Australia's public sector mental health services get better? *Australia and New Zealand Health Policy*, *3*, 9.
- Butcher, J., Derksen, J., Sloore, H., & Sirigatti, S. (2003). Objective personality assessment of

- people in diverse cultures: European adaptations of the MMPI-2. *Behaviour Research and Therapy*, *41*, 819-840.
- Campbell, M. K., Mollison, J., & Grimshaw, J. M. (2001). Cluster trials in implementation research: Estimation of intracluster correlation coefficients and sample size. *Statistics in Medicine*, *20*, 391-399.
- Carlier, I. V. E., Meuldijk, D., Van Vliet, I. M., Van Fenema, E., Van der Wee, N. J. A., & Zitman, F. G. (2010). Routine outcome monitoring and feedback on physical or mental health status: evidence and theory. *Journal of Evaluation in Clinical Practice*, *18*, 104-110.
- Castonguay, L. G., Boswell, J. F., Constantino, M. J., Goldfried, M. R., & Hill, C. E. (2010). Training implications of harmful effects of psychological treatments. *American Psychologist*, *65*, 34-49.
- Chambless, D.L., Caputo, G.C., Bright, P., & Gallagher, R. (1984). Assessment of fear in agoraphobics: The Body Sensations Questionnaire and the Agoraphobic Cognitions Questionnaire. *Journal of Consulting and Clinical Psychology*, *52*, 1090-1097.
- Chapman, J.E. (2003). *Reliability and validity of the progress questionnaire: An adaptation of the Outcome Questionnaire*. Philadelphia, PA: Drexel University.
- Claiborn, C. D., & Goodyear, R. K. (2005). Feedback in psychotherapy. *Journal of Consulting and Clinical Psychology*, *61*, 209-217.
- Clarkin, J. F., & Levy, K. N. (2004). The influence of client variables on psychotherapy. In M. J. Lambert (Ed.), *Bergin and Garfield's Handbook of Psychotherapy and Behavior Change* (5th ed., pp. 194-226). New York: John Wiley & Sons.
- Cohen, J. (2002). A power primer. *Psychological Bulletin*, *112*, 155-159.
- Constantino, M. J., Arnkoff, D. B., Glass, C. R., Ametrano, R. M., & Smith, J. Z. (2011). Expectations. *Journal of Clinical Psychology*, *67*, 184-192.
- Crits-Christoph, P., Baranackie, K., Kurcias, J. S., Beck, A. T., Carroll, K., Perry, K. (1991). Meta analysis of therapist effects in psychotherapy outcome studies. *Psychotherapy Research*, *1*, 81-91.
- Crits-Christoph, P., & Gallop, R. (2006). Therapist effects in the National Institute of Mental Health Treatment of Depression Collaborative Research Program and other psychotherapy studies. *Psychotherapy Research*, *16*, 178-181.
- Crits-Christoph, P., Ring-Kurtz, S., Hamilton, J. L., Lambert, M. J., Gallop, R., McClure, B., et al. (2011). A preliminary study of the effects of individual patient-level feedback in outpatient substance abuse treatment programs. *Journal of Substance Abuse Treatment*, doi: 10.1016/j.jsat.2011.09.003.
- Crits-Christoph, P., Ring-Kurtz, S., McClure, B., Temes, C., Kulaga, A., Gallop, R., et al. (2010). A randomized controlled study of a web-based performance improvement system for substance abuse treatment providers. *Journal of Substance Abuse Treatment*, *38*, 251-262.
- Cronbach, L.J. (1990). *Essentials of psychological testing*. New York, NY: Harper Collins Publishers.
- De Beurs, E., van Dyck, R., Marquenie, L.A., Lange, A., & Blonk, R.W.B. (2001). De DASS: Een vragenlijst voor het meten van depressie, angst en stress. *Gedragstherapie*, *34*, 35-53.
- De Beurs, E., den Hollander-Gijsman, M., Buwalda, V., Trijsburg, W., & Zitman, F. (2005). De

- Outcome Questionnaire (OQ-45): Een meetinstrument voor meer dan alleen psychische klachten. *De Psycholoog*, 40, 53–63.
- De Jong, A., & van der Lubbe, P.M. (2001). *Groningse vragenlijst voor Sociaal Gedrag: Zelfbeoordelingsvragenlijsten voor het vaststellen van problemen in het interpersoonlijk functioneren (handleiding)*. Groningen: Rob Giel Onderzoekscentrum.
- De Jong, K. (2012). De rol van de behandelaar: de 'vergeten' factor in ROM. *Tijdschrift voor Psychiatrie*, 54, 197-201.
- De Jong, K., & Nugter, M.A. (2004). De Outcome Questionnaire: Psychometrische kenmerken van de Nederlandse vertaling. *Nederlands Tijdschrift voor Psychologie*, 59, 76-79.
- De Jong, K., Nugter, M. A., Lambert, M. J., & Burlingame, G. M. (2009). *Handleiding voor afname en scoring van de Outcome Questionnaire (OQ-45)*. Salt Lake City, UT: OQ-45 Measures LLC.
- De Jong, K., Nugter, M., Polak, M. G., Wagenborg, J. E., Spinhoven, P., & Heiser, W. J. (2007). The Outcome Questionnaire (OQ-45) in a Dutch population: A cross-cultural validation. *Clinical Psychology and Psychotherapy*, 14, 288-301.
- De Jong, K., Segaar, J., Busschbach, J. v., & Timman, R. (in preparation). The effect of feedback in outpatient and inpatient personality disorders: a randomized controlled trial.
- Derogatis, L.R. (1975). *The brief symptom inventory*. Baltimore, MD: John Hopkins University School of Medicine.
- Derogatis, L.R. (1977). *The SCL-90 Manual: Scoring, administration and procedures for the SCL-90*. Baltimore, MD: John Hopkins University School of Medicine.
- Devilly, G. J., & Borkovec, T. D. (2000). Psychometric properties of the credibility/expectancy questionnaire. *Journal of Behavior Therapy and Experimental Psychiatry*, 31, 73-86.
- Dimidjian, S., & Hollon, S. D. (2010). How would we know if psychotherapy were harmful? *American Psychologist*, 65, 21-33.
- Dimidjian, S., & Hollon, S. D. (2011). Introduction. *Cognitive and Behavioral Practice*, 18, 303-305.
- Dinger, U., Strack, M., Leichsenring, F., Wilmers, F., & Schauenburg, H. (2008). Therapist effects on outcome and alliance in inpatient psychotherapy. *Journal of Clinical Psychology*, 64, 344-354.
- Donner, A., & Klar, N. (2000). *Design and analysis of cluster randomization trials in health research*. London, UK: Arnold Publishers.
- Edmunds, M., Frank, R., Hogan, M., McCarty, D., Robinson-Beale, R., & Weisner, C. (Eds.). (1997). *Managing Managed Care: Quality Improvement in Behavioral Health*. Washington, DC: National Academy Press.
- Elkin, I., Falconnier, L., Martinovich, Z., & Mahoney, C. (2006). Therapist effects in the National Institute of Mental Health Treatment of Depression Collaborative Research Program. *Psychotherapy Research*, 16, 144-160.
- Elkin, I., Shea, M. T., Watkins, J. T., Imber, S. D., Sotsky, S., Collins, J., et al. (1989). National Institute of Mental Health Treatment of Depression Collaborative Research Program: General effectiveness of treatments. *Archives of General Psychiatry*, 46, 971-982.
- Embretson, S. E., & Reise, S. P. (2000). *Item response theory for psychologists*. Mahwah, NJ: Lawrence

Erlbaum Associates.

- Essock, S. M., Drake, R. E., Frank, R. G., & McGuire, T. G. (2003). Randomized controlled trials in evidence based mental health care: Getting the right answer to the right question. *Schizophrenia Bulletin*, *29*, 115-123.
- Evans, C., Connell, J., Barkham, M., Margison, F., McGrath, G., Mellor-Clark, J. (2002). Towards a standardised brief outcome measure: psychometric properties and utility of the CORE-OM. *The British Journal of Psychiatry*, *180*, 51-60.
- Evans, C., Mellor-Clark, J., Margison, F., Barkham, M., Audin, K., Connell, J., & McGrath, G. (2000). CORE: Clinical outcomes in routine evaluation. *Journal of Mental Health*, *9*, 247-255.
- Festinger, L. (1957). *A theory of cognitive dissonance*. Stanford, CA: Stanford University Press.
- Finch, A. J. E., Lambert, M. J., & Schaalje, B. G. (2001). Psychotherapy quality control: The statistical generation of expected recovery curves for integration into an early warning system. *Clinical Psychology and Psychotherapy*, *8*, 231-242.
- Fisher, A. J., Newman, M. G., & Molenaar, P. C. M. (2011). A quantitative method for the analysis of nomothetic relationships between idiographic structures: Dynamic patterns create attractor states for sustained posttreatment change. *Journal of Consulting and Clinical Psychology*, *79*, 552-563.
- Flaherty, J.A., Gaviria, F.M., Pathak, D., Mitchell, T., Wintrob, R., Richman, J.A., & Birz, S. (1988). Developing Instruments for cross-cultural psychiatric research. *Journal of Nervous Mental Disorders*, *176*, 257-263.
- Garb, H. N. (2005). Clinical Judgment and Decision Making. *Annual Review of Clinical Psychology*, *1*, 67-89.
- Gilbody, S., Richards, D., Brealey, S., & Hewitt, C. (2007). Screening for depression in medical settings with the Patient Health Questionnaire (PHQ): A diagnostic meta-analysis. *Journal of General Internal Medicine*, *22*, 1595-1602.
- Gladis, M., Gosch, E. A., Dishuk, N. M., & Crits-Christoph, P. (1999). Quality of life: Expanding the scope of clinical significance. *Journal of Consulting and Clinical Psychology*, *67*, 320-331.
- Gold, J., & Stricker, G. (2011). Failures in psychodynamic psychotherapy. *Journal of Clinical Psychology*, *67*, 1096-1105.
- Goldstein, H. (2003). *Multilevel statistical models (3rd ed.)*. London: Edward Arnold.
- Graham, J. W. (2009). Missing data analysis: Making it work in the real world. *Annual Review of Psychology*, *60*, 549-576.
- Graham, J. W., & Hofer, S. M. (2000). Multiple imputation in multivariate research. In T. D. Little, K. U. Schnabel & J. Baumert (Eds.), *Modeling longitudinal and multilevel data: Practical issues, applied approaches, and specific examples*. (pp. 201-218). Mahwah, NJ: Lawrence Erlbaum Associates Publishers.
- Graham, J. W., Olchowski, A. E., & Gilreath, T. D. (2007). How many imputations are really needed? Some practical clarifications of multiple imputation theory. *Prevention Science*, *8*, 206-213.
- Haas, E., Hill, R. D., Lambert, M. J., & Morrell, B. (2002). Do early responders to psychotherapy

- maintain treatment gains. *Journal of Clinical Psychology*, *58*, 1157-1172.
- Hannan, C., Lambert, M. J., Harmon, C., Nielsen, S. L., Smart, D. W., Shimokawa, K. (2005). A lab test and algorithms for identifying clients at risk for treatment failure. *Journal of Clinical Psychology*, *61*, 155-163.
- Hansen, N. B., & Lambert, M. J. (2003). An evaluation of the dose-response relationship in naturalistic treatment settings using survival analysis. *Mental Health Services Research*, *5*, 1-12.
- Hansen, N. B., Lambert, M. J., & Forman, E. M. (2002). The psychotherapy dose-response effect and its implications for treatment delivery services. *Clinical Psychology: Science and Practice*, *9*, 329-343.
- Hansen, N. B., Lambert, M. J., & Forman, E. M. (2003). The psychotherapy dose effect in naturalistic settings revisited: Response to Gray. [Comment/Reply]. *Clinical Psychology: Science and Practice*, *10*, 507-508.
- Haringsma, R., Engels, G. I., Van der Leeden, R., & Spinhoven, P. (2006). Predictors of response to the coping with depression course for older adults. A field study. *Ageing and Mental Health*, *10*, 424-434.
- Harmon, C., Hawkins, E. J., Lambert, M. J., Slade, K., & Whipple, J. L. (2005). Improving outcomes for poorly responding clients: The use of clinical support tools and feedback to clients. *Journal of Clinical Psychology*, *61*, 175-185.
- Harmon, S., Lambert, M. J., Smart, D. M., Hawkins, E., Nielsen, S. L., Slade, K., et al. (2007). Enhancing outcome for potential treatment failures: Therapist-client feedback and clinical support tools. *Psychotherapy Research*, *17*, 379-392.
- Hatfield, D., McCullough, L., Frantz, S. H., & Krieger, K. (2010). Do we know when our clients get worse? An investigation of therapists' ability to detect negative client change. *Clinical Psychology and Psychotherapy*, *17*, 25-32.
- Hatfield, D.R., & Ogles, B.M. (2004). The use of outcome measures by psychologists in clinical practice. *Professional Psychology: Research and Practice*, *35*, 485-491.
- Hawkins, E. J., Lambert, M. J., Vermeersch, D. A., Slade, K. L., & Tuttle, K. C. (2004). The therapeutic effects of providing patient progress information to therapists and patients. *Psychotherapy Research*, *14*, 308-327.
- Hedeker, D., & Gibbons, R. D. (2006). *Longitudinal data analysis*. Hoboken, NJ: John Wiley & Sons.
- Hedges, L. V., & Hedberg, E. C. (2007). Intraclass correlation values for planning group-randomized trials in education. *Educational Evaluation and Policy Analysis*, *29*, 60-87.
- Hentschel, U. (2005). Therapeutic alliance: The best synthesizer of social influences on the therapeutic situation? On links to other constructs, determinants of its effectiveness, and its role for research in psychotherapy in general. *Psychotherapy Research*, *15*, 9-23.
- Herold, D. M., & Fedor, D. B. (2003). Individual differences in feedback propensities and training performance. *Human Resource Management Review*, *13*, 675-689.
- Herold, D. M., Parsons, C. K., & Fedor, D. B. (1997). *Individual feedback propensities and their effects*

- on motivation, training success and performance. Atlanta, GA: United States Army Research Institute for the Behavioral and Social Sciences.
- Herold, D. M., Parsons, C. K., & Rensvold, R. B. (1996). Individual differences in the generation and processing of performance feedback. *Educational and Psychological Measurement, 56*, 5-25.
- Hofstede, G. (2006). Cultural dimensions. Retrieved March, 2006, from [http://www.geert-hofstede.com/hofstede\\_dimensions.php](http://www.geert-hofstede.com/hofstede_dimensions.php)
- Hollenbeck, J. R., & Klein, H. J. (1987). Goal commitment and the goal-setting process: problems, prospects, and proposals for future research. *Journal of Applied Psychology, 72*, 212-220.
- Hopko, D. R., Magidson, J. F., & Lejuez, C. W. (2011). Treatment failure in behavior therapy: focus on behavioral activation for depression. *Journal of Clinical Psychology, 67*, 1106-1116.
- Horvath, A. O., & Greenberg, L. S. (1989). Development and validation of the Working Alliance Inventory. *Journal of Counseling Psychology, 36*, 223-233.
- Horvath, A. O., & Symonds, B. D. (1991). Relation between working alliance and outcome in psychotherapy: A meta-analysis. *Journal of Counseling Psychology, 38*, 139-149.
- Howard, K. I., Lueger, R. J., Maling, M. S., & Martinovich, Z. (1993). A phase model of psychotherapy outcome: Causal mediation of change. *Journal of Consulting and Clinical Psychology, 61*, 678-685.
- Howard, K. I., Moras, K., Brill, P. L., Martinovich, Z., & Lutz, W. (1996). Evaluation of psychotherapy: Efficacy, effectiveness, and patient progress. *American Psychologist, 51*, 1059-1064.
- Hox, J. J. (2002). *Multilevel analysis: Techniques and applications*. Mahwah, NJ: Lawrence Erlbaum Associates, Publishers.
- Huang, Y., Kotov, R., de Girolamo, G., Preti, A., Angermeyer, M., Benjet, C., et al. (2009). DSM-IV personality disorders in the WHO World Mental Health Surveys. *The British Journal of Psychiatry, 195*, 46-53.
- Hüpscher, L. (2007). *Herstelverwachtingen van cliënten met een ambulante behandeling*. Master thesis. Amsterdam, the Netherlands: Vrije Universiteit.
- Jacobson, N. S., Follette, W. C., & Revenstorf, D. (1984). Psychotherapy outcome research: Methods for reporting variability and evaluating clinical significance. *Behavior Therapy, 15*, 336-352.
- Jacobson, N., & Greenley, D. (2001). What is recovery? A conceptual model and explication. *Psychiatric Services, 52*, 482-485.
- Jacobson, N.S., Roberts, L.J., Berns, S.B., & McGlinchey, J.B. (1999). Methods for defining and determining the clinical significance of treatment effects: Description, application, and alternatives. *Journal of Consulting and Clinical Psychology, 67*, 300-307.
- Jacobson, N. S., & Truax, P. (1991). Clinical significance: A statistical approach to defining meaningful change in psychotherapy research. *Journal of Consulting and Clinical Psychology, 59*, 12-19.
- Jelicic, H., Phelps, E., & Lerner, R. M. (2009). Use of missing data methods in longitudinal studies: The persistence of bad practices in developmental psychology. *Developmental Psychology, 45*, 1195-1199.

- Katsikopoulos, K. V., Pachur, T., Machery, E., & Wallin, A. (2008). From Meehl to fast and frugal heuristics (and back). *Theory and Psychology, 18*, 443-464.
- Kazdin, A. E. (2003). Clinical significance: Measuring whether interventions make a difference. In A. E. Kazdin (Ed.), *Methodological Issues and Strategies in Clinical Research (3rd ed.)*. (pp. 691-710): Washington, DC, US: American Psychological Association.
- Kazdin, A. E. (2008). Evidence-based treatment and practice: new opportunities to bridge clinical research and practice, enhance the knowledge base, and improve patient care. *American Psychologist, 63*, 146-159.
- Kendler, K. S. (2008). Explanatory models for psychiatric illness. *The American Journal of Psychiatry, 165*, 695-702.
- Kim, D. M., Wampold, B. E., & Bolt, D. M. (2006). Therapist effects in psychotherapy: A random-effects modeling of the National Institute of Mental Health Treatment of Depression Collaborative Research Program data. *Psychotherapy Research, 16*, 161-172.
- Klein, D. N., Schwartz, J. E., Santiago, N. J., Vivian, D., Vocisano, C., Castonguay, L. G., et al. (2003). Therapeutic alliance in depression treatment: Controlling for prior change and patient characteristics. *Journal of Consulting and Clinical Psychology, 71*, 997-1006.
- Kline, R.B. (1998). *Principles and practice of structural equation modeling*. New York: Guilford Press.
- Kluger, A. N., & DeNisi, A. (1996). The effects of feedback interventions on performance: A historical review, a meta-analysis, and a preliminary feedback intervention theory. *Psychological Bulletin, 119*, 254-284.
- Knaup, C., Koesters, M., Schoefer, D., Becker, T., & Puschner, B. (2009). Effect of feedback of treatment outcome in specialist mental healthcare: Meta-analysis. *The British Journal of Psychiatry, 195*, 15-22.
- Kraus, D. R., Seligman, D. A., & Jordan, J. R. (2005). Validation of a behavioral health treatment outcome and assessment tool designed for naturalistic settings: The Treatment Outcome Package. *Journal of Clinical Psychology, 61*, 285-314.
- Lambert, M. J. (2005). Early response in psychotherapy: Further evidence for the importance of common factors rather than "placebo effects". *Journal of Clinical Psychology, 61*, 855-869.
- Lambert, M. J. (2007). Presidential address: What we have learned from a decade of research aimed at improving psychotherapy outcome in routine care. *Psychotherapy Research, 17*, 1-14.
- Lambert, M. J. (2011). What have we learned about treatment failure in empirically supported treatments? Some suggestions for practice. *Cognitive and Behavioral Practice, 18*, 413-420.
- Lambert, M.J., Burlingame, G.M., Umphress, V., Hansen, N.B., Vermeersch, D.A., Clouse, G.C., Christopherson, C., & Burlingame, G.M. (1996). The reliability and validity of the Outcome Questionnaire. *Clinical Psychology and Psychotherapy, 3*, 249-258.
- Lambert, M.J., Hannover, W., Nisslmüller, K., Richard, M., & Kordy, H. (2002). Fragebogen zum Ergebnis von Psychotherapie: Zur Reliabilität und Validität der deutschen Übersetzung des Outcome Questionnaire 45.2 (OQ-45.2). *Zeitschrift für Klinische Psychologie und*

- Psychotherapie: Forschung und Praxis*, 31, 4046.
- Lambert, M.J., Harmon, C., Slade, K., Whipple, J.L., & Hawkins, E.J. (2005). Providing feedback to psychotherapists on their patients' progress: Clinical results and practice suggestions. *Journal of Clinical Psychology*, 61, 165-174.
- Lambert, M. J., Huefner, J. C., & Nace, D. K. (1997). The promise and problems of psychotherapy research in a managed care setting. *Psychotherapy Research*, 7, 321-332.
- Lambert, M. J., Morton, J. J., Hatfield, D. R., Harmon, C., Hamilton, S., Shimokawa, K. (2004). *Administration and scoring manual for the OQ-45.2 (Outcome Questionnaire)* (3 ed.). Wilmington, DE: American Professional Credentialing Services LLC. Zoek versie 2003 in artikelen
- Lambert, M. J., & Ogles, B. M. (2004). The efficacy and effectiveness of psychotherapy. In M. J. Lambert (Ed.), *Bergin and Garfield's Handbook of Psychotherapy and Behavior Change* (5th ed., pp. 139-193). New York, NY: John Wiley & Sons.
- Lambert, M. J., Whipple, J. L., Bishop, M. J., Vermeersch, D. A., Gray, G. V., & Finch, A. E. (2002). Comparison of empirically-derived and rationally-derived methods for identifying patients at risk for treatment failure. *Clinical Psychology and Psychotherapy*, 9, 149-164.
- Lambert, M. J., Whipple, J. L., Hawkins, E. J., Vermeersch, D. A., Nielsen, S. L., & Smart, D. W. (2003). Is it time for clinicians to routinely track patient outcome? A meta-analysis. *Clinical Psychology: Science and Practice*, 10, 288-301.
- Lambert, M. J., Whipple, J. L., Smart, D. W., Vermeersch, D. A., Nielsen, S. L., & Hawkins, E. J. (2001). The effects of providing therapists with feedback on patient progress during psychotherapy: Are outcomes enhanced? *Psychotherapy Research*, 11, 49-68.
- Lampropoulos, G. K. (2011). Failure in psychotherapy: An introduction. *Journal of Clinical Psychology*, 67, 1093-1095.
- Laurenceau, J.-P., Hayes, A. M., & Feldman, G. C. (2007). Some methodological and statistical issues in the study of change processes in psychotherapy. *Clinical Psychology Review*, 27, 682-695.
- Lee, W., Jones, L., Goodman, R., & Heyman, I. (2005). Broad outcome measures may underestimate effectiveness: An instrument comparison study. *Child and Adolescent Mental Health*, 10, 143-144.
- Lewis, G. (1991). Observer bias in the assessment of anxiety and depression. *Social Psychiatry and Psychiatric Epidemiology*, 26, 265-272.
- Lewis, R. J. (2000). *An introduction to Classification and Regression Tree (CART) Analysis*. Paper presented at the Annual Meeting of the Society for Academic Emergency Medicine, San Francisco, CA.
- Liebowitz, M.R. (1987). Social phobia. *Modern Problems in Pharmacopsychiatry*, 22, 141-173.
- Little, R. J. A., & Rubin, D. B. (2002). *Statistical analysis with missing data* (2nd ed.). New York: Wiley.
- Lovibond, S.H., & Lovibond, P.F. (1995). *Manual for the Depression Anxiety Stress Scales*. Sydney, Australia: Psychology Foundation of Australia.

- Lueger, R. J., Howard, K. I., Martinovich, Z., Lutz, W., Anderson, E. E., & Grissom, G. (2001). Assessing treatment progress of individual patients using expected treatment response models. *Journal of Consulting and Clinical Psychology, 69*, 150-158.
- Lutz, W. (2002). Patient-focused psychotherapy research and individual treatment progress as scientific groundwork for an empirically based clinical practice. *Psychotherapy Research, 12*, 251-272.
- Lutz, W. (2003). Efficacy, effectiveness, and expected treatment response in psychotherapy. *Journal of Clinical Psychology, 59*, 745-750.
- Lutz, W., Lambert, M. J., Harmon, S., Tschitsaz, A., Schurch, E., & Stulz, N. (2006). The probability of treatment success, failure and duration – What can be learned from empirical data to support decision making in clinical practice? *Clinical Psychology and Psychotherapy, 13*, 223-232.
- Lutz, W., Leach, C., Barkham, M., Lucock, M., Stiles, W. B., Evans, C., et al. (2005). Predicting change for individual psychotherapy clients on the basis of their nearest neighbors. *Journal of Consulting and Clinical Psychology, 73*, 904-913.
- Lutz, W., Leon, S. C., Martinovich, Z., Lyons, J. S., & Stiles, W. B. (2007). Therapist effects in outpatient psychotherapy: A three-level growth curve approach. *Journal of Counseling Psychology, 54*, 32-39.
- Lutz, W., Lowry, J., Kopta, S., Einstein, D. A., & Howard, K. I. (2001). Prediction of dose-response relations based on patient characteristics. *Journal of Clinical Psychology, 57*, 889-900.
- Lutz, W., Martinovich, Z., & Howard, K. I. (1999). Patient profiling: An application of random coefficient regression models to depicting the response of a patient to outpatient psychotherapy. *Journal of Consulting and Clinical Psychology, 67*, 571-577.
- Lutz, W., Rafaeli, E., Howard, K. I., & Martinovich, Z. (2002). Adaptive modeling of progress in outpatient psychotherapy. *Psychotherapy Research, 12*, 427-443.
- Lutz, W., Stulz, N., & Kock, K. (2009). Patterns of early change and their relationship to outcome and follow-up among patients with major depressive disorders. *Journal of Affective Disorders, 118*, 60-68.
- Maas, C. J. M., & Hox, J. J. (2005). Sufficient sample sizes for multilevel modeling. *Methodology, 1*, 86-92.
- Margison, F. R., McGrath, G., Barkham, M., Mellor Clark, J., Audin, K., Connell, J. (2000). Measurement and psychotherapy. *The British Journal of Psychiatry, 177*, 123-130.
- Marshall, S., Haywood, K., & Fitzpatrick, R. (2006). Impact of patient-reported outcome measures on routine practice: a structured review. *Journal of Evaluation in Clinical Practice, 12*, 559-568.
- Martin, D. J., Garske, J. P., & Davis, M. K. (2000). Relation of the therapeutic alliance with outcome and other variables: A meta-analytic review. *Journal of Consulting and Clinical Psychology, 68*, 438-450.
- Meyer, T.J., Miller, M.L., Metzger, R.L., & Borkovec, T.D. (1990). Development and validation of the Penn State Worry Questionnaire. *Behaviour Research and Therapy, 28*, 487-495.

- Miller, S. D., Duncan, B. L., Sorrell, R., & Brown, G. S. (2005). The partners for change outcome management system. *Journal of Clinical Psychology, 61*, 199-208.
- Moerbeek, M. (2004). The consequence of ignoring a level of nesting in multilevel analysis. *Multivariate Behavioral Research, 39*, 129-149.
- Moerbeek, M. (2005). Randomization of clusters versus randomization of persons within clusters: Which is preferable. *The American Statistician, 59*, 72-78.
- Moerbeek, M. (2006). Power and money in cluster randomized trials: when is it worth measuring a covariate? *Statistics in Medicine, 25*, 2607-2617.
- Moerbeek, M. (2008). Powerful and cost-efficient designs for longitudinal intervention studies with two treatment groups. *Journal of Educational and Behavioral Statistics, 33*, 41-61.
- Mueller, R. M., Lambert, M. J., & Burlingame, G. M. (1998). Construct validity of the Outcome Questionnaire: a confirmatory factor analysis. *Journal of Personality Assessment, 70*, 248-262.
- Newnham, E. A., Hooke, G. R., & Page, A. C. (2010). Progress monitoring and feedback in psychiatric care reduces depressive symptoms. *Journal of Affective Disorders, 127*, 139-146.
- Nich, C., & Carroll, K. (1997). Now you see it, now you don't: A comparison of traditional versus random-effects regression models in the analysis of longitudinal follow-up data from a clinical trial. *Journal of Consulting and Clinical Psychology, 65*, 252-261.
- Okiishi, J., Lambert, M. J., Nielsen, S. L., & Ogles, B. M. (2003). Waiting for supershrink: An empirical analysis of therapist effects. *Clinical Psychology and Psychotherapy, 10*, 361-373.
- Orlinsky, D. E., Rønnestad, M. H., & Willutzki, U. (2004). Fifty years of psychotherapy process-outcome research: continuity and change. In M. J. Lambert (Ed.), *Bergin and Garfield's Handbook of Psychotherapy and Behavior Change* (5th ed.). New York, NY: Wiley.
- Prigerson, H.G., Kasl, S.V., & Jacobs, S.G. (1997). *The Inventory of Complicated Grief Revised*. Unpublished manuscript.
- Raudenbusch, S. W. (1988). Educational applications of hierarchical linear models: A review. *Journal of Educational Statistics, 13*, 85-116.
- Raudenbusch, S. W. (1997). Statistical analysis and optimal design for cluster randomized trials. *Psychological Methods, 2*, 173-185.
- Raudenbush, S. W., & Bryk, A. S. (2002). *Hierarchical linear models: Applications and data analysis methods* (2nd ed.). Thousand Oaks, CA: Sage Publications.
- Ravitz, P., McBride, C., & Maunder, R. (2011). Failures in interpersonal psychotherapy (IPT): factors related to treatment resistances. *Journal of Clinical Psychology, 67*, 1129-1139.
- Reese, R. J., Norsworthy, L. A., & Rowlands, S. R. (2009). Does a continuous feedback system improve psychotherapy outcome? *Psychotherapy: Theory, Research, Practice, Training, 46*, 418-431.
- Reise, S. P., & Duan, N. (2003). Design issues in multilevel studies. In S. P. Reise & N. Duan (Eds.), *Multilevel modeling: methodological advances, issues and applications* (pp. 285-298). Mahwah, NJ: Lawrence Erlbaum Associates.
- Riemer, M., & Bickman, L. (2011). Using program theory to link social psychology and program

- evaluation. In M. M. Mark, S. I. Donaldson & B. Campbell (Eds.), *Social Psychology and Evaluation*. New York: Guilford Press.
- Rubin, D. B. (1987). *Multiple imputation for nonresponse in surveys*. New York: Wiley.
- Rush, A.J., Trivedi, M.H., Ibrahim, H.M., Carmody, T.J., Arnow, B.A., Klein, D.N., Markowitz, J.C., Ninan, P.T., Kornstein, S., Manber, R., Thase, M.E., Kocsis, J.H., & Keller, M.B. (2003). The 16-item Quick Inventory of Depressive Symptomatology (QIDS) Clinician Rating (QUIDS-C) and Self-Report (QUIDS-SR): A psychometric evaluation in patients with chronic major depression. *Biological Psychiatry, 54*, 573-583.
- Sanavio, E. (1988). Obsessions and compulsions: The Padua Inventory. *Behaviour Research and Therapy, 26*, 167-177.
- Sapyta, J., Riemer, M., & Bickman, L. (2005). Feedback to clinicians: Theory, research, and practice. *Journal of Clinical Psychology, 61*, 145-153.
- Schafer, J. L. (1997). *Analysis of incomplete multivariate data*. London: Chapman & Hall.
- Schlomer, G. L., Bauman, S., & Card, N. A. (2010). Best practices for missing data management in counseling psychology. *Journal of Counseling Psychology, 57*, 1-10.
- Shimokawa, K., Lambert, M. J., & Smart, D. W. (2010). Enhancing treatment outcome of patients at risk of treatment failure: Meta-analytic and mega-analytic review of a psychotherapy quality assurance system. *Journal of Consulting and Clinical Psychology, 78*, 298-311.
- Simon, W., Harris, M., & Lambert, M. J. (2011). *The effects of progress and clinical support tools feedback compared to TAU within a hospital-based outpatient clinic*. Paper presented at the Society of Psychotherapy Research, 42nd international meeting.
- Singer, J. D., & Willet, J. B. (2003). *Applied longitudinal data analysis: Modeling change and event occurrence*. New York: Oxford University Press.
- Slade, K., Lambert, M. J., Harmon, S., Smart, D. W., & Bailey, R. (2008). Improving psychotherapy outcome: The use of immediate electronic feedback and revised clinical support tools. *Clinical Psychology and Psychotherapy, 15*, 287-303.
- Slee, N., Garnefski, N., Van der Leeden, R., Arensman, E., & Spinhoven, P. (2008). Cognitive-behavioural intervention for self-harm: randomised controlled trial. *British Journal of Psychiatry, 192*, 202-211.
- Snijders, T. A., & Bosker, R. J. (1993). Standard errors and sample sizes for two-level research. *Journal of Educational Statistics, 18*, 237-259.
- Snijders, T. A., & Bosker, R. J. (1999). *Multilevel analysis: An introduction to basic and advanced multilevel modeling*. London: SAGE Publications.
- Soldz, S. (2006). Models and meanings: Therapist effects and the stories we tell. *Psychotherapy Research, 16*, 173-177.
- Spybrook, J., Raudenbush, S. W., Liu, X.-F., Congdon, R., & Martínez, A. (2008). *Optimal Design (Version 1.76)*. Ann Arbor, MI: University of Michigan.
- Stirman, S.W., DeRubeis, R. J., Crits-Christoph, P., & Brody, P. E. (2003). Are samples in randomized controlled trials of psychotherapy representative of community outpatients? A new

- methodology and initial findings. *Journal of Consulting and Clinical Psychology*, 71, 963-972.
- Stulz, N., & Lutz, W. (2007). Multidimensional patterns of change in outpatient psychotherapy: The phase model revisited. *Journal of Clinical Psychology*, 63, 817-833.
- Stulz, N., Lutz, W., Leach, C., Lucock, M., & Barkham, M. (2007). Shapes of early change in psychotherapy under routine outpatient conditions. *Journal of Consulting and Clinical Psychology*, 75, 864-874.
- Stuurgroep ROM ggz (2010). *Visie op ROM in de GGZ*. Amersfoort, the Netherlands: GGZ Nederland.
- Tasca, G. A., Balfour, L., Ritchie, K., & Bissada, H. (2007). The relationship between attachment scales and group therapy alliance: Growth differs by treatment type for women with binge-eating disorder. *Group Dynamics: Theory, Research and Practice*, 11, 1-14.
- Taylor, S. E., & Brown, J. D. (1988). Illusion and well-being: A social psychological perspective on mental health. *Psychological Bulletin*, 103, 193-210.
- Thalheimer, W., & Cook, S. (2002). How to calculate effect sizes from published research articles: A simplified methodology. Retrieved February, 2006, from [http://work-learning.com/effect\\_sizes.htm](http://work-learning.com/effect_sizes.htm)
- Therneau, T. M., & Atkinson, E. J. (1997). An introduction to recursive partitioning using the RPART routines. Retrieved April 2011, from <http://www.mayo.edu/hsr/techrpt/61.pdf>
- Trauer, T. (Ed.). (2010). *Outcome measurement in mental health. Theory and practice*. Cambridge: University Press.
- Valenstein, M., Mitchinson, A., Ronis, D. L., Alexander, J. A., Duffy, S. A., Craig, T. J. (2004). Quality indicators and monitoring of mental health services: What do frontline providers think? *American Journal of Psychiatry*, 161, 146-153.
- Van Balkom, A.J.L.M., de Beurs, E., Hovens, J.E.J.M., & van Vliet, I.M. (2004). Meetinstrumenten bij angststoornissen. *Tijdschrift voor Psychiatrie*, 10, 687-692.
- Van Buuren, S., Boshuizen, H. C., & Knook, D. L. (1999). Multiple imputation of missing blood pressure covariates in survival analysis. *Statistics in Medicine*, 18, 681-694.
- Van Buuren, S., Brand, J. P. L., Groothuis-Oudshoorn, C. G. M., & Rubin, D. B. (2006). Fully conditional specification in multivariate imputation. *Journal of Statistical Computation and Simulation*, 76, 1049 - 1064.
- Van der Leeden, R. (1998). Multilevel analysis of repeated measures data. *Quality and Quantity*, 32, 15-29.
- Van der Ploeg, E., Mooren, T.T.M., Kleber, R.J., van der Velden, P.G., & Brom, D. (2004). Construct validation of the Dutch versions of the Impact of Events Scale. *Psychological Assessment*, 16, 16-26.
- Van Ginkel, J. R., Sijtsma, K., van der Ark, L., & Vermunt, J. K. (2010). Incidence of missing item scores in personality measurement, and simple item-score imputation. *Methodology: European Journal of Research Methods for the Behavioral and Social Sciences*, 6, 17-30.
- Van Oppen, P., Hoekstra, R.J., & Emmelkamp, P.M.G. (1995). The structure of obsessive compulsive

- symptoms. *Behaviour Research and Therapy*, 33, 15-23.
- Van Rijsoort, S., Vervaeke, G., & Emmelkamp, P. (1999). The Penn State Worry Questionnaire and the Worry Domains Questionnaire: Structure, reliability and validity. *Clinical Psychology and Psychotherapy*, 6, 297-307.
- Van Wijngaarden, B., Schene, A.H., Koeter, M., VazquezBarquero, J.-L., Knudsen, H.-C., Lasalvia, A., McCrone, P., & The EPSILON Study Group. (2000). Caregiving in schizophrenia: Development, internal consistency and reliability of the Involvement Evaluation Questionnaire-European Version: EPSILON Study 4. *British Journal of Psychiatry*, 177 (Suppl. 39), S21-S27.
- Vervaeke, G., & Vertommen, H. (1993). De werkalliantie: visies op een bruikbaar concept en de meting ervan. *Tijdschrift voor Psychotherapie*, 19, 2-16.
- Vervaeke, G., & Vertommen, H. (1996). De werkalliantievragenlijst (WAV). *Gedragstherapie*, 29, 139-144.
- Walter, G., Cleary, M., & Rey, J. M. (1998). Attitudes of mental health personnel towards rating outcome. *Journal of Quality in Clinical Practice*, 18, 109-115.
- Wampold, B. E., & Bolt, D. M. (2006). Therapist effects: Clever ways to make them (and everything else) disappear. *Psychotherapy Research*, 16, 184-187.
- Wampold, B. E., & Serlin, R. C. (2000). The consequence of ignoring a nested factor on measures of effect size in analysis of variance. *Psychological Methods*, 5, 425-433.
- Watson, J. C. (2011). Treatment failure in humanistic and experiential psychotherapy. *Journal of Clinical Psychology*, 67, 1117-1128.
- Weiss, D. J., & Kingsbury, G. G. (1984). Application of computerized adaptive testing to educational problems. *Journal of Educational Measurement*, 21, 361-375.
- Weiss, D., & Marmar, C. (1997). The impact of event scale—revised. In J. Wilson & T. Keane (Eds). *Assessing psychological trauma and PTSD* (pp. 399-411). New York, NY: Guilford.
- Weissman, M.M., & Bothwell, S. (1976). Assessment of social adjustment by patient self-report. *Archives of General Psychiatry*, 33, 1111-1115.
- Weisz, J. R., Donenberg, G. R., Han, S. S., & Weiss, B. (1995). Bridging the gap between laboratory and clinic in child and adolescent psychotherapy. *Journal of Consulting and Clinical Psychology*, 65, 688-701.
- Westen, D. (2005). Patients and treatments in randomized trials are not adequately representative of clinical practice. In J. C. Norcross (Ed.), *Evidence-based practices in mental health: Debate and dialogue on the fundamental questions* (pp. 161-170). Washington, DC: American Psychological Association.
- Westra, H. A., Constantino, M. J., & Aviram, A. (2011). The impact of alliance ruptures on client outcome expectations in cognitive behavioral therapy. *Psychotherapy Research*, 21, 472-481.
- Whipple, J. L., Lambert, M. J., Vermeersch, D. A., Smart, D. W., Nielsen, S. L., & Hawkins, E. J. (2003). Improving the effects of psychotherapy: The use of early identification of treatment and problem-solving strategies in routine practice. *Journal of Counseling Psychology*, 50, 59-68.
- Wilson, T.D., & Dunn, E.W. (2004). Self-knowledge: Its limits, value, and potential for improvement.

*Annual Review of Psychology*, 55, 493-518.

- Wing, J. K., Beevor, A. S., Curtis, R. H., Park, S. B., Hadden, S., & Burns, A. (1998). Health of the Nation Outcome Scales (HoNOS). Research and development. *The British Journal of Psychiatry*, 172, 11-18.
- Wothke, W. (2000). Longitudinal and multigroup modeling with missing data. In T. D. Little, K. U. Schnabel & J. Baumert (Eds.), *Modeling longitudinal and multilevel data: Practical issues, applied approaches, and specific examples*. (pp. 219-240). Mahwah, NJ: Lawrence Erlbaum Associates Publishers.