



Universiteit
Leiden
The Netherlands

Infant attachment and stress regulation : a neurobiological study

Luijk, P.C.M.

Citation

Luijk, P. C. M. (2010, December 9). *Infant attachment and stress regulation : a neurobiological study*. Retrieved from <https://hdl.handle.net/1887/16225>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/16225>

Note: To cite this publication please use the final published version (if applicable).

References

A

- Adam, E. K., & Gunnar, M. R. (2001). Relationship functioning and work demands predict individual differences in diurnal cortisol patterns in women. *Psychoneuroendocrinology*, 26, 189-208.
- Adam, E. K., Hawkley, L. C., Kudielka, B. M., & Cacioppo, J. T. (2006). Day-to-day dynamics of experience-cortisol associations in a population-based sample of older adults. *Proceedings of the National Academy of Sciences of the United States of America*, 103, 17058-17063.
- Ainsworth, M. S., Bell, S. M., & Stayton, D. J. (1974). Infant-mother attachment and social development: 'Socialization' as a product of reciprocal responsiveness to signals. In Richards, M.P.M. (Ed.), *The Integration of a Child into a Social World* (pp. 99-135). London: Cambridge University Press.
- Ainsworth, M. S., Blehar, M. C., Waters, E., & Wall, S. (1978). *Patterns of attachment: A psychological study of the strange situation*. Hillsdale, NJ: Erlbaum.
- Anchordoquy, H. C., McGahey, C., Liu, L., Krauter, K. S., & Smolen, A. (2003). Genotyping of three candidate genes after whole-genome preamplification of DNA collected from buccal cells. *Behavioral Genetics*, 33, 73-78.
- Andrews, G., & Peters, L. (1998). The psychometric properties of the Composite International Diagnostic Interview. *Social Psychiatry and Psychiatric Epidemiology*, 33, 80-88.
- Ashman, S. B., Dawson, G., Panagiotides, H., Yamada, E., & Wilkinson, C.W. (2002). Stress hormone levels of children of depressed mothers. *Development and Psychopathology*, 14, 333-349.
- Atkinson, L., Paglia, A., Coolbear, J., Niccols, A., Parker, K. C., & Guger, S. (2000). Attachment security: a meta-analysis of maternal mental health correlates. *Clinical Psychology Review*, 20, 1019-1040.
- Azar, R., Paquette, D., Zoccolillo, M., Baltzer, F., & Tremblay, R. E. (2007). The association of major depression, conduct disorder, and maternal overcontrol with a failure to show a cortisol buffered response in 4-month-old infants of teenage mothers. *Biological Psychiatry*, 62, 573-579.

B

- Bakermans-Kranenburg, M. J., & Van IJzendoorn, M. H. (2004). No association of the dopamine D4 receptor (DRD4) and -521 C/T promoter polymorphisms with infant attachment disorganization. *Attachment & Human Development*, 6, 211-218.

- Bakermans-Kranenburg, M. J., & Van IJzendoorn, M. H. (2006). Gene-environment interaction of the Dopamine D4 receptor (DRD4) and observed maternal insensitivity predicting externalizing behavior in preschoolers. *Developmental Psychobiology*, 48, 406–409.
- Bakermans-Kranenburg, M. J., & Van IJzendoorn, M. H. (2007). Research Review: genetic vulnerability or differential susceptibility in child development: the case of attachment. *Journal of Child Psychology and Psychiatry and Allied Disciplines*, 48, 1160-1173.
- Bakermans-Kranenburg, M.J., & Van IJzendoorn, M. H. (2008). Oxytocin receptor (OXTR) and serotonin transporter (5-HTT) genes associated with observed parenting. *Social Cognitive & Affective Neuroscience*, 3, 128-134.
- Bakermans-Kranenburg, M.J., & Van IJzendoorn, M. H. (2010). Parenting matters: Family science in the genomic area. *Family Science*, 1, 26-36.
- Bakermans-Kranenburg, M.J., Van IJzendoorn, M.H., & Juffer, J. (2003). Less is more: Meta-analysis of sensitivity and attachment interventions in early childhood. *Psychological Bulletin*, 129, 195-215.
- Bakermans-Kranenburg, M.J., Van IJzendoorn, M.H., Pijlman, F.T.A., Mesman, J., & Juffer, F. (2008). Differential susceptibility to intervention: Dopamine D4 Receptor Polymorphism (DRD4 VNTR) moderates effects on toddlers' externalizing behavior in a randomized control trial. *Developmental Psychology*, 44, 293-300.
- Barry, R. A., Kochanska, G., & Philibert, R.A. (2008). G x E interaction in the organization of attachment: mothers' responsiveness as a moderator of children's genotypes. *Journal of Child Psychology and Psychiatry*, 49, 1313-1320.
- Bartels, M., Van den Berg, M., Sluyter, F., Boomsma, D. I., & De Geus, E. J. (2003). Heritability of cortisol levels: review and simultaneous analysis of twin studies. *Psychoneuroendocrinology*, 28, 121-137.
- Belsky, J., Bakermans-Kranenburg, M. J., & Van IJzendoorn, M. H. (2007). For better and for worse: Differential susceptibility to environmental influences. *Current Directions in Psychological Science* 2007, 16, 300-304.
- Belsky, J., & Fearon, R. M. P. (2008). Precursors of attachment security. In J. Cassidy & P. R. Shaver (Eds.), *Handbook of Attachment: Theory, research, and clinical applications* (pp. 295-316). New York: The Guilford Press.
- Belsky, J., Hsieh, K., & Crnic, K. (1998). Mothering, fathering, and infant negativity as antecedents of boys' externalizing problems and inhibition at age 3: Differential susceptibility to rearing influence? *Development and Psychopathology*, 10, 301–319.
- Belsky, J., Jonassaint, C., Pluess, M., Stanton, M., Brummett, B., & Williams, R. (2009). Vulnerability genes or plasticity genes? *Molecular Psychiatry*, 14, 746-754.

- Berman, S., Ozkaragoz, T., Young, R. M. , & Noble, E. P. (2002). D2 dopamine receptor gene polymorphism discriminates two kinds of novelty seeking. *Personality and Individual Differences*, 33, 867-882.
- Binder, E. B. (2009). The role of FKBP5, a co-chaperone of the glucocorticoid receptor in the pathogenesis and therapy of affective and anxiety disorders. *Psychoneuroendocrinology*, 34, 186-195.
- Binder, E. B., Bradley, R. G., Liu, W., Epstein, M. P., Deveau, T. C., Mercer, K. B., et al. (2008). Association of FKBP5 polymorphisms and childhood abuse with risk of posttraumatic stress disorder symptoms in adults. *Journal of the American Medical Association*, 299, 1291-1305.
- Binder, E. B., Salyakina, D., Lichtner, P., Wochnik, G. M., Ising, M., Putz, B., et al. (2004). Polymorphisms in FKBP5 are associated with increased recurrence of depressive episodes and rapid response to antidepressant treatment. *Nature Genetics*, 36, 1319-1325.
- Bokhorst, C. L., Bakermans-Kranenburg, M. J., Fearon, P. R. M., Van IJzendoorn, M. H., Fonagy, P., & Schuengel, C. (2003). The importance of shared environment in mother-infant attachment security: a behavioral genetic study. *Child Development*, 74, 1769-1782.
- Bowlby, J. (1969/1982). *Attachment and loss: Vol.I. Attachment*. New York: Basic Books.
- Bowlby, J. (1973). *Attachment and loss: Vol.II. Separation: anxiety and anger*. New York: Basic Books.
- Boyce, W. T., Champoux, M., Suomi, S. J., & Gunnar, M. R. (1995). Salivary cortisol in nurseryreared rhesus monkeys: Reactivity to peer interactions and altered circadian activity. *Developmental Psychobiology*, 28, 257-267.
- Brennan, P. A., Pargas, R., Walker, E. F., Green, P., Newport, D. J., & Stowe, Z. (2008). Maternal depression and infant cortisol: Influences of timing, comorbidity and treatment. *Journal of Child Psychology and Psychiatry*, 49, 1099-1107.
- Burmeister, M., McInnis, M. G., & Zollner, S. (2008). Psychiatric genetics: progress amid controversy. *Nature Reviews Genetics*, 9, 527-540.

C

- Caldji, C., Tannenbaum, B., Sharma, S., Francis, D., Plotsky, P. M., & Meaney, M. J. (1998). Maternal care during infancy regulates the development of neural systems mediating the expression of behavioral fearfulness in adulthood in the rat. *Proceedings of the National Academy of Sciences of the United States of America*, 95, 5335-5340.
- Carlson, M., & Earls, F. (1997). Psychological and neuro- endocrinological sequelae of early social deprivation in institutionalized children in Romania. *Annals of the New York Academy of Sciences*, 807, 419-428.
- Carter, C. S., Boone, E. M., Pournajafi-Nazarloo, H., & Bales, K. L. (2009). Consequences of early experiences and exposure to oxytocin and vasopressin are sexually dimorphic. *Developmental Neuroscience*, 31, 332-341.

- Casey, B. J., Glatt, C. E., Tottenham, N., Soliman, F., Bath, K., Amso, D., et al. (2009). Brain-derived neurotrophic factor as a model system for examining gene by environment interactions across development. *Neuroscience*, 164, 108-120.
- Cassidy, J. (1994). Emotion regulation: Influences of attachment relationships. *Monographs of the Society for Research in Child Development*, 59(2/3).
- Cassidy, J. (2008). The nature of the child's ties. In J. Cassidy & P. R. Shaver (Eds.), *Handbook of Attachment: Theory, research, and clinical applications* (pp. 3-22). New York: The Guilford Press.
- Cassidy, J., & Berlin, L. J. (1994). The insecure/ambivalent pattern of attachment: Theory and research. *Child Development*, 65, 971-991.
- Cohen, S., Schwartz, J. E., Epel, E., Kirschbaum, C., Sidney, S., & Seeman, T. (2006). Socioeconomic status, race, and diurnal cortisol decline in the Coronary Artery Risk Development in Young Adults (CARDIA) study. *Psychosomatic Medicine*, 68, 41-50.
- Comings, D. E., & MacMurray, J. P. (2000). Molecular heterosis: a review. *Molecular Genetics and Metabolism*, 71, 19-31.
- Costas, J., Sanjuan, J., Ramos-Rios, R., Paz, E., Agra, S., Ivorra, J. L., et al. (2010). Heterozygosity at catechol-O-methyltransferase Val158Met and schizophrenia: New data and meta-analysis. *Journal of Psychiatric Research*.
- Cummings, E. M., & Davies, P. T. (1994). Maternal depression and child development. *Journal of Child Psychology and Psychiatry*, 35, 73-112.

D

- De Kloet, E.R., Joëls, M., & Holsboer, F. (2005). Stress and the brain: from adaptation to disease. *Nature Reviews Neuroscience*, 6, 463-475.
- Dettling, A.C., Parker, S.W., Lane, S., Sebanc, A., & Gunnar, M.R. (2000). Quality of care and temperament determine changes in cortisol concentrations over the day for young children in childcare. *Psychoneuroendocrinology*, 25, 819-836.
- DeRijk, R. H. & de Kloet, E. R. (2008). Corticosteroid receptor polymorphisms: determinants of vulnerability and resilience. *European Journal of Pharmacology*, 583, 303-311.
- DeRijk, R. H., Van Leeuwen, N., Klok, M. D., & Zitman, F. G. (2008). Corticosteroid receptor-gene variants: modulators of the stress-response and implications for mental health. *European Journal of Pharmacology*, 585, 492-501.
- De Weerth, C., & Van Geert, P. (2002). A longitudinal study of basal cortisol in infants: intra-individual variability, circadian rhythm and developmental trends. *Infant Behavior & Development*, 25, 375-398.
- De Weerth, C., Zijl, R. H., & Buitelaar, J. K. (2003). Development of cortisol circadian rhythm in infancy. *Early Human Development*, 73, 39-52.

- De Wolff, M.S., & Van IJzendoorn, M.H. (1997). Sensitivity and attachment: A meta-analysis on parental antecedents of infant attachment. *Child Development*, 68, 571-591.
- Drabant, E. M., Hariri, A. R., Meyer-Lindenberg, A., Munoz, K. E., Mattay, V. S., Kolachana, B. S., et al. (2006). Catechol O-methyltransferase val158met genotype and neural mechanisms related to affective arousal and regulation. *Archives of General Psychiatry*, 63, 1396-1406.
- D'Souza, U. M., & Craig, I. W. (2006). Functional polymorphisms in dopamine and serotonin pathway genes. *Human Mutation*, 27, 1-13.

E

- Ebstein, R. P. (2006). The molecular genetic architecture of human personality: beyond self-report questionnaires. *Molecular Psychiatry*, 11, 427-445.
- Ebstein, R. P., Israel, S., Chew, S. H., Zhong, S., & Knafo, A. (2010). Genetics of human social behavior. *Neuron*, 65, 831-844.
- Ellis, B. J., Boyce, W. T., Bakermans-Kranenburg, M. J., & Van IJzendoorn, M. H. (in press). Differential susceptibility to the environment: An evolutionary-neurodevelopmental theory. *Development and Psychopathology*.
- Essex, M.J., Klein, M.H., Cho, E., & Kalin, N.D. (2002). Maternal stress beginning in infancy may sensitize children to later stress exposure: effects on cortisol and behavior. *Biological Psychiatry*, 52, 776-784.

F

- Faraone, S. V., & Khan, S. A. (2006). Candidate gene studies of attention-deficit/hyperactivity disorder. *Journal of Clinical Psychiatry*, 67, 13-20.
- Fearon, R. P., Bakermans-Kranenburg, M. J., Van IJzendoorn, M. H., Lapsley, A., Roisman, G. I. (2010). The significance of attachment security and disorganization in the development of children's externalizing and aggressive behavior: A meta-analytic study. *Child Development*, 81, 435-456.
- Feldman, R., Gordon, I., Schneiderman, I., Weisman, O., & Zagoory-Sharon, O. (2010). Natural variations in maternal and paternal care are associated with systematic changes in oxytocin following parent-infant contact. *Psychoneuroendocrinology*.
- Fox, N. A., & Hane, A. A. (2008). Studying the biology of human attachment. In J. Cassidy & P. R. Shaver (Eds.), *Handbook of Attachment: Theory, research, and clinical applications* (pp. 269-294). New York: The Guilford Press.
- Fraley, R. C. (2002). Attachment stability from infancy to adulthood: Meta-analysis and dynamic modeling of developmental mechanisms. *Personality and Social Psychology Review*, 6, 123-151.
- Freeman, B., Smith, N., Curtis, C., Huckett, L., Mill, J., & Craig, I. W. (2003). DNA from buccal swabs recruited by mail: evaluation of storage effects on long-term stability and suitability for multiplex polymerase chain reaction genotyping. *Behavior Genetics*, 33, 67-72.

Frigerio, A., Ceppi, E., Rusconi, M., Giorda, R., Raggi, M. E., & Fearon, P. (2009). The role played by the interaction between genetic factors and attachment in the stress response in infancy. *Journal of Child Psychology and Psychiatry*, 50, 1513-1522.

G

- Gervai, J., Novak, A., Lakatos, K., Toth, I., Danis, I., Ronai, Z., et al. (2007). Infant genotype may moderate sensitivity to maternal affective communications: attachment disorganization, quality of care, and the DRD4 polymorphism. *Social Neuroscience*, 2, 307-319.
- Gizer, I. R., Ficks, C., & Waldman, I. D. (2009). Candidate gene studies of ADHD: a meta-analytic review. *Human Genetics*, 126, 51-90.
- Goldberg, S., Levitan, R., Leung, E., Masellis, M., Basile, V. S., Nemeroff, C. B., & Atkinson, L. (2003). Cortisol concentrations in 12- 18-month-old infants: Stability over time, location, and stressor. *Biological Psychiatry*, 54, 719-726.
- Goodman, S. H., & Gotlib, I. H. (1999). Risk for psychopathology in the children of depressed mothers: a developmental model for understanding mechanisms of transmission. *Psychological Review*, 106, 458-490.
- Gosso, M. F., de Geus, E. J., Polderman, T. J., Boomsma, D. I., Heutink, P., & Posthuma, D. (2008). Catechol O-methyl transferase and dopamine D2 receptor gene polymorphisms: evidence of positive heterosis and gene-gene interaction on working memory functioning. *European Journal of Human Genetics*, 16, 1075-1082.
- Greenberg, B. D., Tolliver, T. J., Huang, S. J., Li, Q., Bengel, D., & Murphy, D. L. (1999). Genetic variation in the serotonin transporter promoter region affects serotonin uptake in human blood platelets. *American Journal of Medical Genetics*, 88, 83-87.
- Gunnar, M. R. (1994). Psychoendocrine studies of temperament and stress in early childhood: Expanding current models. In J. Bates & T. Wachs (Eds.), *Temperament: Individual differences at the interface of biology and behavior* (pp. 175-198). New York: APA Press.
- Gunnar, M. R., Brodersen, L., Nachmias, M., Buss, K., & Rigatuso, J. (1996). Stress reactivity and attachment security. *Developmental Psychobiology*, 29, 191-204.
- Gunnar, M. R., & Donzella, B. (2002). Social regulation of the cortisol levels in early human development. *Psychoneuroendocrinology*, 27, 199-220.
- Gunnar, M. R., Mangelsdorf, S., Larson, M., & Hertsgaard, L. (1989). Attachment, temperament, and adrenocortical activity in infancy: A study of psychoendocrine regulation. *Developmental Psychology*, 25, 355-363.
- Gunnar, M. R., & Vazquez, D. M. (2001). Low cortisol and a flattening of expected daytime rhythm: Potential indices of risk in human development. *Development and Psychopathology*, 13, 515-538.
- Gunnar, M. R., & Quevedo, K. (2007). The neurobiology of stress and development. *Annual Review of Psychology*, 58, 145-173.

H

- Halligan, S. L., Herbert, J., Goodyer, I. M., & Murray, L. (2004). Exposure to postnatal depression predicts cortisol in adolescent offspring. *Biological Psychiatry*, 55, 376-381.
- Heils, A., Teufel, A., Petri, S., Stober, G., Riederer, P., Bengel, D., et al. (1996). Allelic variation of human serotonin transporter gene expression. *Journal of Neurochemistry*, 66, 2621-2624.
- Hertsgaard, L., Gunnar, M., Erickson, M. F., & Nachmias, M. (1995). Adrenocortical responses to the Strange Situation in infants with disorganized/disoriented attachment relationships. *Child Development*, 66, 1100-1106.
- Hu, X. Z., Lipsky, R. H., Zhu, G., Akhtar, L. A., Taubman, J., Greenberg, B. D., et al. (2006). Serotonin transporter promoter gain-of-function genotypes are linked to obsessive-compulsive disorder. *American Journal of Human Genetics*, 78, 815-826.

I

- Insel, T. R. (2010). The challenge of translation in social neuroscience: a review of oxytocin, vasopressin, and affiliative behavior. *Neuron*, 65, 768-779.
- Ioannidis, J. P. (2007). Non-replication and inconsistency in the genome-wide association setting. *Human Heredity*, 64, 203-213.
- Ising, M., Depping, A. M., Siebertz, A., Lucae, S., Unschuld, P. G., Kloiber, S., et al. (2008). Polymorphisms in the FKBP5 gene region modulate recovery from psychosocial stress in healthy controls. *European Journal of Neuroscience*, 28, 389-398.

J

- Jaddoe, V. W. V., Bakker, R., Van Duijn, C. M., Van der Heijden, A. J., Lindemans, J., Mackenbach, J.P., et al. (2007). The Generation R Study Biobank: a resource for epidemiological studies in children and their parents. *European Journal of Epidemiology*, 22, 917-23.
- Jaddoe, V.W.V., Van Duijn, C. M., Van der Heijden, A.J., Mackenbach, J. P., Moll, H.A., Steegers, E. A., et al. (2008). The Generation R Study: design and cohort update until the age of 4 years. *European Journal of Epidemiology*, 23, 801-11.
- Juffer, F., Bakermans-Kranenburg, M. J., & Van IJzendoorn, M. H. (2008). *Promoting positive parenting: An attachment-based intervention*. Mahwah, NJ: Lawrence Erlbaum.

K

- Kaitz, M., Shalev, I., Sapir, N., Devor, N., Samet, Y., Mankuta, D., et al. (2010). Mothers' dopamine receptor polymorphism modulates the relation between infant fussiness and sensitive parenting. *Developmental Psychobiology*, 52, 149-157.

- Kendler, K. S. (2005). "A gene for...": the nature of gene action in psychiatric disorders. *American Journal of Psychiatry*, 162, 1243-1252.
- Kirschbaum, C., & Hellhammer, D. H. (1989). Salivary cortisol in psychobiological research: An overview. *Neuropsychobiology*, 22, 150-169.
- Kirschbaum, C., & Hellhammer, D. H. (1994). Salivary cortisol in psychoneuroendocrine research: Recent developments and applications. *Psychoneuroendocrinology*, 19, 313-333.
- Kochanska, G., Aksan, N., Knaack, A., & Rhines, H. M. (2004). Maternal parenting and children's conscience: early security as moderator. *Child Development*, 75, 1229-1242.
- Kumsta, R., Entringer, S., Koper, J. W., van Rossum, E. F., Hellhammer, D. H., Wüst, S. (2007). Sex specific associations between common glucocorticoid receptor gene variants and hypothalamus-pituitary-adrenal axis responses to psychosocial stress. *Biological Psychiatry*, 62, 863-869.
- Kunz-Ebrecht, S. R., Kirschbaum, C., Marmot, M., & Steptoe, A. (2004). Differences in cortisol awakening response on work days and weekends in women and men from the Whitehall II cohort. *Psychoneuroendocrinology*, 29, 516-528.

L

- Lakatos, K., Toth, I., Nemoda, Z., Ney, K., Sasvari-Szekely, M., & Gervai, J. (2000). Dopamine D4 receptor (DRD4) gene polymorphism is associated with attachment disorganization in infants. *Molecular Psychiatry*, 5, 633-637.
- Larson, M., White, B. P., Cochran, A., Donzella, B., & Gunnar, M. R. (1998). Dampening of the cortisol response to handling at 3-months in human infants and its relation to sleep, circadian cortisol activity, and behavioral distress. *Developmental Psychobiology*, 33, 327-337.
- Lesch, K. P., Bengel, D., Heils, A., Sabol, S. Z., Greenberg, B. D., Petri, S., et al. (1996). Association of anxiety-related traits with a polymorphism in the serotonin transporter gene regulatory region. *Science*, 274, 1527-1531.
- Levine, S., & Wiener, S. G. (1988). Psychoendocrine aspects of mother-infant relationships in nonhuman primates. *Psychoneuroendocrinology*, 13, 143-154.
- Little, J., Higgins, J. P., Ioannidis, J. P., Moher, D., Gagnon, F., von Elm, E., et al. (2009). Strengthening the reporting of genetic association studies (STREGA): an extension of the STROBE statement. *European Journal of Epidemiology*, 24, 37-55.
- Liu, D., Diorio, J., Tannenbaum, B., Caldji, C., Francis, D., Freedman, A., et al. (1997). Maternal care, hippocampal glucocorticoid receptors, and hypothalamic-pituitary-adrenal responses to stress. *Science*, 277, 1659-1662.
- Luijk, M.P.C.M., Saridjan, N.S., Tharner, A., Hofman, A., Jaddoe, V.W.V., Verhulst, F.C., et al. (2010). Attachment, depression, and cortisol: Deviant patterns in insecure-resistant and disorganized infants. *Developmental Psychobiology*, 52, 441-452.

- Lundy, B. L., Jones, N. A., Field, T., Nearing, G., Davalos, M., Pietro, P. A., et al. (1999). Prenatal depression effects on neonates. *Infant Behavior and Development*, 22, 119-129.
- Lupien, S. J., King, S., Meaney, M. J., & McEwen, B. S. (2000). Child's stress hormone levels correlate with mother's socioeconomic status and depressive state. *Biological Psychiatry*, 48, 976-980.

M

- Main, M. (1990). Cross-cultural studies of attachment organization: Recent studies, changing methodologies, and the concept of conditional strategies. *Human Development*, 33, 48-61.
- Main, M., & Solomon, J. (1990). Procedures for identifying infants as disorganized/disoriented during the Ainsworth strange situation. In M. T. Greenberg, D. Cicchetti, & E. M. Cummings (Eds.), *Attachment in the preschool years: Theory, research, and intervention* (pp. 121-160). Chicago: University of Chicago Press.
- Mantagos, S., Moustogiannis, A., & Vagenakis, A. G. (1998). Diurnal variation of plasma cortisol levels in infancy. *Journal of Pediatric Endocrinology & Metabolism*, 11, 549-553.
- McGowan, P. O., Sasaki, A., D'Alessio, A., Dymov, S., Labonté, B., Szyf, M., et al. (2009). *Nature Neuroscience*, 12, 342-348.
- Meaney, M. J. (2001). Maternal care, gene expression, and the transmission of individual differences in stress reactivity across generations. *Annual Review of Neuroscience*, 24, 1161-92.
- Merikangas, A. K., Corvin, A. P., & Gallagher, L. (2009). Copy-number variants in neurodevelopmental disorders: promises and challenges. *Trends in Genetics*, 25, 536-544.
- Munafo, M.R., Durrant, C., Lewis, G., Flint, J. (2009). Gene X environment interactions at the serotonin transporter locus. *Bioogical Psychiatry*, 65, 211-219.

N

- Nachmias, M., Gunnar, M., Mangelsdorf, S., Parritz, R., & Buss, K. (1996). Behavioral inhibition and stress reactivity: Moderating role of attachment security. *Child Development*, 67, 508-522.
- NICHD (2005). Nonmaternal Care and Family Factors in Early Development: An Overview of the NICHD Study of Early Child Care. In: *Child care and child development: Results from the NICHD study of early child care and youth development*. (pp. 3-36). New York, NY US: Guilford Press.

O

- O'Connor, T. G. & Croft, C. M. (2001). A twin study of attachment in preschool children. *Child Development*, 72, 1501-1511.

References

- Oosterman, M., & Schuengel, C. (2007). Physiological effects of separation and reunion in relation to attachment and temperament in young children. *Developmental Psychobiology, 49*, 119-128.
- Ouellet-Morin, I., Boivin, M., Dionne, G., Lupien, S. J., Arsenault, L., Barr, R. G., et al. (2008). Variations in heritability of cortisol reactivity to stress as a function of early familial adversity among 19-month-old twins. *Archives of General Psychiatry, 65*, 211-218.
- Out, D., Bakermans-Kranenburg, M.J., & Van IJzendoorn, M. H. (2009). The role of disconnected and extremely insensitive parenting in the development of disorganized attachment: validation of a new measure. *Attachment & Human Development, 11*, 419-443.

P

- Pezawas, L., Meyer-Lindenberg, A., Goldman, A. L., Verchinski, B. A., Chen, G., Kolachana, B. S., et al. (2008). Evidence of biologic epistasis between BDNF and SLC6A4 and implications for depression. *Molecular Psychiatry, 13*, 709-716.
- Philibert, R., Madan, A., Andersen, A., Cadoret, R., Packer, H., & Sandhu, H. (2007). Serotonin transporter mRNA levels are associated with the methylation of an upstream CpG island. *American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 144B*, 101-105.
- Plomin, R., & Davis, O. S. (2009). The future of genetics in psychology and psychiatry: microarrays, genome-wide association, and non-coding RNA. *Journal of Child Psychology and Psychiatry, 50*, 63-71.
- Plotsky, P. M., & Meaney, M. J. (1993). Early, postnatal experience alters hypothalamic corticotropin-releasing factor (CRF) mRNA, median eminence CRF content and stress-induced release in adult rats. *Molecular Brain Research, 18*, 195-200.
- Price, D. A., Close, G. C., & Fielding, B. A. (1983). Age of appearance of circadian rhythm in salivary cortisol values in infancy. *Archives of Disease in Childhood, 58*, 454-456.
- Pruessner, J. C., Kirschbaum, C., Meinlschmid, G., & Hellhammer, D. H. (2003). Two formulas for computation of the area under the curve represent measures of total hormone concentration versus time-dependent change. *Psychoneuroendocrinology, 28*, 916-931.

R

- Rautanen, A., Eriksson, J. G., Kere, J., Andersson, S., Osmond, C., Tienari, P., et al. (2006). Associations of body size at birth with late-life cortisol concentrations and glucose tolerance are modified by haplotypes of the glucocorticoid receptor gene. *Journal of Clinical Endocrinology & Metabolism, 91*, 4544-4551.

- Richters, J.E., Waters, E., & Vaughn, B.E. (1988). Empirical classification of infant-mother relationships from interactive behavior and crying during reunion. *Child Development*, 59, 512-522.
- Righetti-Veltema, M., Bousquet, A., & Manzano, J. (2003). Impact of postpartum depressive symptoms on mother and her 18-month-old infant. *European Child and Adolescent Psychiatry*, 12, 75-83.
- Risch, N., Herrell, R., Lehner, T., Liang, K.Y., Eaves, L., Hoh, J., et al. (2009). Interaction between the serotonin transporter gene (5-HTTLPR), stressful life events, and risk of depression. A meta-analysis. *Journal of the American Medical Association*, 301, 2462-2471.
- Robbins, T. W., & Everitt, B.J. (1999). Motivation and reward. In M. J. Zigmond, F. E. Bloom, S. C. Landys, J. L. Roberts & L. R. Squire (Eds.), *Fundamental neuroscience* (pp. 1246-1260). San Diego: Academic Press.
- Roisman, G. I. & Fraley, R. C. (2008). A behavior-genetic study of parenting quality, infant attachment security, and their covariation in a nationally representative sample. *Developmental Psychology*, 44, 831-839.
- Rosmond, R., Chagnon, Y. C., Chagnon, M., Perusse, L., Bouchard, C., Björntorp, P. (2000). A polymorphism of the 5'-flanking region of the glucocorticoid receptor gene locus is associated with basal cortisol secretion in men. *Metabolism*, 49, 1197-1199.
- Rutter, M. (2006). *Genes and behavior. Nature-nurture interplay explained*. Oxford: Blackwell.
- Rutter, M., Moffitt, T. E., & Caspi, A. (2006). Gene-environment interplay and psychopathology: multiple varieties but real effects. *Journal of Child Psychology and Psychiatry*, 47, 226-261.

S

- Sander, T., Harms, H., Dufeu, P., Kuhn, S., Rommelspacher, H., & Schmidt, L. G. (1997). Dopamine D4 receptor exon III alleles and variation of novelty seeking in alcoholics. *American Journal of Medical Genetics*, 74, 483-487.
- Sapolsky, R. M. (2004). *Why zebras don't get ulcers: An updated guide to stress, stressrelated diseases, and coping*. New York, NY: W.H. Freeman and Company.
- Sroufe, L. A. (1997). Psychopathology as outcome of development. *Development and Psychopathology*, 9, 251-268.
- Sroufe, L. A., Egeland, B., Carlson, E. A., & Collins, W. A. (2005). *The development of the person: The Minnesota study of risk and adaptation*. New York: The Guilford Press.
- Sroufe, L. A., & Waters, E. (1977). Heart rate as a convergent measure in clinical and developmental research. *Merrill Palmer Quarterly*, 23, 3-27.
- Spangler, G. (1991). The emergence of adrenocortical circadian function in newborns and infants and its relationship to sleep, feeding, and maternal adrenocortical activity. *Early Human Development*, 25, 197-208.

References

- Spangler, G., & Grossman, K. E. (1993). Biobehavioral organization in securely and insecurely attached infants. *Child Development*, 64, 1439-1450.
- Spangler, G., Johann, M., Ronai, Z., & Zimmermann, P. (2009). Genetic and environmental influence on attachment disorganization. *Journal of Child Psychology and Psychiatry and Allied Disciplines*, 50, 952-961.
- Spangler, G., & Schieche, M. (1998). Emotional and adrenocortical responses of infants to the Strange Situation: The differential function of emotional expression. *International Journal of Behavioral Development*, 22, 681-706.
- Stephens, M., Smith, N. J., Donnelly, P. (2001). A new statistical method for haplotype reconstruction from population data. *American Journal of Human Genetics*, 68, 978-989.
- Steptoe, A., van Jaarsveld, C. H., Semmler, C., Plomin, R., Wardle, J. (2009). Heritability of daytime cortisol levels and cortisol reactivity in children. *Psychoneuroendocrinology*, 34, 273-280.
- Suomi, S. J. (2008). Attachment in Rhesus monkeys. In J. Cassidy & P. R. Shaver (Eds.), *Handbook of attachment: Theory, research, and clinical applications* (pp. 173-191). New York: The Guilford Press.

T

- Teti, D. M., Gelfand, D.M., Messinger, D. S., & Isabella, R. (1995). Maternal depression and the quality of early attachment: An examination of infants, preschoolers, and their mothers. *Developmental Psychology*, 31, 364-376.
- Tunbridge, E. M., Harrison, P. J., & Weinberger, D. R. (2006). Catechol-o-methyltransferase, cognition, and psychosis: Val158Met and beyond. *Biological Psychiatry*, 60, 141-151.

U

- Uher, R., McGuffin, P. (2008). The moderation by the serotonin transporter gene of environmental adversity in the aetiology of mental illness: review and methodological analysis. *Molecular Psychiatry*, 13, 131-46.
- Uher, R., McGuffin, P. (2010). The moderation by the serotonin transporter gene of environmental adversity in the etiology of depression: 2009 update. *Molecular Psychiatry*, 15, 18-22.

V

- Van Bakel, H. J. A. & Riksen-Walraven, J. M. (2004). Stress reactivity in 15-month-old infants: Links with infant temperament, cognitive competence, and attachment security. *Developmental Psychobiology*, 44, 157-167.
- Van den Akker, E. L., Koper, J. W., van Rossum, E. F., Dekker, M. J., Russcher, H., de Jong, F. H., et al. (2008). Glucocorticoid receptor gene and risk of cardiovascular disease. *Archives of Internal Medicine*, 168, 33-39.

- Van den Akker, E. L., Russcher, H., van Rossum, E. F., Brinkmann, A. O., de Jong, F. H., Hokken, A., et al. (2006). Glucocorticoid receptor polymorphism affects transrepression but not transactivation. *Journal of Clinical Endocrinology & Metabolism*, 91, 2800-2803.
- Van IJzendoorn, M. H., & Bakermans-Kranenburg, M. J. (2006). DRD4 7-repeat polymorphism moderates the association between maternal unresolved loss or trauma and infant disorganization. *Attachment & Human Development*, 8, 291-307.
- Van IJzendoorn, M. H., Caspers, K., Bakermans-Kranenburg, M. J., Beach, S. R., & Philibert, R. (2010). Methylation matters: Interaction between methylation density and 5HTT genotype predicts unresolved loss or trauma. *Biological Psychiatry*.
- Van IJzendoorn, M.H., & Kroonenberg, P.M. (1990). Cross-cultural consistency of coding the Strange Situation. *Infant behavior and development*, 13, 469-485.
- Van IJzendoorn, M. H., Schuengel, C., & Bakermans-Kranenburg, M. J. (1999). Disorganized attachment in early childhood: Meta-analysis of precursors, concomitants and sequelae. *Development and Psychopathology*, 11, 225-250.
- Vaughn, B. E., Bost, K. K., & Van IJzendoorn, M. H. (2008). Attachment and temperament: Additive and interactive influence on behavior, affect, and cognition during infancy and childhood. In J. Cassidy & P. R. Shaver (Eds.), *Handbook of attachment: Theory, research, and clinical applications* (pp. 192-217). New York: The Guilford Press.

W

- Warren, S.L., Huston, L., Egeland, B., Sroufe, L.A. (1997). Child and adolescent anxiety disorders and early attachment. *Journal of the American Academy of Child Psychiatry*, 36, 637-644.
- Watamura, S. E., Donzella, B., Kertes, D. A., & Gunnar, M. R. (2004). Developmental changes in baseline cortisol activity in early childhood: Relations with napping and effortful control. *Developmental Psychobiology*, 45, 125-133.
- Waters, E. (1995). The Attachment Q-set. In E. Waters, B. E. Vaughn, G. Posada, & K. Kondo-Ikemura (Eds.), Caregiving, cultural, and cognitive perspectives on secure-base behavior and working models. *Monographs of the Society for Research in Child Development*, 60 (2-3), 247-254.
- Weinfield, N. S., Sroufe, L. A., Egeland, B., & Carlson, E. A. (2008). Individual differences in infant-caregiver attachment: Conceptual and empirical aspects of security. In J. Cassidy & P. R. Shaver (Eds.), *Handbook of attachment: Theory, research, and clinical applications* (pp. 78-102). New York: The Guilford Press.
- Wahlstrom, D., White, T., & Luciana, M. (2010). Neurobehavioral evidence for changes in dopamine system activity during adolescence. *Neuroscience & Biobehavioral Reviews*, 34, 631-648.

References

- WHO (1990). *Composite International Diagnostic Interview (CIDI)*: a) CIDI-interview (version 1.0), b) CIDI-user manual, c) CIDI-training manual d) CIDI-computer programs. Geneva: World Health Organization.
- Wilder, J. F. (1968). *Stimulus and Response: The Law of Initial Values*. Baltimore: Williams & Wilkins.
- Wittchen, H. U. (1994). Reliability and validity studies of the WHO--Composite International Diagnostic Interview (CIDI): a critical review. *Journal of Psychiatric Research*, 28, 57-84.
- Wüst, S., Federenko, I. S., van Rossum, E. F., Koper, J. W., Kumsta, R., Entringer, S., et al. (2004a). A psychobiological perspective on genetic determinants of hypothalamus-pituitary-adrenal axis activity. *Annals of the New York Academy of Sciences*, 1032, 52-62.
- Wüst, S., Van Rossum, E. F., Federenko, I. S., Koper, J. W., Kumsta, R., & Hellhammer, D. H. (2004b). Common polymorphisms in the glucocorticoid receptor gene are associated with adrenocortical responses to psychosocial stress. *Journal of Clinical Endocrinology & Metabolism*, 89, 565-573.

Y

- Young, E. A., Vazquez, D., Jiang, H., & Pfeffer, C. R. (2006). Salivary cortisol and response to dexamethasone in children of depressed parents. *Biological Psychiatry*, 60, 831-836.

Z

- Zhang, T. Y. & Meaney, M. J. (2010). Epigenetics and the environmental regulation of the genome and its function. *Annual Review of Psychology*, 61, 439-466.