

**Single molecules in soft matter : a study of biomolecular conformation, heterogeneity and plasmon enhanced fluorescence** Yuan, H.

## Citation

Yuan, H. (2013, November 19). Single molecules in soft matter : a study of biomolecular conformation, heterogeneity and plasmon enhanced fluorescence. Casimir PhD Series. Retrieved from https://hdl.handle.net/1887/22072

Version:Not Applicable (or Unknown)License:Leiden University Non-exclusive licenseDownloaded from:https://hdl.handle.net/1887/22072

Note: To cite this publication please use the final published version (if applicable).

Cover Page



## Universiteit Leiden



The handle <u>http://hdl.handle.net/1887/22072</u> holds various files of this Leiden University dissertation.

Author: Yuan, Haifeng Title: Single molecules in soft matter : a study of biomolecular conformation, heterogeneity and plasmon enhanced fluorescence Issue Date: 2013-10-29

## Stellingen

behorende bij het proefschrift

## Single Molecules in Soft Matter: A Study of Biomolecular Conformation, Heterogeneity and Plasmon Enhanced Fluorescence

- 1. Temperature-cycle microscopy on single molecules provides new insight into fast conformational dynamics. Chapter 2 and chapter 3 of this thesis
- 2. Dye-dye interaction at short interdye distances influences the interpretation of observed FRET signals. *Chapter 3 of this thesis*
- 3. Heterogeneity in supercooled liquids must be studied with careful control of the sample's thermal history. *Chapter 4 of this thesis*
- 4. Individual gold nanorods can be used for probing dynamical heterogeneity in supercooled liquids. *Chapter 5 of this thesis*
- 5. In the presence of chemically synthesized gold nanorods, it is possible to carry out fluorescence correlation spectroscopy with singlemolecule sensitivity in solutions of micromolar dye concentrations. *Chapter 6 of this thesis*
- 6. A complete theory of the glass transition and supercooled liquids should include the competition of the supercooled liquid state with the crystalline state. Shankar P. Das, Review of Modern Physics **76** (2004) 785.
- Vitrification of biological systems without cryoprotectants could enable studies of morphology without freezing artifacts, and of the mechanism of freezing damage. Erwin Mayer and Peter Bruggeller, Nature 298 (1982) 715.

- 8. Single-molecule observables, such as rotation, diffusion and fluorescence lifetime, can report on both spatial and temporal heterogeneity. However, it remains a challenge to determine the length and time scales precisely using single-molecule probes. Laura J. Kaufman, Annu. Rev. Phys. Chem. **64** (2013) 177.
- 9. Genetic engineering should be limited to research purposes. Industrial applications driven by commercial interests should be postponed until all possible consequences have been examined.
- 10. Although Internet, as a technological advance, changed our life in many ways, people need to remember how to live without it.
- 11. The climate change period of the Earth is on a time scale of a hundred thousand years. Therefore, the temperature records in the past century is only a small portion of fluctuations and can hardly prove the statement of global warming.

Haifeng Yuan Leiden, 29 October 2013