



Universiteit
Leiden
The Netherlands

Controlling human Oesophagostomiasis in Northern Ghana

Ziem, J.B.

Citation

Ziem, J. B. (2006, June 4). *Controlling human Oesophagostomiasis in Northern Ghana*. Retrieved from <https://hdl.handle.net/1887/4917>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/4917>

Note: To cite this publication please use the final published version (if applicable).

CONTROLLING
HUMAN OESOPHAGOSTOMIASIS
IN NORTHERN GHANA

Printed by Labor Vincit, Leiden

Cover design Joost Polderman

ISBN:

**CONTROLLING HUMAN OESOPHAGOSTOMIASIS
IN NORTHERN GHANA**

PROEFSCHRIFT

ter verkrijging van de graad van
Doctor aan de Universiteit Leiden,
op gezag van de Rector Magnificus Dr. D.D. Breimer,
hoogleraar in de faculteit der Wiskunde en
Naturwetenschappen en die der Geneeskunde,
volgens besluit van het College voor Promoties
te verdedigen op woensdag 4 oktober 2006
klokke 16.15 uur

door

Juventus Benogle Ziem

geboren te Nandom, Ghana in 1975

PROMOTIECOMMISSIE

PROMOTOR: Prof. Dr. A.M. Deelder

CO-PROMOTORES: Dr. A.M. Polderman

Dr. P. Magnussen (DBL-Institute for Health Research
and Development, Denemarken)

REFERENT: Dr. D. Engels (WHO, Geneva)

OVERIGE LEDEN: Prof. Dr. P.A. Kager (Universiteit van Amsterdam)

Prof. Dr. J.T. van Dissel

Prof. Dr. R.G.J. Westendorp

Prof. Dr. J.H.M. Zwetsloot-Schonk

Financial support

The DBL-Institute for Health Research and Development, Glaxo-Smith-Kline, the Department of Parasitology of the Leiden University Medical Center (LUMC) as well as the Gratama-Foundation in The Netherlands provided financial support.

CONTENTS

| | | |
|-----------|---|-----|
| Chapter 1 | General Introduction | 1 |
| Chapter 2 | Distribution and clustering of <i>Oesophagostomum bifurcum</i> and hookworm infections in Northern Ghana | 23 |
| Chapter 3 | <i>Oesophagostomum bifurcum</i> -induced nodular pathology in a highly endemic area of Northern Ghana | 41 |
| Chapter 4 | Summary of ultrasonic findings of <i>Oesophagostomum bifurcum</i> -induced nodular lesions in northern Ghana | 53 |
| Chapter 5 | The short-term impact of albendazole treatment on <i>Oesophagostomum bifurcum</i> and hookworm infections in northern Ghana | 67 |
| Chapter 6 | Impact of repeated mass treatment on human <i>Oesophagostomum</i> and hookworm infections in Northern Ghana | 77 |
| Chapter 7 | Mass treatment with albendazole reduces the prevalence and severity of <i>Oesophagostomum</i> induced nodular pathology in northern Ghana | 91 |
| Chapter 8 | Annual mass treatment with albendazole might eliminate human oesophagostomiasis from the endemic focus in northern Ghana | 103 |
| Chapter 9 | General Discussion | 111 |

| | |
|------------------|-----|
| References | 121 |
| Summary | 133 |
| Résumé | 139 |
| Samenvatting | 147 |
| Acknowledgements | 153 |
| Curriculum vitae | 157 |

