



Universiteit
Leiden
The Netherlands

Pyrrolizidine alkaloid composition in the plant and its interaction with the soil microbial community

Joosten, L.

Citation

Joosten, L. (2012, September 20). *Pyrrolizidine alkaloid composition in the plant and its interaction with the soil microbial community*. Retrieved from <https://hdl.handle.net/1887/19839>

Version: Not Applicable (or Unknown)

License: [Leiden University Non-exclusive license](#)

Downloaded from: <https://hdl.handle.net/1887/19839>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/19839> holds various files of this Leiden University dissertation.

Author: Joosten, Lotte

Title: Pyrrolizidine alkaloid composition of the plant and its interaction with the soil microbial community

Issue Date: 2012-09-20

References

- Adams C, Bernays EA (1978) The effect of combinations of deterrents on the feeding behavior of *Locusta migratoria* (L.). Entomol. Exp. Appl. 23:101-109
- Agrawal AA, Conner JK, Johnson MTJ, Wallsgrove R (2002) Ecological genetics of an induced plant defence against herbivores: additive genetic variance and costs of phenotypic plasticity. Evolution 56:2206-2213
- Berenbaum M, Nitao OJK, Zangerl AR (1991) Adaptive significance of furanocoumarin diversity in *Pastinaca sativa* (Apiaceae). J. Chem. Ecol. 17:207-215
- Badri DV, Vivanco JM (2009) Regulation and function of root exudates. Plant Cell Environ. 32:666-681
- Bais HP, Weir TL, Perry LG, Gilroy S, Vivanco JM (2006) The role of root exudates in rhizosphere interactions with plants and other organisms. Annu. Rev. Plant Biol. 57:233-266
- Bezemer TM, de Deyn GB, Bossinga TM, van Dam NM, Harvey JA, van der Putten WH (2005) Soil community composition drives aboveground plant-herbivore-parasitoid interactions. Ecol. Lett. 8:652-661
- Bezemer TM, van Dam NM (2005) Linking aboveground and belowground interactions via induced plant defenses. Trends Ecol Evol 20:617-624
- Bezemer TM, Harvey JA, Kowalchuk GA, Korpershoek H, van der Putten WH (2006) Interplay between *Senecio jacobaea* and plant, soil, and aboveground insect community composition. Ecology 87:2002-2013
- Cheng D, Kirk H, Mulder PPJ, Vrieling K, Klinkhamer PGL (2011) Pyrrolizidine alkaloid variation in shoots and roots of segregating hybrids between *Jacobaea vulgaris* and *Jacobaea aquatica*. New Phytol. 192:1010-1023
- de Ridder-Duine AS, Kowalchuk GA, Klein Gunnewiek PJA, Smant W, van Veen JA, de Boer W (2005) Rhizosphere bacterial community composition in natural stands of *Carex arenaria* (sand sedge) is determined by bulk soil community composition. Soil Biol. Biochem. 37:349-357
- Dreyer DL, Jones KC, Molyneux RJ (1985) Feeding deterrence of some pyrrolizidine, indolizidine, and quinolizidine alkaloids towards pea aphid (*Acyrtosiphon pisum*) and evidence for phloem transport of indolizidine alkaloid swainsonine. J. Chem. Ecol. 11:1045-1051
- Dicke M, Hilker M (2003) Induced plant defenses: from molecular biology to evolutionary ecology. Basic Appl. Ecol. 4:3-14
- Dobler S (2001) Evolutionary aspects of defense by recycled plant compounds. Basic Appl. Ecol. 2:15-26
- Ehmke A, von Borstel K, Hartmann T (1988) Alkaloid *N*-oxides as transport and vacuolar storage compounds of pyrrolizidine alkaloids in *Senecio vulgaris* L. Planta 176:83-90
- Falk LR, Doran PM (1996) Influence of inoculum morphology on growth of *Atropa belladonna* hairy roots and production of tropane alkaloids. Biotech. Lett. 18:1099-1104
- Gange AC, Stagg PG, Ward LK (2002) Arbuscular mycorrhiza fungi affect phytophagous insect specialization. Ecol. Lett. 5:11-15
- Hartmann T, Zimmer M (1986) Organ-specific distribution and accumulation of pyrrolizidine alkaloids during the life history of two annual *Senecio* species. J. Plant Physiol. 122:67-80
- Hartmann T, Toppel G (1987) Senecionine *N*-oxide, the primary product of pyrrolizidine alkaloid biosynthesis in root cultures of *Senecio vulgaris*. Phytochemistry 26:1639-1643
- Hartmann T, Sander H, Adolph R, Toppel G (1988) Metabolic links between the biosynthesis of pyrrolizidine alkaloids and polyamines in root cultures of *Senecio vulgaris*. Planta 175:82-90
- Hartmann T, Ehmke A, Eilert U, von Borstel K, Theuring, C (1989) Sites of synthesis, translocation and accumulation of pyrrolizidine alkaloid *N*-oxides in *Senecio vulgaris* L. Planta 177:98-107
- Hartmann T, Witte L (1995) Chemistry, Biology and Chemoecology of the Pyrrolizidine Alkaloids. In: Pelletier SW (Ed), Alkaloids: Chemical and Biological Perspectives 9, Pergamon Press, Oxford, pp 155-233
- Hartmann T, Dierich B (1998) Chemical diversity and variation of pyrrolizidine alkaloids of the senecionine type: biological need or coincidence? Planta 206:443-451
- Hartmann T (1999) Chemical ecology of pyrrolizidine alkaloids. Planta 207:483-495
- Hartmann T, Ober D (2000) Biosynthesis and Metabolism of Pyrrolizidine Alkaloids in Plants and Specialized Insect Herbivores. In: Leeper FJ, Vederas JC (Eds) Topics in current Chemistry: Biosynthesis: Aromatic Polyketides, Isoprenoids, Alkaloids, Vol. 209. D-Berlin: Springer, pp 207-243
- Hiltner L (1904) Über neue Erfahrungen und Probleme auf dem Gebiet der Bodenbakteriologie und unter besonderes Berücksichtigung der Grundungen und Brauche. Arb. Dtsch. Landwirt Ges. Berl. 98:59-78
- Hol WHG, van Veen JA (2002) Pyrrolizidine alkaloids from *Senecio jacobaea* affect fungal growth. J. Chem. Ecol. 28:1763-1772
- Hol WHG, Vrieling K, van Veen JA (2003) Nutrients decrease pyrrolizidine alkaloid concentrations in *Senecio jacobaea*. New Phytol. 158:175-181
- Hol WHG (2003) Role of pyrrolizidine alkaloids in the defense against fungi. PhD thesis, Leiden University, Leiden, the Netherlands
- Hol WHG, Macel M, van Veen JA, van der Meijden E (2004) Root damage and aboveground herbivory change concentration and composition of pyrrolizidine alkaloids of *Senecio jacobaea*. Basic Appl. Ecol. 5:253-260
- Joosten L, van Veen JA (2010) Defensive properties of pyrrolizidine alkaloids against microorganisms. Phytochem. Rev. 10:127-136
- Kirk H, Vrieling K, van der Meijden E, Klinkhamer PGL (2010) Species by environment interactions affect pyrrolizidine alkaloid expression in *Senecio jacobaea*, *Senecio aquaticus*, and their hybrids. J. Chem. Ecol. 36:378-387
- Klironomos JN (2002) Feedback with soil biota contributes to plant rarity and invasiveness in communities. Nature 417:67-70
- Kowalchuk GA, Buma DS, de Boer W, Klinkhamer PGL, van Veen JA (2002) Effects of above-ground plant species composition and diversity on the diversity of soil-borne microorganisms. Antonie Van Leeuwenhoek 81:509-520
- Kowalchuk GA, Hol WHG, van Veen JA (2006) Rhizosphere fungal communities are influenced by *Senecio jacobaea* pyrrolizidine alkaloid content and composition. Soil Biol. Biochem. 38:2852-2859
- Leiss KA, Yuong CH, Abdel-Farid IFB, Verpoorte R and Klinkhamer PGL (2009) NMR metabolomics of thrips (*Frankliniella occidentalis*) resistance in *Senecio* hybrids. J. Chem. Ecol. 35:219-229
- Lindigkeit R, Biller A, Buch M, Schiebel HM, Boppré M, Hartmann T (1997) The two faces of pyrrolizidine alkaloids: The role of the tertiary amine and its *N*-oxide in chemical defense of insects with acquired plant alkaloids. Eur. J. Biochem. 245:626-636
- Lindroth RL, Scriber JM, Hsia SMT (1988) Chemical ecology of the tiger swallowtail: mediation of host use by phenolic glycosides. Ecology 69:814-822
- Macel M, Klinkhamer PGL, Vrieling K, Van der Meijden E (2002) Diversity of pyrrolizidine alkaloids in *Senecio* species does not affect the specialist herbivore *Tyria jacobaeae*. Oecologia 133:514-550
- Macel M, Vrieling K (2003) Pyrrolizidine alkaloids as oviposition stimulants for the cinnabar moth, *Tyria jacobaeae*. J. Chem. Ecol. 29:1435-1446
- Macel M, Vrieling K, Klinkhamer PGL (2004) Variation in pyrrolizidine alkaloid patterns of *Senecio jacobaea*. Phytochemistry 65:865-873
- Macel M, Bruinsma M, Dijkstra SM, Ooijendijk T, Niemeyer HM, Klinkhamer PGL (2005) Differences in effects of pyrrolizidine alkaloids on five generalist insect herbivore species. J. Chem. Ecol. 31:1493-1508
- Macel M, Klinkhamer PGL (2010) Chemotype of *Senecio jacobaea* affects damage by pathogens and insect herbivores in the field. Evol. Ecol. 24:237-250
- Macel M (2011) Attract and deter: a dual role for pyrrolizidine alkaloids in plant-insect interactions. Phytochem. Rev. 10:75-82
- Marschner P, Yang CH, Lieberei R, Crowley DE (2001) Soil and plant specific effects on bacterial community structure in the rhizosphere. Soil Biol. Biochem. 33:1437-1445
- Marschner P, Neumann G, Kania A, Weiskopf L, Lieberei R (2002) Spatial and temporal dynamics of the microbial community structure in the rhizosphere of cluster roots of white lupin (*Lupinus albus* L.). Plant Soil 246:167-174
- Mattocks AR (1986) Chemistry and Toxicology of Pyrrolizidine Alkaloids. Academic Press, London UK
- Miller JS, PP Feeny (1983) Effects of benzyloquin-oline alkaloids on the larvae of polyphagous Lepidoptera. Oecologia (Berlin) 58:332-339
- Naberhaus I, Theuring C, Hartmann T, Dobler S (2003) Uptake and metabolism of pyrrolizidine alkaloids in Longitarsus flea beetles (Coleoptera: Chrysomelidae) adapted and nonadapted to alkaloid containing host plants. J Comp Physiol B 173:483-491
- Nishida R (2002) Sequestration of defensive substances from plants by Lepidoptera. Annu. Rev. Entomol. 47:57-92

- Ober D (2003) Chemical ecology of alkaloids exemplified with the pyrrolizidines. In: Romeo JT (Ed) Integrative Phytochemistry: From Ethnobotany to Molecular Ecology, Vol 37. Pergamon, Amsterdam, pp 203-230
- Paul ND, Hatcher PE, Taylor JE (2000) Coping with multiple enemies: an integration of molecular and ecological perspectives. *Trends Plant Sci.* 5:220-225
- Thoden TC, Boppré M, Hallmann J (2009) Effects of pyrrolizidine alkaloids on the performance of plant-parasitic and free-living nematodes. *Pest Manag. Sci.* 65:823-830
- Toppel G, Witte L, Riebesehl B, von Borstel K, Hartmann T (1987) Alkaloid patterns and biosynthetic capacity of root cultures from some pyrrolizidine alkaloid producing *Senecio* species. *Plant Cell. Rep.* 6:466-469
- van Dam NM, Vuister LWM, Bergshoeff C, de Vos H, van der Meijden ED (1995) The 'raison d'être' of pyrrolizidine alkaloids in *Cynoglossum officinale*. Deterrent effects against generalist herbivores. *J. Chem. Ecol.* 21:507-523
- van Dam NM, Harvey JA, Wäckers FL, Bezemer TM, van der Putten WH (2003) Interactions between aboveground and belowground induced responses against phytophages. *Basic Appl. Ecol.* 4:63-77
- van der Meijden E, Wijn H, Verkaar J (1988) Defence and regrowth, alternative plant strategies in the struggle against herbivores. *Oikos* 51:355-363
- van der Putten WH, Van Dijk C, Peters BAM (1993) Plant specific soil-borne diseases contribute to succession in foredune vegetation. *Nature* 362:53-56
- van der Putten WH, Vet LEM, Harvey JA, Wäckers FL (2001) Linking above- and belowground multitrophic interactions of plants, herbivores, pathogens, and their antagonists. *Trends Ecol. Evol.* 16:547-554
- van Loon JJA, Bakker PAHM, Pieterse CMJ (1998) Systemic resistance induced by rhizosphere bacteria. *Annu. Rev. Phytopathol.* 36:453-483
- Verkaar HJ (1987) Population dynamics-the influence of herbivory. *New Phytol.* 106:49-60
- von Borstel K, Hartmann T (1986) Selective uptake of pyrrolizidine *N*-oxides by cell suspension cultures from pyrrolizidine alkaloid producing plants. *Plant Cell Rep.* 5:39-42
- Vrieling K, de Vos H, van Wijk, CAM (1993) Genetic analysis of the concentrations of pyrrolizidine alkaloids in *Senecio Jacobaea*. *Phytochemistry* 32:1141-1144
- Witte L, Ernst L, Adam H, Hartmann T (1992) Chemotypes of 2 pyrrolizidine alkaloid-containing *Senecio* species. *Phytochemistry* 31:559-565

I want to thank all the people who helped me during my PhD. I want to thank my co-teachers Agaat Pijl en Saskia Gerards for the nice cooperation and organisation of the course Soil Ecology at the Leiden University during my PhD.

I am grateful to students Kelly Stolk, Anniek de Vreede, Cristina Burbea and Ada Pastor Oliveras for their contribution to my research. Klaas Vrieling, Kirsten Leiss, Leonie Doorduyn, Tom de Jong, Martina Stang and Mirka Macel for their critical eye, discussions, helpful comments on the design of experiments and/or earlier drafts of some of the chapters. I thank Dandan Cheng for the pleasant cooperation on analyzing and writing Chapter 3. Prof. Dr. Thomas Hartmann is thanked for his helpful comments and the hypothesis on slow unspecific reduction of PA *N*-oxides in Chapter 3. Also I want to thank all the reviewers for their comments and suggestions on any of my published articles.

Special thanks go to Cilke Hermans, Karin van der Veen-van Wijk, Natasha Schidlo, Agaat Pijl, Ciska Raaijmakers and Henk Nell for all the technical assistance. I want to thank Helene de Vos for her technical assistance on the GC and Hannes Gamper for his help during the performing the T-RFLP.

Most thanks goes to Patrick Mulder for all his help on PA-analysis and his knowledge, patience, critical eye and comments on the design of the experiment and earlier drafts of most chapters. Last but not least I want to thank Pia Sprong for the illustrative drawings and René Glas for the perfect layout work in this thesis.

Lotte Joosten was born on May 26, 1978 in Boxtel, a village in a beautiful area in the South of the Netherlands. Her study career began at the secondary school named Brabant HAVO in Boxtel in 1990 and she finished secondary school at the Willem I college in s-Hertogenbosch. In 1998 she received her Propedeuse diploma in Nutrition & Dietician (Voeding & Diëtetiek) in Nijmegen. In 1999 she chose for the study Biology at the Wageningen University. After receiving the Propedeuse and Bachelor degree she started her Master at the department of Biosystematics. In this group she studied Succession of arthropod fauna on carrion: an evaluation of arthropod sampling methods using Wild Boar carrion. In Spring of 2003 she stayed for a few months at the research group of Richard Stouthamer at the Riverside University in California USA, to perform field-work on parasitoid wasps in the Mojave Desert California focussing on their sex-ratio distorters. During the spare time of her Master she finished several projects at the department Entomology namely on the imperfect vertical transmission of parthenogenesis-inducing Wolbachia in natural populations of a parasitoid wasp, the learning behaviour of malaria mosquitos and the identification of Wolbachia in sheep. In March 2005 she received her Master degree on Animal Biology and Behaviour.

For a few months she worked as guest worker at the department of Entomology to study relation between Wolbachia and *Borrelia burgdorferi* in sheep ticks. During the six months before she started her PhD, she performed a literature study on pest organisms and pathogens during plant production in horticulture for Hortimea Group in Lent.

In February 2006 she started her Phd project at the section Plant Ecology of the Institute of Biology Leiden (IBL) and Microbial Ecology of the Netherlands Institute of Ecology Research (NIOO-KNAW).

At the beginning of 2010 she started a part-time job as technician at the department of Biosystematics at the Wageningen University. Here she serves the technical organisation and teaching, together with several colleges of the Biosystematic group, on the two most interesting and exciting courses in Life Science, namely Flora & Fauna in the Netherlands and the European Flora & Fauna in the Pyrenees. When insects hibernate, she participates as a team coach in the Master course Academic Consultancy Training for students who work on an cross-disciplinary assignment for an external client.

- Joosten L, Mulder PPJ, Klinkhamer PGL, van Veen JA (2009) Soil-borne microorganisms and soil-type affect pyrrolizidine alkaloids in *Jacobaea vulgaris*. *Plant Soil* 325:133-143
- Joosten L, van Veen JA (2010) Defensive properties of pyrrolizidine alkaloids against microorganisms. *Phytochem. Rev.* 10:127-136
- Joosten L, Mulder PPJ, Vrieling K, van Veen JA, Klinkhamer PGL (2010) The Analysis of Pyrrolizidine Alkaloids in *Jacobaea vulgaris*; a Comparison of Extraction and Detection Methods. *Phytochem. Anal.* 21:197-204
- Joosten L, Cheng D, Mulder PPJ, Vrieling K, van Veen JA, Klinkhamer PGL (2011) The genotype dependent presence of pyrrolizidine alkaloids as tertiary amine in *Jacobaea vulgaris*. *Phytochemistry* 72:214-222

