



Universiteit
Leiden
The Netherlands

Membrane heterogeneity : from lipid domains to curvature effects

Semrau, S.

Citation

Semrau, S. (2009, October 29). *Membrane heterogeneity : from lipid domains to curvature effects*. *Casimir PhD Series*. Retrieved from <https://hdl.handle.net/1887/14266>

Version: Not Applicable (or Unknown)

License: [Leiden University Non-exclusive license](#)

Downloaded from: <https://hdl.handle.net/1887/14266>

Note: To cite this publication please use the final published version (if applicable).

BIBLIOGRAPHY

- [1] S.J. Singer and G.L. Nicolson. The fluid mosaic model of the structure of cell membranes. *Science*, 175:720–731, 1972.
- [2] U. Seifert. Configurations of fluid membranes and vesicles. *Adv. Phys.*, 46(1):13–137, 1997.
- [3] S.L. Veatch and S.L. Keller. Seeing spots: Complex phase behavior in simple membranes. *Biochim. Biophys. Acta*, 1746(3):172 – 185, 2005. Lipid Rafts: From Model Membranes to Cells.
- [4] K. Jacobson, E.D. Sheets, and R. Simson. Revisiting the fluid mosaic model of membranes. *Science*, 268:1441–1442, 1995.
- [5] A. Stier and E. Sackmann. Spin labels as enzyme substrates. heterogenous lipid distribution in liver microsomal membranes. *Biochim. Biophys. Acta*, 311:400–408, 1973.
- [6] R.D. Klausner, A.M. Kleinfeld, R.L. Hoover, and M.J. Karnovsky. Lipid domains in membranes. Evidence derived from structural perturbations induced by free fatty acids and lifetime heterogeneity analysis. *J. Biol. Chem.*, 255(4):1286–1295, 1980.
- [7] M.J. Karnovsky, A. M. Kleinfeld, R.L. Hoover, and R.D. Klausner. The concept of lipid domains in membranes. *J. Cell. Biol.*, 94:1–6, 1982.
- [8] K. Simons and E. Ikonen. Functional rafts in cell membranes. *Nature*, 387:569–572, 1997.
- [9] K. Simons and D. Toomre. Lipid rafts and signal transduction. *Nat. Rev. Mol. Cell Biol.*, 1:31–41, 2000.

- [10] B. Chini and M. Parenti. G-protein coupled receptors in lipid rafts and caveolae: how, when and why do they go there? *J. Mol. Endocrinol.*, 32(2):325–338, 2004.
- [11] S. Semrau, P.H.M. Lommerse, M. W. Beukers, and T. Schmidt. Role of membrane heterogeneity and precoupling in adenosine A₁ receptor signaling unraveled by particle image correlation spectroscopy (pics). *in preparation*.
- [12] N.N. Batada, L.A. Shepp, and D.O. Siegmund. Stochastic model of protein - protein interaction: Why signaling proteins need to be colocalized. *Proc. Nat. Acad. Sci. U.S.A.*, 101(17):6445–6449, 2004.
- [13] E.C. Klaasse, A.P. IJzerman, W.J. de Grip, and M. Beukers. Internalization and desensitization of adenosine receptors. *Purinergic Signalling*, 4:21–37, 2008.
- [14] S. Manes, G. del Real, and C. Martínez-A. Pathogens: raft hijackers. *Nat. Rev. Immunol.*, 3:557–568, 2003.
- [15] M. Dykstra, A. Cherukuri, H.W. Sohn, S.-J. Tzeng, and S.K. Pierce. Location is everything: Lipid rafts and immune cell signaling*. *Annu. Rev. Immunol.*, 21(1):457–481, 2003. PMID: 12615889.
- [16] K. Bacia, C.G. Schütte, N. Kahya, R. Jahn, and P. Schwille. Snares prefer liquid-disordered over "raft" (liquid-ordered) domains when reconstituted into giant unilamellar vesicles. *J. Biol. Chem.*, 279:37951–37955, 2004.
- [17] N. Kahya. Targeting membrane proteins to liquid-ordered phases: molecular self-organization explored by fluorescence correlation spectroscopy. *Chem. Phys. Lipids*, 141:158–168, 2006.
- [18] S. Munro. Lipid rafts: Elusive or illusive. *Cell*, 115:377–388, 2003.
- [19] J.F. Hancock. Lipid rafts: contentious only from simplistic standpoints. *Nat. Rev. Mol. Cell Biol.*, 7:456–462, 2006.
- [20] S. Semrau, T. Idema, L. Holtzer, T. Schmidt, and C. Storm. Accurate determination of elastic parameters for multicomponent membranes. *Phys. Rev. Lett.*, 100:088101, 2008.

- [21] M.D. Collins and S.L. Keller. Tuning lipid mixtures to induce or suppress domain formation across leaflets of unsupported asymmetric bilayers. *Proc. Nat. Acad. Sci. U.S.A.*, 105(1):124–128, 2008.
- [22] A. R. Honerkamp-Smith, P. Cicuta, M. D. Collins, S. L. Veatch, M. den Nijs, M. Schick, and S.L. Keller. Line Tensions, Correlation Lengths, and Critical Exponents in Lipid Membranes Near Critical Points. *Biophys. J.*, 95(1):236–246, 2008.
- [23] S.L. Veatch, P. Cicuta, P. Sengupta, A. Honerkamp-Smith, D. Holowka, and B. Baird. Critical fluctuations in plasma membrane vesicles. *ACS Chem. Biol.*, 3(5):287–293, 2008.
- [24] S. Marx, J. Schilling, E. Sackmann, and R. Bruinsma. Helfrich repulsion and dynamical phase separation of multicomponent lipid bilayers. *Phys. Rev. Lett.*, 88:138102, 2002.
- [25] J.R. Silvius. Fluorescence Energy Transfer Reveals Microdomain Formation at Physiological Temperatures in Lipid Mixtures Modeling the Outer Leaflet of the Plasma Membrane. *Biophys. J.*, 85(2):1034–1045, 2003.
- [26] L.J. Pike. Rafts defined: a report on the Keystone symposium on lipid rafts and cell function. *J. Lipid Res.*, 47(7):1597–1598, 2006.
- [27] D.M. Engelman. Membranes are more mosaic than fluid. *Nature*, 438:578–580, 2005.
- [28] A.D. Douglass and R.D. Vale. Single-molecule microscopy reveals plasma membrane microdomains created by protein-protein networks that exclude or trap signaling molecules in t cells. *Cell*, 121:937–950, 2005.
- [29] A. Kusumi, Y. Sako, and M. Yamamoto. Confined lateral diffusion of membrane receptors as studied by single particle tracking. effects of calcium-induced differentiation in cultured epithelial-cells. *Biophys. J.*, 65:2021–2040, 1993.
- [30] T. Fujiwara, K. Ritchie, H. Murakoshi, K. Jacobson, and A. Kusumi. Phospholipids undergo hop diffusion in compartmentalized cell membrane. *J. Cell Biol.*, 157(6):1071–1082, 2002.

- [31] N. S. Gov and A. Gopinathany. Dynamics of membranes driven by actin polymerization. *Biophys. J.*, 90:454–469, 2006.
- [32] A. Veksler and N.S. Gov. Phase transitions of the coupled membrane-cytoskeleton modify cellular shape. *Biophys. J.*, 93:3798–3810, 2007.
- [33] T. Auth, S. A. Safran, and N.S. Gov. Filament networks attached to membranes: cytoskeletal pressure and local bilayer deformation. *New J. Phys.*, 9(11):430, 2007.
- [34] T. Auth and N.S. Gov. Diffusion in a fluid membrane with a flexible cortical cytoskeleton. *Biophys. J.*, 96:818–830, 2009.
- [35] K. Ritchie, X.-Y. Shan, J. Kondo, K. Iwasawa, T. Fujiwara, and A. Kusumi. Detection of non-brownian diffusion in the cell membrane in single molecule tracking. *Biophys. J.*, 88:2266–2277, 2005.
- [36] S. Wieser, M. Moertelmaier, E. Fürtbauer, H. Stockinger, and G.J. Schütz. (Un)Confined Diffusion of CD59 in the Plasma Membrane Determined by High-Resolution Single Molecule Microscopy. *Biophys. J.*, 92(10):3719–3728, 2007.
- [37] P. Sens and S.A. Safran. Inclusions induced phase separation in mixed lipid film. *Eur. Phys. J. E*, 1:237–248, 2000.
- [38] R.G. Anderson and K. Jacobson. A role for lipid shells in targeting proteins to caveolae, rafts, and other lipid domains. *Science*, 296:1821–1825, 2002.
- [39] A. T. Hammond, F. A. Heberle, T. Baumgart, D. Holowka, B. Baird, and G. W. Feigenson. Crosslinking a lipid raft component triggers liquid ordered-liquid disordered phase separation in model plasma membranes. *Proc. Nat. Acad. Sci. U.S.A.*, 102(18):6320–6325, 2005.
- [40] A.P. Liu and D.A. Fletcher. Actin Polymerization Serves as a Membrane Domain Switch in Model Lipid Bilayers. *Biophys. J.*, 91(11):4064–4070, 2006.
- [41] A.J. Garcia-Saez, S. Chiantia, J. Salgado, and P. Schwill. Pore Formation by a Bax-Derived Peptide: Effect on the Line Tension of the Membrane Probed by AFM. *Biophys. J.*, 93(1):103–112, 2007.

- [42] J. Zimmerberg and M.M. Kozlov. How proteins produce cellular membrane curvature. *Nat. Rev. Mol. Cell Biol.*, 7:9–19, 2006.
- [43] H.T. McMahon and J.T. Gallop. Membrane curvature and mechanisms of dynamic cell membrane remodelling. *Nature*, 438:590–596, 2005.
- [44] A. Roux, D. Cuvelier, P. Nassoy, J. Prost, P. Bassereau, and B. Goudi. Role of curvature and phase transition in lipid sorting and fission of membrane tubules. *EMBO J.*, 24:1537–1545, 2005.
- [45] M. Ehrlich, W. Boll, A. van Oijen, R. Hariharan, K. Chandran, M.L. Nibert, and T. Kirchhausen. Endocytosis by random initiation and stabilization of clathrin-coated pits. *Cell*, 118(5):591–605, 2004.
- [46] J. Bigay, P. Gounon, S. Robineau, and B. Antonny. Lipid packing sensed by arfgap1 couples cop1 coat disassembly to membrane bilayer curvature. *Nature*, 426:563–566, 2003.
- [47] J.-B. Manneville, J.-F. Casella, E. Ambroggio, P. Gounon, J. Bertherat, P. Bassereau, J. Cartaud, B. Antonny, and B. Goud. Copi coat assembly occurs on liquid-disordered domains and the associated membrane deformations are limited by membrane tension. *Proc. Nat. Acad. Sci. U.S.A.*, 105(44):16946–16951, 2008.
- [48] P. Sens, L. Johannes, and P. Bassereau. Biophysical approaches to protein-induced membrane deformations in trafficking. *Curr. Opin. Cell Biol.*, 20(4):476 – 482, 2008.
- [49] R. Reigada, J. Buceta, and K. Lindenberg. Nonequilibrium patterns and shape fluctuations in reactive membranes. *Phys. Rev. E*, 71:051906, 2005.
- [50] L.V. Chernomordik and M.M. Kozlov. Protein-lipid interplay in fusion and fission of biological membranes *. *Annu. Rev. Biochem.*, 72(1):175–207, 2003. PMID: 14527322.
- [51] H. J. Risselada and S. J. Marrink. Curvature effects on lipid packing and dynamics in liposomes revealed by coarse grained molecular dynamics simulations. *Phys. Chem. Chem. Phys.*, 11:2056–2067, 2009.

- [52] A. Tian and T. Baumgart. Sorting of lipids and proteins in membrane curvature gradients. *Biophys. J.*, 96:2676–2688, 2009.
- [53] B.J. Reynwar, G. Illya, V.A. Harmandaris, M.M. Müller, K. Kremer, and M. Deserno. Aggregation and vesiculation of membrane proteins by curvature-mediated interactions. *Nature*, 447(7143):461–464, 2007.
- [54] M. Goulian, R. Bruinsma, and P. Pincus. Long-range forces in heterogeneous fluid membranes. *Europhys. Lett.*, 22(2):145–150, 1993.
- [55] M.M. Müller, M. Deserno, and J. Guven. Interface-mediated interactions between particles: A geometrical approach. *Phys. Rev. E*, 72(6):061407, 2005.
- [56] T. Idema, S. Semrau, C. Storm, and T. Schmidt. Membrane mediated sorting. *in preparation*.
- [57] J. Henriksen, A.C. Rowat, and J.H. Ipsen. Vesicle fluctuation analysis of the effects of sterols on membrane bending rigidity. *Eur. Biophys. J.*, 33:732–741, 2004.
- [58] V. Nikolov, R. Lipowsky, and R. Dimova. Behavior of giant vesicles with anchored dna molecules. *Biophys. J.*, 92:4356 – 4368, 2007.
- [59] R. Dimova, S. Aranda, N. Bezlyepkina, V. Nikolov, K.A. Riske, and R. Lipowsky. A practical guide to giant vesicles. probing the membrane nanoregime via optical microscopy. *J. Phys.: Condens. Matter*, 18(28):S1151–S1176, 2006.
- [60] C. Dietrich, L. A. Bagatolli, Z. N. Volovyk, N. L. Thompson, M. Levi, K. Jacobson, and E. Gratton. Lipid Rafts Reconstituted in Model Membranes. *Biophys. J.*, 80(3):1417–1428, 2001.
- [61] B.L. Stottrup and S.L. Veatch and S.L. Keller. Nonequilibrium behavior in supported lipid membranes containing cholesterol. *Biophys. J.*, 86:2942–2950, 2004.
- [62] M. I. Angelova and D. S. Dimitrov. Liposome electroformation. *Faraday Discuss. Chem. S.*, 81:303–311, 1986.

- [63] K. Akashi, H. Miyata, H. Itoh, and Jr Kinoshita, K. Preparation of giant liposomes in physiological conditions and their characterization under an optical microscope. *Biophys. J.*, 71(6):3242–3250, 1996.
- [64] D.J. Estes and M. Mayer. Giant liposomes in physiological buffer using electroformation in a flow chamber. *Biochim. Biophys. Acta*, 1712:152 – 160, 2005.
- [65] L.-R. Montes, A. Alonso, F.M. Goni, and L.A. Bagatolli. Giant Unilamellar Vesicles Electroformed from Native Membranes and Organic Lipid Mixtures under Physiological Conditions. *Biophys. J.*, 93(10):3548–3554, 2007.
- [66] H.-G. Döbereiner, E. Evans, M. Kraus, U. Seifert, and M. Wortis. Mapping vesicle shapes into the phase diagram: A comparison of experiment and theory. *Phys. Rev. E*, 55(4):4458–4474, Apr 1997.
- [67] J. Pécéréaux, H.-G. Döbereiner, J. Prost, J.-F. Joanny, and P. Bassereau. Refined contour analysis of giant unilamellar vesicles. *Eur. Phys. J. E*, 13:277–290, 2004.
- [68] C.-H. Lee, W.-C. Lin, and J. Wang. All-optical measurements of the bending rigidity of lipid-vesicle membranes across structural phase transitions. *Phys. Rev. E*, 64(2):020901, 2001.
- [69] C. Dietrich, Z.N. Volovyk, M. Levi, N.L. Thompson, and K. Jacobson. Partitioning of Thy-1, GM1, and cross-linked phospholipid analogs into lipid rafts reconstituted in supported model membrane monolayers. *Proc. Nat. Acad. Sci. U.S.A.*, 98(19):10642–10647, 2001.
- [70] T. Baumgart, S. T. Hess, and W. W. Webb. Imaging coexisting fluid domains in biomembrane models coupling curvature and line tension. *Nature*, 425:821–824, 2003.
- [71] T. Baumgart, S. Das, W. W. Webb, and J. T. Jenkins. Membrane elasticity in giant vesicles with fluid phase coexistence. *Biophys. J.*, 89:1067–1080, 2005.
- [72] H. J. Risselada and S. J. Marrink. The molecular face of lipid rafts in model membranes. *Phys. Chem. Chem. Phys.*, 105:17367–17372, 2008.

- [73] S. L. Veatch and S. L. Keller. Miscibility phase diagram of giant vesicles containing sphingomyelin. *Phys. Rev. Lett.*, 94:148101, 2005.
- [74] S.L. Veatch and S.L. Keller. Separation of Liquid Phases in Giant Vesicles of Ternary Mixtures of Phospholipids and Cholesterol. *Biophys. J.*, 85(5):3074–3083, 2003.
- [75] N. Kahya, D. Scherfeld, K. Bacia, B. Poolman, and P. Schwille. Probing Lipid Mobility of Raft-exhibiting Model Membranes by Fluorescence Correlation Spectroscopy. *J. Biol. Chem.*, 278(30):28109–28115, 2003.
- [76] H. Sprong, P. van der Sluijs, and G van Meer. How proteins move lipids and lipids move proteins. *Nat. Rev. Mol. Cell Biol.*, 2:504–513, 2001.
- [77] P.I. Kuzmin, S.A. Akimov, Y.A. Chizmadzhev, J. Zimmerberg, and F.S. Cohen. Line Tension and Interaction Energies of Membrane Rafts Calculated from Lipid Splay and Tilt. *Biophys. J.*, 88(2):1120–1133, 2005.
- [78] A.J. Garcia-Saez, S. Chiantia, and P. Schwille. Effect of Line Tension on the Lateral Organization of Lipid Membranes. *J. Biol. Chem.*, 282(46):33537–33544, 2007.
- [79] E. Evans and W. Rawicz. Entropy-driven tension and bending elasticity in condensed-fluid membranes. *Phys. Rev. Lett.*, 64(17):2094–2097, 1990.
- [80] Sergey A. Akimov, Peter I. Kuzmin, J. Zimmerberg, and F.S. Cohen. Lateral tension increases the line tension between two domains in a lipid bilayer membrane. *Phys. Rev. E*, 75(1):011919, 2007.
- [81] P. B. Canham. The minimum energy of bending as a possible explanation of the biconcave shape of the human red blood cell. *J. Theor. Biol.*, 26:61–81, 1970.
- [82] W. Helfrich. Elastic properties of lipid bilayers: Theory and possible experiments. *Z. Naturforsch. C*, 28:693–703, 1973.
- [83] M. Mutz and W. Helfrich. Bending rigidities of some biological model membranes as obtained from the fourier analysis of contour sections. *J. Phys. France*, 51:991–1002, 1990.

- [84] C. Esposito, A. Tian, S. Melamed, C. Johnson, S.-Y. Tee, and T. Baumgart. Flicker Spectroscopy of Thermal Lipid Bilayer Domain Boundary Fluctuations. *Biophys. J.*, 93(9):3169–3181, 2007.
- [85] J. Liu, M. Kaksonen, D. G. Drubin, and G. Oster. Endocytic vesicle scission by lipid phase boundary forces. *Proc. Nat. Acad. Sci. U.S.A.*, 103:10277–10282, 2006.
- [86] M. S. Turner, P. Sens, and N. D. Socci. Non-equilibrium raft-like membrane domains under continuous recycling. *Phys. Rev. Lett.*, 95:168301, 2005.
- [87] S. Rozovsky, Y. Kaizuka, and J.T. Groves. Formation and spatio-temporal evolution of periodic structures in lipid bilayers. *J. Am. Chem. Soc.*, 127(1):36–37, 2005.
- [88] M. Yanagisawa, M. Imai, T. Masui, S. Komura, and T. Ohta. Growth dynamics of domains in ternary fluid vesicles. *Biophys. J.*, 92:115–125, 2007.
- [89] S. Semrau, T. Idema, C. Storm, and T. Schmidt. Membrane mediated interactions measured using membrane domains. *Biophys. J.*, 96:4906–4915, 2009.
- [90] R. Lipowski. Budding of membranes induced by intramembrane domains. *J. Phys. II*, 2:1825–1840, 1992.
- [91] F. Jülicher and R. Lipowski. Domain-induced budding of vesicles. *Phys. Rev. Lett.*, 70:2964–2967, 1993.
- [92] A.K. Kenworthy and M. Edidin. Distribution of a Glycosylphosphatidylinositol-anchored Protein at the Apical Surface of MDCK Cells Examined at a Resolution of $< 100\text{\AA}$ using Imaging Fluorescence Resonance Energy Transfer. *J. Cell Biol.*, 142(1):69–84, 1998.
- [93] H. Murakoshi, R. Iino, T. Kobayashi, T. Fujiwara, C. Ohshima, A. Yoshimura, and A. Kusumi. Single-molecule imaging analysis of Ras activation in living cells. *Proc. Nat. Acad. Sci. U.S.A.*, 101(19):7317–7322, 2004.
- [94] S.W. Hell. Far-Field Optical Nanoscopy. *Science*, 316(5828):1153–1158, 2007.

- [95] T. Schmidt and G. Schütz. *Single Molecule Analysis of Biomembranes*. Springer, 2009.
- [96] N. G. Walter, H. Cheng-Yen, A. J. Manzo, and M. A. Sobhy. Do-it-yourself guide: how to use the modern single-molecule toolkit. *Nat. Methods*, 5:475 – 489, 2008.
- [97] Y. Ishii and T. Yanagida. Single molecule detection in life science. *Single Mol.*, 1:5–16, 2000.
- [98] Y. Sako. Imaging single molecules in living cells for systems biology. *Mol. Sys. Biol.*, 2(56), 2006.
- [99] X.S. Xie and W.T. Yang. Living cells as test tubes. *Science*, 312:228–230, 2006.
- [100] X.S. Xie, P.J. Choi, G.-W. Li, N.K. Lee, and G. Lia. Single-molecule approach to molecular biology in living bacterial cells. *Annu. Rev. Biophys.*, 37(1):417–444, 2008. PMID: 18573089.
- [101] P.J. Choi, L. Cai, K. Frieda, and X.S. Xie. A Stochastic Single-Molecule Event Triggers Phenotype Switching of a Bacterial Cell. *Science*, 322(5900):442–446, 2008.
- [102] M. Edidin, Y. Zagyansky, and T.J. Lardner. Measurement of membrane protein lateral diffusion in single cells. *Science*, 191:466–468, 1976.
- [103] B.L. Sprague, R.L. Pego, D.A. Stavreva, and J.G. McNally. Analysis of binding reactions by fluorescence recovery after photobleaching. *Biophys. J.*, 86:3473–3495, 2004.
- [104] M. Dahan, S. Levi, C. Luccardini, P. Rostaing, B. Riveau, and A. Triller. Diffusion Dynamics of Glycine Receptors Revealed by Single-Quantum Dot Tracking. *Science*, 302(5644):442–445, 2003.
- [105] X. Michalet, F.F. Pinaud, L.A. Bentolila, J.M. Tsay, S. Doose, J.J. Li, G. Sundaresan, A.M. Wu, S.S. Gambhir, and S. Weiss. Quantum dots for live cells, in vivo imaging, and diagnostics. *Science*, 307:538–544, 2005.
- [106] M. H. Ulbrich and E. Y. Isacoff. Subunit counting in membrane-bound proteins. *Nat. Methods*, 4:319–321, 2007.

- [107] L. Cognet, C. Tardin, M.-L.M. Negrier, C. Breillat, F. Coussen, D. Choquet, and B. Lounis. Robust single-molecule approach for counting autofluorescent molecules. *J. Biomed. Opt.*, 13:031216, 2008.
- [108] T. Meckel, S. Semrau, M. Schaaf, and T. Schmidt. Counting autofluorescent proteins *in vivo*. *in preparation*.
- [109] T.B. McAnaney, W. Zeng, C.F. Doe, N. Bhanji, S. Wakelin, D.S. Pearson, P. Abbyad, X. Shi, S.G. Boxer, and C.R. Bagshaw. Protonation, photobleaching, and photoactivation of yellow fluorescent protein (yfp 10c): a unifying mechanism. *Biochemistry*, 44:5510–5524, 2005.
- [110] G.S. Harms, L. Cognet, P.H.M. Lommerse, G.A. Blab, and T. Schmidt. Autofluorescent Proteins in Single-Molecule Research: Applications to Live Cell Imaging Microscopy. *Biophys. J.*, 80(5):2396–2408, 2001.
- [111] S. Semrau and T. Schmidt. Particle Image Correlation Spectroscopy (PICS): Retrieving Nanometer-Scale Correlations from High-Density Single-Molecule Position Data. *Biophys. J.*, 92(2):613–621, 2007.
- [112] S. Manley, J. M. Gillette, G. H. Patterson, H. Shroff, H. F. Hess, E. Betzig, and J. Lippincott-Schwartz. High-density mapping of single-molecule trajectories with photoactivated localization microscopy. *Nat. Methods*, 5:155 – 157, 2008.
- [113] R.N. Ghosh and W.W. Webb. Automated detection and tracking of individual and clustered cell surface low density lipoprotein receptor molecules. *Biophys. J.*, 66:1301–1318, 1994.
- [114] T. Schmidt, G.J. Schütz, H.J. Gruber, and H. Schindler. Characterization of photophysics and mobility of single molecules in a fluid lipid membrane. *J. Phys. Chem.*, 99:17662–17668, 1995.
- [115] T. Schmidt, G.J.Schütz, W. Baumgartner, H.J.Gruber, and H.Schindler. Imaging of single molecule diffusion. *Proc. Nat. Acad. Sci. U.S.A.*, 93:2926–2929, 1996.

- [116] L.Cognet, G.S. Harms, G.A. Blab, P.H.M. Lommerse, and T. Schmidt. Simultaneous dual-color and dual-polarization imaging of single molecules. *Appl. Phys. Lett.*, 77(24):4052–4054, 2000.
- [117] T. Funatsu, Y. Harada, M. Tokunaga, K. Saito, and T. Yanagida. Imaging of single fluorescent molecules and individual atp turnovers by single myosin molecules in aqueous solution. *Nature*, 374:555 – 559, 1995.
- [118] R. Iino, I. Koyama, and A. Kusumi. Single Molecule Imaging of Green Fluorescent Proteins in Living Cells: E-Cadherin Forms Oligomers on the Free Cell Surface. *Biophys. J.*, 80(6):2667–2677, 2001.
- [119] J. Huisken, J. Swoger, F. Del Bene, J. Wittbrodt, and E.H.K. Stelzer. Optical Sectioning Deep Inside Live Embryos by Selective Plane Illumination Microscopy. *Science*, 305(5686):1007–1009, 2004.
- [120] M. Tokunaga, N. Imamoto, and K. Sakata-Sogawa. Highly inclined thin illumination enables clear single-molecule imaging in cells. *Nat. Methods*, 5(2):159–161, 2008.
- [121] T. Schmidt, G.J. Schütz, H.J. Gruber, and H. Schindler. Local stoichiometries determined by counting individual molecules. *Anal. Chem.*, 68:4397–4401, 1996.
- [122] G.J. Schütz, H. Schindler, and Th. Schmidt. Imaging single molecule dichroism. *Opt. Lett.*, 22:651–653, 1997.
- [123] G.S. Harms, M. Sonnleitner, G.J. Schütz, H.J. Gruber, and T. Schmidt. Single-molecule anisotropy imaging. *Biophys. J.*, 77:2864–2870, 1999.
- [124] T.J. Gould, M. S. Gunewardene, M.V. Gudheti, V.V. Verkhusha, S.-R. Yin, J.A. Gosse, and S.T. Hess. Nanoscale imaging of molecular positions and anisotropies. *Nat. Methods*, 5(12):1027–1030, 2008.
- [125] G.A. Blab, S. Öllerich, R. Schumm, and T. Schmidt. Simultaneous wide-field imaging and spectroscopy of localized fluorophores. *Opt. Lett.*, 29:727–729, 2004.

- [126] M. F. Juetten, T. J. Gould, M.D. Lessard¹, M. J. Mlodzianoski, B. S. Nagpure, B. T. Bennett, S. T. Hess, and J. Bewersdorf. Three-dimensional sub - 100 nm resolution fluorescence microscopy of thick samples. *Nat. Methods*, 5:527–529, 2008.
- [127] L. Holtzer, T. Meckel, and T. Schmidt. Nanometric three-dimensional tracking of individual quantum dots in cells. *Appl. Phys. Lett.*, 90(5):053902, 2007.
- [128] M. K. Cheezum, W. F. Walker, and W. H. Guilford. Quantitative comparison of algorithms for tracking single fluorescent particles. *Biophys. J.*, 81:2378–2388, 2001.
- [129] N. Bobroff. Position measurement with a resolution and noise-limited instrument. *Rev. Sci. Instrum.*, 57(6):1152–1157, 1986.
- [130] R. J. Ober, S. Ram, and E. S. Ward. Localization accuracy in single-molecule microscopy. *Biophys. J.*, 86:1185–1200, 2004.
- [131] P.H.M. Lommerse, B.E. Snaar-Jagalska, H.P. Spalink, and T. Schmidt. Single-molecule diffusion measurements of h-ras at the plasma membrane of live cells reveal microdomain localization upon activation. *J. Cell. Sci.*, 118:1799–1809, 2005.
- [132] G.J. Schütz, H. Schindler, and T. Schmidt. Single-molecule microscopy on model membranes reveals anomalous diffusion. *Biophys. J.*, 73(2):1073–1080, 1997.
- [133] F. Daumas, N. Destainville, C. Millot, A. Lopez, D. Dean, and L. Salome. Confined diffusion without fences of a g-protein-coupled receptor as revealed by single particle tracking. *Biophys. J.*, 84:356–366, 2003.
- [134] M.J. Saxton. Single-particle tracking: connecting the dots. *Nat. Methods*, 5:671–672, 2008.
- [135] A. Serge, N. Bertaux, H. Rigneault, and D. Marguet. Dynamic multiple-target tracing to probe spatiotemporal cartography of cell membranes. *Nat. Methods*, 5:687–694, 2008.
- [136] K. Jaqaman, D. Loerke, M. Mettlen, H. Kuwata, S. Grinstein, S. L. Schmid, and G. Danuser. Robust single-particle tracking in live-cell time-lapse sequences. *Nat. Methods*, 5:695–702, 2008.

- [137] M.J. Saxton. Single-particle tracking: The distribution of diffusion coefficients. *Biophys. J.*, 72:1744–1753, 1997.
- [138] B. Hebert, S. Costantino, and P.W. Wiseman. Spatiotemporal image correlation spectroscopy (stics) theory, verification, and application to protein velocity mapping in living cho cells. *Biophys. J.*, 88:3601–3614, 2005.
- [139] C.M. Anderson, G.N. Georgiou, I.E. Morrison, G.V. Stevenson, and R.J. Cherry. Tracking of cell surface receptors by fluorescence digital imaging microscopy using a charge-coupled device camera. Low-density lipoprotein and influenza virus receptor mobility at 4 degrees C. *J. Cell Sci.*, 101(2):415–425, 1992.
- [140] S. Wieser, M. Axmann, and G.J. Schütz. Versatile Analysis of Single-Molecule Tracking Data by Comprehensive Testing against Monte Carlo Simulations. *Biophys. J.*, 95(12):5988–6001, 2008.
- [141] Y. Chen, J.D. Müller, P. T. C. So, and E. Gratton. The photon counting histogram in fluorescence fluctuation spectroscopy. *Biophys. J.*, 77:553–567, 1999.
- [142] A. Papoulis. *Probability, Random variables and Stochastic Processes*. McGraw-Hill, 1991.
- [143] M. Moertelmaier, M. Brameshuber, M. Linimeier, G.J. Schütz, and H. Stockinger. Thinning out clusters while conserving stoichiometry of labeling. *Appl. Phys. Lett.*, 87:263903, 2005.
- [144] K. A. Jacobson and Z.-G. Gao. Adenosine receptors as therapeutic targets. *Nat. Rev. Drug Disc.*, 5:247–264, 2006.
- [145] M.J. Lohse, P. Hein, C. Hoffmann, V.O. Nikolaev, J.-P. Vilaridaga, and M. Bünemann. Kinetics of g-protein-coupled receptor signals in intact cells. *Brit. J. Pharm.*, 153:S125–S132, 2008.
- [146] M. Waldhoer, A. Wise, G. Milligan, M. Freissmuth, and C. Nanoff. Kinetics of ternary complex formation with fusion proteins composed of the A₁-adenosine receptor and g-protein α -subunits. *J. Biol. Chem.*, 274:30571–30579, 1999.

- [147] M. Nobles, A. Benians, and A. Tinker. Heterotrimeric g proteins precouple with g protein-coupled receptors in living cells. *Proc. Nat. Acad. Sci. U.S.A.*, 102:18706–18711, 2005.
- [148] P. Hein, M. Frank, C. Hoffmann, M.J. Lohse, and M. Bünemann. Dynamics of receptor/g protein coupling in living cells. *EMBO J.*, 24:4106–4114, 2005.
- [149] I.A. Prior, C. Muncke, R.G. Parton, and J.F. Hancock. Direct visualization of Ras proteins in spatially distinct cell surface microdomains. *J. Cell Biol.*, 160(2):165–170, 2003.
- [150] P.H.M. Lommerse, G.A. Blab, L. Cognet, G.S. Harms, B.E. Snaar-Jagalska, H.P. Spaink, and T. Schmidt. Single-Molecule Imaging of the H-Ras Membrane-Anchor Reveals Domains in the Cytoplasmic Leaflet of the Cell Membrane. *Biophys. J.*, 86(1):609–616, 2004.
- [151] C. C. Lee and N. O. Petersen. The lateral diffusion of selectively aggregated peptides in giant unilamellar vesicles. *Biophys. J.*, 84:1756–1764, 2003.
- [152] M. K. Doeven, J.H.A. Folgering, V. Krasnikov, E.R. Geertsma, G. van den Bogaart, and B. Poolman. Distribution, lateral mobility and function of membrane proteins incorporated into giant unilamellar vesicles. *Biophys. J.*, 88:1134–1142, 2005.
- [153] L.-P. Pontani, J. van der Gucht, G. Salbreux, J. Heuvingh, J.-F.s Joanny, and C. Sykes. Reconstitution of an actin cortex inside a liposome. *Biophys. J.*, 96:192–198, 2009.
- [154] V. Noireaux and A. Libchaber. A vesicle bioreactor as a step toward an artificial cell assembly. *Proc. Nat. Acad. Sci. U.S.A.*, 101(51):17669–17674, 2004.
- [155] J.-B. Fournier, P. G. Dommersnes, and P. Galatola. Dynamin recruitment by clathrin coats: a physical step? *C. R. Biol.*, 326(5):467 – 476, 2003.
- [156] R. Parthasarathy and J.T. Groves. Curvature and spatial organization in biological membranes. *Soft Matter*, 3:24–33, 2006.
- [157] M. Edidin. The state of lipid rafts: from model membranes to cells. *Ann. Rev. Biophys. Biomol. Struct.*, 32:257–283, 2003.

- [158] F.R. Maxfield and I. Tabas. Role of cholesterol and lipid organization in disease. *Nature*, 438:612–621, 2005.
- [159] V. A. J. Frolov, Y. A. Chizmadzhev, F. S. Cohen, and J. Zimmerberg. "entropic traps" in the kinetics of phase separation in multi-component membrane stabilize nanodomains. *Biophys. J.*, 91:189–205, 2006.
- [160] D. P. Siegel and M. M. Kozlov. The gaussian curvature elastic modulus of n-monomethylated dioleoylphosphatidylethanolamine: Relevance to membrane fusion and lipid phase behavior. *Biophys. J.*, 87:366–374, 2004.
- [161] J.-M. Allain, C. Storm, A. Roux, M. Ben Amar, and J.-F. Joanny. Fission of a multiphase membrane tube. *Phys. Rev. Lett.*, 93:158104, 2004.
- [162] Hu J.-G. and O.-Y. Zhong-Can. Shape equations of the axisymmetric vesicles. *Phys. Rev. E*, 47(1):461–467, Jan 1993.
- [163] W.-M. Zheng and J. Liu. Helfrich shape equation for axisymmetric vesicles as a first integral. *Phys. Rev. E*, 48:2856–2860, 1993.
- [164] F. Jülicher and U. Seifert. Shape equations for axisymmetric vesicles: A clarification. *Phys. Rev. E*, 49:4728–4731, 1994.
- [165] M. do Carmo. *Differential Geometry of Curves and Surfaces*. Prentice-Hall, Englewood Cliffs, NJ, 1976.
- [166] F. Jülicher and R. Lipowski. Shape transformations of vesicles with intramembrane domains. *Phys. Rev. E*, 53:2670–2683, 1996.
- [167] K. Brakke. The surface evolver. *Exper. Math.*, 1:141–165, 1992.
- [168] I. N. Bronstein, K.A. Semendjajew, G. Grosche, V. Ziegler, and D. Ziegler. *Teubner - Taschenbuch der Mathematik*. B.G. Teubner, 1996.
- [169] S. Ramaswamy. Equilibrium and non-equilibrium dynamics of the dilute lamellar phase. *Physica A*, 186:154–159, 1992.
- [170] B. Alberts, A. Johnson, J. Lewis, M. Raff, K. Roberts, and P. Walter. *Molecular biology of the cell*. Garland Science, New York, NY, U.S.A., 5th edition, 2008.

- [171] N. Dan, P. Pincus, and S.A. Safran. Membrane-induced interactions between inclusions. *Langmuir*, 9(11):2768–2771, 1993.
- [172] Paul G. Dommersnes and J.-B. Fournier. The many-body problem for anisotropic membrane inclusions and the self-assembly of “saddle” defects into an “egg carton”. *Biophys. J.*, 83(6):2898–2905, Dec 2002.
- [173] S. Semrau, H. Schoeller, and W. Wenzel. Designable electron transport features in one-dimensional arrays of metallic nanoparticles: Monte carlo study of the relation between shape and transport. *Phys. Rev. B*, 72(20):205443, Nov 2005.
- [174] R. Lipowsky and R. Dimova. Domains in membranes and vesicles. *J. Phys.: Condens. Matter*, 15(1, Sp. Iss. SI):S31–S45, Jan 2003.
- [175] M. do Carmo. *Differential geometry of curves and surfaces*. Prentice-Hall, Englewood Cliffs, NJ, U.S.A., 1976.
- [176] W. Rawicz, B. A. Smith, T. J. McIntosh, S. A. Simon, and E. Evans. Elasticity, strength, and water permeability of bilayers that contain raft microdomain-forming lipids. *Biophys. J.*, 94(12):4725–4736, Jun 2008.
- [177] U. Seifert and S.A. Langer. Viscous modes of fluid bilayer membranes. *Europhys. Lett.*, 23(1):71–76, Jul 1993.
- [178] C. W. Gardiner. *Handbook of stochastic methods for Physics, Chemistry and the Natural Sciences*. Springer, 2004.
- [179] P. Cicuta, S.L. Keller, and S.L. Veatch. Diffusion of liquid domains in lipid bilayer membranes. *J. Phys. Chem. B*, 111:3328–3331, 2007.
- [180] B. D. Hughes, B. A. Pailthorpe, and L. R. White. The translational and rotational drag on a cylinder moving in a membrane. *J. Fluid. Mech.*, 110(-1):349–372, 2006.
- [181] E.P. Petrov and P. Schwille. Translational diffusion in lipid membranes beyond the saffman-delbrück approximation. *Biophys. J.*, 94:L41–L43, 2008.

- [182] J.-M. Park and T. C. Lubensky. Interactions between membrane inclusions on fluctuating membranes. *J. Phys. I France*, 6:1217–1235, 1996.
- [183] A. Tian and T. Baumgart. Sorting of lipids and proteins in membrane curvature gradients. *Biophys. J.*, 96:2676–2688, 2009.
- [184] M. Laradji and P. B. Sunil Kumar. Dynamics of domain growth in self-assembled fluid vesicles. *Phys. Rev. Lett.*, 93:198105, 2004.
- [185] H. Geerts, M. de Brabanter, R. Nuydens, S. Geuens, M. Moeremans, J. de Mey, and P. Hollenbeck. Nanovid tracking: a new automatic method for the study of mobility in living cells based on colloidal gold and video microscopy. *Biophys. J.*, 52:775–782, 1987.
- [186] M. Eigen and R. Rigler. Sorting single molecules: application to diagnostics and evolutionary biotechnology. *Proc. Natl. Acad. Sci. USA*, 91:5740–5747, 1994.
- [187] N.O. Petersen, P.L. Hoddellius, P.W. Wiseman, O. Seger, and K.E. Magnusson. Quantitation of membrane receptor distributions by image correlation spectroscopy: concept and application. *Biophys. J.*, 165:1135–1146, 1993.
- [188] S. Costantino, J. W. D. Comeau, D. L. Kolin, and P. W. Wiseman. Accuracy and dynamic range of spatial image correlation and cross-correlation spectroscopy. *Biophys. J.*, 89:1251–1260, 2005.
- [189] S. Mukherjee and F. R. Maxfield. Membrane domains. *Annu. Rev. Cell Dev. Biol.*, 20:839–866, 2004.
- [190] B. Nichols. Without a raft. *Nature*, 436:638–639, 2005.
- [191] D.L. Kolin, S. Costantino, and P.W. Wiseman. Sampling effects, noise, and photobleaching in temporal image correlation spectroscopy. *Biophys. J.*, 90:628–639, 2006.
- [192] B.M. Burgering, R.H. Medema, J.A. Maassen, M.L. van de Wetering, A.J. van der Eb, F. McCormick, and J.L. Bos. Insulin stimulation of gene expression mediated by p21ras activation. *EMBO J.*, 10:1103–1109, 1991.

- [193] H. Niv, O. Gutman, Y. Kloog, and Y.I. Henis. Activated k-ras and h-ras display different interactions with saturable nonraft sites at the surface of live cells. *J. Cell Biol.*, 157:865–872, 2002.
- [194] B. Rotblat, I.A. Prior, C. Muncke, R.G. Parton, Y. Kloog, Y.I. Henis, and J.F. Hancock. Three separable domains regulate gtp-dependent association of h-ras with the plasma membrane. *Mol. Cell Biol.*, 24:6799–6810, 2004.
- [195] D.S. Martin, M.B. Forstner, and J.A. Käs. Apparent subdiffusion inherent to single particle tracking. *Biophys. J.*, 83:2109–2117, 2002.
- [196] N. Destainville and L. Salome. Quantification and correction of systematic errors due to detector time-averaging in single-molecule tracking experiments. *Biophys. J.*, 90:L17–L19, 2006.
- [197] M.C. Wittendorp, J. von Frijtag Drabbe Künzel, A.P. IJzerman, H.W.G.M. Boddeke, and K. Biber. The mouse brain A₁ receptor: functional expression and pharmacology. *J. Cell Biol.*, 92:207–212, 1982.
- [198] L. Rajendran, A. Schneider, G. Schlechtingen, S. Weidlich, J. Ries, T. Braxmeier, P. Schwille, J.B. Schulz, C. Schröder, M. Simons, G. Jennings, H.-J. Knolker, and K. Simons. Efficient Inhibition of the Alzheimer’s Disease beta-Secretase by Membrane Targeting. *Science*, 320(5875):520–523, 2008.
- [199] J.-P. Vilardaga, M. Bünemann, T.N. Feinstein, N. Lambert, V.O. Nikolaev, S. Engelhardt, M.J. Lohse, and C. Hoffmann. MINIREVIEW: GPCR and G proteins: drug efficacy and activation in live cells. *Mol. Endocrinol.*, pages me.2008–0204, 2009.
- [200] S. Mukherjee and F. R. Maxfield. Membrane domains. *Annu. Rev. Cell Dev. Biol.*, 20:839–866, 2004.
- [201] E.C. Klaasse, G. van den Hout, S.F. Roerink, W.J. de Grip, A.P. IJzerman, and M. W. Beukers. Allosteric modulators affect the internalization of human adenosine A₁ receptors. *Eur. J. Pharm.*, 522:1–8, 2005.
- [202] M.W. Beukers, J. van Oppenraaij, P.P.W. van der Hoorn, C.C. Blad, H. den Dulk, J. Brouwer, and A.P. IJzerman. Random Mutagenesis

- of the Human Adenosine A_{2B} Receptor Followed by Growth Selection in Yeast. Identification of Constitutively Active and Gain of Function Mutations. *Mol. Pharmacol.*, 65(3):702–710, 2004.
- [203] A. Fields and P.J. Casey. Signalling functions and biochemical properties of pertussis toxin-resistant g-proteins. *Biochem. J.*, 321:561–571, 1997.
- [204] P.G. Saffman and M. Delbrück. Brownian motion in biological membranes. *Proc. Nat. Acad. Sci. U.S.A.*, 72:3111–3113, 1975.
- [205] Y. Gambin and R. Lopez-Esparza. Lateral mobility of proteins in liquid membranes revisited. *Biochem. J.*, 321:561–571, 1997.
- [206] D.W. Tank, E.S.Wu, and W.W. Webb. Enhanced molecular diffusibility in muscle membrane blebs : Release of lateral constraints. *Eur. J. Pharm.*, 487:73–79, 2004.
- [207] S.J. Briddon, R.J. Middleton, Y. Cordeaux, F.M. Flavin, J.A. Weinstein, M.W. George, B. Kellam, and S.J. Hill. Quantitative analysis of the formation and diffusion of A₁-adenosine receptor-antagonist complexes in single living cells. *Proc. Nat. Acad. Sci. U.S.A.*, 101:4673–4678, 2004.
- [208] Y. Cordeaux, S.J. Briddon, S.P.H. Alexander, B. Kellam, and S.J. Hill. Agonist-occupied A₃ adenosine receptors exist within heterogeneous complexes in membrane microdomains of individual living cells. *FASEB J.*, 22:1–11, 2007.
- [209] H. Lucius, T. Friedrichson, T.V. Kurzchalia, and G.R. Lewin. Identification of caveolae-like structures on the surface of intact cells using scanning force microscopy. *J. Membr. Biol.*, 194:97–108, 2003.
- [210] M. Escriche, J. Burgueno, F. Ciruela, E.I. Canela, J. Mallol, C. Enrich, C. Lluís, and R. Franco. Ligand-induced caveolae-mediated internalization of A₁ adenosine receptors: morphological evidence of endosomal sorting and receptor recycling. *Exp. Cell Res.*, 285:72–90, 2003.
- [211] C. Charalambous, I. Gsandtner, S. Keuerleber, L. Milan-Lobo, O. Kudlacek, M. Freissmuth, and J. Zezula. Restricted collision coupling of the A_{2A} receptor revisited - evidence for physical separation of two signaling cascades. *J. Biol. Chem.*, 283:283, 2008.

- [212] J.N. Leonard, R. Ghirlando, J. Askins, J.K. Bell, D.H. Margulies, D.R. Davies, and D.M. Segal. The tlr3 signaling complex forms by cooperative receptor dimerization. *Proc. Nat. Acad. Sci. U.S.A.*, 105:258–63, 2008.
- [213] J. Schlessinger. Ligand-induced, receptor-mediated dimerization and activation of egf receptor. *Cell*, 110:669–72, 2002.
- [214] J. Gandia, C. Lluís, S. Ferre, R. Franco, and F. Ciruela. Light resonance energy transfer-based methods in the study of g protein-coupled receptor oligomerization. *Bioessays*, 30:82–89, 2008.
- [215] T.K. Keppola. Bimolecular fluorescence complementation (bifc) analysis as a probe of protein interactions in living cells. *Annu. Rev. Biophys.*, 37:465–487, 2008.
- [216] M.A. Digman, R. Dalal, A.F. Horwitz, and E. Gratton. Mapping the Number of Molecules and Brightness in the Laser Scanning Microscope. *Biophys. J.*, 94(6):2320–2332, 2008.
- [217] D.L. Kolin and P.W. Wiseman. Advances in image correlation spectroscopy: measuring number densities, aggregation states, and dynamics of fluorescently labeled macromolecules in cells. *Cell Biochem. Biophys.*, 49:141–164, 2007.
- [218] V. Vukojevic, M. Heidkamp, Y. Ming, R. Johansson, L. Terenius, and R. Rigler. Quantitative single-molecule imaging by confocal laser scanning microscopy. *Proc. Nat. Acad. Sci. U.S.A.*, 105:18176–18181, 2008.
- [219] G. Malengo, A. Andolfo, N. Sidenius, E. Gratton, M. Zamai, and V.R. Caiola. Fluorescence correlation spectroscopy and photon counting histogram on membrane proteins: functional dynamics of the glycosylphosphatidylinositol-anchored urokinase plasminogen activator receptor. *J. Biomed. Opt.*, 13:031215, 2008.
- [220] L. Mandel. Fluctuations of photon beams and their correlations. *Proc. Phys. Soc.*, 72:1037–1048, 1958.
- [221] J. Schuster, F. Cichos, and C. von Borczyskowski. Diffusion measurements by single-molecule spot-size analysis. *J. Phys. Chem. A*, 106:5403–5406, 2002.

- [222] K. Palo, U. Mets, V. Loorits, and P. Kask. Calculation of photon-count number distributions via master equations. *Biophys. J.*, 90:2179–2191, 2006.
- [223] S.A. Mutch, B.S. Fujimoto, C.L. Kuyper, J.S. Kuo, and S.M. Bajjalieh. Deconvolving single-molecule intensity distributions for quantitative microscopy measurements. *Biophys. J.*, 92:2926–2943, 2007.