



Universiteit
Leiden
The Netherlands

Cognitive control and binding in context-based decision-making : normal and dopamine deviant populations

Wouwe, N.C. van

Citation

Wouwe, N. C. van. (2009, December 3). *Cognitive control and binding in context-based decision-making : normal and dopamine deviant populations*. Retrieved from <https://hdl.handle.net/1887/14476>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/14476>

Note: To cite this publication please use the final published version (if applicable).

References

- Acquas, E., Tanda, G., & Di Chiara, G. (2002). Differential effects of caffeine on dopamine and acetylcholine transmission in brain areas of drug-naïve and caffeine-pretreated rats. *Neuropsychopharmacology*, *27*, 182–193.
- Adams, C. D. (1982). Variations in the sensitivity of instrumental responding of reinforcer devaluation. *Quarterly Journal of Experimental Psychology Section B-Comparative and Physiological Psychology*, *34*, 77-98.
- Albin, R. L., Young, A. B., & Penney, J. B. (1989). The functional-anatomy of Basal Ganglia disorders. *Trends in Neurosciences*, *12*(10), 366-375.
- Alexander, G. E., DeLong, M. R., & Strick, P. L. (1986). Parallel organization of functionally segregated circuits linking basal ganglia and cortex. *Annual Review of Neuroscience*, *9*, 357-381.
- Alexander, G.E., Crutcher, M. F., & DeLong, M. R. (1990). Basal ganglia-thalamocortical circuits: Parallel substrates for motor, oculomotor, ‘prefrontal’ and ‘limbic’ functions. *Progress in Brain Research*, *85*, 119-147.
- Arnsten, A. F. T. (1998). Catecholamine modulation of prefrontal cortical cognitive function. *Trends in Cognitive Sciences*, *2*(11), 436-447.
- Ashby, F. G., Isen, A. M, & U. Turken (1999). A neuropsychological theory of positive affect and its influence on cognition. *Psychological Review*, *106*, 529–550.
- Ashby, F. G., Valentin, V. V., & Turken, A. U. (2002). The effects of positive affect and arousal on working memory and executive attention: Neurobiology and computational models. In: S. Moore & M. Oaksford (Eds.), *Emotional cognition: From brain to behavior* (pp. 245 -287). John Benjamins, Amsterdam.
- Aston-Jones, G., & Cohen, J. D. (2005). An integrative theory of locus coeruleus-norepinephrine function: Adaptive gain and optimal performance. *Annual Review of Neuroscience*, *28*, 403-450.
- Aubert, I., Ghorayeb, I., Normand, E., & Bloch, B. (2000). Phenotypical characterization of the neurons expressing the D1 and D2 dopamine receptors in the monkey striatum. *Journal of Comparative Neurology*, *418*(1), 22-32.

- Baddeley, A. D. (1986). *Working memory*. Oxford: Oxford University Press.
- Baddeley, A.D. (2003). Working Memory: Looking back and looking forward. *Nature Reviews Neuroscience*, 4, 829-839.
- Bahrick, H. P., Bahrick, P. O., & Wittlinger, R. P. (1975). Fifty years of memory for names and faces: A cross-sectional approach. *Journal of Experimental Psychology: General*, 104, 54–75.
- Balleine, B.W., Delgado, M.R., & Hikosaka, O. (2007). The role of the dorsal striatum in reward and decision-making. *The Journal of Neuroscience*, 27, 8161-8165.
- Balleine, B. W., & Dickinson, A. (1998). Goal-directed instrumental action: contingency and incentive learning and their cortical substrates. *Neuropharmacology*, 37(4-5), 407-419.
- Barch, D. M. (2004). Pharmacological manipulation of human working memory. *Psychopharmacology*, 174, 126–135.
- Barch, D. M., Braver, T. S., Akbudak, E., Conturo, T., Ollinger, J., & Snyder, A. (2001). Anterior cingulate cortex and response conflict: Effects of response modality and processing domain. *Cerebral Cortex*, 11(9), 837-848.
- Bates, A. T., Liddle, P. F., Kiehl, K. A., & Ngan, E. T. (2004). State dependent changes in error monitoring in schizophrenia. *Journal of Psychiatric Research*, 38, 347-356.
- Baunez, C., Humby, T., Eagle, D., Ryan, L., Dunnett, S., & Robbins, T. (2001). Effects of STN lesions on simple vs choice reaction time tasks in the rat: preserved motor readiness, but impaired response selection. *European Journal of Neuroscience*, 13(8), 1609-1616.
- Baunez, C., & Robbins, T. (1997). Bilateral lesions of the subthalamic nucleus induce multiple deficits in an attentional task in rats. *European Journal of Neuroscience*, 9(10), 2086-2099.
- Beatty, J. (1995). *Principles of behavioral neuroscience*. Brown & Benchmark, Dubuque.
- Beckmann, C.F., Jenkinson, M., & S.M. Smith (2003). General multi-level linear modelling for group analysis in FMRI. *NeuroImage*, 20, 1052-1063.
- Beiser, D. G., & Houk, J. C. (1998). Model of cortical-basal ganglionic processing: Encoding the serial order of sensory events. *Journal of Neurophysiology*, 79(6), 3168-3188.
- Benabid, A. L. (2003). Deep brain stimulation for Parkinson's disease. *Current Opinion in Neurobiology*, 13, 696–706.
- Benazzouz, A., & Hallett, M. (2000). Mechanism of action of deep brain stimulation. *Neurology*, 55(12), S13-16.

- Bergman, H., Wichmann, T., & DeLong, M. (1990). Reversal of experimental parkinsonism by lesions of the subthalamic nucleus. *Science*, 249(4975), 1436-1438.
- Bergman, H., Wichmann, T., Karmon, B., & DeLong, M. (1994). The primate subthalamic nucleus. II. Neuronal activity in the MPTP model of parkinsonism. *Journal of Neurophysiology*, 72(2), 507-520.
- Berlyne, D. E. (1967). Arousal and reinforcement. In D. Levine (Ed.), *Nebraska symposium on motivation: Vol. 15. Current theory & research in motivation*. University of Nebraska Press, Lincoln.
- Berns, G. S., McClure, S. M., Pagnoni, G., & Montague, P. R. (2001). Predictability modulates human brain response to reward. *Journal of Neuroscience*, 21(8), 2793-2798.
- Berridge, K. (2007). The debate over dopamine's role in reward: the case for incentive salience. *Psychopharmacology*, 191(3), 391-431.
- Bertsekas, D.P., & Tsitsiklis, J.N. (1996). *Neuro-Dynamic Programming*. Belmont, MA: Athena Scientific.
- Bjorklund, A., & Dunnett, S. B. (2007). Dopamine neuron systems in the brain: an update. *Trends in Neurosciences*, 30(5), 194-202.
- Blais, C., Robidoux, S., Risko, E. F., & Besner, D. (2007). Item-specific adaptation and the conflict-monitoring hypothesis: A computational model. *Psychological Review*, 114(4), 1076-1086.
- Blumenfeld, R. S., & Ranganath, C. (2006). Dorsolateral prefrontal cortex promotes long-term memory formation through its role in working memory organization. *Journal of Neuroscience*, 26(3), 916-925.
- Boettiger, C., & D'Esposito, M. (2005). Frontal networks for learning and executing arbitrary stimulus-response associations. *Journal of Neuroscience*, 25(10), 2723-2732.
- Boraud, T., Bezard, E., Bioulac, B., & Gross, C. (2002). From single extracellular unit recording in experimental and human Parkinsonism to the development of a functional concept of the role played by the basal ganglia in motor control. *Progress in Neurobiology*, 66(4), 265-283.
- Botvinick, M. M. (2007). Conflict monitoring and decision making: Reconciling two perspectives on anterior cingulate function. *Cognitive Affective & Behavioral Neuroscience*, 7(4), 356-366.
- Botvinick, M. M., Braver, T. S., Barch, D. M., Carter, C. S., & Cohen, J. D. (2001). Conflict monitoring and cognitive control. *Psychological Review*, 108, 624-652.

- Botvinick, M. M., Cohen, J. D., & Carter, C. S. (2004). Conflict monitoring and anterior cingulate cortex: An update. *Trends in Cognitive Sciences*, 8, 539-546
- Botvinick, M.M., Nystrom, L. E., Fissell, K., Carter, C. S., & Cohen, J. D. (1999). Conflict monitoring versus selection-for-action in anterior cingulate cortex. *Nature*, 402, 179-181.
- Braver, T. S., & Barch, D. M. (2002). A theory of cognitive control, aging cognition, and neuromodulation. *Neuroscience and Biobehavioral Reviews*, 26, 809-817.
- Braver, T. S., Barch, D. M., & Cohen, J. D. (1999). Cognition and control in Schizophrenia: A computational model of dopamine and prefrontal function. *Biological Psychiatry*, 46, 312-328.
- Braver, T. S., Barch, D. M., Keys, B. A., Carter, C. S., Cohen, J. D., Kaye, J. A., et al. (2001). Context processing in older adults: evidence for a theory relating cognitive control to neurobiology in healthy aging. *Journal of Experimental Psychology: General*, 130(4), 746-763.
- Braver, T. S., & Cohen, J. D. (2000). On the control of control: The role of dopamine in regulating prefrontal function and working memory. In S. Monsell & J. Driver (Eds.), *Attention and Performance XVIII; Control of cognitive processes* (pp. 713–737). Cambridge, MA:MITpress.
- Braver, T. S., Gray, J. R., & Burgess, G. C. (2007). Explaining the Many Varieties of Working Memory Variation: Dual Mechanisms of Cognitive Control. In A. Conway, C. Jarrold, M. Kane, A. Miyake, J. Towse (Eds.), *Variation in Working Memory* (pp. 76-106), Oxford University Press, New York.
- Braver, T. S., Satpute, A. B., Rush, B. K., Racine, C. A., & Barch, D. M. (2005) Context processing and context maintenance in healthy aging and early stage dementia of the Alzheimer's type. *Psychology and Aging*, 20 (1), 33-46.
- Brown, P., & Marsden, C. D. (1998). What do the basal ganglia do? *Lancet*, 351(9118), 1801.
- Bunge, S. A., Hazeltine, E., Scanlon, M. D., Rosen, A. C., & Gabrieli, J. D. (2002). Dissociable contributions of prefrontal and parietal cortices to response selection. *NeuroImage* 17 (3), 1562–1571.
- Burle, B., van den Wildenberg, W.P.M., & Ridderinkhof, K. R. (2008). *Electrophysiological evidence for selective response activation and inhibition: Dynamics and contextual modulations in a Simon task*. Manuscript submitted for publication.
- Burnage, G. (1990). *Celex: A guide for users*. Nijmegen, the Netherlands: SSN.
- Casey, B. J., Thomas, K. M., Welsh, T. F., Badgaiyan, R. D., Eccard, C. H., Jennings, J. R., et al.(2000). Dissociation of response conflict, attentional selection, and

- expectancy with functional magnetic resonance imaging. *Proceedings of the National Academy of Sciences of the United States of America*, 97(15), 8728-8733.
- Charles, P. D., Van Blercom, N., Krack, P., Lee, S. L., Xie, J., Besson, G., et al. (2002). Predictors of effective bilateral subthalamic nucleus stimulation for PD. *Neurology*, 59(6), 932-934.
- Cohen, J. D., Braver, T. S., & Brown, J. W. (2002). Computational perspectives on dopamine function in prefrontal cortex. *Current Opinion in Neurobiology*, 12, 223-229.
- Cohen, J. D., Dunbar, K., & McClelland, J. L. (1990). On the control of automatic processes- a parallel distributed-processing account of the stroop effect. *Psychological Review*, 97(3), 332-361.
- Cohen, J. D., Perlstein, W. M., Braver, T. S., Nystrom, L. E., Noll, D. C., Jonides, J., & Smith, E. E. (1997). Temporal dynamics of brain activation during a working memory task. *Nature*, 386(6625), 604-608.
- Colzato, L. S., Raffone, A., & Hommel, B. (2006). What do we learn from binding features? Evidence for multilevel feature integration. *Journal of Experimental Psychology: Human Perception and Performance*, 32, 705-716.
- Colzato, L. S., van Wouwe, N. C., & Hommel, B. (2007a). Feature binding and affect: Emotional modulation of visuo-motor integration. *Neuropsychologia*, 45(2), 440-446.
- Colzato, L. S., van Wouwe, N. C., & Hommel, B. (2007b). Spontaneous eyeblink rate predicts the strength of visuomotor binding. *Neuropsychologia*, 45(10), 2387-2392.
- Colzato, L.S., van Wouwe, N.C., Wylie, S.A.W, Band, G.P.H., Ridderinkhof, K.R., & Hommel, B. (2009). Dopaminergic medication in PD patients increase binding costs. Unpublished manuscript.
- Cools, R. (2006). Dopaminergic modulation of cognitive function-implications for L-DOPA treatment in Parkinson's disease. *Neuroscience and Biobehavioral Reviews*, 30, 1-23.
- Cools, R., Barker, R. A., Sahakian, B. J., & Robbins, T. W. (2001). Enhanced or impaired cognitive function in Parkinson's disease as a function of dopaminergic medication and task demands. *Cerebral Cortex*, 11(12), 1136-1143.
- Cools, R., Frank, M. J., Gibbs, S. E., Miyakawa, A., Jagust, W., & D'Esposito, M. (2009). Striatal Dopamine Predicts Outcome-Specific Reversal Learning and Its Sensitivity to Dopaminergic Drug Administration. *Journal of Neuroscience*, 29(5), 1538-1543.

- Cools, R., Sheridan, M., Jacobs, E., & D'Esposito, M. D. (2007). Impulsive personality predicts dopamine dependent changes in frontostriatal activity during component processes of working memory. *The Journal of Neuroscience*, *27*(20), 5506-14.
- Cooper, J.A., Sagar, H.J., Doherty, S.M., Jordan, N., Ridswell, P., & Sullivan, E.V. (1992). Different effects of dopaminergic and anticholinergic therapies on cognitive and motor function in Parkinson's disease. *Brain*, *115* (6), 1701-1725.
- Crevoisier, C., Monreal, A., Metzger, B., & Nilsen, T. (2003). Comparative single- and multiple-dose pharmacokinetics of levodopa and 3-O-methyldopa following a new dual-release and a conventional slow-release formulation of levodopa and benserazide in healthy volunteers. *European Neurology*, *49*(1), 39-44.
- Crump, M. J. C., Vaquero, J. M. M., & Milliken, B. (2008). Context-specific learning and control: The roles of awareness, task relevance, and relative salience. *Consciousness and Cognition*, *17*, 22- 36.
- Czernecki, V., Pillon, B., Houeto, J., Pochon, J., Levy, R., & Dubois, B. (2002). Motivation, reward, and Parkinson's disease: influence of dopa-therapy. *Neuropsychologia*, *40*(13), 2257-2267.
- D'Ardenne, K., McClure, S. M., Nystrom, L. E., & Cohen, J. D. (2008). BOLD responses reflecting dopaminergic signals in the human ventral tegmental area. *Science*, *319*(5867), 1264-1267.
- Dayan, P., Kakade, S., & Montague, P. (2000). Learning and selective attention. *Nature Neuroscience*, *3*, S1218-1223.
- Daw, N. D., Niv, Y., & Dayan, P. (2005). Uncertainty-based competition between prefrontal and dorsolateral striatal systems for behavioral control. *Nature Neuroscience*, *8*(12), 1704-1711.
- De Bruijn, E. R. A., Hulstijn, W., Verkes, R. J., & Ruigt, G. S. F.(2004). Drug-induced stimulation and suppression of action monitoring in healthy volunteers. *Psychopharmacology*, *177*, 151–160.
- Dehaene, S., Posner, M. I., & Tucker, D. M. (1994). Localization of a neural system for error-detection and compensation. *Psychological Science*, *5*(5), 303-305.
- DePisapia, N., & Braver, T. S. (2004). *A computational model of dual prefrontal mechanisms in cognitive control*. Paper presented at the Society for Neuroscience, Thirty-Second Annual Meeting, San Diego, CA.

- De Salles, A., Frighetto, L., Behnke, E., Sinha, S., Tseng, L., Torres, R., et al. (2004). Functional neurosurgery in the MRI environment. *Minimally Invasive Neurosurgery*, *47*(5), 284-289.
- Desimone, R., & Duncan, J. (1995). Neural mechanisms of selective visual attention. *Annual Reviews Neuroscience*, *18*, 193-222.
- Dias, E. C., Foxe, J. J., & Javitt, D. C. (2003). Changing plans: a high density electrical mapping study of cortical control. *Cerebral Cortex*, *13*, 701-715.
- Donchin, E. & Coles, M. G. H. (1988). Is the P300 component a manifestation of context updating? *Behavioral and Brain Sciences*, *11*, 355-72.
- Donkers, F. C .L., Nieuwenhuis, S. & Van Boxtel, G .J. P. (2005). Mediofrontal negativities in the absence of responding. *Cognitive Brain Research*. *25*, 777-787
- Donkers, F. C. L., & van Boxtel, G .J. P. (2004). The N2 in go/no-go tasks reflects conflict monitoring not response inhibition. *Brain & Cognition*, *56*, 165-176.
- Dove, A., Pollman, S., Schubert, T., Wiggins, C. J., & von Cramon, D.Y. (2000). Prefrontal cortex activation in task switching: an event-related fMRI study. *Cognitive Brain Research*, *9*, 103-109.
- Dreisbach, G. (2006). How positive affect modulates cognitive control: The costs and benefits of reduced maintenance capability. *Brain and Cognition*, *60*, 11-19.
- Dreisbach, G., & Goschke, T. (2004). How positive affect modulates cognitive control: Reduced perseveration at the cost of increased distractibility. *Journal of Experimental Psychology* *30*, 343-353.
- Dreisbach, G., Müller, J., Goschke, T., Strobel, A., Schulze, K., & Lesch, K. P. et al. (2005). Dopamine and cognitive control: The influence of spontaneous eye-blink rate and dopamine gene polymorphisms on perseveration and distractibility. *Behavioral Neuroscience*, *119*, 483-490.
- Duncan, J. (2001). An Adaptive Coding Model of Neural Function in Prefrontal Cortex. *Nature Reviews Neuroscience*, *2*, 820-829.
- Durstewitz, D., Seamans, J., & Sejnowski, T. (2000). Dopamine-mediated stabilization of delay-period activity in a network model of prefrontal cortex. *Journal of Neurophysiology*, *83*(3), 1733-1750.
- Durston, S., Davidson, M. C., Thomas, K. M., Worden, M. S., Tottenham, N., Martinez, A., et al. (2003). Parametric manipulation of conflict and response competition using rapid mixed-trial event-related fMRI. *NeuroImage*, *20*, 2135-2141.
- Easterbrook, J. A. (1959). The effect of emotion on cue utilization and the organization of behavior. *Psychological Review*, *66*, 183-201.

- Egner, T. (2007). Congruency sequence effects and cognitive control. *Cognitive, Affective, & Behavioral Neuroscience*, 7(4), 380-390.
- Egner, T. (2008). Multiple conflict-driven control mechanisms in the human brain. *Trends in Cognitive Sciences*, 12(10), 374-380.
- Egner, T., & Hirsch, J. (2005). Cognitive control mechanisms resolve conflict through cortical amplification of task-relevant information. *Nature Neuroscience*, 8, 1784-1790.
- Eimer, M. (1993). Effects of attention and stimulus probability on ERPs in a Go/No-go task. *Biological Psychology*, 35, 123-138.
- Elias, W., Fu, K., & Frysinger, R. (2007). Cortical and subcortical brain shift during stereotactic procedures. *Journal of Neurosurgery*, 107(5), 983-988.
- El Massioui, N., Cheruel, F., Faure, A., & Conde, F. (2007). Learning and memory dissociation in rats with lesions to the subthalamic nucleus or to the dorsal striatum. *Neuroscience*, 147(4), 906-918.
- Engel, A. K., & Singer, W. (2001). Temporal binding and the neural correlates of sensory awareness. *Trends in Cognitive Sciences*, 5(1), 16-25.
- Epstein, R., & Kanwisher, N. (1998). A cortical representation of the local visual environment. *Nature*, 392, 598-601.
- Eriksen, B. A., & Eriksen, C. W. (1974). Effects of noise letters upon the identification of a target letter in a nonsearch task. *Perception & Psychophysics*, 16, 143-149.
- Esch, T., & Stefano, G. (2004). The neurobiology of pleasure, reward processes, addiction and their health implications. *Neuroendocrinology Letters*, 25(4), 235-251.
- Eyny, Y., & Horvitz, J. (2003). Opposing roles of D1 and D2 receptors in appetitive conditioning. *Journal of Neuroscience*, 23(5), 1584-1587.
- Falkenstein, M., Hohnsbein, J., Hoormann, J., & Blanke, L. (1991). Effects of crossmodal divided attention on late ERP components: II. Error processing in choice reaction tasks. *Electroencephalography and clinical Neurophysiology*, 78, 447-455.
- Falkenstein, M., Hoormann, J., Christ, S., & Hohnsbein, J. (2000). ERP components on reaction errors and their functional significance: a tutorial. *Biological Psychology*, 51, 87-107.
- Faure, A., Haberland, U., Condé, F., & El Massioui, N. (2005). Lesion to the nigrostriatal dopamine system disrupts stimulus-response habit formation. *Journal of Neuroscience*, 25, 2771-2780.

- Floresco, S.B., Yang, C.R., Phillips, A.G., Blaha, C.D. (1998). Basolateral amygdala stimulation evokes glutamate receptor-dependent dopamine efflux in the nucleus accumbens of the anesthetized rat. *European Journal of Neuroscience*, *10*, 1241-1251.
- Folstein, M., Folstein, S., & McHugh, P. (1975). "Mini-mental state". A practical method for grading the cognitive state of patients for the clinician. *Journal of Psychiatric Research*, *12*(3), 189-198.
- Folstein, J.R., & van Petten, C. (2008). Influence of cognitive control and mismatch on the N2 component of the ERP: a review. *Psychophysiology*, *45*, 152-170.
- Forgas, J.P., & Moylan, S. (1987). After the movies: transient mood and social judgments. *Personality and social psychology bulletin*, *13*(4), 467-477.
- Frank, M. J. (2005). Dynamic dopamine modulation in the basal ganglia: A neurocomputational account of cognitive deficits in medicated and nonmedicated Parkinsonism. *Journal of Cognitive Neuroscience*, *17*(1), 51-72.
- Frank, M. J., D'Lauro, C., & Curran, T. (2007). Cross-task individual differences in error processing: Neural, electrophysiological, and genetic components. *Cognitive Affective & Behavioral Neuroscience*, *7*(4), 297-308.
- Frank, M. J. , Loughry, B., & O'Reilly, R.C. (2001). Interactions between frontal cortex and basal ganglia in working memory: A computational model. *Cognitive Affective Behavioral Neuroscience*, *1*(2), 137-160.
- Frank, M. J., & O'Reilly, R. C. (2006). A mechanistic account of striatal dopamine function in human cognition: psychopharmacological studies with cabergoline and haloperidol. *Behavioral Neuroscience*, *120*, 497-517.
- Frank, M.J., Samanta, J., Moustafa, A., & Sherman, S. (2007). Hold your horses: impulsivity, deep brain stimulation, and medication in parkinsonism. *Science*, *318*(5854), 1309-1312.
- Frank, M. J., Santamaria, A., O'Reilly, R. C., & Willcutt, E. (2007). Testing computational models of dopamine and noradrenaline dysfunction in attention deficit/hyperactivity disorder. *Neuropsychopharmacology*, *32*(7), 1583-1599.
- Frank, M. J., Seeberger, L. C., & O'Reilly, R. C. (2004). By carrot or by stick: Cognitive reinforcement learning in Parkinsonism. *Science*, *306*, 1940-1943.
- Frank, M. J., Scheres, A., & Sherman, S. J. (2007). *Understanding decision-making deficits in neurological conditions: insights from models of natural action selection*. *Philosophical transactions of the Royal Society of London*, *362*(1485), 1641-1654

- Frank, M. J., Woroch, B. S., & Curran, T. (2005). Error-Related Negativity predicts reinforcement learning and conflict biases. *Neuron* 47, 495-501.
- Funkiewiez, A., Ardouin, C., Cools, R., Krack, P., Fraix, V., Bair, A., et al. (2006). Effects of levodopa and subthalamic nucleus stimulation on cognitive and affective functioning in Parkinson's disease. *Movement Disorders*, 21(10), 1656-1662.
- Gable, P. A., & Harmon-Jones, E. (2008). Approach-motivated positive affect reduces breadth of attention. *Psychological Science*, 19(5), 476-482.
- Gasser, U. E., Jorga, K., Crevoisier, C., Hovens, S. E. L., & van Giersbergen, P. L. M. (1999). COMT inhibition by tolcapone further improves levodopa pharmacokinetics when combined with a dual-release formulation of levodopa benserazide - A novel principle in the treatment of Parkinson's disease. *European Neurology*, 41(4), 206-211.
- Gehring, W. J., Goss, B., Coles, M. G., Meyer, D. E., & Donchin, E. (1993). A neural system for error detection and compensation. *Psychological Science*, 4(6), 385-390.
- Gerfen, C. R. (1992). The neostriatal mosaic- multiple levels of compartmental organization in the basal ganglia. *Annual Review of Neuroscience*, 15, 285-320.
- Goldman-Rakic, P. S., Muly, E. C., & Williams, G. V. (2000). D1 receptors in prefrontal cells and circuits. *Brain Research Review*, 31, 295-301.
- Gotham, A., Brown, R., & Marsden, C. (1988). 'Frontal' cognitive function in patients with Parkinson's disease 'on' and 'off' levodopa. *Brain*, 111 (2), 299-321.
- Goto, Y., & Grace, A. A. (2005). Dopaminergic modulation of limbic and cortical drive of nucleus accumbens in goal-directed behavior. *Nature Neuroscience*, 8(6), 805-812.
- Grant, D. A., & Berg, E. A. (1948). A behavioral analysis of degree of reinforcement and ease of shifting to new responses in a Weigl-type card sorting problem. *Journal of Experimental Psychology*, 38, 404-411.
- Gratton, G., Coles, M. G. H., & Donchin, E. (1983). A new method for off-line removal of ocular artifact. *Electroencephalography and clinical Neurophysiology*, 55, 468-484.
- Gratton, G., Coles, M. G. H., & Donchin, E. (1992). Optimizing the use of information-strategic control of activation of responses. *Journal of Experimental Psychology-General*, 121(4), 480-506.
- Grèzes, J., & Decety, J. (2001). Functional anatomy of execution, mental simulation, observation, and verb generation of actions: a meta-analysis. *Human Brain Mapping*, 12, 1-19.

- Gross, J. J., & Levenson, R. W. (1995). Emotion elicitation using films. *Cognition & Emotion*, 9, 87–108.
- Gruber, O., Karch, S., Schlueter, E. K., Falkai, P., & Goschke, T. (2006). Neural mechanisms of advance preparation in task switching. *Neuroimage*, 31, 887–895.
- Halperin, J. M., McKay, K. E., Matier, K., & Sharma, V. (1994). Attention, Response Inhibition and Activity Level in Children: Developmental Neuropsychological Perspectives. In M. G. Tramontana & S. R. Hooper (Eds.), *Advances in Child Neuropsychology* (Vol. 2, pp. 1-54). New York: Springer-Verlag.
- Hagemann, D., Naumann, E., Maier, S., Becker, G., Lürken, A., & Bartussek, D. (1999). The assessment of affective reactivity using films: Validity, reliability and sex differences. *Personality and Individual Differences*, 26, 627–639.
- Hajcak, G., McDonald, N., & Simons, R. (2004). Error-related psychophysiology and negative affect. *Brain and Cognition*, 56(2), 189–197.
- Harle, K. M., & Sanfey, A. G. (2007). Incidental Sadness Biases Social Economic Decisions in the Ultimatum Game. *Emotion*, 7 (4), 876–881.
- Harmon-Jones, E., Lueck, L., Fearn, M., & Harmon-Jones, C. (2006). The effect of personal relevance and approach-related action expectation on relative left frontal cortical activity. *Psychological Science*, 17(5), 434–440.
- Haruno, M., & Kawato, M. (2006a). Different neural correlates of reward expectation and reward expectation error in the putamen and caudate nucleus during stimulus-action reward association learning. *Journal of Neurophysiology*, 95(2), 948–959.
- Haruno, M., & Kawato, M. (2006b). Heterarchical reinforcement-learning model for integration of multiple cortico-striatal loops: fMRI examination in stimulus-action-reward association learning. *Neural Netw*, 19(8), 1242–1254.
- Hernández-López, S.,argas, J., Surmeier, D.J., Reyes, A. & Galarraga, E. (1997). D₁ Receptor Activation Enhances Evoked Discharge in Neostriatal Medium Spiny Neurons by Modulating an L Type Ca²⁺ Conductance. *Journal of Neuroscience*, 17 (9), 3334 - 3342.
- Hernandez-Lopez, S., Tkatch, T., Perez-Garci, E., Galarraga, E.,argas, J., Hamm, H., et al. (2000). D-2 dopamine receptors in striatal medium spiny neurons reduce L-type Ca²⁺ currents and excitability via a novel PLC beta 1-IP3-calcineurin-signaling cascade. *Journal of Neuroscience*, 20(24), 8987–8995.

- Hewig, J., Trippe, R., Hecht, H., Coles, M. G. H., Holroyd, C. B., & Miltner, W. H. R. (2007). Decision-making in blackjack: An electrophysiological analysis. *Cerebral Cortex*, *17*(4), 865-877.
- Hirshman, E., Passannante, A., & Arndt, J. (2001). Midazolam amnesia and conceptual processing in implicit memory. *Journal of Experimental Psychology-General*, *130*(3), 453-465.
- Holroyd, C. B., & Coles, M. G. H. (2002). The neural basis of human error processing: reinforcement learning, dopamine, and the error related negativity. *Psychological Review*, *109*, 679-709.
- Holroyd, C. B., & Coles, M. G. H. (2008). Dorsal anterior cingulate cortex integrates reinforcement history to guide voluntary behaviour. *Cortex*, *44*(5), 548-559.
- Holroyd, C.B., Nieuwenhuis, S., Yeung, N., Nystrom, L., Mars, R.B., Coles, M.G., & Cohen, J.D. (2004). Dorsal anterior cingulate cortex shows fMRI response to internal and external error signals. *Nature Neuroscience*, *7*, 497-498.
- Holroyd, C. B., Pakzad-Vaezi, K. L., & Krigolson, O. E. (2008). The feedback correct-related positivity: Sensitivity of the event-related brain potential to unexpected positive feedback. *Psychophysiology*, *45*(5), 688-697.
- Holroyd, C. B., Praamstra, P., Plat, E., & Coles, M. G. (2002). Spared error related potentials in mild to moderate Parkinson's disease. *Neuropsychologia*, *40*, 2116-2124.
- Hommel, B. (1998). Event files: Evidence for automatic integration of stimulus-response episodes. *Visual Cognition*, *5*, 183-216.
- Hommel, B. (2004). Event files: feature binding in and across perception and action. *TRENDS in Cognitive Sciences*, *8*, 494-500.
- Hommel, B., & Colzato, L. S. (2009). When an object is more than a binding of its features: Evidence for two mechanisms of visual feature integration. *Visual Cognition*, *17*, 120-140.
- Hommel, B., Müsseler, J., Aschersleben, G., & Prinz, W. (2001). The Theory of Event Coding (TEC): a framework for perception and action planning. *Behavioral and Brain Sciences*, *24*, 849-937.
- Hommel, B., Proctor, R. W., & Vu, K. P. L. (2004). A feature-integration account of sequential effects in the Simon task. *Psychological Research*, *68*, 1-17.
- Hornykiewicz, O. (1974). Mechanisms of action of L-DOPA in Parkinsons-disease. *Life Sciences*, *15*(7), 1249-1259.
- Huang, L., Holcombe, A. O., & Pashler, H. (2004). Repetition priming in visual search: Episodic retrieval, not feature priming. *Memory & Cognition*, *32*, 12-20.

- Huber, D. E. (2008). Immediate priming and cognitive aftereffects. *Journal of Experimental Psychology: General*, 137(2), 324-347.
- Hyman, S. E., & Nestler, E. J. (1993). *The molecular foundations of psychiatry*. Washington DC, American Psychiatric Press.
- Isen, A. M., (1997). Positive affect and decision making. In: Goldstein, W. M. and Hogarth, R.M., Editors, 1997. *Research on Judgment and Decision Making*, Cambridge University Press, Cambridge, UK.
- Ito, J., & Kitagawa, J. (2006). Performing monitoring and error processing during a lexical decision task in patients with Parkinson's disease. *Journal of Geriatric Psychiatry and Neurology*, 19(1), 46-54.
- Jackson, L., & Decety, J. (2004). Motor cognition: a new paradigm to study self-other interactions. *Current Opinion in Neurobiology*, 14, 259-263.
- Jackson, M. C., & Raymond, J. E. (2008). Familiarity enhances visual working memory for faces. *Journal of Experimental Psychology-Human Perception and Performance*, 34(3), 556-568.
- Jahanshahi, M., Ardouin, C., Brown, R., Rothwell, J., Obeso, J., Albanese, A., et al. (2000). The impact of deep brain stimulation on executive function in Parkinson's disease. *Brain*, 123 (6), 1142-1154.
- Jenkinson, M., Bannister, P., Brady, M., & Smith, S. (2002). Improved optimization for the robust and accurate linear registration and motion correction of brain images. *Neuroimage*, 17(2), 825-841.
- Jersild, A. T. (1927). Mental set and shift. *Archives of Psychology*, 89, 1-82.
- Jocham, G., & Ullsperger, M. (2009). Neuropharmacology of performance monitoring. *Neuroscience and Biobehavioral Reviews*, 33(1), 48-60.
- Jodo, E., & Kayama, Y. (1992). Relation of a negative ERP component to response inhibition in a go/no-go task. *Electroencephalography & Clinical Neurophysiology*, 82, 477-482.
- Jonkman, L. M., Lansbergen, M., & Stauder, J. E. A. (2003). Developmental differences in behavioral and event related brain responses associated with response preparation and inhibition in a go/no-go task. *Psychophysiology*, 40, 752-761.
- Kaasinen, V., & Rinne, J. O. (2002). Functional imaging studies of dopamine system and cognition in normal aging and Parkinson's disease. *Neuroscience and Biobehavioral Reviews*, 26(7), 785-793.
- Kahneman, D., Treisman, A., & Gibbs, B. J. (1992). The reviewing of object files: Object-specific integration of information. *Cognitive Psychology*, 24, 175-219.

- Kanwisher, N. G., McDermott, J., & Chun, M. M. (1997). The fusiform face area: A module in human extrastriate cortex specialized for face perception. *Journal of Neuroscience*, *17*, 4302-4311.
- Karachi, C., Yelnik, J., Tande, D., Tremblay, L., Hirsch, E. C., & Francois, C. (2005). The pallidosubthalamic projection: An anatomical substrate for nonmotor functions of the subthalamic nucleus in primates. *Movement Disorders*, *20*(2), 172-180.
- Karayanidis, F., Coltheart, M., Michie, P. T., & Murphy, K. (2003). Electrophysiological correlates of anticipatory and poststimulus components of task switching. *Psychophysiology*, *40*(3), 329-348.
- Kawaguchi, Y., Wilson, C. J., & Emson, P. C. (1990). Projection subtypes of rat neostriatal matrix cells revealed by intracellular injection of biocytin. *Journal of Neuroscience*, *10*(10), 3421-3438.
- Keizer, A. W., Nieuwenhuis, S., Colzato, L. S., Teeuwisse, W., Rombouts, S., & Hommel, B. (2008). When moving faces activate the house area: an fMRI study of object-file retrieval. *Behavioral and Brain Functions*, *4*.
- Kerns, J. G., Cohen, J. D., MacDonald, A.W., III, Cho, R. Y., Stenger, V. A., & Carter, C. S. (2004). Anterior cingulate conflict monitoring and adjustments in control. *Science*, *303*, 1023-1026.
- Kerns, J. G. (2006). Anterior cingulate and prefrontal cortex activity in an FMR1 study of trial-to-trial adjustments on the Simon task. *Neuroimage*, *33*(1), 399-405.
- Kimberg, D. Y., & D'Esposito, M. (2003). Cognitive effects of the dopamine receptor agonist pergolide. *Neuropsychologia*, *41*, 1020-1027.
- Kimberg, D. Y., & Farah, M. J. (1993). A unified account of cognitive impairments following frontal-lobe damage- the role of working memory in complex organized behavior. *Journal of Experimental Psychology-General*, *122*(4), 411-428.
- Kimura, M. (1995). Role of basal ganglia in behavioral learning. *Neuroscience Research*, *22*, 353-358.
- Kish, S.J., Shannak, K., & Hornykiewicz, O. (1988). Uneven pattern of dopamine loss in the striatum of patients with idiopathic Parkinson's disease: pathophysiologic and clinical implications. *New England Journal of Medicine*, *318*, 876-880.
- Kleiner-Fisman, G., Fisman, D.N., Sime, E., Saint-Cyr, J.A., Lozano, A.M., & Lang, A.E. (2003). Long term follow up of bilateral deep brain stimulation of the subthalamic nucleus in patients with advanced Parkinson disease. *Journal of Neurosurgery*, *99*, 489-495.

- Knowlton, B.J., Mangels, J.A., Squire, L.R. (1996). A neostriatal habit learning system in humans. *Science*, 273, 1399–402.
- Knutson, B., Adams, C., Fong, G., & Hommer, D. (2001). Anticipation of increasing monetary reward selectively recruits nucleus accumbens. *Journal of Neuroscience*, 21(16), 1-5.
- Koepp, M.J., Gunn, R.N., Lawrence, A.D., Cunningham, V.J., Dagher, A., Jones, T., et al. (1998). Evidence for striatal dopamine release during a video game. *Nature*, 393, 266-268.
- Kristiansen, U., & Lambert, J. D. C. (1996). Benzodiazepine and barbiturate ligands modulate responses of cultured hippocampal neurones to the GABA(A) receptor partial agonist, 4-PIOL. *Neuropharmacology*, 35(9-10), 1181-1191.
- Kuhl, J., & Kazén, M. (1999). Volitional facilitation of difficult intentions: Joint activation of intention memory and positive affect removes Stroop interference. *Journal of Experimental Psychology General*, 128, 382–399.
- Lang, A. E. (2000). Surgery for Parkinson disease. *Archives of Neurology*, 57, 1118–1125.
- LeDoux, J. E., (1996). *The Emotional Brain*, Simon & Schuster, New York.
- Levesque, M., & Parent, A. (2005). The striatofugal fiber system in primates: A reevaluation of its organization based on single-axon tracing studies. *Proceedings of the National Academy of Sciences of the United States of America*, 102(33), 11888-11893.
- Lezak, M.D. (1995). *Neuropsychological assessment* (3rd ed.). New York: Oxford University Press.
- Limousin, P., Pollak, P., Benazzouz, A., Hoffmann, D., Le Bas, J. F., Broussolle, E., et al. (1995). Effect of parkinsonian signs and symptoms of bilateral subthalamic nucleus stimulation. *The Lancet*, 345, 91–95.
- Liston, C., Matalon, S., Hare, T. A., Davidson, M. C., & Casey, B.C. (2006). Anterior Cingulate and Posterior Parietal Cortices Are Sensitive to Dissociable Forms of Conflict in a Task-Switching Paradigm. *Neuron*, 50(4), 643-653.
- Liu, Y., Postupna, N., Falkenberg, J., & Anderson, M. E. (2006). High frequency deep brain stimulation: what are the therapeutic mechanisms? *Neuroscience and Biobehavioral Reviews*, 32(3), 343-351.
- Logan, G. (1988). Towards an instance theory of automatization. *Psychological Review*, 95(4), 492-527.
- Luu, P., Collins, P., & Tucker, D. (2000). Mood, personality, and self-monitoring: negative affect and emotionality in relation to frontal lobe mechanisms of error monitoring. *Journal of Experimental Psychology General*, 129(1), 43-60.

- MacDonald, A. W., Cohen, J. D., Stenger, V.A., & Carter, C.S. (2000). Dissociating the role of the dorsolateral prefrontal cortex and anterior cingulate cortex in cognitive control. *Science*, 288, 1835–1838.
- Maddox, W., & Ashby, F. (2004). Dissociating explicit and procedural-learning based systems of perceptual category learning. *Behavioral Processes*, 66(3), 309-332.
- Mallet, L., Schupbach, M., N'Diaye, K., Remy, P., Bardinet, E., Czernecki, V., et al. (2007). Stimulation of subterritories of the subthalamic nucleus reveals its role in the integration of the emotional and motor aspects of behavior. *Proceedings of the National Academy of Sciences of the United States of America*, 104(25), 10661-10666.
- Mattay, V. S., Goldberg, T. E., Fera, F., Hariri, A. R., Tessitore, A., Egan, M. F., et al. (2003). Catechol O-methyltransferase val(158)-met genotype and individual variation in the brain response to amphetamine. *Proceedings of the National Academy of Sciences of the United States of America*, 100(10), 6186-6191.
- Maurice, N., Deniau, J. M., Glowinski, J., & Thierry, A. M. (1998). Relationships between the prefrontal cortex and the basal ganglia in the rat: Physiology of the corticosubthalamic circuits. *Journal of Neuroscience*, 18(22), 9539-9546.
- Mayr, U., Awh, E., & Laurey, P. (2003). Conflict adaptation effects in the absence of executive control. *Nature Neuroscience*, 6, 450-452.
- McAuley, J. H. (2003). The physiological basis of clinical deficits in Parkinson's disease. *Progress in Neurobiology*, 69, 27–48.
- McClure, S., Berns, G., & Montague, P. (2003). Temporal prediction errors in a passive learning task activate human striatum. *Neuron*, 38(2), 339-346.
- McNab, F., & Klingberg, T. (2008). Prefrontal cortex and basal ganglia control access to working memory. *Nature Neuroscience*, 11(1), 103-107.
- Meiran, N. (1996). Reconfiguration of processing mode prior to task performance. *Journal of Experimental Psychology-Learning Memory and Cognition*, 22(6), 1423-1442.
- Meiran, N., Chorev, Z., & Sapir, A. (2000). Component processes in task switching. *Cognitive Psychology*, 41(3), 211-253.
- Meissner, W., Leblois, A., Hansel, D., Bioulac, B., Gross, C., Benazzouz, A., et al. (2005). Subthalamic high frequency stimulation resets subthalamic firing and reduces abnormal oscillations. *Brain*, 128(10), 2372-2382.
- Milham, M. P., Banich, M. T., & Barada, V. (2003). Competition for priority in processing increases prefrontal cortex's involvement in top-down control: an event-related fMRI study of the stroop task. *Cognitive Brain Research*, 17(2),

- 212-222.
- Miller, E. K., & Cohen, J. D. (2001). An Integrative Theory of Prefrontal Cortex Function. *Annual Reviews Neuroscience*, 24, 167-202.
- Milner, B. (1963). Effects of different brain lesions on card sorting. *Archives of Neurology*, 9, 90-100.
- Mink, J. W. (1996). The basal ganglia: Focused selection and inhibition of competing motor programs. *Progress in Neurobiology*, 50(4), 381-425.
- Moustafa, A. A., Cohen, M. X., Sherman, S. J., & Frank, M. J. (2008). A role for dopamine in temporal decision making and reward maximization in parkinsonism. *Journal of Neuroscience*, 28(47), 12294-12304.
- Münte, T. F., Heldmann, M., Hinrichs, H., Marco-Pallares, J., Krämer, U.M., Sturm, V., et al. (2008). Nucleus accumbens is involved in human action monitoring: Evidence from invasive electrophysiological recordings. *Frontiers in Human Neuroscience*, 1(11). doi:10.3389/neuro.09/011.2007.
- Nambu, A., Tokuno, H., Hamada, I., Kita, H., Imanishi, M., Akazawa, T., et al. (2000). Excitatory cortical inputs to pallidal neurons via the subthalamic nucleus in the monkey. *Journal of Neurophysiology*, 84(1), 289-300.
- Nieuwenhuis, S., Aston-Jones, G., & Cohen, J.D. (2005). Decision making, the P3, and the locus coeruleus-norepinephrine system. *Psychological Bulletin*, 131, 510-532.
- Nieuwenhuis, S., Stins, J. F., Posthuma, D., Polderman, T. J. C., Boomsma, D. I., & de Geus, E. J. (2006). Accounting for sequential trial effects in the flanker task: Conflict adaptation or associative priming? *Memory & Cognition*, 34, 1260-1272.
- Nieuwenhuis, S., Yeung, N., Van den Wildenberg, W., & Ridderinkhof, K. R. (2003). Electrophysiological correlates of anterior cingulate function in a Go/NoGo task: Effects of response conflict and trial-type frequency. *Cognitive, Affective and Behavioral Neuroscience*, 3, 17-26.
- Nolan, K. A., Bilder, R. M., Lachman, H. M., & Volavka, J. (2004). Catechol O-methyltransferase Val(158)Met polymorphism in schizophrenia: Differential effects of Val and Met alleles on cognitive stability and flexibility. *American Journal of Psychiatry*, 161(2), 359-361.
- Norman, D.A., & Shallice, T. (1986). *Attention to action: Willed and automatic control of behaviour*. In R.J. Davidson, G.E. Schwartz, & D. Shapiro (Eds.), *Consciousness and self-regulation* (pp. 1-18). New York: Plenum.

- Notebaert, W., Gevers, W., Verbruggen, F., & Liefvooghe, B. (2006). Top-down and bottom-up sequential modulations of congruency effects. *Psychonomic Bulletin & Review*, *13*, 112-117.
- Notebaert, W., Soetens, E., & Melis, A. (2001). Sequential analysis of a Simon task: Evidence for an attention-shift account. *Psychological Research*, *65*, 170-184.
- O'Craven, K. M., Downing, P. E., & Kanwisher, N. G. (1999). fMRI evidence for objects as the units of attentional selection. *Nature*, *401*, 584-587.
- O'Doherty, J., Dayan, P., Schultz, J., Deichmann, R., Friston, K., & Dolan, R. J. (2004). Dissociable roles of ventral and dorsal striatum in instrumental conditioning. *Science*, *304*(5669), 452-454.
- O'Reilly, R.C. (2006). Biologically based computational models of higher level cognition. *Science*, *314*, 91-93.
- O'Reilly, R.C., & Frank, M. J. (2006). Making working memory work: a computational model of learning in the prefrontal cortex and basal ganglia. *Neural Computation*, *18*(2), 283-328.
- O'Reilly, R. C., Noelle, D. C., Braver, T. S., & Cohen, J.D. (2002). Prefrontal cortex and dynamical categorization tasks: Representational organization and neuromodulatory control. *Cerebral Cortex*, *12*, 246-257.
- Orieux, G., Francois, C., Feger, J., & Hirsch, E. C. (2002). Consequences of dopaminergic denervation on the metabolic activity of the cortical neurons projecting to the subthalamic nucleus in the rat. *Journal of Neuroscience*, *22*(19), 8762-8770.
- Overbeek, T. J. M., Nieuwenhuis, S., & Ridderinkhof, K. R. (2005). Dissociable components of error processing - On the functional significance of the Pe Vis-a-vis the ERN/Ne. *Journal of Psychophysiology*, *19*(4), 319-329.
- Packard, M., & Knowlton, B. (2002). Learning and memory functions of the Basal Ganglia. *Annual Review of Neuroscience*, *25*, 563-593.
- Pahwa, R., Factor, S. A., Lyons, K. E., Ondo, W. G., Gronseth, G., Bronte-Stewart, H., et al. (2006). Practice parameter: Treatment of Parkinson disease with motor fluctuations and dyskinesia (an evidence-based review) Report of the Quality Standards Subcommittee of the American Academy of Neurology. *Neurology*, *66*(7), 983-995.
- Pappata, S., Dehaene, S., Poline, J.B., Gregoire, M.C., Jobert, A., Delforge, et al. (2002). In vivo detection of striatal dopamine release during reward: a PET study with [11C] Raclopride and a single dynamic scan approach. *NeuroImage*, *16*, 1015-1027.

- Pashler, H., & Baylis, G. (1991). Procedural learning: 2. Intertrial repetition effects in speeded choice tasks. *Journal of Experimental Psychology: Learning, Memory, & Cognition*, *17*, 33-48.
- Paxton, J. L., Barch, D. M., Racine, C. A., & Braver, T. S. (2007). Cognitive control, goal maintenance, and prefrontal function in healthy aging. *Cerebral Cortex*.doi:10.1093/cercor/bhm135
- Peterson, B. S., Kane, M. J., Alexander, G. M., Lacadie, C., Skudlarski, P., Leung, H. C., et al. (2002). An event-related functional MRI study comparing interference effects in the Simon and Stroop tasks. *Cognitive Brain Research*, *13*(3), 427-440.
- Philips, L. H., Bull, R., Adams, E., & Fraser, L. (2002). Positive mood and executive function: evidence from stroop and fluency tasks. *Emotion*, *2*(1), 12-22.
- Polich, J.(2003). Overview of P3a and P3b. In J. Polich (Ed.), *Detection of change: event-related potential and fMRI findings*. Boston, MA: Kluwer.
- Poncer, J. C., Durr, R., Gahwiler, B. H., & Thompson, S. M. (1996). Modulation of synaptic GABA(A) receptor function by benzodiazepines in area CA3 of rat hippocampal slice cultures. *Neuropharmacology*, *35*(9-10), 1169-1179.
- Puce, A., Allison, T., Asgari, M., Gore, J.C., McCarthy, G. (1996). Differential sensitivity of human visual cortex to faces, letterstrings, and textures: a functional magnetic resonance imaging study. *Journal of Neuroscience*, *16*, 5205-521
- Reason, J. (1990). *Human error*. Cambridge University Press. Cambridge.
- Redgrave, P., & Gurney, K. (2006). The short-latency dopamine signal: a role in discovering novel actions? *Nature Reviews Neuroscience*, *7*(12), 967-975.
- Riccio, C. A., Waldrop, J. J. M., Reynolds, C. R. & Lowe, P. (2001). Effects of Stimulants on the Continuous Performance Test (CPT): implications for CPT use and interpretation. *The Journal of neuropsychiatry and clinical neurosciences*, *13*(3), 326 -335.
- Ridderinkhof, K. R., Ullsperger, M., Crone, E., & Nieuwenhuis, S. (2004). The role of the medial frontal cortex in cognitive control. *Science*, *15*, 443-447.
- Rissman, J., Gazzaley, A., & D'Esposito, M. (2008). Dynamic adjustments in prefrontal, hippocampal, and inferior temporal interactions with increasing visual working memory load. *Cerebral Cortex*, *18*(7), 1618-1629.
- Rogers, R. D., & Monsell, S. (1995). Costs of a predictable switch between cognitive tasks. *Journal of Experimental Psychology: General*, *124* (2), 207-231
- Rosvold, H., Mirsky, A., Sarason, I., Bransome, E. D., Jr., & Beck, L. H. (1956). A continuous performance test of brain damage. *Journal of Consulting Psychology*, *20*, 343-350.

- Rowe, G., Hirsh, J. B., & Anderson, A. K. (2007). Positive affect increases the breadth of attentional selection. *Proceedings of the National Academy of Sciences of the United States of America*, *104*(1), 383-8.
- Rowe, J. B., Toni, I., Josephs, O., Frackowiak, R. S. J., & Passingham, R. E. (2000). The prefrontal cortex: Response selection or maintenance within working memory? *Science*, *288*(5471), 1656-1660.
- Ruchkin, D. S., Canoune, H. L., Johnson, R., & Ritter, W. (1995). Working memory and preparation elicit different patterns of slow wave event-related brain potentials. *Psychophysiology*, *32*(4), 399-410.
- Ruchkin, D.S., Sutton, S., & Tueting, P. (1975). Emitted and evoked P300 potentials and variation in stimulus probability. *Psychophysiology*, *12*, 591-595.
- Saint-Cyr, J., Trépanier, L., Kumar, R., Lozano, A., & Lang, A. (2000). Neuropsychological consequences of chronic bilateral stimulation of the subthalamic nucleus in Parkinson's disease. *Brain*, *123*(10), 2091-2108.
- Sakai, K., & Passingham, R. E. (2003). Prefrontal interactions reflect future task operations. *Nature Neuroscience*, *6*(1), 75-81.
- Sato, F., Parent, M., Levesque, M., & Parent, A. (2000). Axonal branching pattern of neurons of the subthalamic nucleus in primates. *Journal of Comparative Neurology*, *424*(1), 142-152.
- Sax, K. W., & Strakowski, S. M. (1998). Enhanced behavioral response to repeated d-amphetamine and personality traits in humans. *Biological Psychiatry*, *44*, 1192-1195.
- Schönberg, T, Daw, N.D., Joel, D., & O'Doherty, J.P. (2007). Reinforcement learning signals in the human striatum distinguish learners from nonlearners during reward-based decision making. *Journal of Neuroscience*, *27*, 12860 -12867.
- Schroeder, U., Kuehler, A., Haslinger, B., Erhard, P., Fogel, W., Tronnier, V. M., et al. (2002). Subthalamic nucleus stimulation affects striato-anterior cingulate cortex circuit in a response conflict task: a PET study. *Brain*, *125*(9), 1995-2004.
- Schubotz, R.I., & Von Cramon, D.Y. (2003). Functional-anatomical concepts of human premotor cortex: evidence from fMRI and PET studies. *Neuroimage*, *20*, 120-131.
- Schultz, W. (2002). Getting formal with dopamine and reward. *Neuron*, *36*(2), 241-263.
- Schultz, W., Tremblay, L., & Hollerman, J. R. (2003). Changes in behavior-related neuronal activity in the striatum during learning. *Trends in Neurosciences*, *26*(6), 321-328.

- Schüpbach, W. M. M., Maltete, D., Houeto, J. L., du Montcel, S. T., Mallet, L., Welter, M. L., et al. (2007). Neurosurgery at an earlier stage of Parkinson disease: A randomized, controlled trial. *Neurology*, *68*(4), 267-271.
- Seamans, J. K, & Yang, C.R. (2004). The principal features and mechanisms of dopamine modulation in the prefrontal cortex. *Progress in Neurobiology*, *74* (5), 1-57.
- Seger, C. A., & Cincotta, C. M. (2005). The roles of the caudate nucleus in human classification learning. *Journal of Neuroscience*, *25*(11), 2941-2951.
- Seymour, B., Daw, N., Dayan, P., Singer, T., & Dolan, R. (2007). Differential encoding of losses and gains in the human striatum. *Journal of Neuroscience*, *27*(18), 4826-4831.
- Sharp, D. J., Scott, S. K., & Wise, R.J.S. (2004). Monitoring and controlled processing of meaning: distinct prefrontal systems. *Cerebral Cortex*, *14*(1), 1-10.
- Shiffrin, R. M., & Schneider, W. (1977). Controlled and automatic human information processing II. Perceptual learning, automatic attending, and a general theory. *Psychological review*, *84*, 127-190.
- Shohamy, D., Myers, C. E., Grossman, S., Sage, J., & Gluck, M. A. (2005). The role of dopamine in cognitive sequence learning: evidence from Parkinson's disease. *Behavioural Brain Research*, *156*(2), 191-199.
- Shohamy, D., Myers, C. E., Kalanithi, J., & Gluck, M. A. (2008). Basal ganglia and dopamine contributions to probabilistic category learning. *Neuroscience and Biobehavioral Reviews*, *32*(2), 219-236.
- Sinclair, R.C., Mark, M. M., Enzle, M.E, Borkovec, T.D., & Cumbleton, A.G. (1994). Toward a Multiple Method View of Mood Induction: The Appropriateness of a Modified Velten Mood Induction Technique and the Problems of Procedures With Group Assignment to Conditions. *Basic and applied social psychology*, *15*(4), 389-408.
- Speer, N. K., Jacoby, L. L., & Braver, T. S. (2003). Strategy-dependent changes in memory: Effects on brain activity and behavior. *Cognitive, affective & behavioral neuroscience*, *3*(3), 155-167.
- Smith, S. M. (2002). Fast robust automated brain extraction. *Human Brain Mapping*, *17*, 143-155.
- Smith, S.M., Jenkinson, M., Woolrich, M.W., Beckmann, C.F., Behrens, T.E.J., Johansen-Berg, H., et al. (2004). Advances in functional and structural MR image analysis and implementation as FSL. *NeuroImage*, *23*(S1), 208-219.

- Stemmer, B., Segalowitz, S. J., Dywan, J., Panisset, M., & Melmed, C. (2007). The error negativity in nonmedicated and medicated patients with Parkinson's disease. *Clinical Neurophysiology*, *118*(6), 1223-1229.
- Stroop, J. R. (1935). Studies of interference in serial verbal reactions. *Journal of Experimental Psychology*, *18*, 643– 662.
- Stürmer, B., Leuthold, H., Soetens, E., Schröter, H., & Sommer, W. (2002). Control over location-based response activation in the Simon task: Behavioral and electrophysiological evidence. *Journal of Experimental Psychology: Human Perception & Performance*, *28*, 1345-1363.
- Sutton, R.S. & Barto, A.G. (1998). *Reinforcement Learning: an introduction*. Cambridge, MA: MIT Press.
- Swainson, R., Rogers, R. D., Sahakian, B. J., Summers, B. A., Polkey, C. E., & Robbins, T. W. (2000). Probabilistic learning and reversal deficits in patients with Parkinson's disease or frontal or temporal lobe lesions: possible adverse effects of dopaminergic medication. *Neuropsychologia*, *38*(5), 596-612.
- Tallon-Baudry, C., & Bertrand, O. (1999). Oscillatory gamma activity in humans and its role in object representation. *Trends in Cognitive Sciences*, *3*(4), 151-162.
- Tieges, Z., Ridderinkhof, K. R., & Snel, J., & Kok, A. (2004). Caffeine strengthens action monitoring: evidence from the error-related negativity. *Cognitive brain research*, *21*(1),87-93.
- Tipper, S. P. (2001). Does negative priming reflect inhibitory mechanisms? A review and integration of conflicting views. *Quarterly Journal of Experimental Psychology*, *54A* (2), 321-343.
- Treisman, A. M., & Gelade, G. (1980). Feature-integration theory of attention. *Cognitive Psychology*, *12*(1), 97-136.
- Tricomi, E., Delgado, M., & Fiez, J. (2004). Modulation of caudate activity by action contingency. *Neuron*, *41*(2), 281-292.
- Turner, D., Robbins, T. W., Clark, L., Aron, A. R., Dowson, J., & Sahakian, B. J. (2003). Relative lack of cognitive effects of methylphenidate in elderly male volunteers. *Psychopharmacology*, *168*, 455–464.
- Ullsperger, M., & von Cramon, D. Y. (2003). Error monitoring using external feedback: Specific roles of the habenular complex, the reward system, and the cingulate motor area revealed by functional magnetic resonance imaging. *Journal of Neuroscience*, *23*(10), 4308-4314.

- Ullsperger, M., Bylsma, L. M., & Botvinick, M. M. (2005). The conflict adaptation effect: It's not just priming. *Cognitive Affective & Behavioral Neuroscience*, 5(4), 467-472.
- Uslaner, J., & Robinson, T. (2006). Subthalamic nucleus lesions increase impulsive action and decrease impulsive choice - mediation by enhanced incentive motivation? *European Journal of Neuroscience*, 24(8), 2345-2354.
- Uslaner, J. M., Dell'Orco, J. M., Pevzner, A., & Robinson, T. E. (2008). The influence of subthalamic nucleus lesions on sign-tracking to stimuli paired with food and drug rewards: Facilitation of incentive salience attribution? *Neuropsychopharmacology*, 33(10), 2352-2361.
- Van Boxtel, G.J.M., & Böcker, K.B.E. (2004). Cortical measures of anticipation. *Journal of Psychophysiology*, 18, 61-76.
- Van den Wildenberg, W. P. M., van Boxtel, G. J. M., van der Molen, M. W., Bosch, D. A., Speelman, J. D., & Brunia, C. H. M. (2006). Stimulation of the subthalamic region facilitates the selection and inhibition of motor responses in Parkinson's disease. *Journal of Cognitive Neuroscience*, 18(4), 626-636.
- Van Veen, V., & Carter, C. S. (2002a). The anterior cingulate cortex as a conflict monitor: fMRI and ERP studies. *Physiology and Behaviour*, 77(4-5), 477-482.
- Van Veen, V., & Carter, C. S. (2002b). The timing of action-monitoring processes in the anterior cingulate cortex. *Journal of Cognitive Neuroscience*, 14(4), 593-602.
- Van Veen, V., & Carter, C. S. (2005). Separating semantic conflict and response conflict in the Stroop task: A functional MRI study. *Neuroimage*, 27, 497-504.
- van Veen, V., Holroyd, C. B., Cohen, J. D., Stenger, V. A., & Carter, C. S. (2004). Errors without conflict: Implications for performance monitoring theories of anterior cingulate cortex. *Brain and Cognition*, 56(2), 267-276.
- Van Wouwe, N. C., Band, G. P. H., & Ridderinkhof, K. R. (2008). *Cognitive Control and Episodic Binding in Context Processing Effects*. *Acta Psychologica*, in press.
- Van Wouwe, N.C., Ridderinkhof, K. R., & Band, G. P. H. (2005, August). *Keeping the context in mind: working memory and prior experience*. Poster presented at the 14th Escop meeting, Leiden, The Netherlands.
- Verbruggen, F., Logan, G. D., Liefvooghe, B., & Vandierendonck, A. (2008). Short-Term Aftereffects of Response Inhibition: Repetition Priming or Between-Trial Control Adjustments? *Journal of Experimental Psychology: Human Perception and Performance*, 34(2), 413-426.
- Verguts, T., & Notebaert, W. (2008). Hebbian learning of cognitive control: dealing with specific and nonspecific adaptation. *Psychological Review*, 115 (2), 518-525.

- Vollenweider, F. X., Maguire, R. P., Leenders, K. L., Mathys, K., & Angst, J. (1998). Effects of high amphetamine dose on mood and cerebral glucose metabolism in normal volunteers using positron emission tomography (PET). *Psychiatry Research*, *83*, 149–162.
- Wallis, J. D., Anderson, K. C., & Miller, E. K. (2001). Single neurons in prefrontal cortex encode abstract rules. *Nature*, *411*, 953–956.
- Waszak, F., Hommel, B., & Allport, A. (2004). Semantic generalization of stimulus-task bindings. *Psychonomic Bulletin and Review*, *11*(6), 1027–1033.
- Wenke, D., & Frensch, P. (2005). The influence of task instruction on action coding: constraint setting or direct coding? *Journal of Experimental Psychology: Human Perception and Performance*, *31*, 803–819.
- Wise, R.A. (1980). The dopamine synapse and the notion of 'pleasure centers' in the brain. *Trends in Neurosciences*, *3*, 91–95.
- Wiswede, D., Münte, T. F., Goschke, T., & Russeler, J. (2009). Modulation of the error-related negativity by induction of short-term negative affect. *Neuropsychologia*, *47*(1), 83–90.
- Witt, K., Pulkowski, U., Herzog, J., Lorenz, D., Hamel, W., Deuschl, G., et al. (2004). Deep brain stimulation of the subthalamic nucleus improves cognitive flexibility but impairs response inhibition in Parkinson's disease. *Archives of Neurology*, *61*, 697–700.
- Woolrich, M., Brady, M., & Smith, S. M. (2001). Hierarchical fully Bayesian spatio-temporal analysis of fMRI data. *Neuroimage*, *13*, S287–S287.
- Woolrich, M.W., Jbabdi, S., Patenaude, B., Chappell, M., Makni, S., Behrens, T. et al. (2009). Bayesian analysis of neuroimaging data in FSL. *NeuroImage*, *45*, 173–186.
- Worsley, K.J. (2001). Statistical analysis of activation images. In P. Jezzard, P.M. Matthews and S.M. Smith (Eds.). *Functional MRI: An Introduction to Methods* (pp.251-271), Oxford University Press, New York.
- Wylie, G. R., Javitt, D. C., & Foxe, J. J. (2003). Cognitive control processes during an anticipated switch of task. *European Journal of Neuroscience*, *17*, 667–672.
- Wylie, S., van den Wildenberg, W., Ridderinkhof, K., Bashore, T., Powell, V., Manning, C., et al. (2009a). The effect of Parkinson's disease on interference control during action selection. *Neuropsychologia*, *47*(1), 145–157.
- Wylie, S.A., van den Wildenberg, W.P.M., Ridderinkhof, K.R., Bashore, T.R., Manning, C.A., & Wooten, G.F. (2009b). The effect of speed-accuracy strategy on

REFERENCES

- response interference control in Parkinson's Disease. *Neuropsychologia*, 47, 1944-1853.
- Yeung, N., Botvinick, M., & Cohen, J. (2004). The neural basis of error detection: Conflict monitoring and the error-related negativity. *Psychological Review*, 111(4), 931-959.
- Yeung, N., & Cohen, J. D. (2006). The impact of cognitive deficits on conflict monitoring. *Psychological science*, 17(2), 164-171.
- Yin, R. K. (1969). Looking at upside-down faces. *Journal of Experimental Psychology*, 8, 141-145.
- Yin, H. H., Knowlton, B. J., & Balleine, B. W. (2004). Lesions of dorsolateral striatum preserve outcome expectancy but disrupt habit formation in instrumental learning. *European Journal of Neuroscience*, 19, 181-189.
- Young, P. (1984). *Recursive Estimation and Time Series*. New York: Springer-Verlag.
- Zirnheld, P. J., Carroll, C. A., Kieffaber, P. D., O'Donnell, B. F., Shekhar, A., & Hetrick, W. P. (2004). Haloperidol impairs learning and Error-related Negativity in humans. *Journal of Cognitive Neuroscience*, 16 (6), 1098-1112.

