



Universiteit  
Leiden  
The Netherlands

## Snake evolution and prospecting of snake venom

Vonk, F.J.

### Citation

Vonk, F. J. (2012, September 6). *Snake evolution and prospecting of snake venom*. Retrieved from <https://hdl.handle.net/1887/19952>

Version: Not Applicable (or Unknown)

License: [Leiden University Non-exclusive license](#)

Downloaded from: <https://hdl.handle.net/1887/19952>

**Note:** To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/19952> holds various files of this Leiden University dissertation.

**Author:** Vonk, Freek Jacobus

**Title:** Snake evolution and prospecting of snake venom

**Date:** 2012-09-06

## Reference List

- 1 Vidal,N. *et al.* (2007) The phylogeny and classification of caenophidian snakes inferred from seven nuclear protein-coding genes. *C. R. Biol.* 330, 182-187
- 2 Vonk,F.J. *et al.* (2008) Evolutionary origin and development of snake fangs. *Nature* 454, 630-633
- 3 Lawson,R. *et al.* (2005) Phylogeny of the Colubroidea (Serpentes): new evidence from mitochondrial and nuclear genes. *Mol. Phylogenet. Evol.* 37, 581-601
- 4 Fry,B.G. *et al.* (2003) Isolation of a neurotoxin (alpha-colubritoxin) from a nonvenomous colubrid: evidence for early origin of venom in snakes. *Journal of molecular evolution* 57, 446-452
- 5 Fry,B.G. *et al.* (2008) Evolution of an arsenal: structural and functional diversification of the venom system in the advanced snakes (Caenophidia). *Mol. Cell Proteomics.* 7, 215-246
- 6 Calvete,J.J. (2009) Venomics: digging into the evolution of venomous systems and learning to twist nature to fight pathology. *J Proteomics.* 72, 121-126
- 7 Fox,J.W. and Serrano,S.M. (2008) Exploring snake venom proteomes: multifaceted analyses for complex toxin mixtures. *Proteomics.* 8, 909-920
- 8 Georgieva,D. *et al.* (2008) Proteome analysis of snake venom toxins: pharmacological insights. *Expert. Rev. Proteomics.* 5, 787-797
- 9 Gibbs,H.L. *et al.* (2009) Snake population venomics: proteomics-based analyses of individual variation reveals significant gene regulation effects on venom protein expression in *Sistrurus rattlesnakes*. *J. Mol. Evol.* 68, 113-125
- 10 Barlow,A. *et al.* (2009) Coevolution of diet and prey-specific venom activity supports the role of selection in snake venom evolution. *Proc. Biol. Sci.* 276, 2443-2449
- 11 Olamendi-Portugal,T. *et al.* (2008) Proteomic analysis of the venom from the fish eating coral snake *Micrurus surinamensis*: novel toxins, their function and phylogeny. *Proteomics.* 8, 1919-1932
- 12 Oguiura,N. *et al.* (2009) Intraspecific variation of the crotamine and crotasin genes in *Crotalus durissus rattlesnakes*. *Gene* 446, 35-40
- 13 Gibbs,H.L. and Mackessy,S.P. (2009) Functional basis of a molecular adaptation: prey-specific toxic effects of venom from *Sistrurus rattlesnakes*. *Toxicon* 53, 672-679
- 14 Salazar,A.M. *et al.* (2009) Venom variation in hemostasis of the southern Pacific rattlesnake (*Crotalus oreganus helleri*): isolation of hellerase. *Comp Biochem. Physiol C. Toxicol. Pharmacol.* 149, 307-316
- 15 Daltry,J.C. *et al.* (1996) Diet and snake venom evolution. *Nature* 379, 537-540

- 16 Gutierrez,J.M. *et al.* (2010) Impact of regional variation in *Bothrops asper* snake venom on the design of antivenoms: integrating antivenomics and neutralization approaches. *J. Proteome. Res.* 9, 564-577
- 17 Salazar,A.M. *et al.* (2007) A comparative analysis of the clotting and fibrinolytic activities of the snake venom (*Bothrops atrox*) from different geographical areas in Venezuela. *Thrombosis research* 120, 95-104
- 18 Currier,R.B. *et al.* (2010) Intra-specific variation in venom of the African Puff Adder (*Bitis arietans*): Differential expression and activity of snake venom metalloproteinases (SVMPs). *Toxicon* 55, 864-873
- 19 Sanz,L. *et al.* (2006) Venom proteomes of closely related *Sistrurus* rattlesnakes with divergent diets. *J. Proteome. Res.* 5, 2098-2112
- 20 Williams,V. *et al.* (1988) Variation in venom proteins from isolated populations of tiger snakes (*Notechis ater niger*, *N. scutatus*) in South Australia. *Toxicon* 26, 1067-1075
- 21 Alape-Giron,A. *et al.* (2009) Studies on the venom proteome of *Bothrops asper*: perspectives and applications. *Toxicon* 54, 938-948
- 22 Antunes,T.C. *et al.* (2010) Comparative analysis of newborn and adult *Bothrops jararaca* snake venoms. *Toxicon*
- 23 Calvete,J.J. *et al.* (2010) Snake venomomics of the Central American rattlesnake *Crotalus simus* and the South American *Crotalus durissus* complex points to neurotoxicity as an adaptive paedomorphic trend along *Crotalus* dispersal in South America. *J Proteome. Res.* 9, 528-544
- 24 Menezes,M.C. *et al.* (2006) Sex-based individual variation of snake venom proteome among eighteen *Bothrops jararaca* siblings. *Toxicon* 47, 304-312
- 25 Kini,R.M. and Chan,Y.M. (1999) Accelerated evolution and molecular surface of venom phospholipase A2 enzymes. *Journal of molecular evolution* 48, 125-132
- 26 Calvete,J.J. (2009) Venomomics: digging into the evolution of venomous systems and learning to twist nature to fight pathology. *J. Proteomics.* 72, 121-126
- 27 Kini,R.M. and Chinnasamy,A. (2010) Nucleotide sequence determines the accelerated rate of point mutations. *Toxicon* 56, 295-304
- 28 Doley,R. and Kini,R.M. (2009) Protein complexes in snake venom. *Cell Mol. Life Sci.* 66, 2851-2871
- 29 Fujimi,T.J. *et al.* (2003) Molecular evolution and diversification of snake toxin genes, revealed by analysis of intron sequences. *Gene* 313, 111-118
- 30 Tamiya,T. *et al.* (1999) Complete nucleotide sequences of cDNAs encoding long chain alpha-neurotoxins from sea krait, *Laticauda semifasciata*. *Toxicon* 37, 181-185
- 31 Servent,D. *et al.* (1997) Only snake curaremimetic toxins with a fifth disulfide bond have high affinity for the neuronal alpha7 nicotinic receptor. *J. Biol. Chem.* 272, 24279-24286

- 32 Pawlak, J. *et al.* (2006) Denmotoxin, a three-finger toxin from the colubrid snake *Boiga dendrophila* (Mangrove Catsnake) with bird-specific activity. *J. Biol. Chem.* 281, 29030-29041
- 33 Doley, R. *et al.* (2009) Role of accelerated segment switch in exons to alter targeting (ASSET) in the molecular evolution of snake venom proteins. *BMC. Evol. Biol.* 9, 146
- 34 Chang, C.C. *et al.* (1973) Studies of the presynaptic effect of  $\alpha$ -bungarotoxin on neuromuscular transmission. *J. Pharmacol. Exp. Ther.* 184, 339-345
- 35 Habermann, E. and Breithaupt, H. (1978) Mini-review. The crotoxin complex--an example of biochemical and pharmacological protein complementation. *Toxicon* 16, 19-30
- 36 Atoda, H. and Morita, T. (1989) A novel blood coagulation factor IX/factor X-binding protein with anticoagulant activity from the venom of *Trimeresurus flavoviridis* (Habu snake): isolation and characterization. *J. Biochem. (Tokyo)* 106, 808-813
- 37 Kini, R.M. (1997) Phospholipase A2 A Complex Multifunctional Protein Puzzle. In *Venom Phospholipase A2 Enzymes: Structure, Function and Mechanism* (Kini, R.M., ed), pp. 1-28, John Wiley & Sons
- 38 Bonfim, V.L. *et al.* (2009) Toxicity of phospholipases A2 D49 (6-1 and 6-2) and K49 (Bj-VII) from *Bothrops jararacussu* venom. *Cell Biol. Toxicol.* 25, 523-532
- 39 de Paula, R.C. *et al.* (2009) Structural and pharmacological features of phospholipases A2 from snake venoms. *Protein Pept. Lett.* 16, 899-907
- 40 Benishin, C.G. (1990) Potassium channel blockade by the B subunit of beta-bungarotoxin. *Mol. Pharmacol.* 38, 164-169
- 41 Hite, L.A. *et al.* (1994) cDNA sequences for four snake venom metalloproteinases: structure, classification, and their relationship to mammalian reproductive proteins. *Arch. Biochem. Biophys.* 308, 182-191
- 42 Pawlak, J. *et al.* (2009) Irditoxin, a novel covalently linked heterodimeric three-finger toxin with high taxon-specific neurotoxicity. *FASEB J.* 23, 534-545
- 43 Jiang, M. *et al.* (1987) Isolation and pharmacological characterization of a new alpha-neurotoxin (alpha-AgTx) from venom of the viper *Agkistrodon halys* (Pallas). *Toxicon* 25, 1019-1022
- 44 Pahari, S. *et al.* (2007) The venom gland transcriptome of the Desert Massasauga Rattlesnake (*Sistrurus catenatus edwardsii*): towards an understanding of venom composition among advanced snakes (Superfamily Colubroidea). *BMC. Mol. Biol.* 8, 115
- 45 Menez, A. (1998) Functional architectures of animal toxins: a clue to drug design? *Toxicon* 36, 1557-1572
- 46 Tsetlin, V. (1999) Snake venom alpha-neurotoxins and other 'three-finger' proteins. *Eur. J. Biochem.* 264, 281-286

- 47 Kini,R.M. (2002) Molecular moulds with multiple missions: functional sites in three-finger toxins. *Clin. Exp. Pharmacol. Physiol* 29, 815-822
- 48 Kini,R.M. and Doley,R. (2010) Structure, function and evolution of three-finger toxins - Mini proteins with multiple targets. *Toxicon*
- 49 Nirthanan,S. and Gwee,M.C. (2004) Three-finger alpha-neurotoxins and the nicotinic acetylcholine receptor, forty years on. *J. Pharmacol. Sci.* 94, 1-17
- 50 Chu,N.S. (2005) Contribution of a snake venom toxin to myasthenia gravis: the discovery of alpha-bungarotoxin in Taiwan. *J. Hist Neurosci.* 14, 138-148
- 51 Mulugeta,E. *et al.* (2003) Loss of muscarinic M4 receptors in hippocampus of Alzheimer patients. *Brain Res.* 960, 259-262
- 52 Sekine-Aizawa,Y. and Haganir,R.L. (2004) Imaging of receptor trafficking by using alpha-bungarotoxin-binding-site-tagged receptors. *Proc. Natl. Acad. Sci. U. S. A* 101, 17114-17119
- 53 Tsetlin,V. *et al.* (2007) Detection of alpha7 nicotinic acetylcholine receptors with the aid of antibodies and toxins. *Life Sci.* 80, 2202-2205
- 54 Reid,P.F. (2007) Alpha-cobratoxin as a possible therapy for multiple sclerosis: a review of the literature leading to its development for this application. *Crit Rev. Immunol.* 27, 291-302
- 55 Gilquin,B. *et al.* (1999) Conformational and functional variability supported by the BPTI fold: solution structure of the Ca<sup>2+</sup> channel blocker calcicludine. *Proteins* 34, 520-532
- 56 Harvey,A.L. and Karlsson,E. (1980) Dendrotoxin from the venom of the green mamba, *Dendroaspis angusticeps*. A neurotoxin that enhances acetylcholine release at neuromuscular junction. *Naunyn Schmiedeberg's Arch. Pharmacol.* 312, 1-6
- 57 Joubert,F.J. and Taljaard,N. (1979) Snake venoms. The amino-acid sequence of protein S2C4 from *Dendroaspis jamesoni kaimosae* (Jameson's mamba) venom. *Hoppe Seylers. Z. Physiol Chem.* 360, 571-580
- 58 Millers,E.K. *et al.* (2009) Crystal structure of textilinin-1, a Kunitz-type serine protease inhibitor from the venom of the Australian common brown snake (*Pseudonaja textilis*). *The FEBS journal* 276, 3163-3175
- 59 Torres,A.M. *et al.* (2003) Identification of a novel family of proteins in snake venoms. Purification and structural characterization of nawaprin from *Naja nigricollis* snake venom. *J. Biol. Chem.* 278, 40097-40104
- 60 Nair,D.G. *et al.* (2007) Antimicrobial activity of omwaprin, a new member of the waprin family of snake venom proteins. *Biochem. J.* 402, 93-104
- 61 Shikamoto,Y. *et al.* (2005) Crystal structure of a CRISP family Ca<sup>2+</sup> -channel blocker derived from snake venom. *Journal of molecular biology* 350, 735-743

- 62 Peichoto, M.E. *et al.* (2009) Purification and characterization of a cysteine-rich secretory protein from *Philodryas patagoniensis* snake venom. *Comp Biochem. Physiol C. Toxicol. Pharmacol.* 150, 79-84
- 63 Clemetson, K.J. *et al.* (1998) Snake venom C-type lectins as tools in platelet research. *Platelets.* 9, 165-169
- 64 Clemetson, K.J. *et al.* (2001) Multifunctional snake C-type lectins affecting platelets. *Haemostasis* 31, 148-154
- 65 Hirabayashi, J. *et al.* (1991) Complete primary structure of a galactose-specific lectin from the venom of the rattlesnake *Crotalus atrox*. Homologies with Ca<sup>2+</sup>-dependent-type lectins. *J. Biol. Chem.* 266, 2320-2326
- 66 Lin, L.P. *et al.* (2007) Cloning, expression and characterization of two C-type lectins from the venom gland of *Bungarus multicinctus*. *Toxicon* 50, 411-419
- 67 Drickamer, K. (1993) Recognition of complex carbohydrates by Ca<sup>2+</sup>-dependent animal lectins. *Biochem. Soc Trans.* 21, 456-459
- 68 Morita, T. (2004) C-type lectin-related proteins from snake venoms. *Curr. Drug Targets. Cardiovasc. Haematol. Disord.* 4, 357-373
- 69 Gould, R.J. *et al.* (1990) Disintegrins: a family of integrin inhibitory proteins from viper venoms. *Proc. Soc. Exp. Biol. Med.* 195, 168-171
- 70 Lin, E. *et al.* (2010) The disintegrin contortrostatin in combination with docetaxel is a potent inhibitor of prostate cancer in vitro and in vivo. *Prostate* 70, 1359-1370
- 71 Markland, F.S., Jr. (1998) Snake venom fibrinogenolytic and fibrinolytic enzymes: an updated inventory. Registry of Exogenous Hemostatic Factors of the Scientific and Standardization Committee of the International Society on Thrombosis and Haemostasis. *Thrombosis and haemostasis* 79, 668-674
- 72 Markland, F.S. (1998) Snake venoms and the hemostatic system. *Toxicon* 36, 1749-1800
- 73 Hartman, G.D. *et al.* (1992) Non-peptide fibrinogen receptor antagonists. 1. Discovery and design of exosite inhibitors. *J. Med. Chem.* 35, 4640-4642
- 74 Funk, C. *et al.* (1971) Reptilase-R--a new reagent in blood coagulation. *Br. J. Haematol.* 21, 43-52
- 75 Madaras, F. *et al.* (1981) Automated estimation of factor Xa using the chromogenic substrate S-2222. *Haemostasis* 10, 271-275
- 76 Cushman, D.W. *et al.* (1979) Development of specific inhibitors of angiotensin I converting enzyme (kininase II). *Fed. Proc* 38, 2778-2782
- 77 Pu, X.C. *et al.* (1995) A novel analgesic toxin (hannalgesin) from the venom of king cobra (*Ophiophagus hannah*). *Toxicon* 33, 1425-1431

- 78 Trikha, M. *et al.* (1994) Contortrostatin, a snake venom disintegrin, inhibits beta 1 integrin-mediated human metastatic melanoma cell adhesion and blocks experimental metastasis. *Cancer Res.* 54, 4993-4998
- 79 DeWys, W.D. *et al.* (1976) Effect of defibrination on tumor growth and response to chemotherapy. *Cancer Res.* 36, 3584-3587
- 80 Wood S Jr and Hilgard, P.H. (1973) Arvin-induced hypofibrinogenemia and metastasis formation from blood-borne cancer cells. *Johns. Hopkins. Med. J.* 133, 207-213
- 81 Eggertsen, G. *et al.* (1981) Molecular characterization of the complement activating protein in the venom of the Indian cobra (*Naja N. siamensis*). *Mol. Immunol.* 18, 125-133
- 82 Vogt, W. (1990) Snake venom constituents affecting the complement system. In *Medical Use of Snake Venom Proteins* (Stocker, K.F., ed), pp. 79-96, CRC Press
- 83 Vogel, C.-W. (1987) *Immunoconjugates. Antibody Conjugates in Radioimaging and Therapy of Cancer*, Oxford University Press
- 84 Stiles, B.G. *et al.* (1991) Antibacterial effects of different snake venoms: purification and characterization of antibacterial proteins from *Pseudechis australis* (Australian king brown or mulga snake) venom. *Toxicon* 29, 1129-1141
- 85 Costa Torres, A.F. *et al.* (2010) Antibacterial and antiparasitic effects of *Bothrops marajoensis* venom and its fractions: Phospholipase A2 and L-amino acid oxidase. *Toxicon* 55, 795-804
- 86 Petricevich, V.L. and Mendonca, R.Z. (2003) Inhibitory potential of *Crotalus durissus terrificus* venom on measles virus growth. *Toxicon* 42, 143-153
- 87 Fenard, D. *et al.* (1999) Secreted phospholipases A(2), a new class of HIV inhibitors that block virus entry into host cells. *J. Clin. Invest* 104, 611-618
- 88 Chu, N.S. (2005) Contribution of a snake venom toxin to myasthenia gravis: the discovery of alpha-bungarotoxin in Taiwan. *Journal of the history of the neurosciences* 14, 138-148
- 89 Vincent, A. (2002) Unravelling the pathogenesis of myasthenia gravis. *Nat. Rev. Immunol.* 2, 797-804
- 90 Zelanis, A. *et al.* (2010) Preliminary biochemical characterization of the venoms of five Colubridae species from Brazil. *Toxicon* 55, 666-669
- 91 Acosta, O. *et al.* (2003) Hemorrhagic activity of the Duvernoy's gland secretion of the xenodontine colubrid *Philodryas patagoniensis* from the north-east region of Argentina. *Toxicon* 41, 1007-1012
- 92 Acosta de, P.O. *et al.* (2003) Edematogenic and myotoxic activities of the Duvernoy's gland secretion of *Philodryas olfersii* from the north-east region of Argentina. *Biocell* 27, 363-370
- 93 Ompraba, G. *et al.* (2010) Identification of a Novel Family of Snake Venom Proteins Veficolins from *Cerberus rynchops* Using a Venom Gland Transcriptomics and Proteomics Approach. *J Proteome. Res.*

- 94 Junqueira-de-Azevedo, I.L. *et al.* (2006) *Lachesis muta* (Viperidae) cDNAs reveal diverging pit viper molecules and scaffolds typical of cobra (Elapidae) venoms: implications for snake toxin repertoire evolution. *Genetics* 173, 877-889
- 95 Mirtschin, P.J. *et al.* (2006) Venom yields from Australian and some other species of snakes. *Ecotoxicology*. 15, 531-538
- 96 Wuster, W. and Broadley, D.G. (2007) Get an eyeful of this: a new species of giant spitting cobra from eastern and north-eastern Africa (Squamata: Serpentes: Elapidae: *Naja*). *Zootaxa* 1532, 51-68
- 97 Mirtschin, P.J. *et al.* (2002) Influences on venom yield in Australian tigersnakes (*Notechis scutatus*) and brownsnakes (*Pseudonaja textilis*: Elapidae, Serpentes). *Toxicon* 40, 1581-1592
- 98 Kostiza, T. and Meier, J. (1996) Nerve growth factors from snake venoms: chemical properties, mode of action and biological significance. *Toxicon* 34, 787-806
- 99 Cohen, S. and Levi-Montalcini, R. (1956) A Nerve Growth-Stimulating Factor Isolated from Snake Venom. *Proceedings of the National Academy of Sciences of the United States of America* 42, 571-574
- 100 Callahan, B.L. *et al.* (2008) Modulation of mechanical and thermal nociceptive sensitivity in the laboratory mouse by behavioral state. *J. Pain* 9, 174-184
- 101 Brittijn, S.A. *et al.* (2009) Zebrafish development and regeneration: new tools for biomedical research. *Int. J. Dev. Biol.* 53, 835-850
- 102 Vogt, A. *et al.* (2010) Development of automated imaging and analysis for zebrafish chemical screens. *J. Vis. Exp.*
- 103 Vogt, A. *et al.* (2009) Automated image-based phenotypic analysis in zebrafish embryos. *Dev. Dyn.* 238, 656-663
- 104 Reading, C.J. *et al.* (2010) Are snake populations in widespread decline? *Biology Letters*
- 105 Shine, R. *et al.* (2002) Reproductive isolating mechanisms between two sympatric sibling species of sea snakes. *Evolution* 56, 1655-1662
- 106 Kochva, E. (1987) The origin of snakes and evolution of the venom apparatus. *Toxicon* 25, 65-106
- 107 Vidal, N. (2002) Colubroid systematics: Evidence for an early appearance of the venom apparatus followed by extensive evolutionary tinkering. *Journal of Toxicology-Toxin Reviews* 21, 21-41
- 108 Kochva, E. (1978) Oral Glands of the Reptilia. In *Biology of the Reptilia* (Gans, C. and Gans, K.A., eds), Academic press
- 109 Jackson, K. (2003) The Evolution of Venom-delivery Systems in Snakes. *Zoological Journal of the Linnean Society* 137, 337-354
- 110 Kardong, K.V. (1979) Protovipers and the Evolution of Snake Fangs. *Evolution* 33, 433-443

- 111 Jackson, K. (2007) The evolution of venom-conducting fangs: insights from developmental biology. *Toxicon* 49, 975-981
- 112 Jackson, K. (1995) Evidence from tooth surface morphology for a posterior maxillary origin of the proteroglyph fang. *Amphibia - Reptilia* 16, 273-288
- 113 Kardong, K. (1980) Evolutionary Patterns in Advanced Snakes. *American Zoologist* 20, 269-282
- 114 Kardong, K. (1982) The Evolution of the Venom Apparatus in Snakes from Colubrids to Viperids & Elapids. *Memorias do Instituto Butantan* 46, 105-118
- 115 Cobourne, M.T. and Sharpe, P.T. (2005) Sonic hedgehog signaling and the developing tooth. *Current topics in developmental biology* 65, 255-287
- 116 Fraser, G.J. et al. (2006) Gene deployment for tooth replacement in the rainbow trout (*Oncorhynchus mykiss*): a developmental model for evolution of the osteichthyan dentition. *Evol. Dev.* 8, 446-457
- 117 Fraser, G.J. et al. (2006) Developmental and evolutionary origins of the vertebrate dentition: molecular controls for spatio-temporal organisation of tooth sites in osteichthyans. *J. Exp. Zool. B Mol. Dev. Evol.* 306, 183-203
- 118 Yamanaka, A. et al. (2007) Development of heterodont dentition in house shrew (*Suncus murinus*) 1. *Eur J Oral Sci* 115, 433-440
- 119 Kuch, U. et al. (2006) Snake fangs from the Lower Miocene of Germany: evolutionary stability of perfect weapons. *Die Naturwissenschaften* 93, 84-87
- 120 Young, B. (1996) Dentitional surface features in snakes (Reptilia: Serpentes). *Amphibia - Reptilia* 17, 261-276
- 121 Frazzetta, T.H. (1966) Studies on the morphology and function of the skull in the Boidae (Serpentes). II. Morphology and function of the jaw apparatus in *Python sebae* and *Python molurus*. *J. Morphol.* 118, 217-295
- 122 Bogert, C.M. (1943) Dentitional phenomena in cobras and other elapids with notes on adaptive modifications of fangs. *Bulletin American Museum of Natural History* 285-357
- 123 Cope, E.D. (1900). In *US National Museum Annual Report for 1898*, US Govt Print. Off.
- 124 Boulenger, G.A. (1896) Remarks on the Dentition of Snakes and on the Evolution of the Poison-fangs. *Proceedings of the Zoological Society of London*, 614-616
- 125 Anthony, J. (1955) Essai sur l'evolution anatomique de l'appareil venimeux des Ophidiens. *Ann. Sci. Nat. Zool. Biol. Anim.* II, 7-53
- 126 Shayer-Wollberg, M. and Kochva, E. (1967) Embryonic development of the venom apparatus in *Causus rhombeatus* (Viperidae, Ophidia). *herpetologica* 23, 249-259

- 127 Kochva,E. (1963) Development of the venom gland and trigeminal muscles in *Vipera palaestinae*. *Acta Anat.* 52, 49-89
- 128 Ovadia,M. (1984) Embryonic Development of Duvernoy's Gland in the Snake *Natrix tessellata* (Colubridae). *Copeia* 2, 516-521
- 129 Gygas,P. (1971) Entwicklung, bau und funktion der giftdrüse (Duvernoy's gland) von *Natrix tessellata*. *Acta Trop.* 28, 226-274
- 130 Ovadia,M. (1985) Embryonic Development of Duvernoy's Gland in the Snake *Spalerosophis cliffordi* (Colubridae). *Copeia* 1, 101-106
- 131 Buchtova,M. *et al.* (2007) Embryonic development of *Python sebae* - II: Craniofacial microscopic anatomy, cell proliferation and apoptosis. *Zoology. (Jena)* 110, 231-251
- 132 Fry,B.G. *et al.* (2008) Evolution of an arsenal: structural and functional diversification of the venom system in the advanced snakes (Caenophidia). *Mol. Cell Proteomics.* 7, 215-246
- 133 Reshef,R. (1995) Ontogenetic mechanisms of teeth and oral gland development in snake - a possible contribution to the understanding of evolutionary processes in reptiles, Tel Aviv University
- 134 Reshef,R. *et al.* (1995) Snake yolk sac as a site for in vivo organ incubation: a new method in the research of snake embryo development. *J. Exp. Zool.* 270, 538-546
- 135 Pearson,J.C. *et al.* (2005) Modulating Hox gene functions during animal body patterning. *Nat. Rev. Genet.* 6, 893-904
- 136 Kessel,M. and Gruss,P. (1991) Homeotic transformations of murine vertebrae and concomitant alteration of Hox codes induced by retinoic acid. *Cell* 67, 89-104
- 137 Duboule,D. and Morata,G. (1994) Colinearity and functional hierarchy among genes of the homeotic complexes. *Trends Genet.* 10, 358-364
- 138 Burke,A.C. *et al.* (1995) Hox genes and the evolution of vertebrate axial morphology. *Development (Cambridge, England)* 121, 333-346
- 139 Gaunt,S.J. (1994) Conservation in the Hox code during morphological evolution. *Int. J. Dev. Biol.* 38, 549-552
- 140 Carroll,R.L. *et al.* (2001) *From DNA to Diversity*, Blackwell Science, London
- 141 Caldwell,M.W. (2003) "Without a leg to stand on": on the evolution and development of axial elongation and limblessness in tetrapods. (40 edn) pp. 573-588
- 142 Carroll,R.L. (2003) *Vertebrate Paleontology and Evolution*.
- 143 Gomez,C. *et al.* (2008) Control of segment number in vertebrate embryos. *Nature* 454, 335-339
- 144 Vonk,F.J. and Richardson,M.K. (2008) Developmental biology: Serpent clocks tick faster. *Nature* 454, 282-283

- 145 Cohn,M.J. and Tickle,C. (1999) Developmental basis of limblessness and axial patterning in snakes. *Nature* 399, 474-479
- 146 McIntyre,D.C. *et al.* (2007) Hox patterning of the vertebrate rib cage. *Development (Cambridge, England)* 134, 2981-2989
- 147 Chen,F. *et al.* (1998) Analysis of Hoxa7/Hoxb7 mutants suggests periodicity in the generation of the different sets of vertebrae. *Mech. Dev.* 77, 49-57
- 148 van den Akker,E. *et al.* (2001) Axial skeletal patterning in mice lacking all paralogous group 8 Hox genes. *Development (Cambridge, England)* 128, 1911-1921
- 149 Wellik,D.M. and Capecchi,M.R. (2003) Hox10 and Hox11 genes are required to globally pattern the mammalian skeleton. *Science (New York, N. Y)* 301, 363-367
- 150 Carapuco,M. *et al.* (2005) Hox genes specify vertebral types in the presomitic mesoderm. *Genes Dev.* 19, 2116-2121
- 151 Hostikka,S.L. and Capecchi,M.R. (1998) The mouse Hoxc11 gene: genomic structure and expression pattern. *Mech. Dev.* 70, 133-145
- 152 Becker,D. *et al.* (1996) Conserved regulatory element involved in the early onset of Hoxb6 gene expression. *Dev. Dyn.* 205, 73-81
- 153 Toth,L.E. *et al.* (1987) Region-specific expression of mouse homeobox genes in the embryonic mesoderm and central nervous system. *Proc. Natl. Acad. Sci. U. S. A* 84, 6790-6794
- 154 Puschel,A.W. *et al.* (1990) Position-specific activity of the Hox1.1 promoter in transgenic mice. *Development (Cambridge, England)* 108, 435-442
- 155 Godwin,A.R. and Capecchi,M.R. (1998) Hoxc13 mutant mice lack external hair. *Genes Dev.* 12, 11-20
- 156 Chen,F. and Capecchi,M.R. (1997) Targeted mutations in hoxa-9 and hoxb-9 reveal synergistic interactions. *Dev. Biol.* 181, 186-196
- 157 Cohn,M.J. *et al.* (1997) Hox9 genes and vertebrate limb specification. *Nature* 387, 97-101
- 158 Rallis,C. *et al.* (2003) Tbx5 is required for forelimb bud formation and continued outgrowth. *Development (Cambridge, England)* 130, 2741-2751
- 159 Gibson-Brown,J.J. *et al.* (1998) Involvement of T-box genes Tbx2-Tbx5 in vertebrate limb specification and development. *Development (Cambridge, England)* 125, 2499-2509
- 160 Greene,H.W. (1997) *Snakes : the evolution of mystery in nature*, University of California Press
- 161 Mogil,J.S. *et al.* (2006) Screening for pain phenotypes: analysis of three congenic mouse strains on a battery of nine nociceptive assays. *Pain* 126, 24-34
- 162 Hoekstra,H.E. and Coyne,J.A. (2007) The locus of evolution: evo devo and the genetics of adaptation. *Evolution* 61, 995-1016

- 163 Wagner,G.P. and Lynch,V.J. (2008) The gene regulatory logic of transcription factor evolution. *Trends Ecol. Evol.* 23, 377-385
- 164 Galant,R. and Carroll,S.B. (2002) Evolution of a transcriptional repression domain in an insect Hox protein. *Nature* 415, 910-913
- 165 Ronshaugen,M. *et al.* (2002) Hox protein mutation and macroevolution of the insect body plan. *Nature* 415, 914-917
- 166 Vonk,F.J. *et al.* (2011) Snake venom: From fieldwork to the clinic: Recent insights into snake biology, together with new technology allowing high-throughput screening of venom, bring new hope for drug discovery. *Bioessays* 33, 269-279
- 167 Zupunski,V. *et al.* (2003) Adaptive evolution in the snake venom Kunitz/BPTI protein family. *FEBS letters* 547, 131-136
- 168 Kordis,D. and Gubensek,F. (2000) Adaptive evolution of animal toxin multigene families. *Gene* 261, 43-52
- 169 Reza,M.A. *et al.* (2007) Structure of two genes encoding parallel prothrombin activators in *Tropidechis carinatus* snake: gene duplication and recruitment of factor X gene to the venom gland. *J Thromb Haemost* 5, 117-126
- 170 Fry,B.G. (2005) From genome to "venome": molecular origin and evolution of the snake venom proteome inferred from phylogenetic analysis of toxin sequences and related body proteins. *Genome research* 15, 403-420
- 171 Kwong,S. *et al.* (2009) The recruitment of blood coagulation factor X into snake venom gland as a toxin: the role of promoter cis-elements in its expression. *Thromb. Haemost.* 102, 469-478
- 172 Minh Le,T.N. *et al.* (2005) Gene duplication of coagulation factor V and origin of venom prothrombin activator in *Pseudonaja textilis* snake. *Thrombosis and haemostasis* 93, 420-429
- 173 Cousin,X. *et al.* (1998) Identification of a novel type of alternatively spliced exon from the acetylcholinesterase gene of *Bungarus fasciatus*. Molecular forms of acetylcholinesterase in the snake liver and muscle. *J. Biol. Chem.* 273, 9812-9820
- 174 Vidal,N. *et al.* (2007) The phylogeny and classification of caenophidian snakes inferred from seven nuclear protein-coding genes. *C. R. Biol* 330, 182-187
- 175 Fry,B.G. *et al.* (2006) Early evolution of the venom system in lizards and snakes. *Nature* 439, 584-588
- 176 Vonk,F.J. *et al.* (2011) Snake venom: From fieldwork to the clinic. *Bioessays* 33, 269-279
- 177 Reza,M.A. *et al.* (2005) Gene structures of trocarin D and coagulation factor X, two functionally diverse prothrombin activators from Australian rough scaled snake. *Pathophysiology of haemostasis and thrombosis* 34, 205-208

- 178 Stanke, M. *et al.* (2006) Gene prediction in eukaryotes with a generalized hidden Markov model that uses hints from external sources. *BMC. Bioinformatics.* 7, 62
- 179 Warren, W.C. *et al.* (2008) Genome analysis of the platypus reveals unique signatures of evolution. *Nature* 453, 175-183
- 180 Li, R. *et al.* (2010) The sequence and de novo assembly of the giant panda genome. *Nature* 463, 311-317
- 181 Wallis, J.W. *et al.* (2004) A physical map of the chicken genome. *Nature* 432, 761-764
- 182 Kini, R.M. and Doley, R. (2010) Structure, function and evolution of three-finger toxins - Mini proteins with multiple targets. *Toxicon*
- 183 R. Manjunatha Kini (1997) *Venom Phospholipase A2 Enzymes*, John Wiley & Sons, Inc.
- 184 Casewell, N.R. *et al.* (2009) Comparative venom gland transcriptome surveys of the saw-scaled vipers (Viperidae: Echis) reveal substantial intra-family gene diversity and novel venom transcripts. *BMC. Genomics* 10, 564
- 185 Gibbs, G.M. and O'Bryan, M.K. (2007) Cysteine rich secretory proteins in reproduction and venom. *Soc. Reprod. Fertil. Suppl* 65, 261-267
- 186 Moura-da-Silva, A.M. *et al.* (2007) Importance of snake venom metalloproteinases in cell biology: effects on platelets, inflammatory and endothelial cells. *Curr. Pharm. Des* 13, 2893-2905
- 187 Du, X.Y. and Clemetson, K.J. (2002) Snake venom L-amino acid oxidases. *Toxicon* 40, 659-665
- 188 Kemparaju, K. and Girish, K.S. (2006) Snake venom hyaluronidase: a therapeutic target. *Cell Biochem. Funct.* 24, 7-12
- 189 Reitinger, S. *et al.* (2008) High-yield recombinant expression of the extremophile enzyme, bee hyaluronidase in *Pichia pastoris*. *Protein Expr. Purif.* 57, 226-233
- 190 Chatrath, S.T. *et al.* (2011) Identification of novel proteins from the venom of a cryptic snake *Drysdalia coronoides* by a combined transcriptomics and proteomics approach. *J. Proteome. Res.* 10, 739-750
- 191 Li, J.W. and Vederas, J.C. (2009) Drug discovery and natural products: end of an era or an endless frontier? *Science (New York, N. Y)* 325, 161-165
- 192 Deshimaru, M. *et al.* (1996) Accelerated evolution of crotalinae snake venom gland serine proteases. *FEBS letters* 397, 83-88
- 193 Calvete, J.J. *et al.* (2007) Snake Venomics of Bitis Species Reveals Large Intra-genus Venom Toxin Composition Variation: Application to Taxonomy of Congeneric Taxa. *Journal of proteome research*
- 194 Doley, R. *et al.* (2008) Accelerated exchange of exon segments in Viperid three-finger toxin genes (*Sistrurus catenatus edwardsii*; Desert Massasauga). *BMC. Evol. Biol.* 8, 196

- 195 Doley,R. *et al.* (2008) Unusual accelerated rate of deletions and insertions in toxin genes in the venom glands of the pygmy copperhead (*Austrelaps labialis*) from Kangaroo island. *BMC. Evol. Biol.* 8, 70
- 196 Harvey,A.L. (2008) Natural products in drug discovery. *Drug Discov. Today* 13, 894-901
- 197 Kapoor,V.K. (2010) Natural toxins and their therapeutic potential. *Indian J. Exp. Biol.* 48, 228-237
- 198 Hamidi,M. *et al.* (2007) Applications of carrier erythrocytes in delivery of biopharmaceuticals. *J. Control Release* 118, 145-160
- 199 Bailon,P. and Won,C.Y. (2009) PEG-modified biopharmaceuticals. *Expert. Opin. Drug Deliv.* 6, 1-16
- 200 Takahashi,H. *et al.* (2007) Delivery of large biopharmaceuticals from cardiovascular stents: a review. *Biomacromolecules.* 8, 3281-3293
- 201 Dinarvand,R. *et al.* (2004) Polymeric delivery systems for biopharmaceuticals. *Biotechnol. Genet. Eng Rev.* 21, 147-181
- 202 Decker,E.L. and Reski,R. (2008) Current achievements in the production of complex biopharmaceuticals with moss bioreactors. *Bioprocess. Biosyst. Eng* 31, 3-9
- 203 Wurm,F.M. (2007) Manufacturing of biopharmaceuticals and implications for biosimilars. *Kidney Blood Press Res.* 30 Suppl 1, 6-8
- 204 Komarova,T.V. *et al.* (2010) Transient expression systems for plant-derived biopharmaceuticals. *Expert. Rev. Vaccines.* 9, 859-876
- 205 Daniell,H. *et al.* (2009) Plant-made vaccine antigens and biopharmaceuticals. *Trends Plant Sci.* 14, 669-679
- 206 Kessler,M. *et al.* (2006) Immunogenicity of biopharmaceuticals. *Nephrol. Dial. Transplant.* 21 Suppl 5, v9-12
- 207 Bhogal,N. (2010) Immunotoxicity and immunogenicity of biopharmaceuticals: design concepts and safety assessment. *Curr. Drug Saf* 5, 293-307
- 208 Bussiere,J.L. *et al.* (2009) Alternative strategies for toxicity testing of species-specific biopharmaceuticals. *Int. J. Toxicol.* 28, 230-253
- 209 Giezen,T.J. *et al.* (2009) Pharmacovigilance of biopharmaceuticals: challenges remain. *Drug Saf* 32, 811-817
- 210 Reichert,J.M. (2000) New biopharmaceuticals in the USA: trends in development and marketing approvals 1995-1999. *Trends Biotechnol.* 18, 364-369
- 211 Reichert,J.M. and Healy,E.M. (2001) Biopharmaceuticals approved in the EU 1995-1999: a European Union-United States comparison. *Eur. J. Pharm. Biopharm.* 51, 1-7
- 212 Ponzio,T.A. *et al.* (2011) License Compliance Issues For Biopharmaceuticals: Special Challenges For Negotiations Between Companies And Non-Profit Research Institutions. *LES Nouv.* 46, 216-225

- 213 Ratner, M. (2010) Pfizer stakes a claim in plant cell-made biopharmaceuticals. *Nat. Biotechnol.* 28, 107-108
- 214 Wallace, M.S. (2006) Ziconotide: a new nonopioid intrathecal analgesic for the treatment of chronic pain. *Expert. Rev. Neurother.* 6, 1423-1428
- 215 Gallwitz, B. (2006) Exenatide in type 2 diabetes: treatment effects in clinical studies and animal study data. *Int. J. Clin. Pract.* 60, 1654-1661
- 216 van Os, G.M. *et al.* (2011) Detection of lupus anticoagulant in the presence of rivaroxaban using Taipan snake venom time. *J. Thromb. Haemost.* 9, 1657-1659
- 217 Magazanik, L.G. and Vyskocyl, F. (1972) [Mechanism of action of snake venom neurotoxins]. *Zhurnal evoliutsionnoi biokhimii i fiziologii* 8, 555-557
- 218 Koehn, F.E. and Carter, G.T. (2005) The evolving role of natural products in drug discovery. *Nat. Rev. Drug Discov.* 4, 206-220
- 219 Brack, W. (2003) Effect-directed analysis: a promising tool for the identification of organic toxicants in complex mixtures? *Anal. Bioanal. Chem.* 377, 397-407
- 220 Brack, W. *et al.* (2007) Effect-directed analysis of key toxicants in European river basins a review. *Environ. Sci. Pollut. Res. Int.* 14, 30-38
- 221 Houtman, C.J. *et al.* (2007) Biomonitoring of estrogenic exposure and identification of responsible compounds in bream from Dutch surface waters. *Environ. Toxicol. Chem.* 26, 898-907
- 222 Yu, S. *et al.* (2010) Screening and isolation of a natural dopamine D1 receptor antagonist using cell-based assays. *J. Biotechnol.* 145, 304-309
- 223 Nyila, M.A. *et al.* (2009) Bioactivities of *Plectranthus ecklonii* constituents. *Nat. Prod. Commun.* 4, 1177-1180
- 224 Ebada, S.S. *et al.* (2008) Methods for isolation, purification and structural elucidation of bioactive secondary metabolites from marine invertebrates. *Nat. Protoc.* 3, 1820-1831
- 225 Fernandez, J. *et al.* (2011) Venomic and antivenomic analyses of the Central American coral snake, *Micrurus nigrocinctus* (Elapidae). *J. Proteome. Res.* 10, 1816-1827
- 226 Hill, R.E. and Mackessy, S.P. (1997) Venom yields from several species of colubrid snakes and differential effects of ketamine. *Toxicon* 35, 671-678
- 227 Fry, B.G. *et al.* (2003) Molecular evolution and phylogeny of elapid snake venom three-finger toxins. *Journal of molecular evolution* 57, 110-129
- 228 Schebb, N.H. *et al.* (2009) Analysis of glutathione adducts of patulin by means of liquid chromatography (HPLC) with biochemical detection (BCD) and electrospray ionization tandem mass spectrometry (ESI-MS/MS). *Anal. Bioanal. Chem.* 394, 1361-1373

- 229 Kool,J. *et al.* (2007) Online biochemical detection of glutathione-S-transferase P1-specific inhibitors in complex mixtures. *J. Biomol. Screen.* 12, 396-405
- 230 Kool,J. *et al.* (2007) Cytochrome P450 bio-affinity detection coupled to gradient HPLC: on-line screening of affinities to cytochrome P4501A2 and 2D6. *J. Chromatogr. B Analyt. Technol. Biomed. Life Sci.* 858, 49-58
- 231 Kool,J. *et al.* (2007) An on-line post-column detection system for the detection of reactive-oxygen-species-producing compounds and antioxidants in mixtures. *Anal. Bioanal. Chem.* 388, 871-879
- 232 Kool,J. *et al.* (2011) Advances in mass spectrometry-based post-column bioaffinity profiling of mixtures. *Anal. Bioanal. Chem.* 399, 2655-2668
- 233 de Jong,C.F. *et al.* (2006) High-performance liquid chromatography-mass spectrometry-based acetylcholinesterase assay for the screening of inhibitors in natural extracts. *J. Chromatogr. A* 1112, 303-310
- 234 van Elswijk,D.A. *et al.* (2004) Rapid dereplication of estrogenic compounds in pomegranate (*Punica granatum*) using on-line biochemical detection coupled to mass spectrometry. *Phytochemistry* 65, 233-241
- 235 Schobel,U. *et al.* (2001) High resolution screening of plant natural product extracts for estrogen receptor alpha and beta binding activity using an online HPLC-MS biochemical detection system. *J. Biomol. Screen.* 6, 291-303
- 236 Ingkaninan,K. *et al.* (2000) The application of HPLC with on-line coupled UV/MS-biochemical detection for isolation of an acetylcholinesterase inhibitor from narcissus 'Sir Winston Churchill'. *J. Nat. Prod.* 63, 803-806
- 237 Heus,F. *et al.* (2010) Development of a microfluidic confocal fluorescence detection system for the hyphenation of nano-LC to on-line biochemical assays. *Anal. Bioanal. Chem.* 398, 3023-3032
- 238 Dutertre,S. *et al.* (2007) AChBP-targeted alpha-conotoxin correlates distinct binding orientations with nAChR subtype selectivity. *EMBO J.* 26, 3858-3867
- 239 Smit,A.B. *et al.* (2006) Acetylcholine-binding proteins: functional and structural homologs of nicotinic acetylcholine receptors. *J. Mol. Neurosci.* 30, 9-10
- 240 Smit,A.B. *et al.* (2001) A glia-derived acetylcholine-binding protein that modulates synaptic transmission. *Nature* 411, 261-268
- 241 Edink,E. *et al.* (2011) Fragment growing induces conformational changes in acetylcholine-binding protein: a structural and thermodynamic analysis. *J. Am. Chem. Soc.* 133, 5363-5371
- 242 de Kloe,G.E. *et al.* (2010) Surface plasmon resonance biosensor based fragment screening using acetylcholine binding protein identifies ligand efficiency hot spots (LE hot spots) by deconstruction of nicotinic acetylcholine receptor alpha7 ligands. *J. Med. Chem.* 53, 7192-7201

- 243 Kool, J. *et al.* (2010) Online fluorescence enhancement assay for the acetylcholine binding protein with parallel mass spectrometric identification. *J. Med. Chem.* 53, 4720-4730
- 244 Celie, P.H. *et al.* (2004) Nicotine and carbamylcholine binding to nicotinic acetylcholine receptors as studied in AChBP crystal structures. *Neuron* 41, 907-914
- 245 Chang, L. *et al.* (1999) Genetic organization of alpha-bungarotoxins from *Bungarus multicinctus* (Taiwan banded krait): evidence showing that the production of alpha-bungarotoxin isotoxins is not derived from edited mRNAs. *Nucleic Acids Res.* 27, 3970-3975
- 246 Fiordalisi, J.J. and Grant, G.A. (1993) Evidence for a fast-exchange conformational process in alpha-bungarotoxin. *Toxicon* 31, 767-775
- 247 McDowell, R.S. *et al.* (1992) Mambin, a potent glycoprotein IIb-IIIa antagonist and platelet aggregation inhibitor structurally related to the short neurotoxins. *Biochemistry* 31, 4766-4772
- 248 Marchot, P. *et al.* (1997) Expression and activity of mutants of fasciculin, a peptidic acetylcholinesterase inhibitor from mamba venom. *J. Biol. Chem.* 272, 3502-3510
- 249 Marchot, P. *et al.* (1998) Inhibition of mouse acetylcholinesterase by fasciculin: crystal structure of the complex and mutagenesis of fasciculin. *Toxicon* 36, 1613-1622
- 250 Jas-Bailador, F. *et al.* (1998) Effects of alpha-erabutoxin, alpha-bungarotoxin, alpha-cobratoxin and fasciculin on the nicotine-evoked release of dopamine in the rat striatum in vivo. *Neurochem. Int.* 33, 307-312
- 251 Carsi, J.M. *et al.* (1999) m2-toxin: A selective ligand for M2 muscarinic receptors. *Mol. Pharmacol.* 56, 933-937
- 252 Carsi, J.M. and Potter, L.T. (2000) m1-toxin isotoxins from the green mamba (*Dendroaspis angusticeps*) that selectively block m1 muscarinic receptors. *Toxicon* 38, 187-198
- 253 Gong, N. *et al.* (1999) Postsynaptic short-chain neurotoxins from *Pseudonaja textilis*. cDNA cloning, expression and protein characterization. *Eur. J. Biochem.* 265, 982-989
- 254 Gong, N. *et al.* (2000) Molecular cloning, characterization and evolution of the gene encoding a new group of short-chain alpha-neurotoxins in an Australian elapid, *Pseudonaja textilis*. *FEBS Lett.* 473, 303-310
- 255 Chaki, S. *et al.* (1992) Purification and partial characterization of K<sup>+</sup> channel blockers from the venom of *Dendroaspis angusticeps*. *Neurochem. Int.* 20, 553-558
- 256 Albrand, J.P. *et al.* (1995) NMR and restrained molecular dynamics study of the three-dimensional solution structure of toxin FS2, a specific blocker of the L-type calcium channel, isolated from black mamba venom. *Biochemistry* 34, 5923-5937
- 257 Kini, R.M. *et al.* (1998) Flanking proline residues identify the L-type Ca<sup>2+</sup> channel binding site of calciseptine and FS2. *Biochemistry* 37, 9058-9063

- 258 Jang, J.Y. *et al.* (1997) Comparison of the hemolytic activity and solution structures of two snake venom cardiotoxin analogues which only differ in their N-terminal amino acid. *Biochemistry* 36, 14635-14641
- 259 Fryklund, L. and Eaker, D. (1973) Complete amino acid sequence of a nonneurotoxic hemolytic protein from the venom of *Haemachatus haemachates* (African ringhals cobra). *Biochemistry* 12, 661-667
- 260 Choudhury, S.R. *et al.* (2006) Purification, crystallization and preliminary X-ray structural studies of a 7.2 kDa cytotoxin isolated from the venom of *Daboia russelli russelli* of the Viperidae family. *Acta Crystallogr. Sect. F. Struct. Biol. Cryst. Commun.* 62, 292-294
- 261 Dubovskii, P.V. *et al.* (2005) Interaction of three-finger toxins with phospholipid membranes: comparison of S- and P-type cytotoxins. *Biochem. J.* 387, 807-815
- 262 Ploug, M. and Ellis, V. (1994) Structure-function relationships in the receptor for urokinase-type plasminogen activator. Comparison to other members of the Ly-6 family and snake venom alpha-neurotoxins. *FEBS letters* 349, 163-168
- 263 Kornisiuk, E. *et al.* (1995) Binding of muscarinic toxins MTx1 and MTx2 from the venom of the green mamba *Dendroaspis angusticeps* to cloned human muscarinic cholinergic receptors. *Toxicon* 33, 11-18
- 264 Jerusalinsky, D. *et al.* (1997) Workshop: the use of muscarinic toxins in the study of muscarinic receptors. *Life Sci.* 60, 1161-1162
- 265 Kanda, T. *et al.* (1983) Neuromuscular junctions of the posterior cricoarytenoid muscle in the cat. *Acta Otolaryngol. Suppl* 393, 25-32
- 266 Unwin, N. (1993) Nicotinic acetylcholine receptor at 9 Å resolution. *J. Mol. Biol.* 229, 1101-1124
- 267 Pawlak, J. *et al.* (2006) Denmotoxin, a three-finger toxin from the colubrid snake *Boiga dendrophila* (Mangrove Catsnake) with bird-specific activity. *The Journal of biological chemistry* 281, 29030-29041
- 268 Kumar, T.K. *et al.* (1997) Snake venom cardiotoxins-structure, dynamics, function and folding. *J. Biomol. Struct. Dyn.* 15, 431-463
- 269 Konshina, A.G. *et al.* (2011) Snake cytotoxins bind to membranes via interactions with phosphatidylserine head groups of lipids. *PLoS. One.* 6, e19064
- 270 Dubovskii, P.V. *et al.* (2003) Interaction of the P-type cardiotoxin with phospholipid membranes. *Eur. J. Biochem.* 270, 2038-2046
- 271 Vulpius, C.A. *et al.* (2011) An unusual phospholipase A(2) from puff adder *Bitis arietans* venom--a novel blocker of nicotinic acetylcholine receptors. *Toxicon* 57, 787-793
- 272 Petras, D. *et al.* (2011) Snake venomomics of African spitting cobras: toxin composition and assessment of congeneric cross-reactivity of the pan-African EchiTAB-Plus-ICP antivenom by antivenomics and neutralization approaches. *J. Proteome. Res.* 10, 1266-1280

- 273 Ackermann,E.J. and Taylor,P. (1997) Nonidentity of the alpha-neurotoxin binding sites on the nicotinic acetylcholine receptor revealed by modification in alpha-neurotoxin and receptor structures. *Biochemistry* 36, 12836-12844
- 274 Malany,S. *et al.* (2000) Orientation of alpha-neurotoxin at the subunit interfaces of the nicotinic acetylcholine receptor. *Biochemistry* 39, 15388-15398
- 275 Strydom,A.J. (1973) Snake venom toxins. The amino acid sequences of two toxins from *Dendroaspis jamesoni kaimosae* (Jameson's mamba) venom. *Biochimica et biophysica acta* 328, 491-509
- 276 Joubert,F.J. (1976) Snake venom toxins. The amino-acid sequences of three toxins (CM-8, CM-11 and CM-13a) from *Naja haje annulifera* (Egyptian cobra) venom. *European journal of biochemistry / FEBS* 64, 219-232
- 277 Joubert,F.J. (1975) The purification and amino acid sequence of toxin CM-13b from *Naja haje annulifera* (Egyptian cobra) venom. *Hoppe Seylers. Z. Physiol Chem.* 356, 1901-1908
- 278 Jeyaseelan,K. *et al.* (2003) Structurally conserved alpha-neurotoxin genes encode functionally diverse proteins in the venom of *Naja sputatrix*. *FEBS Lett.* 553, 333-341
- 279 Joubert,F. and Taljaard,N. (1978) Purification, some properties and the primary structures of three reduced and S-carboxymethylated toxins (CM-5, CM-6 and CM-10a) from *Naja haje haje* (Egyptian cobra) venom. *Biochim. Biophys. Acta* 537, 1-8
- 280 Pook,C.E. and McEwing,R. (2005) Mitochondrial DNA sequences from dried snake venom: a DNA barcoding approach to the identification of venom samples. *Toxicon* 46, 711-715
- 281 Lewis,R.J. and Garcia,M.L. (2003) Therapeutic potential of venom peptides. *Nat. Rev. Drug Discov.* 2, 790-802
- 282 Mouhat,S. *et al.* (2008) Animal toxins acting on voltage-gated potassium channels. *Curr. Pharm. Des* 14, 2503-2518
- 283 Dutertre,S. *et al.* (2006) Isolation and characterisation of conomap-Vt, a D-amino acid containing excitatory peptide from the venom of a vermivorous cone snail. *FEBS Lett.* 580, 3860-3866
- 284 Hansen,S.B. *et al.* (2002) Tryptophan fluorescence reveals conformational changes in the acetylcholine binding protein. *J. Biol. Chem.* 277, 41299-41302
- 285 Wielhouwer,E.M. *et al.* (2011) Zebrafish embryo development in a microfluidic flow-through system. *Lab Chip.* 11, 1815-1824