



Universiteit
Leiden
The Netherlands

Gold nanorod photoluminescence : applications to imaging and temperature sensing

Carattino, A.

Citation

Carattino, A. (2017, March 9). *Gold nanorod photoluminescence : applications to imaging and temperature sensing*. *Casimir PhD Series*. Retrieved from <https://hdl.handle.net/1887/46596>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/46596>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/46596> holds various files of this Leiden University dissertation.

Author: Carattino, A.

Title: Gold nanorod photoluminescence : applications to imaging and temperature sensing

Issue Date: 2017-03-09

GOLD NANOROD PHOTOLUMINESCENCE

APPLICATIONS TO IMAGING AND TEMPERATURE SENSING



GOLD NANOROD PHOTOLUMINESCENCE
APPLICATIONS TO IMAGING AND TEMPERATURE SENSING

Proefschrift

ter verkrijging van
de graad van Doctor aan de Universiteit Leiden,
op gezag van de Rector Magnificus prof. mr. C. J. J. M. Stolker,
volgens besluit van het College voor Promoties,
te verdedigen op donderdag 9 maart 2017
klokke 13:45 uur

door

Aquiles CARATTINO

geboren te Buenos Aires (Argentinië)
in 1986

Promotor: Prof. dr. M. A. G. J. Orrit

Promotiecomissie: Prof. dr. N. H. Dekker (TU Delft)
Prof. dr. A. F. Koenderink (FOM Institute AMOLF)
Prof. dr. E. R. Eliel
Prof. dr. M. P. van Exter
Dr. ir. S. J. T. van Noort
Prof. dr. T. Schmidt



Universiteit
Leiden



Keywords: Gold Nanorods, Luminescence, Imaging, Anti-Stokes, Temperature

Printed by: Gildeprint

Front & Back: Cover art design by Camila Carattino.



Copyright © 2017 by A. Carattino
Casimir PhD Series, Delft-Leiden 2017-03

ISBN 978-90-8593-288-8

An electronic version of this thesis can be found at
<https://openaccess.leidenuniv.nl/>.

The work described in this thesis is part of the research programme of the Foundation for Fundamental Research on Matter (FOM), which is part of the Netherlands Organisation for Scientific Research (NWO).

Voor mijn ouders en mijn zus



PREFACE

Behind every thesis lies a story that involves much more people than the mere author whose name is on the cover. This book is the conclusion of four years of work in the MoNOS group at the physics institute in Leiden, where I have focused on the study of single gold nanorod luminescence and its possible applications.

The project was framed within a larger collaboration with three more groups from biophysics, biology and chemistry. The aim of the project was utilizing single gold nanorods as labels in the nucleus of cells, focusing into the study of the glucocorticoid receptor. My part in the collaboration was the understanding of the mechanisms that give rise to the luminescence of single gold nanorods, crucial for the imaging and tracking in living cells. Even if my work was not biophysical, I always kept an eye into the biological applications of my research.

A Friday afternoon idea, triggered by postdoc Saumyakhanti Khatua evolved into what now is chapter 2 of this booklet. He asked me if it was possible to monitor the etching process of gold by cyanide ions in single gold nanoparticles. The first trial showed already something interesting: single particles on glass were behaving completely different than in bulk suspension. More importantly, to answer the question it was clear that we needed better software to control the setup.

Ferry Kruidenberg, a bachelor student at the time, joined the group to help develop the software even further. He designed the core layout of the program and the first graphical user interface. Together we learned about version control, instrumentation and programming patterns. Simultaneously, a master student, Irina Komen, joined the group to start working on an optical tweezer. Together we managed to obtain photothermal signals from single nanoparticles that were trapped in water and glycerol. However, the final objective was to study the fluorescence enhancement of a dye in the vicinity of the rod while away from any other surface, thus preventing sticking of the molecules to the coverslip.

Even if the results on the optical tweezer didn't fit into this thesis, while characterizing the emission from different nanoparticles an interesting phenomenon appeared: emission at higher energies than the excitation energy, the anti-Stokes emission. This emission proved to be reasonably efficient, sometimes even comparable to the Stokes-shifted counterpart. The detection of anti-Stokes luminescence was consistent between different samples and under different conditions.

Anti-Stokes luminescence opened the door to two different approaches. Firstly it was possible to exploit the emission at shorter wavelengths to suppress the background when imaging under biological conditions. Cells are known to fluoresce under laser irradiation and therefore dim emitters such as small nanoparticles are hard to distinguish from the background. After discussing with Veer Keizer, a PhD candidate in biology belonging to the same project, we embarked into the exploitation of the anti-Stokes emission for imaging. These ideas led to Chapter 3 and its publication in the Biophysical Journal. It

was very well received by the reviewers, one of them qualified the findings as a “very important breakthrough”.

However, there was more in the anti-Stokes emission than solely the application to imaging. If the emission depends on temperature, it can be used as a nano-thermometer. Photothermal therapy is a fertile subject that relies on locally increasing the temperature to kill specific cells. This is achieved by shining a laser onto gold nanoparticles inside or in the vicinity of those cells. However there are so far no ways of controlling the temperature of the particles. Studying the anti-Stokes emission can be a solution to a long standing problem in the medical and biological sciences.

To prove the usefulness of the method, the measurements were performed in a temperature variable flow cell. An air spaced objective was needed to avoid altering the temperature of the observed area, which in turn lowered the collection efficiency. At higher temperatures (around 60 °C) the setup drifts several micrometers and therefore an accurate control of temperature and a proper tracking of the particles was needed.

Chapter 4 shows that it is indeed possible to determine the absolute temperature of single nanoparticles just by measuring their anti-Stokes spectrum. The method does not require any form of *ad-hoc* calibration and can be easily implemented in any confocal microscope coupled with a spectrometer. These findings can have a major impact on photothermal therapy and in material sciences, where the question of the temperature reached by the particles has been open for more than 20 years. Testing the method in real situations is the next logical step but was outside the time frame of the thesis.

With the experience built on the anti-Stokes luminescence, characterizing the scattering of single gold nanoparticles at different temperatures did not prove to be particularly challenging. Since the first inception of the computer software until the last version, that allowed to acquire all the data in Chapter 5, almost 4 years had passed.

This work summarizes a lot of effort by a lot of people. It neglects all the failed experiments and frustrations. It is important to remind that failure is only a relative measure; while we learn something either of nature or of ourselves, we are being successful.

Aquiles Carattino
Leiden, March 2017

CONTENTS

1	Introduction	1
1.1	Light Microscopy	2
1.2	Gold Nanoparticles	3
1.3	Luminescence from gold nanoparticles	5
1.4	Applications of gold nanoparticles	7
1.4.1	Tuning the resonance of gold nanoparticles	7
1.4.2	Imaging through detection of anti-Stokes emission	7
1.4.3	Gold nanoparticles as nano-thermometers	8
1.4.4	Plasmon damping as a function of temperature	9
1.5	One program to rule them all	9
	References	10
2	Cyanide Etching	15
2.1	Introduction	16
2.2	Experimental method.	17
2.3	Results	18
2.4	Conclusions.	24
	References	25
3	Background-Free Imaging	29
3.1	Introduction	30
3.2	Experimental method.	33
3.3	Results and discussion	35
3.4	Conclusions.	39
	References	40
4	Gold nanorods as nano-thermometers	45
4.1	Introduction	46
4.2	Experimental method.	49
4.3	Results	50
4.4	Conclusions.	57
	References	58
5	Plasmon damping as a function of temperature	63
5.1	Introduction	64
5.2	Experimental method.	66
5.3	Results	67
5.4	Conclusions.	71
	References	72

6	Conclusions & Outlook	77
6.1	General conclusions	77
6.2	Outlook	77
6.2.1	Cyanide etching	78
6.2.2	Background suppression.	78
6.2.3	Temperature sensing with anti-Stokes luminescence	79
6.2.4	Plasmon Damping	79
	References	80
A	Cyanide Etching	83
A.1	Solution results	84
A.2	SEM images.	85
A.3	Background spectrum	86
B	Background-Free Imaging	87
B.1	Setup	88
B.2	Uv-Vis spectrum	89
B.3	Filters	90
B.4	TEM images of rods.	91
B.5	White light transmission	91
B.6	Full scan without dye	91
B.7	Full scan without dye	92
B.8	Signal-to-background of several particles	93
B.9	Viability test.	93
	References	94
C	Gold nanorods as nano-thermometers	95
C.1	Comparing Comsol and a simple approximation for temperature calculation	96
C.2	Luminescence power dependence	97
	Summary	99
	Samenvatting	103
	Curriculum Vitæ	107
	List of Publications	109