



Universiteit  
Leiden  
The Netherlands

## Arabidopsis AGC3 kinases and PIN plasma membrane abundance

Gelderen, K. van

### Citation

Gelderen, K. van. (2017, July 6). *Arabidopsis AGC3 kinases and PIN plasma membrane abundance*. Retrieved from <https://hdl.handle.net/1887/50504>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/50504>

**Note:** To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/50504> holds various files of this Leiden University dissertation

**Author:** Gelderen, Kasper van

**Title:** Arabidopsis AGC3 kinases and PIN plasma membrane abundance

**Issue Date:** 2017-07-06

***Arabidopsis* AGC3 kinases and  
PIN plasma membrane abundance**

**Kasper van Gelderen,**

**Funding statement:** This work was supported by a grant from the Research Council for Chemical Sciences (NWO-CW TOP-700.58.301 CW 700.58.301) to Prof. Dr. R. Offringa.

**Cover design:** Iliana Boshoven-Gkini | AgileColor.com

**Lay-out design:** Iliana Boshoven-Gkini | AgileColor.com

**Printed by:** GVO drukkers & vormgevers | gvo.nl

**ISBN:** 978-94-6332-200-3

# ***Arabidopsis* AGC3 kinases and PIN plasma membrane abundance**

Proefschrift

ter verkrijging van  
de graad van Doctor aan de Universiteit Leiden,  
op gezag van Rector Magnificus Prof.mr. C.J.J.M. Stolker, volgens besluit  
van het College voor Promoties te verdedigen op donderdag 6 juli 2017  
klokke 13.45 uur  
door

**Kasper van Gelderen,  
geboren te De Bilt, Nederland  
26 april 1982**

## **Promotiecommissie**

**Promotor:**           **Prof. Dr. R. Offringa**

**Overige leden:**       **Prof. Dr. H.P. Spaik**  
                              **Prof. Dr. P.J.J. Hooykaas**  
                              **Prof. Dr. J. Friml, Institute of Science and Technology Austria**  
                              **Prof. Dr. C.S. Testerink, Universiteit van Amsterdam**

# Contents

<b>Chapter 1</b>	The evolution of AGC3 and D6 kinases and PIN phosphorylation and its role in plant development	<b>7</b>
<b>Chapter 2</b>	The <i>Arabidopsis</i> AGC3-4 kinase acts opposite to PINOID in apical/basal PIN polarity	<b>41</b>
<b>Chapter 3</b>	PIN phosphorylation by AGC kinases enhances plasma membrane abundance of these auxin efflux carriers by reducing vacuolar targeting	<b>73</b>
<b>Chapter 4</b>	An INDEHISCENT-controlled auxin response specifies the separation layer in early <i>Arabidopsis</i> fruit	<b>97</b>
<b>Chapter 5</b>	MAB4/MEL scaffold proteins act in concert with AGC3 kinases to promote PIN plasma membrane abundance by microdomain formation	<b>123</b>
<b>Chapter 6</b>	PINOID and its homolog AGC3-4 modulate photomorphogenesis and PIN1 turnover through CSN and COP1	<b>155</b>
	Summary	<b>185</b>
	Samenvatting	<b>189</b>
	Acknowledgments	<b>193</b>
	Curriculum vitae	<b>196</b>
	List of publications	<b>197</b>