



Universiteit
Leiden
The Netherlands

Arabidopsis AGC3 kinases and PIN plasma membrane abundance

Gelderen, K. van

Citation

Gelderen, K. van. (2017, July 6). *Arabidopsis AGC3 kinases and PIN plasma membrane abundance*. Retrieved from <https://hdl.handle.net/1887/50504>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/50504>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/50504> holds various files of this Leiden University dissertation

Author: Gelderen, Kasper van

Title: Arabidopsis AGC3 kinases and PIN plasma membrane abundance

Issue Date: 2017-07-06

***Arabidopsis* AGC3 kinases and
PIN plasma membrane abundance**

Kasper van Gelderen,

Funding statement: This work was supported by a grant from the Research Council for Chemical Sciences (NWO-CW TOP-700.58.301 CW 700.58.301) to Prof. Dr. R. Offringa.

Cover design: Iliana Boshoven-Gkini | AgileColor.com

Lay-out design: Iliana Boshoven-Gkini | AgileColor.com

Printed by: GVO drukkers & vormgevers | gvo.nl

ISBN: 978-94-6332-200-3

***Arabidopsis* AGC3 kinases and PIN plasma membrane abundance**

Proefschrift

ter verkrijging van
de graad van Doctor aan de Universiteit Leiden,
op gezag van Rector Magnificus Prof.mr. C.J.J.M. Stolker, volgens besluit
van het College voor Promoties te verdedigen op donderdag 6 juli 2017
klokke 13.45 uur
door

**Kasper van Gelderen,
geboren te De Bilt, Nederland
26 april 1982**

Promotiecommissie

Promotor: **Prof. Dr. R. Offringa**

Overige leden: **Prof. Dr. H.P. Spaink**
 Prof. Dr. P.J.J. Hooykaas
 Prof. Dr. J. Friml, Institute of Science and Technology Austria
 Prof. Dr. C.S. Testerink, Universiteit van Amsterdam

Contents

Chapter 1	The evolution of AGC3 and D6 kinases and PIN phosphorylation and its role in plant development	7
Chapter 2	The <i>Arabidopsis</i> AGC3-4 kinase acts opposite to PINOID in apical/basal PIN polarity	41
Chapter 3	PIN phosphorylation by AGC kinases enhances plasma membrane abundance of these auxin efflux carriers by reducing vacuolar targeting	73
Chapter 4	An INDEHISCENT-controlled auxin response specifies the separation layer in early <i>Arabidopsis</i> fruit	97
Chapter 5	MAB4/MEL scaffold proteins act in concert with AGC3 kinases to promote PIN plasma membrane abundance by microdomain formation	123
Chapter 6	PINOID and its homolog AGC3-4 modulate photomorphogenesis and PIN1 turnover through CSN and COP1	155
	Summary	185
	Samenvatting	189
	Acknowledgments	193
	Curriculum vitae	196
	List of publications	197