

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/50818> holds various files of this Leiden University dissertation

Author: Olofsen, E.

Title: Pharmacokinetic and pharmacodynamic analysis in anesthesia : a modeling odyssey

Issue Date: 2017-06-21

Bibliography

1. H Akaike. A new look at the statistical model identification. *IEEE Trans Automat Contr* 1974; 19:716-23
2. H Akaike. Citation classic: A new look at the statistical model identification. *CC/Eng Tech Appl Sci* 1981; 51:22
3. M Akin. Comparison of wavelet transform and FFT methods in the analysis of EEG signals. *J Med Syst* 2002; 26:241-247
4. D G Altman, J M Bland. Measurement in medicine: the analysis of method comparison studies. *The Statistician* 1983; 32:307-317
5. T Andresen, C Staahl, A Oksche, H Mansikka, L Arendt-Nielsen, A M Drewes. Effect of transdermal opioids in experimentally induced superficial, deep and hyperalgesic pain. *Br J Pharmacol* 2011; 164:934-945
6. T Andresen, R N Upton, D J Foster, L L Christrup, L Arendt-Nielsen, A M Drewes. Pharmacokinetic/pharmacodynamic relationships of transdermal buprenorphine and fentanyl in experimental human pain models. *Basic Clin Pharmacol Toxicol* 2011; 108:274-284
7. L Arendt-Nielsen, T Andresen, L P Malver, A Oksche, H Mansikka, A M Drewes. A double-blind, placebo-controlled study on the effect of buprenorphine and fentanyl on descending pain modulation: a human experimental study. *Clin J Pain* 2012; 28:623-627
8. C Bandt, B Pompe. Permutation entropy: a natural complexity measure for time series. *Phys Rev Lett* 2002; 17:174102-1-4
9. S L Beal, L B Sheiner, A J Boeckman, R J Bauer, editors. NONMEM User's Guides. Icon Development Solutions, Hanover, MD, USA, 1989-2016
10. G Biancofiore, L A H Critchley, A Lee, X Yang, L M Bindi, M Esposito, M Bisà, L Meacci, R Mozzo, F Filipponi. Evaluation of a new software version of the Flotrac/Vigileo (version 3.02) and a comparison with previous data in cirrhotic patients undergoing liver transplant surgery. *Anesth Analg* 2011; 113:515-522
11. J M Bland, D G Altman. Applying the right statistics: analyses of measurement studies. *Ultrasound Obstet Gynecol* 2003; 22:85-93
12. J M Bland, D G Altman. Agreement between methods of measurement with multiple observations per individual. *J Biopharm Stat* 2007; 17:571-582

13. J M Bland, D G Altman. Agreed statistics: measurement method comparison. *Anesthesiology* 2012; 116:182-185
14. J M Bland, D G Altman. Statistical methods for assessing agreement between two methods of clinical measurement. *Lancet* 1986; i:307-310
15. J M Bland, D G Altman. Measuring agreement in method comparison studies. *Stat Methods Med Res* 1999; 8:135-160
16. P Bonate. Pharmacokinetic-pharmacodynamic modeling and simulation (2nd ed.). Springer, New York, 2011
17. R K Burdick, F A Graybill. Confidence intervals on linear combinations of variance components in the unbalanced one-way classification. *Technometrics* 1984; 26:131-136
18. K P Burnham, D R Anderson. Model selection and multimodel inference (2nd ed.). Springer, New York, 2002
19. K P Burnham, D R Anderson. Multimodel inference - understanding AIC and BIC in model selection. *Sociol Meth Res* 2004; 33:261-304
20. Y Cao, W W Tung, J B Gao, V A Protopopescu, L M Hively. Detecting dynamical changes in time series using the permutation entropy. *Phys Rev E Stat Nonlin Soft Matter Phys* 2004; 70:046217
21. C Chatfield. Model uncertainty, data mining and statistical inference. *J R Statist Soc A* 1995; 158:419-466
22. A C Clarke. 2001: A Space Odyssey. New American Library, New York, 1968
23. M O Columb. Clinical measurement and assessing agreement. *Curr Anaesth Crit Care* 2008; 19:328-329
24. A Dahan, E Olofsen, M Sigtermans, I Noppers, M Niesters, L Aarts, M Bauer, E Sarton. Population pharmacokinetic-pharmacodynamic modeling of ketamine-induced pain relief of chronic pain. *Eur J Pain* 2011; 15:258-267
25. A Dahan, A Yassen, H Bijl, R Romberg, E Sarton, L Teppema, E Olofsen, M Danhof. Comparison of the respiratory effects of intravenous buprenorphine and fentanyl in humans and rats. *Br J Anaesth* 2005; 94:825-834
26. A Dahan, A Yassen, R Romberg, E Sarton, L Teppema, E Olofsen, M Danhof. Buprenorphine induces ceiling in respiratory depression but not in analgesia. *Br J Anaesth* 2006; 96:627-632
27. M R Digiacoimo, J Marco-Pallarés, A B Flores, C M Gómes. Wavelet analysis of the EEG during the neurocognitive evaluation of invalidly cued targets. *Brain Res* 2008; 1234:94-103
28. A Donner, G Y Zou. Closed-form confidence intervals for functions of the normal mean and standard deviation. *Stat Methods Med Res* 2012; 21:347-359

29. B Efron, R J Tibshirani. An introduction to the bootstrap. Chapman and Hall, New York, 1993
30. E I Ette, P J Williams, Y H Kim, J R Lane, M-J Liu, E V Capparelli. Model appropriateness and population pharmacokinetic modeling. *J Clin Pharmacol* 2003; 43:610-623
31. Y Fang. Asymptotic equivalence between cross-validations and Akaike information criteria in mixed-effects models. *J Data Sci* 2011; 9:15-21
32. G C Goodwin, R L Payne. Dynamic system identification. Academic Press, New York, 1977
33. M Gram, C Graversen, A K Nielsen, T Arendt-Nielsen, C D Mørch, T Andresen, A M Drewes. A novel approach to pharmaco-EEG for investigating analgesics: assessment of spectral indices in single-sweep evoked brain potentials. *Br J Clin Pharmacol* 2013; 76:951-963
34. C Graversen, L Malver, G P Kurita, C Staahl, P Sjøgren, L L Christrup, A M Drewes. Altered frequency distribution in the electroencephalogram is correlated to the analgesic effect of remifentanyl. *Basic Clin Pharmacol Toxicol* 2015; 116:414-422
35. C Graversen, S S Olesen, A E Olesen, K Steimle, D Farina, O H Wilder-Smith, S A Bouwense, H van Goor, A M Drewes. The analgesic effect of pregabalin in patients with chronic pain is reflected by changes in pharmaco-EEG spectral indices. *Br J Clin Pharmacol* 2012; 73:363-372
36. S Greven, B Kneib. On the behaviour of marginal and conditional AIC in linear mixed effects models. *Biometrika* 2010; 97:773-789
37. M Gumbleton, S Øie, D Verotta. Pharmacokinetic-pharmacodynamic (PK-PD) modelling in non-steady-state studies and arterio-venous drug concentration differences. *Br J Clin Pharmacol* 1994; 38:389-400
38. C Hamilton, S Lewis. The importance of using the correct bounds on the Bland-Altman limits of agreement when multiple measurements are recorded per patient. *J Clin Monit Comput* 2010; 24:173-175
39. C Hamilton, J Stamey. Using Bland-Altman to assess agreement between two medical devices - don't forget the confidence intervals! *J Clin Monit Comput* 2007; 21:331-333
40. T Hastie, R J Tibshirani, J H Friedman. The elements of statistical learning: data mining, inference, and prediction (2nd ed.). Springer, New York, 2009
41. C J Hull, H B Van Beem, K McLeod, A Sibbald, M J Watson. A pharmacodynamic model for pancuronium. *Br J Anaesth* 1978; 50:1113-1123
42. J B Jørgensen, P G Thomsen, H Madsen. A computationally efficient and robust implementation of the continuous-discrete extended Kalman filter. Proceedings of the 2007 American Control Conference, New York City, NY:3707-12, 2007

43. E R Kalman. A new approach to linear filtering and prediction problems. *J Basic Eng* 1960; 82:35-45
44. E R Kalman. Contributions to the theory of optimal control. *Bol Soc Mat Mex* 1960; 5:102-119
45. E R Kalman. Citation classic: Contributions to the theory of optimal control. *CC/Phys Chem Earth Sci* 1979; 32:14
46. V J Knott. Quantitative EEG methods and measures in human psychopharmacological research. *Hum Psychopharmacol* 2000; 15:479-498
47. J Kortelainen, E Väyrynen, T Seppänen. Depth of anesthesia during multidrug infusion: separating the effects of propofol and remifentanyl using the spectral features of EEG. *IEEE Trans Biomed Eng* 2011; 58:1216-1223
48. D T Liley, N C Sinclair, T Lipping, B Heyse, H E Vereecke, M M Struys. Propofol and remifentanyl differentially modulate frontal electroencephalographic activity. *Anesthesiology* 2010; 113:292-304
49. J Lötsch. Pharmacokinetic-pharmacodynamic modeling of opioids. *J Pain Symptom Manage* 2005; 29:S90-S103
50. L P Malver, A Brokjaer, C Staahl, C Graversen, T Andresen, A M Drewes. Electroencephalography and analgesics. *Br J Clin Pharmacol* 1014; 77:72-95
51. S Mantha, M F Roizen, L A Fleisher, R Thisted, J Foss. Comparing methods of clinical measurement: reporting standards for Bland and Altman analysis. *Anesth Analg* 2000; 90:593-602
52. C Martini, E Olofsen, A Yassen, L Aarts, A Dahan. Pharmacokinetic-pharmacodynamic modeling in acute and chronic pain: an overview of the recent literature. *Expert Rev Clin Pharmacol* 2011; 4:719-728
53. P S Maybeck. Model selection and multimodel inference (vol.1). Academic Press, New York, 1979
54. Mozilla Foundation. JavaScript. <https://developer.mozilla.org/en-US/docs/JavaScript>, accessed April 2013
55. P S Myles, J Cui. Using the Bland-Altman method to measure agreement with repeated measures (Editorial). *Br J Anaesth* 2007; 99:309-311
56. G Newshan. Heat-related toxicity with the fentanyl transdermal patch. *J Pain Symptom Manage* 1998; 16:277-278
57. K H Norwich. Noncompartmental models of whole-body clearance of tracers: A review. *Ann Biomed Eng* 1997; 25:421-439
58. P D Oldham. A note on the analysis of repeated measurements of the same subjects. *J Chronic Dis* 1962; 15:969-977

59. A E Olesen, T Andresen, C Staahl, A M Drewes. Human experimental pain models for assessing the therapeutic efficacy of analgesic drugs. *Pharmacol Rev* 2012; 64:722-779
60. E Olofsen. The performance of model selection criteria in the absence of a fixed-dimensional correct model. *PAGE 16* 2007;
61. E Olofsen. Simultaneous stochastic modeling of pharmacokinetic and pharmacodynamic data with noncoinciding sampling times. Population Approach Group Europe (PAGE); Abstract #2696, 2013
62. E Olofsen, A Dahan. The dynamic relationship between end-tidal sevoflurane and isoflurane concentrations and bispectral index and spectral edge frequency of the electroencephalogram. *Anesthesiology* 1999; 90:1345-1353
63. E Olofsen, D F Dinges, H P A Van Dongen. Nonlinear mixed-effects modeling: individualization and prediction. *Aviat Space Environ Med* 2004; 75:A134-140
64. E Olofsen, M Sigtermans, I Noppers, M Niesters, R Mooren, M Bauer, L Aarts, E Sarton, A Dahan. The dose-dependent effect of S(+)-ketamine on cardiac output in healthy volunteers and complex regional pain syndrome type 1 chronic pain patients. *Anesth Analg* 2012; 115:536-546
65. E Olofsen, J W Sleight, A Dahan. Permutation entropy of the electroencephalogram: a measure of anaesthetic drug effect. *Br J Anaesth* 2008; 101:810-821
66. B Pietrzak, E Czarnecka. Pharmacology-EEG-based assessment of the interaction between ethanol and oxcarbazepine. *Pharmacol Rep* 2010; 62:278-286
67. M B Priestley. Spectral Analysis. Academic Press, London, 1981
68. R Romberg, E Olofsen, E Sarton, J DenHartigh, P Taschner, A Dahan. Pharmacokinetic-pharmacodynamic modeling of morphine-6- glucuronide-induced analgesia in healthy volunteers: absence of sex differences. *Anesthesiology* 2004; 100:120-133
69. R Romberg, E Olofsen, E Sarton, L Teppema, A Dahan. Pharmacodynamic effect of morphine-6-glucuronide versus morphine on hypoxic and hypercapnic breathing in healthy volunteers. *Anesthesiology* 2003; 99:788-798
70. V J Samar, A Bopardikar, R Rao, K Swartz. Wavelet analysis of neuroelectric waveforms: a conceptual tutorial. *Brain Lang* 1999; 66:7-60
71. E Sarton, E Olofsen, R Romberg, J DenHartigh, B Kest, D Nieuwenhuijs, A Burm, L Teppema, A Dahan. Sex differences in morphine analgesia - an experimental study in healthy volunteers. *Anesthesiology* 2000; 93:1245-1254
72. Schnur D, et al. Flot: Attractive JavaScript plotting for jQuery. <http://www.flotcharts.org/>, accessed April 2013
73. J C Scott, J E Cooke, D R Stanski. Electroencephalographic quantitation of opioid effect: comparative pharmacodynamics of fentanyl and sufentanil. *Anesthesiology* 1991; 74:34-42

74. G Segre. Kinetics of interaction between drugs and biological systems. *Farmaco Sci* 1968; 23:907–918
75. C E Shannon. A mathematical theory of communication. *Bell Syst Tech J* 1948; 27:379–423
76. C E Shannon, W Weaver. The mathematical theory of communication. University of Illinois Press, Urbana, 1949
77. L B Sheiner, B Rosenberg, V V Marathe. Estimation of population characteristics of pharmacokinetic parameters from routine clinical data. *J Pharmacokin Biopharm* 1977; 5:445–479
78. L B Sheiner, B Rosenberg, K L Melmon. Modelling of individual pharmacokinetics for computer-aided drug dosage. *Comput Biomed Res* 1972; 5:441–459
79. L B Sheiner, D R Stanski, S Vozech, R D Miller, J Ham. Simultaneous modeling of pharmacokinetics and pharmacodynamics: application to d-tubocurarine. *Clin Pharmacol Ther* 1979; 25:358–371
80. F Sjöstrand, P Rodhe, E Berglund, N Lundström, C Svensen. The use of a noninvasive hemoglobin monitor for volume kinetic analysis in an emergency room setting. *Anesth Analg* 2013; 116:337–342
81. C Staahl, L L Christrup, S D Andersen, L Arendt-Nielsen, A M Drewes. A comparative study of oxycodone and morphine in a multi-modal, tissue-differentiated experimental pain model. *Pain* 2006; 123:28–36
82. C Staahl, R Upton, D J Foster, L L Christrup, K Kristensen, S H Hansen, L Arendt-Nielsen, A M Drewes. Pharmacokinetic-pharmacodynamic modeling of morphine and oxycodone concentrations and analgesic effect in a multimodal experimental pain model. *J Clin Pharmacol* 2008; 48:619–631
83. E W Steyerberg. Clinical prediction models. A practical approach to development, validating, and updating. Springer, New York, 2009
84. S F Storti, E Formaggio, A Beltramello, A Fiaschi, P Manganotti. Wavelet analysis as a tool for investigating movement-related cortical oscillations in EEG-fMRI coregistration. *Brain Topogr* 2010; 23:46–57
85. R Development Core Team. R: A language and environment for statistical computing. <https://www.r-project.org/>, accessed April 2017
86. The jQuery Foundation. jQuery. <http://jquery.com/>, accessed April 2013
87. J D Thomas, R A Hultquist. Interval estimation for the unbalanced case of the one-way random effects model. *Ann Statist* 1978; 6:582–587
88. P H Tonner, B Bein. Classic electroencephalographic parameters: median frequency, spectral edge frequency etc. *Best Pract Res Clin Anaesthesiol* 2006; 20:147–159

-
89. C W Tornøe, J L Jacobsen, H Madsen. Grey-box pharmacokinetic/pharmacodynamic modelling of a euglycaemic clamp study. *J Math Biol* 2004; 48:591-604
 90. C W Tornøe, R V Overgaard, H Agersø, H A Nielsen, H Madsen, E N Jonsson. Stochastic differential equations in NONMEM: implementation, application, and comparison with ordinary differential equations. *Pharm Res* 2005; 22:1247-1258
 91. A M Trescot, S Data, M Lee, H Hansen. Opioid pharmacology. *Pain Physician* 2008; 11:S133-S153
 92. B Tuk, M Danhof, J W Mandema. The impact of arteriovenous concentration differences on pharmacodynamic parameter estimates. *J Pharmacokin Biopharm* 1997; 25:39-62
 93. B Tuk, V M Herben, J W Mandema, M Danhof. Relevance of arteriovenous concentration differences in pharmacokinetic-pharmacodynamic modeling of midazolam. *J Pharm Exp Ther* 1998; 284:202-207
 94. K Uemura, T Kawada, M Inagaki, M Sugimachi. A minimally invasive monitoring system of cardiac output using aortic flow velocity and peripheral arterial pressure profile. *Anesth Analg* 2013; 116:1006-1017
 95. UncertWeb. jStat: a JavaScript statistical library. <http://www.jstat.org/>, accessed April 2013
 96. F Vaida, S Blanchard. Conditional Akaike information for mixed-effects models. *Biometrika* 2005; 92:351-70
 97. R Van Noorden, B Maher, R Nuzzo. The top 100 papers. *Nature* 2014; 514:550-553
 98. Y Yang. Can the strengths of AIC and BIC be shared? A conflict between model identification and regression estimation. *Biometrika* 2005; 92:937-50
 99. G A Young, N Khazan. Differential neuropharmacological effects of mu, kappa and sigma opioid agonists on cortical EEG power spectra in the rat. *Neuropharmacology* 1984; 23:1161-1165
 100. G Y Zou. Confidence interval estimation for the Bland-Altman limits of agreement with multiple observations per individual. *Stat Methods Med Res* 2013; 22:630-642

