



Universiteit
Leiden
The Netherlands

Optimizing breast cancer survival models based on conventional biomarkers and stromal parameters

Dekker, T.J.A.; Dekker T.J.A.

Citation

Dekker, T. J. A. (2017, September 26). *Optimizing breast cancer survival models based on conventional biomarkers and stromal parameters*. Retrieved from <https://hdl.handle.net/1887/55957>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/55957>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/55957> holds various files of this Leiden University dissertation

Author: Dekker T.J.A.

Title: Optimizing breast cancer survival models based on conventional biomarkers and stromal parameters

Date: 2017-09-26

**Optimizing breast cancer survival models
based on conventional biomarkers and
stromal parameters**

Optimizing breast cancer survival models based on conventional biomarkers and stromal parameters

PROEFSCHRIFT

ter verkrijging van de graad van Doctor aan de Universiteit Leiden,
op gezag van Rector Magnificus prof. mr. dr. C.J.J.M. Stolker,
volgens besluit van het College voor Promoties
te verdedigen op 26 september 2017
klokke 15.00 uur

**Door Tim Johannes Adrianus Dekker
Geboren te Leiderdorp, 1987**

Promotiecommissie

Promotor

Prof. Dr. R.A.E.M. Tollenaar

Copromotores

Dr. J.R. Kroep

Dr. W.E. Mesker

Leden promotiecommissie

Prof. Dr. V.T.H.B.M. Smit

Dr. J. Wesseling (Antoni van Leeuwenhoek – Nederlands Kanker Instituut)

Prof. Dr. S.C. Linn (Antoni van Leeuwenhoek – Nederlands Kanker Instituut)

Optimizing breast cancer survival models based on conventional biomarkers and stromal parameters

Lay-out: Paul Kroft

Cover design: Diana van Houten, Diana van Houten Illustration

Printed by: Gildeprint drukkerijen

© Tim Johannes Adrianus Dekker, the Netherlands 2017

No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without written permission of the author.

ISBN: 978-94-6233-705-3

The printing of this thesis was made possible by the departments of Medical Oncology and Surgery of the Leiden University Medical Center.

Contents

Part I	Reliability and optimization of prognostic factor evaluation in breast cancer	
Chapter 1	Reproducibility and optimization of prognostic and predictive factors in breast cancer	3
Chapter 2	Reliability of core needle biopsy for determining ER and HER2 status in breast cancer <i>Annals of Oncology 2013; 24(4): 931-937</i>	23
Chapter 3	Discordances in ER, PR and HER2 receptors after neoadjuvant chemotherapy in breast cancer <i>Cancer Treatment Reviews 2011; 37(6): 422-430</i>	43
Chapter 4	Quality assessment of estrogen receptor and progesterone receptor testing in breast cancer using a tissue microarray-based approach <i>Breast Cancer Research and Treatment 2015; 152(2): 247-252</i>	67
Chapter 5	Determining sensitivity and specificity of HER2 testing in breast cancer using a tissue micro-array approach <i>Breast Cancer Research 2012, 14: R93</i>	83
Chapter 6	Quantitative assessment of LVSI provides important prognostic information in node-negative breast cancer patients <i>Annals of Oncology 2013; 24(12): 2994-2998</i>	105
Chapter 7	Interobserver study among pathologists regarding the quantitative evaluation of lymph vascular space invasion (LVSI) <i>Manuscript in preparation</i>	121
Chapter 8	The impact of tumor heterogeneity, interobserver and interlaboratory variation on the robustness of Ki67 assays in breast cancer: Results from the RASTER study cohort <i>Manuscript in preparation</i>	141

Part II	Prognostic and predictive aspects of the tumor-associated stroma in breast cancer	
Chapter 9	Gathering evidence for prognostic and predictive factors from the breast cancer stroma	159
Chapter 10	Prognostic significance of the tumor-stroma ratio: validation study in node-negative premenopausal breast cancer patients from the EORTC perioperative chemotherapy (POP) trial (10854) <i>Breast Cancer Research and Treatment 2013; 139(2): 371-379</i>	179
Chapter 11	Multicenter MALDI mass spectrometry imaging identifies proteomic differences in breast cancer-associated stroma <i>J Proteome Research 2014; 13(11): 4730-4738</i>	201
Chapter 12	Towards imaging metabolic pathways in tissues <i>Analytical and Bioanalytical Chemistry 2015; 407(8): 2167-1276</i>	221
Chapter 13	The prognostic role of TGF- β signaling pathway in breast cancer patients <i>Annals of Oncology 2013; 24(2): 384-390</i>	241
Chapter 14	Stromal alignment determined on pre-treatment breast cancer biopsies is related to response to neoadjuvant chemotherapy: results from the NEOZOTAC trial <i>Molecular Oncology 2015; 9(6): 1120-1128</i>	265
Chapter 15	Summarizing discussion	283
Chapter 16	Nederlandstalige samenvatting	310
	List of publications	321
	Curriculum vitae	323

