



Universiteit
Leiden
The Netherlands

Shape analysis for phenotype characterisation from high-throughput imaging

Guo, Y.; Guo Y.

Citation

Guo, Y. (2017, October 17). *Shape analysis for phenotype characterisation from high-throughput imaging*. SIKS Dissertation Series. Retrieved from <https://hdl.handle.net/1887/56254>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/56254>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/56254> holds various files of this Leiden University dissertation

Author: Guo Yuanhao

Title: Shape analysis for phenotype characterisation from high-throughput imaging

Date: 2017-10-17

List of Abbreviations

2-3DLA	Two -phase approach for the 3D reconstruction and measurements from light microscopy axial -view imaging
AOS	Additive operator splitting
ASD	Axial-view Sampling Density
c-LS	c-level set
CLSM	Confocal laser scanning microscope
CNN	Convolutional neural networks
CV	Chan-Vese
dpf	Days post fertilisation
ES	Evolution Strategy
GAC	Geodesic active contours
GFP	Green fluorescent protein
HD-CNN	Hierarchical deep CNN
hdf	Hours post fertilisation
HOG	Histograms of Oriented Gradients
HT	Hight-throughput
HTAI	High-throughput axial-view imaging
HTI	Hight-throughput imaging
HY	Hybrid

ILS	Improved level set
LBP	Local Binary Patterns
LR	Logistic regressor
LRLS	Local region based level set
LSF	Level set function
MM-HTAI	Multi-modal high-throughput axial-view imaging
MS	Mean shift
MVS	Multi-view stereo
OPT	Optical projection tomography
PBS	Phosphate-Buffered saline
PCA	Principal component analysis
PFA	Paraformaldehyde
PS	Problem statement
ReLU	Rectified linear units
RNN	Recurrent neural networks
RQ	Research question
SD	Sampling density
SFM	Structure from motion
SIFT	Scale Invariant Feature Transform
SVM	Support vector machine
t-SNE	t-Distributed Stochastic Neighbor Embedding
VAST	Vertebrate Automated Screening Technology
VRV	Voxel residual volume

List of Figures

1.1	Research questions	5
2.1	Typical applications of zebrafish segmentation	15
2.2	Zebrafish segmentations by different methods	16
2.3	A schematic pipeline of the hybrid method	17
2.4	Segmentation results of <i>Dataset A</i>	35
2.5	Segmentation results of <i>Dataset B</i>	36
3.1	Flowchart of shape-based 3D reconstruction	40
3.2	A schematic illustration of the MM-HTAI architecture	45
3.3	Camera pose parameterisation	47
3.4	Importance of camera system calibration	47
3.5	Calibration particles and the 3D reconstruction	53
3.6	Voxel residual volume of zebrafish against ASD	58
3.7	Surface area of zebrafish against ASD	58
3.8	3D models using different ASD	59
3.9	3D models of zebrafish using shape-based 3D reconstruction	60
3.10	Distribution of volume of zebrafish	61
3.11	Distribution of surface area of zebrafish	61
3.12	Joint distribution of volume and surface area of zebrafish	63
4.1	A schematic of the 2-3DLA approach	71
4.2	Comparison of visualised results of different methods	84
4.3	3D models of zebrafish in <i>Dataset A</i> using the 2-3DLA	86
4.4	2D shape coherence	87
4.5	3D shape coherence	87
4.6	3D models of zebrafish in <i>Dataset B</i> using the 2-3DLA	91
4.7	3D models of zebrafish liver in <i>Dataset C</i> using the 2-3DLA	91

5.1	A schema of multi-modal 3D reconstruction	98
5.2	Camera paramerisation of multi-modal imaging	99
5.3	Multi-modal 3D reconstruction alignment reference	99
5.4	Multi-modal 3D reconstruction visualisation	102
6.1	Framework of graph-based kinship recognition	112
6.2	Normalised face pairs	112
6.3	Samples of kinship graphs	117
6.4	Sample images from the Group-Face dataset.	117
6.5	Confusion matrices comparison	121
6.6	Kinship recognition accuracy against gender and age error	121
6.7	Examples of the images from taxonomic datasets	127
6.8	The CNN architecture with a multi-output layer	127
6.9	Confusion matrices and t-SNE maps of our method	134

List of Tables

1.1	The structure of the thesis	12
2.1	Segmentation performance of different methods on <i>Dataset A</i> . . .	30
2.2	Segmentation performance of different methods on <i>Dataset B</i> . . .	30
3.1	Diameter statistics of calibration particles	65
3.2	Volume statistics of calibration particles	66
3.3	Surface area statistics of calibration particles	67
3.4	Volume statics of zebrafish of the 3 larval stages	68
3.5	Surface area statics of zebrafish of the 3 larval stages	68
3.6	3D measurements for living zebrafish larvae	68
4.1	Volume statistics of zebrafish using different methods	89
4.2	Surface area statistics of zebrafish using different methods	89
4.3	3D measurements of <i>Dataset B</i> using different methods	90
4.4	3D measurements of <i>Dataset C</i> using different methods	90
4.5	Performance evaluation of the 2-3DLA	92
5.1	3D measurements for zebrafish and its liver	103
6.1	Kinship graph generation rules	114
6.2	Distribution of kin pairs in different datasets	118
6.3	Kinship recognition accuracy comparison	120
6.4	Accuracy of different methods on different datasets	131

