



Universiteit
Leiden
The Netherlands

Design and development of conformational inhibitors and activity-based probes for retaining glycosidases

Beenakker, T.J.M.

Citation

Beenakker, T. J. M. (2017, October 19). *Design and development of conformational inhibitors and activity-based probes for retaining glycosidases*. Retrieved from <https://hdl.handle.net/1887/58875>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/58875>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The following handle holds various files of this Leiden University dissertation:

<http://hdl.handle.net/1887/58875>

Author: Beenakker, T.J.M.

Title: Design and development of conformational inhibitors and activity-based probes for retaining glycosidases

Issue Date: 2017-10-19

List of publications

Human alpha galactosidases transiently produced in *Nicotiana benthamiana* leaves: new insights in substrate specificities with relevance for Fabry disease

Kytidou, K.; Beenakker, T. J. M.; Westerhof, L.; Hokke, C. H.; Moolenaar, G. F.; Goosen, N.; Mirzaian, M.; Ferraz, M. J.; de Geus, M. A. R.; Kallemeyn, W. W.; Overkleeft, H. S.; Boot, R. G.; Schots, A.; Bosch, D.; Aerts, J. M. F. G.
Front. Plant Sci. **2017**, doi: 10.3389/fpls.2017.01026.

Carba-cyclophellitols are neutral retaining-glycosidase inhibitors

Beenakker, T. J. M.; Wander, D. P. A.; Offen, W. A.; Artola, M.; Raich, L.; Ferraz, M. J.; Li, K.-Y.; Houben, J. H. P. M.; van Rijssel, E. R.; Hansen, T.; van der Marel, G. A.; Codée, J. D. C.; Aerts, J. M. F. G.; Rovira, C.; Davies, G. J.; Overkleeft, H. S.
J. Am. Chem. Soc. **2017**, 139, 6534 – 6537.

The synthesis of cyclophellitol-aziridine and its configurational and functional isomers

Jiang, J.; Artola, M.; Beenakker, T. J. M.; Schröder, S. P.; Petracca, R.; de Boer, C.; Aerts, J. M. F. G.; van der Marel, G. A.; Codée, J. D. C.; Overkleeft, H. S.
Eur. J. Org. Chem. **2016**, 2016, 3671 – 3678.

Comparing cyclophellitol *N*-alkyl and *N*-acyl cyclophellitol aziridines as activity-based glycosidase probes

Beenakker, T. J. M.; Jiang, J.; Kallemeyn, W. W.; van der Marel, G. A.; van den Elst, H.; Codée, J. D. C.; Aerts, J. M. F. G.; Overkleeft, H. S.
Chem. Eur. J. **2015**, 21, 10861- 10869

From covalent glycosidase inhibitors to activity-based glycosidase probes

Willems, L. I.; Jiang, J.; Li, K.-Y.; Witte, M. D.; Kallemeyn, W. W.; Beenakker, T. J. M.; Schröder, S. P.; Aerts, J. M. F. G.; van der Marel, G. A.; Codée, J. D. C.; Overkleeft, H. S.
Chem. Eur. J. **2014**, 20, 10864 – 10872.

Synthesis of α - and β -galactopyranose-configured isomers of cyclophellitol and cyclophellitol aziridine

Willems, L. I.; Beenakker, T. J. M.; Murray, B.; Gagestein, B.; van den Elst, H.; van Rijssel, E. R.; Codée, J. D. C.; Kallemeyjn, W. W.; Aerts, J. M. F. G.; van der Marel, G. A.; Overkleeft, H. S.

Eur. J. Org. Chem. **2014**, 2014, 6044 – 6056.

Synthesis of cyclophellitol, cyclophellitol aziridine, and their tagged derivatives

Li, K.-Y.; Jiang, J.; Witte, M. D.; Kallemeyjn, W. W.; van den Elst, H.; Wong, C.-S.; Chander, S. D.; Hoogendoorn, S.; Beenakker, T. J. M.; Codée, J. D. C.; Aerts, J. M. F. G.; van der Marel, G. A.; Overkleeft, H. S.

Eur. J. Org. Chem. **2014**, 2014, 6030 – 6043.

Potent and selective activity-based probes for GH27 human retaining α -galactosidases

Willems, L. I.; Beenakker, T. J. M.; Murray, B.; Scheij, S.; Kallemeyjn, W. W.; Boot, R. G.; Verhoek, M.; Donker-Koopman, W. E.; Ferraz, M. J.; van Rijssel, E. R.; Florea, B. I.; Codée, J. D. C.; van der Marel, G. A.; Aerts, J. M. F. G.; Overkleeft, H. S.

J. Am. Chem. Soc. **2014**, 136, 11622 – 11625.

Rational design of activity-based retaining β -exoglucosidase probes

Li, K.-Y.; Kallemeyjn, W. W.; Jiang, J.; Walvoort, M. T. C.; Willems, L. I.; Beenakker, T. J. M.; van den Elst, H.; Marel van der, G. A.; Codée, J. D. C.; Aerts, J. M. F. G.; Florea, B. I.; Boot, R. G.; Witte, M. D.; Overkleeft, H. S.

Chapter 13 of Concepts and Case Studies in Chemical Biology; Waldmann, H. and Janning, P. (Eds.), Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim, Germany, **2014**.

Fluorous linker facilitated synthesis of teichoic acid fragments

Hogendorf, W. F. J.; Lameijer, L. N.; Beenakker, T. J. M.; Overkleeft, H. S.; Filippov, D. V.; Codée, J. D. C.; van der Marel, G. A.

Org. Lett. **2012**, 14, 848 – 851.

