



Universiteit
Leiden
The Netherlands

Advances in computational methods for Quantum Field Theory calculations

Ruijl, B.J.G.

Citation

Ruijl, B. J. G. (2017, November 2). *Advances in computational methods for Quantum Field Theory calculations*. Retrieved from <https://hdl.handle.net/1887/59455>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/59455>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The following handle holds various files of this Leiden University dissertation:

<http://hdl.handle.net/1887/59455>

Author: Ruijl, B.J.G.

Title: Advances in computational methods for Quantum Field Theory calculations

Issue Date: 2017-11-02

REFERENCES

- [1] B. Ruijl, T. Ueda and J.A.M. Vermaseren, *Forcer, a FORM program for the parametric reduction of four-loop massless propagator diagrams*, [arXiv:1704.06650](#).
- [2] B. Ruijl, T. Ueda, J.A.M. Vermaseren and A. Vogt, *Four-loop QCD propagators and vertices with one vanishing external momentum*, *JHEP* **2017** (2017) 1, [http://dx.doi.org/10.1007/JHEP06\(2017\)040](http://dx.doi.org/10.1007/JHEP06(2017)040).
- [3] F. Herzog and B. Ruijl, *The R^* -operation for Feynman graphs with generic numerators*, *JHEP* **2017** (2017) 37, [http://dx.doi.org/10.1007/JHEP05\(2017\)037](http://dx.doi.org/10.1007/JHEP05(2017)037).
- [4] F. Herzog, B. Ruijl, T. Ueda, J.A.M. Vermaseren and A. Vogt, *The five-loop beta function of Yang-Mills theory with fermions*, *JHEP* **02** (2017) 090 [[arXiv:1701.01404](#)].
- [5] J. Davies, A. Vogt, B. Ruijl, T. Ueda and J.A.M. Vermaseren, *Large- n_f contributions to the four-loop splitting functions in QCD*, *Nucl. Phys.* **B915** (2017) 335.
- [6] F. Herzog, B. Ruijl, T. Ueda, J.A.M. Vermaseren and A. Vogt, *FORM, Diagrams and Topologies*, *PoS LL2016* (2016) 073 [[arXiv:1608.01834](#)].
- [7] T. Ueda, B. Ruijl and J.A.M. Vermaseren, *Forcer: a FORM program for 4-loop massless propagators*, *PoS LL2016* (2016) 070 [[arXiv:1607.07318](#)].
- [8] B. Ruijl, T. Ueda, J.A.M. Vermaseren, J. Davies and A. Vogt, *First Forcer results on deep-inelastic scattering and related quantities*, *PoS LL2016* (2016) 071, <https://arxiv.org/abs/1605.08408>.
- [9] T. Ueda, B. Ruijl and J.A.M. Vermaseren, *Calculating four-loop massless propagators with Forcer*, *J. Phys. Conf. Ser.* **762** (2016) 012060 [[arXiv:1604.08767](#)].
- [10] B. Ruijl, T. Ueda and J. Vermaseren, *The diamond rule for multi-loop Feynman diagrams*, *Phys. Lett.* **B746** (2015) 347 [[arXiv:1504.08258](#)].
- [11] B. Ruijl, J. Vermaseren, A. Plaat and H.J. van den Herik, *Why Local Search Excels in Expression Simplification*, <http://arxiv.org/abs/1409.5223>, 2014, [arXiv:1409.5223](#).
- [12] B. Ruijl, J. Vermaseren, A. Plaat and J. van den Herik, *Problems and New Solutions in the Boolean Domain*, ch. Simplification of Extremely Large Expressions, p. 76. Cambridge Scholars Publishing, 2016.
- [13] B. Ruijl, J. Vermaseren, A. Plaat and H.J. van den Herik, *HEPGAME and the Simplification of Expressions*, *Proceedings of the 11th International Workshop on Boolean Problems* (2014), <http://arxiv.org/abs/1405.6369>.

- [14] B. Ruijl, J. Vermaseren, A. Plaats and H.J. van den Herik, *Combining Simulated Annealing and Monte Carlo Tree Search for Expression Simplification*, *Proceedings of ICAART Conference 2014* **1** (2014) 724 [[arXiv:1312.0841](https://arxiv.org/abs/1312.0841)], <http://arxiv.org/abs/1312.0841>.
- [15] M. Breidenbach, J.I. Friedman, H.W. Kendall, E.D. Bloom, D.H. Coward, H. DeStaebler et al., *Observed behavior of highly inelastic electron-proton scattering*, *Phys. Rev. Lett.* **23** (Oct, 1969) 935, <https://link.aps.org/doi/10.1103/PhysRevLett.23.935>.
- [16] E.D. Bloom, D.H. Coward, H. DeStaebler, J. Drees, G. Miller, L.W. Mo et al., *High-energy inelastic $e - p$ scattering at 6° and 10°* , *Phys. Rev. Lett.* **23** (Oct, 1969) 930, <https://link.aps.org/doi/10.1103/PhysRevLett.23.930>.
- [17] W. Heisenberg, *Über den anschaulichen inhalt der quantentheoretischen kinematik und mechanik*, *Zeitschrift für Physik* **43** (1927) 172, <http://dx.doi.org/10.1007/BF01397280>.
- [18] M. Born, W. Heisenberg and P. Jordan, *Zur quantenmechanik. ii.*, *Zeitschrift für Physik* **35** (1926) 557, <http://dx.doi.org/10.1007/BF01379806>.
- [19] S.L. Glashow, *Partial Symmetries of Weak Interactions*, *Nucl. Phys.* **22** (1961) 579.
- [20] F. Englert and R. Brout, *Broken Symmetry and the Mass of Gauge Vector Mesons*, *Phys. Rev. Lett.* **13** (1964) 321.
- [21] P.W. Higgs, *Broken Symmetries and the Masses of Gauge Bosons*, *Phys. Rev. Lett.* **13** (1964) 508.
- [22] G.S. Guralnik, C.R. Hagen and T.W.B. Kibble, *Global Conservation Laws and Massless Particles*, *Phys. Rev. Lett.* **13** (1964) 585.
- [23] D.J. Gross and F. Wilczek, *Ultraviolet Behavior of Nonabelian Gauge Theories*, *Phys. Rev. Lett.* **30** (1973) 1343.
- [24] H.D. Politzer, *Reliable Perturbative Results for Strong Interactions?*, *Phys. Rev. Lett.* **30** (1973) 1346.
- [25] R. Oerter, *The theory of almost everything: The Standard Model, the unsung triumph of modern physics*, Pi Press, New York (2006), <https://cds.cern.ch/record/1544493>.
- [26] L. Evans and P. Bryant, *Lhc machine*, *Journal of Instrumentation* **3** (2008) S08001, <http://stacks.iop.org/1748-0221/3/i=08/a=S08001>.
- [27] ATLAS collaboration, G. Aad et al., *Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC*, *Phys. Lett. B* **716** (2012) 1 [[arXiv:1207.7214](https://arxiv.org/abs/1207.7214)].

- [28] CMS collaboration, S. Chatrchyan et al., *Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC*, *Phys. Lett.* **B716** (2012) 30 [[arXiv:1207.7235](#)].
- [29] G. Gabrielse, D. Hanneke, T. Kinoshita, M. Nio and B.C. Odom, *New Determination of the Fine Structure Constant from the Electron g Value and QED*, *Phys. Rev. Lett.* **97** (2006) 030802.
- [30] S. Laporta, *High-precision calculation of the 4-loop contribution to the electron $g-2$ in QED*, [arXiv:1704.06996](#).
- [31] M.J.G. Veltman and D.N. Williams, *Schoonschip '91*, [hep-ph/9306228](#).
- [32] S. Gorishnii, S. Larin, L. Surguladze and F. Tkachov, *Mincer: Program for Multiloop Calculations in Quantum Field Theory for the Schoonschip System*, *Comput.Phys.Commun.* **55** (1989) 381.
- [33] S. Larin, F. Tkachov and J. Vermaseren, *The FORM version of MINCER*, preprint NIKHEF-H-91-18, 1991, <http://www.nikhef.nl/~t68/FORMapplications/Mincer/mincer.ps>.
- [34] S. Moch, J.A.M. Vermaseren and A. Vogt, *The Three loop splitting functions in QCD: The Nonsinglet case*, *Nucl. Phys.* **B688** (2004) 101 [[hep-ph/0403192](#)].
- [35] A. Vogt, S. Moch and J.A.M. Vermaseren, *The Three-loop splitting functions in QCD: The Singlet case*, *Nucl. Phys.* **B691** (2004) 129 [[hep-ph/0404111](#)].
- [36] G.P. Lepage, *VEGAS: an adaptive multidimensional integration program*, preprint CLNS-80/447, 1980.
- [37] M.E. Peskin and D.V. Schroeder, *An Introduction To Quantum Field Theory* (*Frontiers in Physics*), Westview Press (1995).
- [38] R.P. Feynman, *Space-time approach to quantum electrodynamics*, *Phys. Rev.* **76** (Sep, 1949) 769, <https://link.aps.org/doi/10.1103/PhysRev.76.769>.
- [39] R.P. Feynman, *Space-time approach to non-relativistic quantum mechanics*, *Rev. Mod. Phys.* **20** (Apr, 1948) 367, <https://link.aps.org/doi/10.1103/RevModPhys.20.367>.
- [40] P.A. Baikov, K.G. Chetyrkin and J.H. Kühn, *Five-Loop Running of the QCD coupling constant*, *Phys. Rev. Lett.* **118** (2017) 082002 [[arXiv:1606.08659](#)].
- [41] T. Luthe, A. Maier, P. Marquard and Y. Schröder, *Five-loop quark mass and field anomalous dimensions for a general gauge group*, *JHEP* **01** (2017) 081 [[arXiv:1612.05512](#)].
- [42] S. Laporta, *High precision calculation of multiloop Feynman integrals by difference equations*, *Int.J.Mod.Phys.* **A15** (2000) 5087 [[hep-ph/0102033](#)].

- [43] K. Chetyrkin and F. Tkachov, *Integration by Parts: The Algorithm to Calculate beta Functions in 4 Loops*, *Nucl.Phys.* **B192** (1981) 159.
- [44] A.L. Kataev and S.A. Larin, *Analytical five-loop expressions for the renormalization group QED β -function in different renormalization schemes*, *Pisma Zh. Eksp. Teor. Fiz.* **96** (2012) 64 [[arXiv:1205.2810](#)].
- [45] V.A. Smirnov and K.G. Chetyrkin, *R* Operation in the Minimal Subtraction Scheme*, *Theor. Math. Phys.* **63** (1985) 462.
- [46] F.A. Berends, H. Kuijf, B. Tausk and W.T. Giele, *On the production of a W and jets at hadron colliders*, *Nucl. Phys.* **B357** (1991) 32.
- [47] T. Stelzer and W.F. Long, *Automatic generation of tree level helicity amplitudes*, *Comput. Phys. Commun.* **81** (1994) 357 [[hep-ph/9401258](#)].
- [48] J.M. Campbell and R.K. Ellis, *An Update on vector boson pair production at hadron colliders*, *Phys. Rev.* **D60** (1999) 113006 [[hep-ph/9905386](#)].
- [49] R. Boughezal, J.M. Campbell, R.K. Ellis, C. Focke, W. Giele, X. Liu et al., *Color singlet production at NNLO in MCFM*, *Eur. Phys. J.* **C77** (2017) 7 [[arXiv:1605.08011](#)].
- [50] J. Fujimoto, T. Ishikawa, K. Kato, T. Kaneko, N. Nakazawa, Y. Shimizu et al., *GRACE with FORM*, *Nucl. Phys. Proc. Suppl.* **160** (2006) 150.
- [51] W. Horner, *A New Method of Solving Numerical Equations of All Orders by Continuous Approximation*, W. Bulmer & Co (1819), <http://books.google.nl/books?id=2fLpGwAACAAJ>.
- [52] D.E. Knuth, *The Art of Computer Programming, Volume 2 (3rd Ed.): Seminumerical Algorithms*, Addison-Wesley Longman Publishing Co., Inc., Boston, MA, USA (1997).
- [53] J. Kuipers, A. Plaat, J. Vermaseren and J. van den Herik, *Improving multivariate Horner schemes with Monte Carlo Tree Search*, *Computer Physics Communications* (2013), <http://www.sciencedirect.com/science/article/pii/S0010465513001689>.
- [54] T. Cazenave, *Nested Monte-Carlo Search*, in *Proceedings of the 21st International Joint Conference on Artificial Intelligence, Pasadena, California, USA,, p. 456, 2009*.
- [55] A.V. Aho, R. Sethi and J.D. Ullman, *Compilers: Principles, Techniques and Tools*, Addison-Wesley (1988).
- [56] C.E. Leiserson, L. Li, M.M. Maza and Y. Xie, *Efficient Evaluation of Large Polynomials*, in *In Proc. International Congress of Mathematical Software - ICMS 2010*, Springer, 2010.

- [57] M.A. Breuer, *Generation of Optimal Code for Expressions via Factorization*, *Commun. ACM* **12** (June, 1969) 333, <http://doi.acm.org/10.1145/363011.363153>.
- [58] P.S. Wang, *An improved multivariate polynomial factoring algorithm*, *Mathematics of Computation* **32** (1978) 1215, <http://www.jstor.org/stable/2006346>.
- [59] W. Wu, J. Chen and Y. Feng, *Sparse bivariate polynomial factorization*, *Science China Mathematics* **57** (2014) 2123, <http://dx.doi.org/10.1007/s11425-014-4850-y>.
- [60] M. Ceberio and V. Kreinovich, *Greedy Algorithms for Optimizing Multivariate Horner Schemes*, *SIGSAM Bull.* **38** (Mar., 2004) 8, <http://doi.acm.org/10.1145/980175.980179>.
- [61] G.M. Adelson-Velsky, V.L. Arlazarov and M.V. Donskoy, *Algorithms for Games*, Springer-Verlag New York, Inc., New York, NY, USA (1988).
- [62] F. Glover, *Future paths for integer programming and links to artificial intelligence*, *Computers & Operations Research* **13** (1986) 533, <http://www.sciencedirect.com/science/article/pii/0305054886900481>.
- [63] S. Lin and B.W. Kernighan, *An Effective Heuristic Algorithm for the Traveling-Salesman Problem*, *Operations Research* **21** (1973) 498, <http://dx.doi.org/10.2307/169020>.
- [64] K. Helsgaun, *An effective implementation of the lin-kernighan traveling salesman heuristic*, *European Journal of Operational Research* **126** (2000) 106.
- [65] C.S. Lee, M.H. Wang, G. Chaslot, J.B. Hoock, A. Rimmel, O. Teytaud et al., *The Computational Intelligence of MoGo Revealed in Taiwan's Computer Go Tournaments*, *IEEE Trans. Comput. Intellig. and AI in Games* **1** (2009) 73.
- [66] R. Hayward, *Mohex wins hex tournament*, *International Computer Games Association (ICGA)* **32** (2009) 114.
- [67] C. Browne, E. Powley, D. Whitehouse, S. Lucas, P. Cowling, P. Rohlfshagen et al., *A Survey of Monte Carlo Tree Search Methods*, *Computational Intelligence and AI in Games, IEEE Transactions on* **4** (2012) 1.
- [68] L. Kocsis and C. Szepesvári, *Bandit based Monte-Carlo Planning*, in In: ECML-06. LNCS 4212, p. 282, Springer, 2006.
- [69] S. Kirkpatrick, C.D. Gelatt and M.P. Vecchi, *Optimization by simulated annealing*, *Science* **220** (1983) 671.
- [70] L. Kocsis and C. Szepesvári, "Discounted UCB. Video Lecture." 2006.

- [71] J. Hashimoto, A. Kishimoto, K. Yoshizoe and K. Ikeda, *Accelerated UCT and Its Application to Two-Player Games*, *Lecture Notes in Computer Science* **7168** (2012) 1 , <http://id.nii.ac.jp/0023/00008786>.
- [72] H. Hoos and T. Stützle, *Stochastic Local Search: Foundations & Applications*, Morgan Kaufmann Publishers Inc., San Francisco, CA, USA (2004).
- [73] M. Dorigo and L.M. Gambardella, *Ant colony system: A cooperative learning approach to the traveling salesman problem*, *Trans. Evol. Comp* **1** (Apr., 1997) 53, <http://dx.doi.org/10.1109/4235.585892>.
- [74] D.E. Goldberg, *Genetic Algorithms in Search, Optimization and Machine Learning*, 1st ed., Addison-Wesley Longman Publishing Co., Inc., Boston, MA, USA (1989).
- [75] E. Aarts and J.K. Lenstra, eds., *Local Search in Combinatorial Optimization*, 1st ed., John Wiley & Sons, Inc., New York, NY, USA (1997).
- [76] M. Miki, T. Hiroyasu and T. Jitta, *Adaptive simulated annealing for maximum temperature.*, in SMC, p. 20, IEEE, 2003. DOI.
- [77] W. Ben-Ameur, *Computing the initial temperature of simulated annealing*, *Comput. Optim. Appl.* **29** (Dec., 2004) 369, <http://dx.doi.org/10.1023/B:COAP.0000044187.23143.bd>.
- [78] P. Tian, J. Ma and D.M. Zhang, *Application of the simulated annealing algorithm to the combinatorial optimisation problem with permutation property: An investigation of generation mechanism*, *European Journal of Operational Research* **118** (1999) 81 , <http://www.sciencedirect.com/science/article/pii/S0377221798003087>.
- [79] G. Reinelt, *TSPLIB: Library of TSP Instances*, <https://www.iwr.uni-heidelberg.de/groups/comopt/software/TSPLIB95/>, 2008.
- [80] J. Vermaseren, "Form source code." 1989–present.
- [81] C. Anastasiou, C. Duhr, F. Dulat, F. Herzog and B. Mistlberger, *Higgs Boson Gluon-Fusion Production in QCD at Three Loops*, *Phys. Rev. Lett.* **114** (2015) 212001 [arXiv:1503.06056].
- [82] C. Anastasiou, C. Duhr, F. Dulat, E. Furlan, T. Gehrmann, F. Herzog et al., *High precision determination of the gluon fusion Higgs boson cross-section at the LHC*, *JHEP* **05** (2016) 058 [arXiv:1602.00695].
- [83] S.A. Larin, F.V. Tkachov and J.A.M. Vermaseren, *The $O(\alpha_s^3)$ QCD correction to the lowest moment of the longitudinal structure function in deep inelastic electron - nucleon scattering*, *Phys. Lett.* **B272** (1991) 121.

- [84] S.A. Larin, T. van Ritbergen and J.A.M. Vermaseren, *The Next next-to-leading QCD approximation for nonsinglet moments of deep inelastic structure functions*, *Nucl. Phys.* **B427** (1994) 41.
- [85] S.A. Larin, P. Nogueira, T. van Ritbergen and J.A.M. Vermaseren, *The Three loop QCD calculation of the moments of deep inelastic structure functions*, *Nucl. Phys.* **B492** (1997) 338 [[hep-ph/9605317](#)].
- [86] A. Retey and J.A.M. Vermaseren, *Some higher moments of deep inelastic structure functions at next-to-next-to-leading order of perturbative QCD*, *Nucl. Phys.* **B604** (2001) 281 [[hep-ph/0007294](#)].
- [87] J. Blumlein and J.A.M. Vermaseren, *The 16th moment of the non-singlet structure functions $F(2)(x, Q^{*2})$ and $F(L)(x, Q^{*2})$ to $O(\alpha^{*3}(S))$* , *Phys. Lett.* **B606** (2005) 130 [[hep-ph/0411111](#)].
- [88] S. Moch, J.A.M. Vermaseren and A. Vogt, *The Three-Loop Splitting Functions in QCD: The Helicity-Dependent Case*, *Nucl. Phys.* **B889** (2014) 351 [[arXiv:1409.5131](#)].
- [89] P.A. Baikov, *Explicit solutions of the three loop vacuum integral recurrence relations*, *Phys. Lett.* **B385** (1996) 404 [[hep-ph/9603267](#)].
- [90] P.A. Baikov, *Explicit solutions of the multiloop integral recurrence relations and its application*, *Nucl. Instrum. Meth.* **A389** (1997) 347 [[hep-ph/9611449](#)].
- [91] P.A. Baikov, *A Practical criterion of irreducibility of multi-loop Feynman integrals*, *Phys. Lett.* **B634** (2006) 325 [[hep-ph/0507053](#)].
- [92] C. Anastasiou and A. Lazopoulos, *Automatic integral reduction for higher order perturbative calculations*, *JHEP* **0407** (2004) 046 [[hep-ph/0404258](#)].
- [93] A. Smirnov, *Algorithm FIRE – Feynman Integral REduction*, *JHEP* **0810** (2008) 107 [[arXiv:0807.3243](#)].
- [94] A.V. Smirnov, *FIRE5: a C++ implementation of Feynman Integral REduction*, *Comput.Phys.Commun.* **189** (2014) 182 [[arXiv:1408.2372](#)].
- [95] C. Studerus, *Reduze-Feynman Integral Reduction in C++*, *Comput.Phys.Commun.* **181** (2010) 1293 [[arXiv:0912.2546](#)].
- [96] A. von Manteuffel and C. Studerus, *Reduze 2 - Distributed Feynman Integral Reduction*, [arXiv:1201.4330](#).
- [97] F. Tkachov, *An Algorithm for Calculating Multiloop Integrals*, *Theor.Math.Phys.* **56** (1983) 866.
- [98] J.A.M. Vermaseren, A. Vogt and S. Moch, *The Third-order QCD corrections to deep-inelastic scattering by photon exchange*, *Nucl. Phys.* **B724** (2005) 3 [[hep-ph/0504242](#)].

- [99] R. Lee, *Presenting LiteRed: a tool for the Loop InTEgrals REDuction*, [arXiv:1212.2685](#).
- [100] R.N. Lee, *LiteRed 1.4: a powerful tool for reduction of multiloop integrals*, *J.Phys.Conf.Ser.* **523** (2014) 012059 [[arXiv:1310.1145](#)].
- [101] M. Tentyukov and J.A.M. Vermaseren, *The Multithreaded version of FORM*, *Comput. Phys. Commun.* **181** (2010) 1419 [[hep-ph/0702279](#)].
- [102] J. Kuipers, T. Ueda, J.A.M. Vermaseren and J. Vollinga, *FORM version 4.0*, *Comput. Phys. Commun.* **184** (2013) 1453 [[arXiv:1203.6543](#)].
- [103] F. Tkachov, *A Theorem on Analytical Calculability of Four Loop Renormalization Group Functions*, *Phys.Lett.* **B100** (1981) 65.
- [104] J.A.M. Vermaseren, *The rules of physics*, *Nucl. Instrum. Meth.* **A534** (2004) 232.
- [105] P.A. Baikov and K.G. Chetyrkin, *Four Loop Massless Propagators: An Algebraic Evaluation of All Master Integrals*, *Nucl. Phys.* **B837** (2010) 186 [[arXiv:1004.1153](#)].
- [106] R.N. Lee, A.V. Smirnov and V.A. Smirnov, *Master Integrals for Four-Loop Massless Propagators up to Transcendentality Weight Twelve*, *Nucl. Phys.* **B856** (2012) 95 [[arXiv:1108.0732](#)].
- [107] G. Csardi and T. Nepusz, *The igraph software package for complex network research*, *InterJournal Complex Systems* (2006) 1695, <http://igraph.org>.
- [108] S. van der Walt, S.C. Colbert and G. Varoquaux, *The NumPy array: A structure for efficient numerical computation*, *Computing in Science & Engineering* **13** (2011) 22 [[arXiv:1102.1523](#)], <http://www.numpy.org>.
- [109] A. Meurer et al., *SymPy: symbolic computing in Python*, *PeeJ Computer Science* (2017) 3:e103, <http://www.sympy.org>.
- [110] J.A.M. Vermaseren, *Status of FORM*, talk presented in Durbach, 2014.
- [111] P. Nogueira, *Automatic Feynman graph generation*, *J. Comput. Phys.* **105** (1993) 279.
- [112] T. van Ritbergen, A.N. Schellekens and J.A.M. Vermaseren, *Group theory factors for Feynman diagrams*, *Int. J. Mod. Phys.* **A14** (1999) 41 [[hep-ph/9802376](#)].
- [113] T. van Ritbergen, J.A.M. Vermaseren and S.A. Larin, *The Four loop beta function in quantum chromodynamics*, *Phys. Lett.* **B400** (1997) 379 [[hep-ph/9701390](#)].
- [114] M. Czakon, *The four-loop QCD beta-function and anomalous dimensions*, *Nucl. Phys.* **B710** (2005) 485 [[hep-ph/0411261](#)].
- [115] S. Moch, B. Ruijl, T. Ueda, J. Vermaseren and A. Vogt, “Tbd.” 2017.

- [116] B. Ruijl, *Towards five loop calculations in QCD*, seminar in Zurich, December 2016, <http://www.physik.uzh.ch/en/seminars/ttpseminar/HS2016.html>.
- [117] L.F. Abbott, *The Background Field Method Beyond One Loop*, *Nucl. Phys.* **B185** (1981) 189.
- [118] L.F. Abbott, M.T. Grisaru and R.K. Schaefer, *The Background Field Method and the S Matrix*, *Nucl. Phys.* **B229** (1983) 372.
- [119] D.R.T. Jones, *Two Loop Diagrams in Yang-Mills Theory*, *Nucl. Phys.* **B75** (1974) 531.
- [120] E. Egorian and O.V. Tarasov, *Two Loop Renormalization of the QCD in an Arbitrary Gauge*, *Teor. Mat. Fiz.* **41** (1979) 26.
- [121] R. Tarrach, *The Pole Mass in Perturbative QCD*, *Nucl. Phys.* **B183** (1981) 384.
- [122] S.A. Larin and J.A.M. Vermaseren, *The Three loop QCD Beta function and anomalous dimensions*, *Phys. Lett.* **B303** (1993) 334 [[hep-ph/9302208](#)].
- [123] O.V. Tarasov, *Anomalous dimensions of quark masses in three loop approximation*, preprint JINR-P2-82-900, 1982.
- [124] K.G. Chetyrkin, M. Misiak and M. Munz, *Beta functions and anomalous dimensions up to three loops*, *Nucl. Phys.* **B518** (1998) 473 [[hep-ph/9711266](#)].
- [125] J.A.M. Vermaseren, S.A. Larin and T. van Ritbergen, *The four loop quark mass anomalous dimension and the invariant quark mass*, *Phys. Lett.* **B405** (1997) 327 [[hep-ph/9703284](#)].
- [126] K.G. Chetyrkin, *Four-loop renormalization of QCD: Full set of renormalization constants and anomalous dimensions*, *Nucl. Phys.* **B710** (2005) 499 [[hep-ph/0405193](#)].
- [127] P.A. Baikov, K.G. Chetyrkin and J.H. Kühn, *Quark Mass and Field Anomalous Dimensions to $\mathcal{O}(\alpha_s^5)$* , *JHEP* **10** (2014) 076 [[arXiv:1402.6611](#)].
- [128] T. Luthe, A. Maier, P. Marquard and Y. Schröder, *Towards the five-loop beta function for a general gauge group*, *JHEP* **07** (2016) 127 [[arXiv:1606.08662](#)].
- [129] T. Luthe, A. Maier, P. Marquard and Y. Schröder, *Complete renormalization of QCD at five loops*, *JHEP* **03** (2017) 020 [[arXiv:1701.07068](#)].
- [130] G. 't Hooft, *Dimensional regularization and the renormalization group*, *Nucl. Phys.* **B61** (1973) 455.
- [131] W.A. Bardeen, A.J. Buras, D.W. Duke and T. Muta, *Deep Inelastic Scattering Beyond the Leading Order in Asymptotically Free Gauge Theories*, *Phys. Rev.* **D18** (1978) 3998.

- [132] A.A. Vladimirov, *Method for Computing Renormalization Group Functions in Dimensional Renormalization Scheme*, *Theor. Math. Phys.* **43** (1980) 417.
- [133] K.G. Chetyrkin and F.V. Tkachov, *Infrared R-operation and ultraviolet counterterms in the $\overline{MS}$ -scheme*, *Phys. Lett.* **B114** (1982) 340.
- [134] K.G. Chetyrkin and V.A. Smirnov, *R^* -operation corrected*, *Phys. Lett.* **B144** (1984) 419.
- [135] K.G. Chetyrkin, *Combinatorics of R -, R^{-1} -, and R^* -operations and asymptotic expansions of feynman integrals in the limit of large momenta and masses*, [arXiv:1701.08627](#).
- [136] K.G. Chetyrkin, *Correlator of the quark scalar currents and $\Gamma_{\text{tot}}(H \rightarrow \text{hadrons})$ at $\mathcal{O}(\alpha_s^3)$ in pQCD*, *Phys. Lett.* **B390** (1997) 309 [[hep-ph/9608318](#)].
- [137] K.G. Chetyrkin, *Corrections of order α_s^3 to R_{had} in pQCD with light gluinos*, *Phys. Lett.* **B391** (1997) 402 [[hep-ph/9608480](#)].
- [138] M. Misiak and M. Munz, *Two loop mixing of dimension five flavor changing operators*, *Phys. Lett.* **B344** (1995) 308 [[hep-ph/9409454](#)].
- [139] K.G. Chetyrkin and A. Retey, *Three loop three linear vertices and four loop similar to MOM beta functions in massless QCD*, [hep-ph/0007088](#).
- [140] W. Celmaster and R.J. Gonsalves, *The Renormalization Prescription Dependence of the QCD Coupling Constant*, *Phys. Rev.* **D20** (1979) 1420.
- [141] J.S. Ball and T.W. Chiu, *Analytic Properties of the Vertex Function in Gauge Theories. 2.*, *Phys. Rev.* **D22** (1980) 2550 [Erratum *ibid.* **D23** (1981) 3085].
- [142] P. Pascual and R. Tarrach, *Slavnov-Taylor Identities in Weinberg's Renormalization Scheme*, *Nucl. Phys.* **B174** (1980) 123 [Erratum *ibid.* **B181** (1981) 546].
- [143] E. Braaten and J.P. Leveille, *Minimal Subtraction and Momentum Subtraction in QCD at Two Loop Order*, *Phys. Rev.* **D24** (1981) 1369.
- [144] A.I. Davydychev, P. Osland and O.V. Tarasov, *Three gluon vertex in arbitrary gauge and dimension*, *Phys. Rev.* **D54** (1996) 4087 [Erratum *ibid.* **D59** (1999) 109901] [[hep-ph/9605348](#)].
- [145] A.I. Davydychev, P. Osland and L. Saks, *Quark mass dependence of the one loop three gluon vertex in arbitrary dimension*, *JHEP* **08** (2001) 050 [[hep-ph/0105072](#)].
- [146] M. Binger and S.J. Brodsky, *The Form-factors of the gauge-invariant three-gluon vertex*, *Phys. Rev.* **D74** (2006) 054016 [[hep-ph/0602199](#)].
- [147] A.I. Davydychev, P. Osland and O.V. Tarasov, *Two loop three gluon vertex in zero momentum limit*, *Phys. Rev.* **D58** (1998) 036007 [[hep-ph/9801380](#)].

- [148] A.I. Davydychev and P. Osland, *On-shell two loop three gluon vertex*, *Phys. Rev.* **D59** (1999) 014006 [[hep-ph/9806522](#)].
- [149] A.I. Davydychev, P. Osland and L. Saks, *Quark gluon vertex in arbitrary gauge and dimension*, *Phys. Rev.* **D63** (2001) 014022 [[hep-ph/0008171](#)].
- [150] K.G. Chetyrkin and T. Seidensticker, *Two loop QCD vertices and three loop MOM beta functions*, *Phys. Lett.* **B495** (2000) 74 [[hep-ph/0008094](#)].
- [151] J.A. Gracey, *Two loop QCD vertices at the symmetric point*, *Phys. Rev.* **D84** (2011) 085011 [[arXiv:1108.4806](#)].
- [152] J.A. Gracey, *Off-shell two-loop QCD vertices*, *Phys. Rev.* **D90** (2014) 025014 [[arXiv:1406.0649](#)].
- [153] L. von Smekal, K. Maltman and A. Sternbeck, *The Strong coupling and its running to four loops in a minimal MOM scheme*, *Phys. Lett.* **B681** (2009) 336 [[arXiv:0903.1696](#)].
- [154] S. Alekhin, J. Blümlein and S.O. Moch, α_s from global fits of parton distribution functions, *Mod. Phys. Lett.* **A31** (2016) 1630023.
- [155] C. Anzai, A. Hasselhuhn, M. Höschele, J. Hoff, W. Kilgore, M. Steinhauser et al., *Exact N^3 LO results for qq' to $H + X$* , *JHEP* **07** (2015) 140 [[arXiv:1506.02674](#)].
- [156] P.A. Baikov and K.G. Chetyrkin, *New four loop results in QCD*, *Nucl. Phys. Proc. Suppl.* **160** (2006) 76.
- [157] V.N. Velizhanin, *Four loop anomalous dimension of the second moment of the non-singlet twist-2 operator in QCD*, *Nucl. Phys.* **B860** (2012) 288 [[arXiv:1112.3954](#)].
- [158] V.N. Velizhanin, *Four loop anomalous dimension of the third and fourth moments of the non-singlet twist-2 operator in QCD*, [arXiv:1411.1331](#).
- [159] P.A. Baikov, K.G. Chetyrkin and J.H. Kühn, *Massless Propagators, $R(s)$ and Multiloop QCD*, *Nucl. Part. Phys. Proc.* **261-262** (2015) 3 [[arXiv:1501.06739](#)].
- [160] N.H. Christ, B. Hasslacher and A.H. Mueller, *Light cone behavior of perturbation theory*, *Phys. Rev.* **D6** (1972) 3543.
- [161] W.H. Furry, *A Symmetry Theorem in the Positron Theory*, *Phys. Rev.* **51** (1937) 125.
- [162] C.G. Callan, *Broken scale invariance in scalar field theory*, *Phys. Rev. D* **2** (Oct, 1970) 1541, <https://link.aps.org/doi/10.1103/PhysRevD.2.1541>.
- [163] K. Symanzik, *Small distance behaviour in field theory and power counting*, *Communications in Mathematical Physics* **18** (1970) 227, <http://dx.doi.org/10.1007/BF01649434>.

- [164] V.N. Gribov and L.N. Lipatov, *Deep inelastic $e p$ scattering in perturbation theory*, *Sov. J. Nucl. Phys.* **15** (1972) 438.
- [165] Y.L. Dokshitzer, *Calculation of the Structure Functions for Deep Inelastic Scattering and $e^+ e^-$ Annihilation by Perturbation Theory in Quantum Chromodynamics.*, *Sov. Phys. JETP* **46** (1977) 641.
- [166] G. Altarelli and G. Parisi, *Asymptotic Freedom in Parton Language*, *Nucl. Phys.* **B126** (1977) 298.
- [167] W. Furmanski and R. Petronzio, *Lepton - Hadron Processes Beyond Leading Order in Quantum Chromodynamics*, *Z. Phys.* **C11** (1982) 293.
- [168] V.N. Velizhanin, *Three loop anomalous dimension of the non-singlet transversity operator in QCD*, *Nucl. Phys.* **B864** (2012) 113 [[arXiv:1203.1022](#)].
- [169] G.P. Korchemsky, *Asymptotics of the Altarelli-Parisi-Lipatov Evolution Kernels of Parton Distributions*, *Mod. Phys. Lett.* **A4** (1989) 1257.
- [170] S. Albino and R.D. Ball, *Soft resummation of quark anomalous dimensions and coefficient functions in $\overline{\text{MS}}$ factorization*, *Phys. Lett.* **B513** (2001) 93 [[hep-ph/0011133](#)].
- [171] Yu.L. Dokshitzer, G. Marchesini and G.P. Salam, *Revisiting parton evolution and the large- x limit*, *Phys. Lett.* **B634** (2006) 504 [[hep-ph/0511302](#)].
- [172] J. Henn, A.V. Smirnov, V.A. Smirnov, M. Steinhauser and R.N. Lee, *Four-loop photon quark form factor and cusp anomalous dimension in the large- N_c limit of QCD*, [arXiv:1612.04389](#).
- [173] D.A. Akyeampong and R. Delbourgo, *Dimensional regularization, abnormal amplitudes and anomalies*, *Nuovo Cim.* **A17** (1973) 578.
- [174] S.A. Larin, *The Renormalization of the axial anomaly in dimensional regularization*, *Phys. Lett.* **B303** (1993) 113 [[hep-ph/9302240](#)].
- [175] S. Moch, J.A.M. Vermaseren and A. Vogt, *On γ_5 in higher-order QCD calculations and the NNLO evolution of the polarized valence distribution*, *Phys. Lett.* **B748** (2015) 432 [[arXiv:1506.04517](#)].
- [176] P.A. Baikov, K.G. Chetyrkin, J.H. Kuhn and J. Rittinger, *Complete $\mathcal{O}(\alpha_s^4)$ QCD Corrections to Hadronic Z-Decays*, *Phys. Rev. Lett.* **108** (2012) 222003 [[arXiv:1201.5804](#)].
- [177] T. Kinoshita, *Mass singularities of Feynman amplitudes*, *J. Math. Phys.* **3** (1962) 650.
- [178] T.D. Lee and M. Nauenberg, *Degenerate Systems and Mass Singularities*, *Phys. Rev.* **133** (1964) B1549.

- [179] C.G. Bollini and J.J. Giambiagi, *Dimensional Renormalization: The Number of Dimensions as a Regularizing Parameter*, *Nuovo Cim.* **B12** (1972) 20.
- [180] G. 't Hooft and M.J.G. Veltman, *Regularization and Renormalization of Gauge Fields*, *Nucl. Phys.* **B44** (1972) 189.
- [181] A.V. Kotikov, *Differential equations method: New technique for massive Feynman diagrams calculation*, *Phys. Lett.* **B254** (1991) 158.
- [182] T. Gehrmann and E. Remiddi, *Differential equations for two loop four point functions*, *Nucl. Phys.* **B580** (2000) 485 [[hep-ph/9912329](#)].
- [183] J.M. Henn, *Multiloop integrals in dimensional regularization made simple*, *Phys. Rev. Lett.* **110** (2013) 251601 [[arXiv:1304.1806](#)].
- [184] V.A. Smirnov, *Analytical result for dimensionally regularized massless on shell double box*, *Phys. Lett.* **B460** (1999) 397 [[hep-ph/9905323](#)].
- [185] J.B. Tausk, *Nonplanar massless two loop Feynman diagrams with four on-shell legs*, *Phys. Lett.* **B469** (1999) 225 [[hep-ph/9909506](#)].
- [186] C. Anastasiou and A. Daleo, *Numerical evaluation of loop integrals*, *JHEP* **10** (2006) 031 [[hep-ph/0511176](#)].
- [187] M. Czakon, *Automatized analytic continuation of Mellin-Barnes integrals*, *Comput. Phys. Commun.* **175** (2006) 559 [[hep-ph/0511200](#)].
- [188] T. Binoth and G. Heinrich, *An automatized algorithm to compute infrared divergent multiloop integrals*, *Nucl. Phys.* **B585** (2000) 741 [[hep-ph/0004013](#)].
- [189] M. Roth and A. Denner, *High-energy approximation of one loop Feynman integrals*, *Nucl. Phys.* **B479** (1996) 495 [[hep-ph/9605420](#)].
- [190] K. Hepp, *Proof of the Bogolyubov-Parasiuk theorem on renormalization*, *Commun. Math. Phys.* **2** (1966) 301.
- [191] E. Panzer, *On hyperlogarithms and Feynman integrals with divergences and many scales*, *JHEP* **03** (2014) 071 [[arXiv:1401.4361](#)].
- [192] A. von Manteuffel, E. Panzer and R.M. Schabinger, *A quasi-finite basis for multi-loop Feynman integrals*, *JHEP* **02** (2015) 120 [[arXiv:1411.7392](#)].
- [193] N.N. Bogoliubov and O.S. Parasiuk, *On the Multiplication of the causal function in the quantum theory of fields*, *Acta Math.* **97** (1957) 227.
- [194] W. Zimmermann, *Convergence of Bogolyubov's method of renormalization in momentum space*, *Commun. Math. Phys.* **15** (1969) 208.
- [195] W.E. Caswell and A.D. Kennedy, *A simple approach to renormalization theory*, *Phys. Rev.* **D25** (1982) 392.

- [196] D. Kreimer, *On the Hopf algebra structure of perturbative quantum field theories*, *Adv. Theor. Math. Phys.* **2** (1998) 303 [[q-alg/9707029](#)].
- [197] A. Connes and D. Kreimer, *Renormalization in quantum field theory and the Riemann-Hilbert problem. 1. The Hopf algebra structure of graphs and the main theorem*, *Commun. Math. Phys.* **210** (2000) 249 [[hep-th/9912092](#)].
- [198] K.G. Chetyrkin, A.L. Kataev and F.V. Tkachov, *Five Loop Calculations in the $g\phi^4$ Model and the Critical Index η* , *Phys. Lett.* **B99** (1981) 147.
- [199] S.G. Gorishnii, S.A. Larin, F.V. Tkachov and K.G. Chetyrkin, *Five Loop Renormalization Group Calculations in the $g\phi^4$ in Four-dimensions Theory*, *Phys. Lett.* **B132** (1983) 351.
- [200] H. Kleinert, J. Neu, V. Schulte-Frohlinde, K.G. Chetyrkin and S.A. Larin, *Five loop renormalization group functions of $O(n)$ symmetric ϕ^4 theory and epsilon expansions of critical exponents up to ϵ^5* , *Phys. Lett.* **B272** (1991) 39 [[hep-th/9503230](#)].
- [201] M. Kompaniets and E. Panzer, *Renormalization group functions of ϕ^4 theory in the MS-scheme to six loops*, *PoS* **LL2016** (2016) 038 [[arXiv:1606.09210](#)].
- [202] D.V. Batkovich, K.G. Chetyrkin and M.V. Kompaniets, *Six loop analytical calculation of the field anomalous dimension and the critical exponent η in $O(n)$ -symmetric ϕ^4 model*, *Nucl. Phys.* **B906** (2016) 147 [[arXiv:1601.01960](#)].
- [203] P.A. Baikov, K.G. Chetyrkin and J.H. Kühn, *Vector Correlator in Massless QCD at Order $O(\alpha_s^4)$ and the QED beta-function at Five Loop*, *JHEP* **07** (2012) 017 [[arXiv:1206.1284](#)].
- [204] P.A. Baikov, K.G. Chetyrkin and J.H. Kühn, *Five-loop fermion anomalous dimension for a general gauge group from four-loop massless propagators*, [arXiv:1702.01458](#).
- [205] P.A. Baikov, K.G. Chetyrkin and J.H. Kuhn, *Scalar correlator at $O(\alpha(s)^4)$, Higgs decay into b-quarks and bounds on the light quark masses*, *Phys. Rev. Lett.* **96** (2006) 012003 [[hep-ph/0511063](#)].
- [206] H. Kleinert and V. Schulte-Frohlinde, *Critical Properties of ϕ^4 -Theories*, World Scientific (2001).
- [207] S. Larin and P. van Nieuwenhuizen, *The Infrared R^* operation*, [hep-th/0212315](#).
- [208] D.V. Batkovich and M. Kompaniets, *Toolbox for multiloop Feynman diagrams calculations using R^* operation*, *J. Phys. Conf. Ser.* **608** (2015) 012068 [[arXiv:1411.2618](#)].
- [209] E.R. Speer, *Contraction Anomalies in Dimensional Renormalization*, *Nucl. Phys.* **B134** (1978) 175.

- [210] W.E. Caswell, *Asymptotic Behavior of Nonabelian Gauge Theories to Two Loop Order*, *Phys. Rev. Lett.* **33** (1974) 244.
- [211] O.V. Tarasov, A.A. Vladimirov and A.Yu. Zharkov, *The Gell-Mann-Low Function of QCD in the Three Loop Approximation*, *Phys. Lett.* **B93** (1980) 429.
- [212] S. Moch, J.A.M. Vermaseren and A. Vogt, *Third-order QCD corrections to the charged-current structure function $F(3)$* , *Nucl. Phys.* **B813** (2009) 220 [[arXiv:0812.4168](#)].
- [213] P.A. Baikov, K.G. Chetyrkin, J.H. Kuhn and J. Rittinger, *Vector Correlator in Massless QCD at Order $O(\alpha_s^4)$ and the QED beta-function at Five Loop*, *JHEP* **07** (2012) 017 [[arXiv:1206.1284](#)].
- [214] J.A. Gracey, *The QCD Beta function at $O(1/N(f))$* , *Phys. Lett.* **B373** (1996) 178 [[hep-ph/9602214](#)].
- [215] B.D. McKay, *Practical Graph Isomorphism*, *Congressus Numerantium* **30** (1981) 45, <http://users.cecs.anu.edu.au/~bdm/nauty/pgi.pdf>.
- [216] J.A.M. Vermaseren, *New features of FORM*, [math-ph/0010025](#).
- [217] J.A. Gracey, *Renormalization group functions of QCD in the minimal MOM scheme*, *J. Phys.* **A46** (2013) 225403 [Erratum *ibid.* **A48** (2015) 119501] [[arXiv:1304.5347](#)].
- [218] C. Ayala, G. Cvetič, R. Kogerler and I. Kondrashuk, *Nearly perturbative lattice-motivated QCD coupling with zero IR limit*, [arXiv:1703.01321](#).
- [219] J. Gracey, *Momentum subtraction and the R ratio*, *Phys. Rev.* **D90** (2014) 094026 [[arXiv:1410.6715](#)].
- [220] D.M. Zeng, S.Q. Wang, X.G. Wu and J.M. Shen, *The Higgs-boson decay $H \rightarrow gg$ up to α_s^5 -order under the minimal momentum space subtraction scheme*, *J. Phys.* **G43** (2016) 075001 [[arXiv:1507.03222](#)].
- [221] J.C. Taylor, *Ward Identities and Charge Renormalization of the Yang-Mills Field*, *Nucl. Phys.* **B33** (1971) 436.
- [222] S. Borowka, G. Heinrich, S. Jahn, S.P. Jones, M. Kerner, J. Schlenk et al., *pySecDec: a toolbox for the numerical evaluation of multi-scale integrals*, [arXiv:1703.09692](#).
- [223] J. Fujimoto et al., *The GRACE project: QCD, SUSY, multi-loop*, *PoS RADCOR2011* (2011) 012.
- [224] Y. Lecun, L. Bottou, Y. Bengio and P. Haffner, *Gradient-based learning applied to document recognition*, in *Proceedings of the IEEE*, p. 2278, 1998.

- [225] A. Krizhevsky, I. Sutskever and G.E. Hinton, *Imagenet classification with deep convolutional neural networks*, in *Advances in Neural Information Processing Systems 25* (F. Pereira, C.J.C. Burges, L. Bottou and K.Q. Weinberger, eds.), p. 1097. Curran Associates, Inc., 2012.