



Universiteit
Leiden
The Netherlands

Linking simple molecules to grain evolution across planet-forming disks

Salinas Poblete, V.N.

Citation

Salinas Poblete, V. N. (2017, December 18). *Linking simple molecules to grain evolution across planet-forming disks*. Retrieved from <https://hdl.handle.net/1887/59500>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/59500>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The following handle holds various files of this Leiden University dissertation:
<http://hdl.handle.net/1887/59500>

Author: Salinas Poblete V.N.

Title: Linking simple molecules to grain evolution across planet-forming disks

Issue Date: 2017-12-18

Linking simple molecules to grain evolution across
planet-forming disks.

Linking simple molecules to grain evolution across planet-forming disks.

Proefschrift

ter verkrijging van
de graad van Doctor aan de Universiteit Leiden,
op gezag van Rector Magnificus prof. mr. C.J.J.M. Stolker
volgens besluit van het College voor Promoties
te verdedigen op maandag 18 december 2017
klokke 10:00 uur

door

Vachail Nicolás Salinas Poblete

geboren te Santiago, Chile
in 1990

Promotiecommissie

Promotores:	Prof. dr.E.F. van Dishoeck	
	Prof. dr. M.R. Hogerheijde	
Overige leden:	Prof. dr. Y. Aikawa	Univeristy of Tokyo
	Prof. dr. T.J. Millar	Queen's University Belfast
	Dr. C. Walsh	University of Leeds
	Prof. dr. I.A.G. Snellen	
	Prof. dr. H.J.A. Röttgering	

*To my beloved mother,
whose passion for the universe ignited my curiosity.*

Contents

1 Introduction	1
1.1 Disk formation	2
1.1.1 Collapse phase	2
1.1.2 Embedded phase	3
1.1.3 Observational characterization	3
1.2 Physical properties of protoplanetary disks	4
1.2.1 Mass	4
1.2.2 Radial structure	6
1.2.3 Vertical structure	7
1.2.4 Temperature structure	7
1.2.5 Ultraviolet and X-Ray radiation	8
1.3 Disk evolution	9
1.3.1 What happens to the gas?	9
1.3.2 What happens to the dust?	9
1.4 Dust in disks	11
1.4.1 Composition	11
1.4.2 Radial drift	11
1.4.3 Settling	12
1.4.4 Mixing	13
1.5 Disk chemistry	13
1.5.1 Material inventory	15
1.5.2 Water	17
1.5.3 Ammonia	17
1.5.4 Deuterium chemistry in Disks	18
1.6 Methods	20
1.6.1 Observations	20
1.6.2 Modeling	22
1.7 This thesis	23
1.7.1 Aim	23
1.7.2 Overall conclusions	25
1.7.3 Future outlook	25
2 Steepening of the 820 μm continuum surface brightness profile signals dust evolution in TW Hya's disk	35
2.1 Introduction	36
2.2 Observations and data reduction	37
2.3 Model fitting	40
2.4 Discussion	42

2.4.1	Dust drift	42
2.4.2	The presence of unseen gaps	43
2.4.3	Dust temperature and the CO snow line	44
2.5	Summary	44
2.A	Results of the emcee model fitting	47
3	First detection of gas-phase ammonia in a planet-forming disk	49
3.1	Introduction	50
3.2	Observations	51
3.3	Modeling approach	51
3.3.1	Physical structure	51
3.3.2	Chemical model	54
3.3.3	Line excitation and radiative transfer	55
3.4	Results	57
3.5	Discussion	60
3.5.1	Ice reservoirs and total gass masses	60
3.5.2	Gas-phase chemistry	60
3.5.3	Collisions of large bodies as a production mechanism	61
3.6	Conclusions	62
4	Comparing detections and upper limits of NH₃ and NH₂D in the disks of TW Hya and HD163296	65
4.1	Introduction	66
4.2	Observations	67
4.3	Modeling Approach	68
4.3.1	Physical structure	68
4.3.2	Parametric abundance models	71
4.3.3	Line excitation and radiative transfer	71
4.4	Results	73
4.5	Discussion	73
4.5.1	Total gass masses and deuteration estimates	73
4.5.2	ALMA predictions	75
4.6	Summary & Conclusions	76
5	DCO⁺, DCN, and N₂D⁺ reveal three different deuteration regimes in the disk around the Herbig Ae star HD163296	81
5.1	Introduction	82
5.2	Observations	82
5.3	Results	83
5.3.1	Detections	83
5.3.2	Column densities and deuterium fractionation	86
5.4	Parametric modeling	87
5.4.1	Deuterium chemistry	87
5.4.2	Motivation	88
5.4.3	Physical model	88
5.4.4	N ₂ D ⁺ , DCN, and DCO ⁺ abundance models	90
5.4.5	Line excitation	90
5.4.6	Abundance estimates	91
5.4.7	Best-fit parameters	91
5.5	Discussion	94

5.5.1	The inner depression	94
5.5.2	Limitation of DCO ⁺ as a CO snowline tracer	94
5.5.3	The origin of the third ring	95
5.5.4	Deuterium fractionation	95
5.6	Summary	96
5.A	Keplerian Masking	97
6	Exploring DCO⁺ as a tracer of thermal inversion in the disk around the Herbig Ae star HD163296	101
6.1	Introduction	102
6.2	Methods	103
6.2.1	Previous observation of HD 163296	103
6.2.2	Chemical model	104
6.2.3	Implementation	105
6.2.4	Radiative transfer	106
6.3	Results	107
6.3.1	Standard model (CD)	107
6.3.2	Thermal inversion model (CD+TI)	108
6.3.3	The CD+WD+TI model	110
6.4	Discussion	110
6.4.1	DCO ⁺ Outer radius	110
6.4.2	Low vs high temperature deuteration pathways	113
6.5	Summary	113
6.A	Residual channel maps	114
	Samenvatting	117
	English Summary	121
	Resumen en Español	125
	Curriculum Vitae	129
	Acknowledgments	131

