



Universiteit  
Leiden  
The Netherlands

## **Latency, energy, and schedulability of real-time embedded systems**

Liu, D.; Liu D.

### **Citation**

Liu, D. (2017, September 6). *Latency, energy, and schedulability of real-time embedded systems*. Retrieved from <https://hdl.handle.net/1887/54951>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/54951>

**Note:** To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/54951> holds various files of this Leiden University dissertation

**Author:** Liu, D.

**Title:** Latency, energy, and schedulability of real-time embedded systems

**Issue Date:** 2017-09-06

# STELLINGEN

Propositions belonging to the Ph.D. dissertation:

## **Latency, Energy, and Schedulability of Real-Time Embedded Systems**

by Di Liu

1. Let  $G$  be an application modeled as an acyclic Cyclo-Static Dataflow (CSDF) graph that is scheduled as a set of real-time periodic tasks onto a multi-core system. Optimizing the number of cores needed to schedule  $G$  under a latency constraint can be formulated as an integer convex programming problem. (Chapter 3)
2. Let  $G$  be an application modeled as an acyclic Cyclo-Static Dataflow (CSDF) graph that is scheduled as a set of real-time periodic tasks onto a cluster heterogeneous multi-core system. The frequency-driven mapping algorithm leads to less energy consumption without violating the throughput and latency constraints of  $G$ . (Chapter 4)
3. Let  $\Gamma$  be a set of periodic real-time tasks with implicit deadlines. By scheduling all tasks of  $\Gamma$  on a heterogeneous multi-core system, the C-D task splitting scheme achieves higher acceptance ratio than a partitioned approach with lower energy consumption. (Chapter 5)
4. The schedulability of an imprecise mixed-criticality system under the earliest-deadline-first scheduling algorithm with virtual deadlines can be checked in polynomial time. (Chapter 6)
5. The speedup factor of the imprecise mixed-criticality model under earliest-deadlines first with virtual deadline scheduling algorithm is  $4/3$ . (Chapter 6)
6. The real-time system research should work on real-world industrially-relevant problems in order to have impact.
7. Real-time techniques will be a critical part of cloud computing.
8. For mixed-criticality systems, only models which reflect practical use-cases deserve research efforts from the academic community.
9. The flexibility and energy-efficiency make the heterogeneous system a promising platform for mixed-criticality systems.