



Universiteit
Leiden
The Netherlands

Multi-objective Bayesian global optimization for continuous problems and applications

Yang, K.

Citation

Yang, K. (2017, December 6). *Multi-objective Bayesian global optimization for continuous problems and applications*. Retrieved from <https://hdl.handle.net/1887/57791>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/57791>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/57791> holds various files of this Leiden University dissertation

Author: Yang, Kaifeng

Title: Multi-objective Bayesian global optimization for continuous problems and applications

Date: 2017-12-06

Stellingen

door Kaifeng Yang, auteur van

Multi-Objective Bayesian Global Optimization for Continuous Problems and Applications

1. Bayesian Global Optimization (BGO) can efficiently solve "expensive" evaluation problems, but the computational complexity of the algorithm itself is still expensive. [This thesis, Chapter 2.]
2. The most amazing property of Expected Hypervolume Improvement (EHVI) is that it inherently combines the predicted mean and the confidence of this prediction. [This thesis, Chapter 3.]
3. The exact calculation of EHVI was previously a time-consuming task. Now, it does not require so much time because the computational complexity of EHVI has been improved into asymptotically optimal $O(n \log n)$ both in 2-D and 3-D cases. [This thesis, Chapter 3.]
4. Probability of Improvement (PoI) is a powerful criterion when applied to search for the extreme points in an objective space. [This thesis, Chapter 3.]
5. Truncated expected hypervolume improvement manipulates a-priori knowledge of objective functions. Thus, it can produce a better Pareto-front approximation set and it can be efficiently applied in the field of preference-based multi-objective optimization problems. [This thesis, Chapter 4 & 5.]
6. A good stopping criterion in an evolutionary multi-objective optimization algorithm (EMOA) should reflect the distance between the current solution and the optimal solution.
7. Evolutionary algorithms (EAs) and control theory are two different approaches to find an optimal/robust parameter setting when designing a controller.
8. Finding an "optimal" parameter setting for a certain evolutionary algorithm is a subset of systems theory.
9. A good reference point for hypervolume-based computation is difficult to set albeit crucially important.
10. The ultimate goal of multi-objective optimization is to generate a Pareto-front approximation set as close as possible to the true one, which, in turn, can help a decision maker to understand the relationship among the objectives.
11. Working in a team, one plus one is usually more than two.
12. Life is like a process of optimization. People assume they could find the "optimal" decision when the time to choose comes, but only beings in a higher dimensional space can judge whether this decision is globally optimal or merely locally optimal.

Acknowledgements

door Kaifeng Yang, auteur van

The foremost and deepest gratitude is offered to my two promoters, Prof. Thomas Bäck and Dr. Michael Emmerich, who have introduced me to the fantastic worlds of evolutionary algorithms and Bayesian global optimization, and who have helped me to develop a better understanding of not only my specific subject in the field of optimization but also the spirit of academia. Prof. Bäck, thank you for your trust when you included me in more than one project application, which enriches my experience of and broadens my horizon. Dr. Emmerich, thank you for your guidance, your encouragement and your trust, especially when I initially stepped into the field of optimization, from a totally different background. I am grateful for both of your tutelage, your extensive knowledge and your inspirational mode of humanity. You were always willing to help me, both in academic research and in my personal life.

Besides my promoters, I would like to thank my thesis committee: Prof. Aske Plaat, Prof. Holger Hoos, Prof. Zixing Cai, Prof. Tom Dhaene and Dr. Iryna Yevseyeva for your insightful comments and feedbacks.

Thank you Channa, my wife, who has provided support and sacrifice to keep me fed on track. Without you, I would not have finished this work, nor would I have a lovely girl, Nuolan. To my girl, Nuolan, you have no idea what your father has been doing all this time, sending you to Teddy Kids every weekday, not allowing to touch my laptop and sometimes still working during weekends without accompanying you. Perhaps, I can explain all of this to you one day.

I deeply thank my parents, Mingqi Yang and Lili Wang, for your unconditional trust, timely encouragement, and endless patience. It was your love that raised me up again when I got weary. Thanks to my parents-in-law, Chengqun Li and Huagui She, for your meticulous care of Nuolan.

For my colleagues in the Natural Computing group, I want to thank you for your supports and the excellent cooperation. Many thanks for all my friends, both in the Netherlands and in China, for your helps during the last four years.

Last but not the least, thanks to China Scholarship Council, I can work in the Natural Computing group and make so many good friends in Leiden.