



Universiteit
Leiden
The Netherlands

Resolving the building blocks of galaxies in space and time

Clauwens, B.J.F.; Clauwens B.J.F.

Citation

Clauwens, B. J. F. (2017, December 6). *Resolving the building blocks of galaxies in space and time*. Casimir PhD Series. Retrieved from <https://hdl.handle.net/1887/56022>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/56022>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/56022> holds various files of this Leiden University dissertation.

Author: Clauwens, B.J.F.

Title: Resolving the building blocks of galaxies in space and time

Issue Date: 2017-12-06

Resolving the building blocks of galaxies in space and time

De opbouw van sterrenstelsels in ruimte en tijd

Proefschrift

ter verkrijging van
de graad van Doctor aan de Universiteit Leiden,
op gezag van Rector Magnificus prof. mr. C.J.J.M. Stolker,
volgens besluit van het College voor Promoties
te verdedigen op woensdag 6 december 2017
klokke 13:45 uur

door

Bartolomeüs Johannes Firmin Clauwens
geboren te Veghel
in 1981

Promotores:
Prof. dr. J. Schaye
Prof. dr. M. Franz

Promotiecommissie: Prof. dr. P. van Dokkum (Yale University, New Haven, U.S.A.)
dr. P. A. Torrey (MIT, Cambridge, U.S.A.)
Prof. dr. S. C. Trager (Rijksuniversiteit Groningen)
dr. C. A. Correa
Prof. dr. E. R. Eliel
Prof. dr. H. J. A. Röttgering

Casimir PhD series, Delft-Leiden 2017-43

ISBN: 978-90-8593-327-4

An electronic version of this thesis can be found at <https://openaccess.leidenuniv.nl>.

The work described in this thesis is part of the Leiden de Sitter Cosmology program that is funded by the Netherlands Organisation for Scientific Research (NWO).

Omslagontwerp: Bart Clauwens. The cover image is based on a picture of Messier 101, which is comprised of 51 individual exposures with the Hubble Space Telescope in addition to ground-based observations from the Canada France Hawaii Telescope and the National Optical Astronomy Observatory. Credit for Hubble Image: NASA, ESA, K. Kuntz (JHU), F. Bresolin (University of Hawaii), J. Trauger (Jet Propulsion Lab), J. Mould (NOAO), Y.-H. Chu (University of Illinois, Urbana), and STScI. Credit for CFHT Image: Canada-France-Hawaii Telescope/ J.-C. Cuillandre/Coelum. Credit for NOAO Image: G. Jacoby, B. Bohannan, M. Hanna/ NOAO/AURA/NSF. For artistic purposes I have inverted the colours in the image, thus making the black background appear white and the light-blue star-forming regions appear dark-brown.

Contents

1	Introduction	1
1.1	The study of galaxy formation	1
1.1.1	Galaxies	1
1.1.2	The building blocks of galaxies	2
1.2	This thesis	11
1.2.1	Chapter 2: An assessment of the evidence from ATLAS ^{3D} for a variable initial mass function	11
1.2.2	Chapter 3: Implications of a variable IMF for the interpretation of observations of galaxy populations	12
1.2.3	Chapter 4: A large difference in the progenitor masses of active and passive galaxies in the EAGLE simulation	12
1.2.4	Chapter 5: The average structural evolution of massive galaxies can be reliably estimated using cumulative galaxy number densities	13
1.2.5	Chapter 6: The three phases of galaxy formation	14
2	An assessment of the evidence from ATLAS^{3D} for a variable initial mass function	17
2.1	Introduction	18
2.2	The ATLAS ^{3D} Survey	20
2.3	The ATLAS ^{3D} evidence for a non universal IMF	21
2.4	Correlations with the IMF mismatch parameter	29
2.5	Galaxy Stellar Mass Function and mass completeness	31
2.6	Mass completeness effects on the IMF dispersion trend	33
2.7	Distance effects and SBF calibration	36
2.8	Conclusions	46

3 Implications of a variable IMF for the interpretation of observations of galaxy populations	51
3.1 Introduction	52
3.2 Method	56
3.2.1 The Vazdekis IMF	56
3.2.2 The matched low-end IMF	60
3.2.3 Star formation rates	63
3.2.4 Stellar masses	65
3.3 Star Formation Main Sequence	67
3.4 Galaxy Stellar Mass Function	73
3.5 Metals	77
3.6 Rapid Galaxy Quenching	81
3.7 Conclusions	83
3.8 Appendix	86
4 A large difference in the progenitor masses of active and passive galaxies in the EAGLE simulation	91
4.1 Introduction	91
4.2 Simulation	93
4.3 Results	95
4.4 Conclusions	102
5 The average structural evolution of massive galaxies can be reliably estimated using cumulative galaxy number densities	105
5.1 Introduction	105
5.2 Method	107
5.3 Results	110
5.4 Comparison with observations	113
5.5 Conclusions	115
6 The three phases of galaxy formation	119
6.1 Introduction	119
6.2 The EAGLE simulation	123
6.3 Kinematic morphology	124
6.4 Morphology evolution	128
6.5 The origin of bulge stars	133
6.6 The effects of star formation and mergers on morphology	135
6.7 The merger contribution to spheroid and disk formation rates	138
6.8 Conclusions	143
6.9 Appendix A	146

CONTENTS	vii
6.10 Appendix B	146
7 Samenvatting in het Nederlands	150
7.1 De vorming van sterrenstelsels	150
7.1.1 Sterrenstelsels	150
7.1.2 De bouwstenen van sterrenstelsels	151
7.2 Dit proefschrift	157
7.2.1 Hoofdstuk 2: Een analyse van het bewijs van ATLAS ^{3D} voor een variabele initiële massa functie	157
7.2.2 Hoofdstuk 3: Implicaties van een variabel IMF voor de interpretatie van waarnemingen van populaties van sterrenstelsels	158
7.2.3 Hoofdstuk 4: Een groot verschil in de progenitor massa's van actieve en passieve sterrenstelsels in de EAGLE simulatie	158
7.2.4 Hoofdstuk 5: De gemiddelde structurele evolutie van massieve sterrenstelsels kan op een betrouwbare manier bepaald worden op basis van cumulatieve getals-dichthesden van sterrenstelsels.	159
7.2.5 Hoofdstuk 6: De drie fases in de vorming van sterrenstelsels	160
Bibliography	162
Curriculum Vitae	182
List of publications	184
Acknowledgements	186