



Universiteit
Leiden
The Netherlands

Disconnected self: influence of dissociation on emotional distractibility in Borderline Personality Disorder: a neuroimaging approach

Krause, A.D.

Citation

Krause, A. D. (2017, November 16). *Disconnected self: influence of dissociation on emotional distractibility in Borderline Personality Disorder: a neuroimaging approach*. Retrieved from <https://hdl.handle.net/1887/60261>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/60261>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/60261> holds various files of this Leiden University dissertation.

Author: Krause, A.D.

Title: Disconnected self: influence of dissociation on emotional distractibility in Borderline Personality Disorder: a neuroimaging approach

Issue Date: 2017-11-16

REFERENCES

- Agrawal, H. R., Gunderson, J., Holmes, B. M., & Lyons-Ruth, K. (2004). Attachment Studies with Borderline Patients: A Review. *Harvard Review of Psychiatry*, 12(2), 94–104. doi:10.1080/10673220490447218.
- Arntz, A., Appels, C., & Sieswerda, S. (2000). Hypervigilance in borderline disorder: a test with emotional Stroop paradigm. *Journal of Personality Disorders*, 14(4), 366-373. doi:10.1521/pedi.2000.14.4.366.
- Arntz, A., Stupar-Ruttenfrans, S., Bloo, J., van Dyck, R., & Spinthonen, P. (2015). Prediction of treatment discontinuation and recovery from Borderline Personality Disorder: Results from an RCT comparing Schema Therapy and Transference Focused Psychotherapy. *Behaviour Research and Therapy*, 74, 60-71. doi:10.1016/j.brat.2015.09.002.
- American Psychiatric Association (APA) (2000). *Diagnostic and Statistical Manual of Mental Disorders* (4th ed., text rev.). Washington, DC: American Psychiatric Association. doi:10.1176/appi.books.9780890423349.
- American Psychiatric Association (APA) (2013). *Diagnostic and Statistical Manual of Mental Disorders* (5th ed.). Arlington, VA: American Psychiatric Association. doi:10.1176/appi.books.9780890425596.744053.
- Anderson, M. C., Ochsner, K. N., Kuhl, B., Cooper, J., Robertson, E., Gabrieli, S. W., ... Gabrieli, J. D. (2004). Neural systems underlying the suppression of unwanted memories. *Science*, 303(5655), 232-235. doi:10.1126/science.1089504.
- Andreou, C., Kelm, L., Bierbrodt, J., Braun, V., Lipp, M., Yassari, A. H., & Moritz, S. (2015). Factors contributing to social cognition impairment in borderline personality disorder and schizophrenia. *Psychiatry Research*, 229(3), 872-879. doi:10.1016/j.psychres.2015.07.057. PubMed PMID: 26257087.
- Anticevic, A., Repovs, G., & Barch, D. M. (2010). Resisting emotional interference: brain regions facilitating working memory performance during negative distraction. *Cognitive, Affective & Behavioral Neuroscience*, 10(2), 159–173. doi:10.3758/CABN.10.2.159.
- Aron, A. R., Robbins, T. W., & Poldrack R. A. (2014). Inhibition and the right inferior frontal cortex: one decade on. *Trends in Cognitive Science*, 18(4), 177–185. doi:10.1016/j.tics.2013.12.003.
- Baer, R. A., Peters, J. R., Eisenlohr-Moul, T. A., Geiger, P. J., & Sauer, S. E. (2012). Emotion-related cognitive processes in borderline personality disorder: a review of the empirical literature. *Clinical Psychology Review*, 32(5), 359–369. doi:10.1016/j.cpr.2012.03.002.
- Ball, J. S., & Links, P. S. (2009). Borderline Personality Disorder and childhood trauma: evidence for a causal relationship. *Current Psychiatry Reports*, 11(1), 63-68. doi:10.1007/s11920-009-0010-4.
- Banich, M. T., Mackiewicz, K. L., Depue, B. E., Whitmer, A., Miller G. A., & Heller, W. (2009). Control mechanisms, emotion & memory: a neural perspective with implications for psychopathology. *Neuroscience and Biobehavioral Reviews*, 33(5), 613–630. doi:10.1016/j.neubiorev.2008.09.010.
- Banks, S. J., Eddy, K. T., Angstadt, M., Nathan, P. J., & Phan, K. L. (2007). Amygdala-frontal connectivity during emotion regulation. *Social Cognitive and Affective Neuroscience*, 2(4), 303–312. doi:10.1093/scan/nsm029.
- Barbey, A. K., Koenigs, M., & Grafman, J. (2013). Dorsolateral prefrontal contributions to human working memory. *Cortex*, 49(5), 1195–1205. doi:10.1016/j.cortex.2012.05.022.
- Barnow, S., Limberg, A., Stopsack, M., Spitzer, C., Grabe, H.J., Freyberger, H. J., & Hamm, A. (2012). Dissociation and emotion regulation in borderline personality disorder. *Psychological Medicine*, 42(4), 783-794. doi:10.1017/S0033291711001917.
- Barnow, S., Stopsack, M., Grabe, H. J., Meinke, C., Spitzer, C., Kronmuller, K., & Sieswerda, S. (2009). Interpersonal evaluation bias in borderline personality disorder. *Behaviour Research and Therapy*, 47(5), 359–365. doi:10.1016/j.brat.2009.02.003.

- Basmaci Kandemir, S., Bayazit, H., Selek, S., Kilicaslan, N., Kandemir, H., Karababa, I. F., ... Çeçe, H. (2016). Tracking down the footprints of bad paternal relationships in dissociative disorders: A diffusion tensor imaging study. *Journal of Trauma & Dissociation*, 17(3), 371-381. doi:10.1080/15299732.2015.1111282.
- Bateman, A.W., & Fonagy, P. (2006). *Mentalization-based treatment for borderline personality disorder*. Oxford: Oxford University Press.
- Battle, C. L., Shea, M. T., Johnson, D. M., Yen, S., Zlotnick, C., Zanarini, M. C., ... Morey, L. C. (2004). Childhood maltreatment associated with adult personality disorders: findings from the Collaborative Longitudinal Personality Disorders Study. *Journal of Personality Disorders*, 18(2), 193-211. doi:10.1521/pedi.18.2.193.32777.
- Bazanis, E., Rogers, R. D., Dowson, J. H., Taylor, P., Meux, C., Staley, C., ... Sahakian, B. J. (2002). Neurocognitive deficits in decision-making and planning of patients with DSM-III-R borderline personality disorder. *Psychological Medicine*, 32(8), 1395-1405. doi:10.1017/S0033291702006657.
- Beauchamp, M. S., Haxby, J. V., Jennings, J. E., & DeYoe, E. A. (1999). An fMRI version of the Farnsworth-Munsell 100-Hue test reveals multiple color-selective areas in human ventral occipitotemporal cortex. *Cerebral Cortex*, 9(3), 257-263. doi:10.1093/cercor/9.3.257.
- Beblo, T., Driessen, M., Mertens, M., Wingenfeld, K., Piefke, M., Rullkoetter, N., ... Woermann, F. G. (2006). Functional MRI correlates of the recall of unresolved life events in borderline personality disorder. *Psychological Medicine*, 36(6), 845-856. doi:10.1017/S0033291706007227.
- Beck, A. T., Steer, R. A., & Brown, G. K. (1996). *Manual for the Beck Depression Inventory-II*. San Antonio, TX: Psychological Corporation.
- Beck, A. T., Ward, C. H., Mendelson, M., Mock, H., & Erbaugh, J. (1961). An inventory for measuring depression. *Archives of General Psychiatry*, 4, 561-571. doi:10.1001/archpsyc.1961.01710120031004.
- Berman, M. G., Peltier, S., Nee, D. E., Kross, E., Deldin, P. J., & Jonides, J. (2011). Depression, rumination and the default network. *Social Cognitive and Affective Neuroscience*, 6(5), 548-555. doi:10.1093/scan/nsq080.
- Bennett, D. C., Modrowski, C. A., Kerig, P. K., & Chaplo, S. D. (2015). Investigating the dissociative subtype of posttraumatic stress disorder in a sample of traumatized detained youth. *Psychological Trauma: Theory, Research, Practice and Policy*, 7(5), 465-472. doi:10.1037/tra0000057.
- Bernstein, E. M., & Putnam, F. W. (1986). Development, reliability, and validity of a dissociation scale. *The Journal of Nervous and Mental Disease*, 174(12), 727-735. doi:10.1097/00005053-198612000 00004.
- Bernstein, D. P., Stein, J. A., Newcomb, M. D., Walker, E., Pogge, D., Ahluvalia, T., ... Zule, W. (2003). Development and validation of a brief screening version of the Childhood Trauma Questionnaire. *Child Abuse & Neglect*, 27(2), 169-190. doi:10.1016/S0145-2134(02)00541-0.
- Bertsch, K., Grothe, M., Prehn, K., Vohs, K., Berger, C., Hauenstein, K., ... Herpertz, S. (2013). Brain volumes differ between diagnostic groups of violent criminal offenders. *European Archives of Psychiatry and Clinical Neuroscience*, 263(7), 593-606. doi:10.1007/s00406-013-0391-6.
- Bigler E. D., Mortensen S., Neeley E. S., Ozonoff S., Krasny L., Johnson M., ... Lainhart, J. E. (2007). Superior temporal gyrus, language function, and autism. *Developmental Neuropsychology*, 31(2), 217-238. doi:10.1080/87565640701190841.
- Binder, J. R., Medler, D. A., Westbury, C. F., Liebenthal, E., & Buchanan, L. (2006). Tuning of the human left fusiform gyrus to sublexical orthographic structure. *NeuroImage*, 33(2), 739-748. doi:10.1016/j.neuroimage.2006.06.053.
- Biswal, B., Yetkin, F. Z., Haughton, V. M., & Hyde, J. S. (1995). Functional connectivity in the motor cortex of resting human brain using echo-planar MRI. *Magnetic Resonance in Medicine*, 34(4), 537-541. doi:10.1002/mrm.1910340409.

Bjorklund, D. F., & Harnishfeger, K. K. (1995). The role of inhibition mechanisms in the evolution of human cognition and behavior. In C. Brainerd & F. Dempster (Eds.), *New perspectives on interference and inhibition in cognition* (pp. 141–173). New York: Academic Press.

Black, D. W., Blum, N., Pfohl, B., & Hale, N. (2004). Suicidal behavior in borderline personality disorder: Prevalence, risk factors, prediction, and prevention. *Journal of Personality Disorders*, 18(3), 226-239. doi:10.1521/pedi.18.3.226.35445.

Blair, K. S., Smith, B. W., Mitchell, D. G., Morton, J., Vytlalingam, M., Pessoa, L., ... Blair, R. J. R. (2007). Modulation of emotion by cognition and cognition by emotion. *NeuroImage*, 35(1), 430-440. doi:10.1016/j.neuroimage.2006.11.048.

Blum, N., St John, D., Pfohl, B., Stuart, S., McCormick, B., Allen, J., ... Black, D. W. (2008). Systems Training for Emotional Predictability and Problem Solving (STEPPS) for outpatients with borderline personality disorder: a randomized controlled trial and 1-year follow-up. *American Journal of Psychiatry*, 165(4), 468-478. doi:10.1176/appi.ajp.2007.07071079.

Bluhm, R. L., Williamson, P. C., Osuch, E. A., Frewen, P. A., Stevens, T. K., Boksman, K., ... Lanius, R. A. (2009). Alterations in default network connectivity in posttraumatic stress disorder related to early-life trauma. *Journal of Psychiatry & Neuroscience*, 34(3), 187–194.

Böcker, M., Gruber, S., & Gauggel, S. (2014). Aachener Emotionale Wortliste. Retrieved from <http://www.ukaachen.de/kliniken-institute/institut-fuer-medizinische-psychologie-und-medizinische-soziologie/forschung/forschungsprojekte.html>.

Bohus, M., Dyer, A. S., Priebe, K., Krüger, A., Kleindienst, N., Schmahl, C., ... Steil, R. (2013). Dialectical behaviour therapy for post-traumatic stress disorder after childhood sexual abuse in patients with and without borderline personality disorder: a randomised controlled trial. *Psychotherapy and Psychosomatics*, 82(4), 221-233. doi: 10.1159/000348451. PubMed PMID: 23712109.

Bohus, M., Kleindienst, N., Limberger, M.F., Stieglitz, R.D., Domsalla, M., Chapman, A.L., ... Wolf, M. (2009). The short version of the Borderline Symptom List (BSL-23): development and initial data on psychometric properties. *Psychopathology*, 42(1), 32-39. doi:10.1159/000173701.

Bohus, M., Limberger, M. F., Ebner-Priemer, U. W., Glocke, F. X., Schwarz, B., Wernz, M., & Lieb, K. (2000). Pain perception during self-reported distress and calmness in patients with borderline personality disorder and self-mutilating behavior. *Psychiatry Research*, 95(3), 251-260. doi:10.1016/S0165-1781(00)00179-7.

Bohus M., Limberger M. F., Frank U., Sender I., Gratwohl T., & Stieglitz R. D. (2001). Development of the borderline symptom list. *Psychotherapie, Psychosomatik, Medizinische Psychologie*, 51(5), 201–211. doi:10.1055/s-2001-13281.

Bohus M., Limberger M. F., Frank U., Chapman A. L., Kuhler T., & Stieglitz R. D. (2007). Psychometric properties of the borderline symptom list (BSL). *Psychopathology*, 40(2), 126–132. doi:10.1159/000098493.

Bornovalova, M. A., Lejeuez, C. W., Daughters, S. B., Rosenthal, Z. M., & Lynch, T. R. (2005). Impulsivity as a common process across borderline personality and substance use disorders. *Clinical Psychology Review*, 25(6), 790–812. doi:10.1016/j.cpr.2005.05.005.

Bovin, M. J., & Marx, B. P. (2011). The importance of the peritraumatic experience in defining traumatic stress. *Psychological Bulletin*, 137(1), 47-67. doi:10.1037/a0021353.

Bradley, R., Zittel Conklin, D., & Westen, D. (2005). The borderline personality diagnosis in adolescents: gender differences and subtypes. *The Journal of Child Psychology and Psychiatry*, 46(9), 1006-1019. doi:10.1111/j.1469-7610.2004.00401.x.

Brand, B. L., & Lanius, R. A. (2014). Chronic complex dissociative disorders and borderline personality disorder: disorders of emotion dysregulation? *Borderline Personality Disorder and Emotion Dysregulation*, 1,13. doi:10.1186/2051-6673-1-13.

Bremner, J. D. (2002). *Does Stress damage the brain?* New York: Norton

- Bremner J. D. (2006). Traumatic stress: effects on the brain. *Dialogues in Clinical Neuroscience*, 8(4), 445–461.
- Bremner, J. D. (1999). Traumatic Memories Lost and Found: Can Lost Memory of Abuse be Found in the Brain? In L. M. Williams, & V. Banyard (Eds.), *Trauma & Memory* (pp. 217-228). London: Sage.
- Bremner, J. D., Vermetten, E., Southwick, S. M., Krystal, J. H., & Charney, D. S. (1998). *Trauma, memory, and dissociation: An integrative formulation* (pp. 365-402). American Psychiatric Association Press.
- Brewin, C. R. (2001). A cognitive neuroscience account of posttraumatic stress disorder and its treatment. *Behaviour Research and Therapy*, 39(4), 373-393.
- Brewin, C. R., Dagleish, T., & Joseph, S. (1996). A dual representation theory of posttraumatic stress disorder. *Psychology Review*, 103(4), 670-686.
- Britton, J. C., Gold, A. L., Deckersbach, T., & Rauch, S. L. (2009). Functional MRI study of specific animal phobia using an event-related emotional counting Stroop paradigm. *Depression and Anxiety*, 26(9), 796-805. doi:10.1002/da.20569.
- Britton, J. C., Phan, K. L., Taylor, S. F., Welsh, R. C., Berridge, K. C., & Liberzon, I. (2006). Neural correlates of social and nonsocial emotions: an fMRI study. *NeuroImage*, 31(1), 397-409. doi:10.1016/j.neuroimage.2005.11.027.
- Brodmann, K. (1909). [Vergleichende Lokalisationslehre der Grosshirnrinde in ihren Prinzipien dargestellt auf Grund des Zellenbaues]. Leipzig: J. A. Barth.
- Brodsky, B. S., Groves, S. A., Oquendo, M. A., Mann, J. J., & Stanley, B. (2006). Interpersonal precipitants and suicide attempts in borderline personality disorder. *Suicide and Life Threatening Behavior*, 36(3), 313-322. doi:10.1521/suli.2006.36.3.313.
- Brown, V. M., LaBar, K. S., Haswell, C. C., Gold, A. L., Mid-Atlantic MIRECC Workgroup, McCarthy, G., & Morey, R. A. (2014). Altered resting-state functional connectivity of basolateral and centromedial amygdala complexes in posttraumatic stress disorder. *Neuropsychopharmacology*, 39(2), 351–359. doi:10.1038/npp.2013.197.
- Broyd, S. J., Demaneule, C., Debener, S., Helps, S. K., James, C. J., & Sonuga-Barke, E. J. (2009). Default-mode brain dysfunction in mental disorders: a systematic review. *Neuroscience and Biobehavioral Reviews*, 33(3), 279-296. doi:10.1016/j.neubiorev.2008.09.002.
- Brunner, R., Henze, R., Parzer, P., Kramer, J., Feigl, N., Lutz, K., & Stieljes, B. (2010). Reduced prefrontal and orbitofrontal gray matter in female adolescents with borderline personality disorder: is it disorder specific? *NeuroImage*, 49(1), 114–120. doi:10.1016/j.neuroimage.2009.07.070.
- Brück, C., Derstroff, S., Jacob, H., Wolf-Arehult, M., Wekenmann, S., & Wildgruber, D. (2016). Perception of Verbal and Nonverbal Emotional Signals in Women With Borderline Personality Disorder: Evidence of a Negative Bias and an Increased Reliance on Nonverbal Cues. *Journal of Personality Disorders*, 11, 1-11. doi:10.1152/pedi_2016_30_245.
- Buckner, R., Andrews-Hanna, J., & Schacter, D. (2008). The brain's default network: anatomy, function, and relevance to disease. *Annals of the New York Academy of Sciences*, 1124, 1-38. doi:10.1196/annals.1440.011
- Buckner, R. L., & Vincent, J. L. (2007). Unrest at rest: default activity and spontaneous network correlations. *NeuroImage*, 37(4), 1091–1096. discussion 1097-1099. doi:10.1016/j.neuroimage.2007.01.010.
- Burgess, P. W., Dumontheil, I., & Gilbert, S. J. (2007). The gateway hypothesis of rostral prefrontal cortex (area 10) function. *Trends in Cognitive Science*, 11(7), 290–298. doi:10.1016/j.tics.2007.05.004.
- Bush, G., Luu, P., & Posner, M. I. (2000). Cognitive and emotional influences in anterior cingulate cortex. *Trends in Cognitive Science*, 4(6), 215–222. doi:10.1016/S1364-6613(00)01483-2.
- Candel, I., & Merckelbach, H. (2004) Peritraumatic dissociation as a predictor of post-traumatic stress disorder: a critical review. *Comprehensive Psychiatry*, 45(1), 44-50.

- Cannon, W. B. (1929). *Bodily changes in pain, hunger, fear, and rage*. New York, NY: Appleton-Century-Crofts.
- Carrasco, J. L., Tajima-Pozo, K., Diaz-Marsa, M., Casado, A., Lopez-Ibor, J. J., Arrazola, J., & Yus, M. (2012). Microstructural white matter damage at orbitofrontal areas in borderline personality disorder. *Journal of Affective Disorders*, 139(2), 149–153. doi:10.1016/j.jad.2011.12.019.
- Carpenter, R. W., & Trull, T. J. (2013). Components of emotion dysregulation in borderline personality disorder: a review. *Current Psychiatry Reports*, 15(1), 335. doi:10.1007/s11920-012-0335-2.
- Cackowski, S., Krause-Utz, A., Van Eijk, J., Klohr, K., Daffner, S., Sobanski, E., & Ende, G. (2017). Anger and Aggression in Borderline Personality Disorder and Attention Deficit Hyperactivity Disorder – Does Stress Matter? *Borderline Personality Disorder and Emotion Dysregulation*, 4, 6. doi: 10.1186/s40479-017-0057-5 .
- Cackowski, S., Neubauer, T., & Kleindienst, N. (2016). The impact of posttraumatic stress disorder on the symptomatology of borderline personality disorder. *Borderline Personality Disorder and Emotion Dysregulation*, 3, 7. doi:10.1186/s40479-016-0042-4. eCollection 2016.
- Cackowski, S., Reitz, A. C., Ende, G., Kleindienst, N., Bohus, M., Schmahl, C., & Krause-Utz, A. (2014). Impact of stress on different components of impulsivity in borderline personality disorder. *Psychological Medicine*, 44(15), 3329-3340. doi:10.1017/S0033291714000427.
- Chalavi, S., Vissia, E. M., Giesen, M. E., Nijenhuis, E. R., Draijer, N., Barker, G. J., ... Reinders, A. A. (2015). Similar cortical but not subcortical gray matter abnormalities in women with posttraumatic stress disorder with versus without dissociative identity disorder. *Psychiatry Research*, 231(3), 308-319. doi:10.1016/j.psychresns.2015.01.014.
- Chanen, A. M., Velakoulis, D., Carison, K., Gaunson, K., Wood, S. J., Yuen, H. P., ... Pantelis, C. (2008). Orbitofrontal, amygdala and hippocampal volumes in teenagers with first-presentation borderline personality disorder. *Psychiatry Research*, 163(2), 116–125. doi:10.1016/j.psychresns.2007.08.007.
- Chao, L.L., & Martin, A. (1999). Cortical regions associated with perceiving, naming, and knowing about colors. *Journal of Cognitive Neuroscience*, 11(1), 25-35.
- Chapman, A., Gratz, K. L., & Brown, M.Z. (2006). Solving the puzzle of deliberate self-harm: the experiential avoidance model. *Behaviour Research and Therapy*, 44(3), 371–394. doi:10.1016/j.brat.2005.03.005.
- Chiu, C. D., Lin, C. C., Yeh, Y. Y., & Hwu, H. G. (2012). Forgetting the unforgotten affective autobiographical memories in nonclinical dissociators. *Emotion*, 12(5), 1102-1110. doi: 10.1037/a0025900.
- Chiu, C. D., Yeh, Y. Y., Huang, Y. M., Wu, Y. C., & Chiu, Y. C. (2009). The set switching function of nonclinical dissociators under negative emotion. *Journal of Abnormal Psychology*, 118(1), 214-222. doi:10.1037/a0014654.
- Chiu, C. D., Yeh, Y. Y., Huang, C. L., Wu, Y. C., Chiu, Y. C., & Lin, C. C. (2010). Unintentional memory inhibition is weakened in non-clinical dissociators. *Journal of Behavior Therapy and Experimental Psychiatry*, 41(2), 117-124. doi:10.1016/j.jbtep.2009.11.003.
- Chopra, H. D., & Beatson, J. A. (1986). Psychotic symptoms in borderline personality disorder. *American Journal of Psychiatry*, 143(12), 1605-1607. doi:10.1176/ajp.143.12.1605.
- Chuah, L. Y., Dolcos, F., Chen, A. K., Zheng, H., Parimal, S. & Chee, M. W. (2010). Sleep deprivation and interference by emotional distractors. *Sleep*, 33(10), 1305–1313.
- Clarke, R., & Johnstone T. (2013). Prefrontal inhibition of threat processing reduces working memory interference. *Frontiers in Human Neuroscience*, 7, 228. doi:10.3389/fnhum.2013.00228.
- Clarkin, J. F., Yeomans, F. E., & Kernberg, O. F. (1999). *Psychotherapy for Borderline Personality*. New York: J. Wiley & Sons.
- Coccaro, E. F., Lee, R., & Vezina, P (2013). Cerebrospinal fluid glutamate concentration correlates with impulsive aggression in human subjects. *Journal of Psychiatric Research*, 47(9), 1247–1253. doi:10.1016/j.jpsychires.2013.05.001.

- Cohen, L., Dehaene, S., Naccache, L., Lehericy, S., Dehaene-Lambertz, G., Henaff, M. A., & Michel, F. (2000). The visual word form area: spatial and temporal characterization of an initial stage of reading in normal subjects and posterior split-brain patients. *Brain*, 123(Pt. 2), 291-307. doi:10.1093/brain/123.2.291.
- Coid, J., Yang, M., Tyrer, P., Roberts, A., & Ullrich, S. (2006). Prevalence and correlates of personality disorder in Great Britain. *British Journal of Psychiatry*, 188, 423-431. doi:10.1192/bj.p.188.5.423.
- Cole, D. M., Smith, S. M., & Beckmann, C. F. (2010). Advances and pitfalls in the analysis and interpretation of resting-state fMRI data. *Frontiers in Systems Neuroscience*, 6, 4-8. doi: 10.3389/fnsys.2010.00008.
- Conway, M. A., & Pleydell-Pearce, C. W. (2000). The construction of autobiographical memories in the self-memory system. *Psychology Review*, 107(2), 261-288. doi:10.1037/0033-295X.107.2.261.
- Craig, A. D. (2011). Significance of the insula for the evolution of human awareness of feelings from the body. *Annals of the New York Academy of Science*, 1225, 72-82. doi:10.1111/j.17496632.2011.05990.x.
- Critchley, H. D., Mathias, C. J., & Dolan, R. J. (2001). Neural activity in the human brain relating to uncertainty and arousal during anticipation. *Neuron*, 29(2), 537-545. doi:10.1016/S0896-6273(01)00225-2.
- Crowell, S. E., Beauchaine, T. P., & Linehan, M. M. (2009). A biosocial developmental model of borderline personality: Elaborating and extending Linehan's theory. *Psychological Bulletin*, 135(3), 495-510. doi:10.1037/a0015616.
- Cullen, K. R., Vizueta, N., Thomas, K. M., Han, G. J., Lim, K. O., Camchong, J., ... Schulz, S. C. (2011). Amygdala functional connectivity in young women with borderline personality disorder. *Brain Connect*, 1(1), 61-71. doi: 10.1089/brain.2010.0001.
- Dalenberg, C. J., Glaser, D., & Alhassoon, O. M. (2012). Statistical support for subtypes in posttraumatic stress disorder: the how and why of subtype analysis. *Depression and Anxiety*, 29(8), 671-678. doi:10.1002/da.21926.
- Damasio, A. R., Grabowski, T. J., Bechara, A., Damasio, H., Ponto, L. L. B., Parvizi, J., & Hichwa, R. D. (2000). Subcortical and cortical brain activity during the feeling of self-generated emotions. *Nature Neuroscience*, 3(10), 1049-1056. doi:10.1038/79871.
- Damoiseaux, J. S., Rombouts, S. A., Barkhof, F., Scheltens, P., Stam, C. J., Smith, S. M., & Beckmann, C. F. (2006). Consistent resting-state networks across healthy subjects. *Proceedings of the National Academy of Sciences USA*, 103(37), 13848-13853. doi:10.1073/pnas.0601417103.
- Daniels, J. K., Frewen, P., McKinnon, M. C., & Lanius, R. A. (2011). Default mode alterations in posttraumatic stress disorder related to early-life trauma: a developmental perspective. *Journal of Psychiatry & Neuroscience*, 36(1), 56-59. doi:10.1503/jpn.100050.
- Daniels, J. K., Frewen, P., Theberge, J., & Lanius, R. A. (2016). Structural brain aberrations associated with the dissociative subtype of post-traumatic stress disorder. *Acta Psychiatrica Scandinavica*, 133(3), 232-240. doi:10.1111/acps.12464.
- Daniels, J. K., Gaebler, M., Lamke, J. P., & Walter, H. (2015). Grey matter alterations in patients with depersonalization disorder: a voxel-based morphometry study. *Journal of Psychiatry & Neuroscience*, 40(1), 19-27. doi:10.1503/jpn.130284.
- Daniels, J. K., McFarlane, A. C., Bluhm, R. L., Moores, K. A., Clark, C. R., Shaw, M. E., ... Lanius, R. A. (2010). Switching between executive and default mode networks in posttraumatic stress disorder: alterations in functional connectivity. *Journal of Psychiatry and Neuroscience*, 35(4), 258-266. doi:10.1503/jpn.090175.
- Dannlowski, U., Stuhrmann, A., Beutelmann, V., Zwanzger, P., Lenzen, T., Grotegerd, D., ... Kugel, H. (2012). Limbic scars: long-term consequences of childhood maltreatment revealed by functional and structural magnetic resonance imaging. *Biological Psychiatry*, 71(4), 286-293. doi:10.1016/j.biopsych.2011.10.021.
- Deraros, A. R., Zakzanis, K. K., & Ruocco, A. C. (2013). Facial emotion recognition in borderline personality disorder. *Psychological Medicine*, 43(9), 1953-1963. doi:10.1017/S0033291712002607.
- Davidson, R. J. (2002). Anxiety and affective style: role of prefrontal cortex and amygdala. *Biological Psychiatry*, 51(1), 68-80. doi:10.1016/S0006-3223(01)01328-2.

- Davis, M., & Whalen, P. J. (2001). The amygdala: vigilance and emotion. *Molecular Psychiatry*, 6(1), 13–34. doi:10.1038/sj.mp.4000812.
- De Houwer, J. & Tibboel, H. (2010). Stop what you are not doing! Emotional pictures interfere with the task not to respond. *Psychonomic Bulletin & Review*, 17(5), 699-703. doi:10.3758/PBR.17.5.699.
- De la Fuente, J. M., Goldman, S., Stanus, E., Vizuete, C., Morlan, I., Bobes, J., & Mendlewicz, J. (1997). Brain glucose metabolism in borderline personality disorder. *Journal of Psychiatric Research*, 31(5), 531–541. doi:10.1016/S0022-3956(97)00001-0.
- Denkova, E., Wong, G., Dolcos, S., Sung, K., Wang, L., Coupland, N., & Dolcos, F. (2010). The impact of anxiety-inducing distraction on cognitive performance: a combined brain imaging and personality investigation. *PLoS One*, 5(11), e14150. doi:10.1371/journal.pone.0014150.
- DePrince, A. P., & Freyd, J. J. (1999). Dissociative tendencies, attention, and memory. *Psychological Science*, 10(5), 449-452. doi:10.1111/1467-9280.00185.
- DePrince, A. P., Freyd, J. J. (2004). Forgetting trauma stimuli. *Psychological Science*, 15(7), 488-492. doi:10.1111/j.0956-7976.2004.00706.x
- de Ruiter, M. B., Phaf, R. H., Elzinga, B. M., & van Dyck, R. (2004). Dissociative style and individual differences in verbal working memory span. *Consciousness and Cognition*, 13(4), 821-828.
- Devilly, G. J., Ciorciari, J., Piesse, A., Sherwell, S., Zammit, S., Cook, F., & Turton, C. (2007). Dissociative tendencies and memory performance on directed-forgetting tasks. *Psychological Science*, 18(3), 212-217, discussion 8-21. doi:10.1111/j.1467-9280.2007.01875.x.
- Dinn, W. M., Harris, C. L., Aycicegi, A., Greene, P. B., Kirkley, S. M., & Reilly, C. (2004). Neurocognitive function in borderline personality disorder. *Progress in Neuropsychopharmacology & Biological Psychiatry*, 28(2), 329-341. doi:10.1016/j.pnpbp.2003.10.012.
- Dinsdale, N., & Crespi, B. J. (2013). The Borderline Empathy Paradox: Evidence and Conceptual Models for Empathic Enhancements in Borderline Personality Disorder. *Journal of Personality Disorders*, 27(2), 172-195. doi:10.1521/pedi_2012_26_071.
- Distel, M. A., Willemse, G., Ligthart, L., Derom, C. A., Martin, N. G., Neale, M.C., ... Boomsma, D. I. (2010). Genetic covariance structure of the four main features of borderline personality disorder. *Journal of Personality Disorders*, 24(4), 427-444, doi: 10.1521/pedi.2010.24.4.427.
- Dolcos, F., Denkova, E., & Dolcos, S. (2012). Neural correlates of emotional memories: a review of evidence from brain imaging studies. *Psychologia*, 55, 80–111. doi:10.2117/psychoc.2012.80.
- Dolcos, F., Diaz-Granados, P., Wang, L., & McCarthy, G. (2008). Opposing influences of emotional and non-emotional distracters upon sustained prefrontal cortex activity during a delayed-response working memory task. *Neuropsychologia*, 46(1), 326-335. doi:10.1016/j.neuropsychologica.2007.07.010.
- Dolcos, F., Kragel, P., Wang, L., & McCarthy, G. (2006). Role of the inferior frontal cortex in coping with distracting emotions. *Neuroreport*, 17(15), 1591–1594. doi:10.1097/01.wnr.0000236860.24081.be.
- Dolcos, F., & McCarthy, G. (2006). Brain systems mediating cognitive interference by emotional distraction. *Journal of Neuroscience*, 26(7), 2072–2079. doi:10.1523/JNEUROSCI.5042-05.2006.
- Dolcos, F., Miller, B., Kragel, P., Jha, A., & McCarthy, G. (2007). Regional brain differences in the effect of distraction during the delay interval of a working memory task. *Brain Research*, 1152, 171-81. doi:10.1016/j.brainres.2007.03.059.
- Doll, A., Sorg, C., Manoliu, A., Woller, A., Meng, C., Förstl, H., ... Riedl, V. (2013). Shifted intrinsic connectivity of central executive and salience network in borderline personality disorder. *Frontiers in Human Neuroscience*, 7, 727. doi:10.3389/fnhum.2013.00727.
- Domes, G., Czieschnek, D., Weidler, F., Berger, C., Fast, K., & Herpertz, S. C. (2008). Recognition of facial affect in Borderline Personality Disorder. *Journal of Personality Disorders*, 22(2), 135–147. doi:10.1521/pedi.2008.22.2.135.

- Domes, G., Schulze, L., & Herpertz, S. C. (2009). Emotion recognition in borderline personality disorder - a review of the literature. *Journal of Personality Disorders*, 23(1), 6–19. doi:10.1521/pedi.2009.23.1.6.
- Domes, G., Winter, B., Schnell, K., Vohs, K., Fast, K., & Herpertz, S.C. (2006). The influence of emotions on inhibitory functioning in borderline personality disorder. *Psychological Medicine*, 36(8), 1163-1172. doi:10.1017/S0033291706007756.
- Domsalla, M., Koppe, G., Niedtfeld, I., Vollstadt-Klein, S., Schmahl, C., Bohus, M., & Lis, S. (2014). Cerebral processing of social rejection in patients with borderline personality disorder. *Social Cognitive Affective Neuroscience*, 9(11), 1789-1797. doi:10.1093/scan/nst176.
- Donegan, N. H., Sanislow, C. A., Blumenberg, H. P., Fulbright, R. K., Lacadie, C., Skudlarski, P., ... Wexler, B. E. (2003). Amygdala hyperreactivity in borderline personality disorder: implications for emotional dysregulation. *Biological Psychiatry*, 54(11), 1284–1293. doi:10.1016/S0006-3223(03)00636-X 43.
- Dosenbach, N. U., Visscher, K. M., Palmer, E. D., Miezin, F. M., Wenger, K. K., Kang, H. C., ... Petersen, S. E. (2006). A core system for the implementation of task sets. *Neuron*, 50(5), 799–812. doi:10.1016/j.neuron.2006.04.031.
- Dorahy, M.J. (2006). The dissociative processing style: a cognitive organization activated by perceived or actual threat in clinical dissociators. *Journal of Trauma & Dissociation: The official journal of the International Society for the Study of Dissociation*, 7(4), 29-53. doi: 10.1300/J229v07n04_03.
- Dorahy, M. J., McCusker, C. G., Loewenstein, R. J., Colbert, K., & Mulholland, C. (2006). Cognitive inhibition and interference in dissociative identity disorder: the effects of anxiety on specific executive functions. *Behaviour Research and Therapy*, 44(5), 749-764. doi:10.1016/j.brat.2005.05.009.
- Dorahy, M. J., Middleton, W., & Irwin, H. J. (2005). The effect of emotional context on cognitive inhibition and attentional processing in dissociative identity disorder. *Behaviour Research and Therapy*, 43(5), 555-568. doi:10.1016/j.brat.2004.03.011.
- Dorfel, D., Lamke, J. P., Hummel, F., Wagner, U., Erk, S., & Walter, H. (2014). Common and differential neural networks of emotion regulation by detachment, reinterpretation, distraction, and expressive suppression: a comparative fMRI investigation. *NeuroImage*, 101, 298-309. doi:10.1016/j.neuroimage.2014.06.051.
- Dresler, T., Mériau, K., Heekeren, H.R., & van der Meer, E. (2009). Emotional Stroop task: effect of word arousal and subject anxiety on emotional interference. *Psychological Research*, 73(3), 364-371. doi:10.1007/s00426-008-0154-6.
- Drevets, W. C., & Raichle, M. E. (1998). Reciprocal suppression of regional cerebral blood flow during emotional versus higher cognitive processes: implications for interactions between emotion and cognition. *Cognition and Emotion*, 12(3), 353–385. doi:10.1080/026999398379646.
- Dutra, L., Bureau, J. F., Holmes, B., Lyubchik, A., & Lyons-Ruth, K. (2009). Quality of early care and childhood trauma: a prospective study of developmental pathways to dissociation. *The Journal of Nervous and Mental Disease*, 197(6), 883-930. doi:10.1097/NMD.0b013e3181a653b7.
- Dyck, M., Habel, U., Slodczyk, J., Schlummer, J., Backes, V., Schneider, F., & Reske, M. (2009). Negative bias in fast emotion discrimination in borderline personality disorder. *Psychological Medicine*, 39(5), 855–864. doi:10.1017/S0033291708004273.
- Dziobek, I., Preissler, S., Grozdanovic, Z., Heuser, I., Heekeren, H. R., & Roepke, S. (2011). Neuronal correlates of altered empathy and social cognition in borderline personality disorder. *NeuroImage*, 57(2), 539–548. doi:10.1016/j.neuroimage.2011.05.005.
- Ebner-Priemer U. W., Badeck S., Beckmann C., Wagner A., Feige B., Weiss, I., ... Bohus, M. (2005). Affective dysregulation and dissociative experience in female patients with borderline personality disorder: a startle response study. *Journal of Psychiatric Research*, 39(1), 85-92. doi:10.1016/j.jpsychires.2004.05.001.
- Ebner-Priemer, U. W., Mauchnik, J., Kleindienst, N., Schmahl, C., Peper, M., Rosenthal, M. Z., ... Bohus, M. (2009). Emotional learning during dissociative states in borderline personality disorder. *Journal of Psychiatry & Neuroscience*, 34(3), 214-222.

- Ebner-Priemer, U. W., Welch, S. S., Grossman, P., Reisch, T., Linehan, M. M., & Bohus, M. (2007). Psychophysiological Ambulatory Assessment of Affective Dysregulation in Borderline Personality Disorder. *Psychiatry Research*, 150(3), 265–275. doi:10.1016/j.psychres.2006.04.014.
- Ehlers, A., & Clark, D. M. (2000). A cognitive model of posttraumatic stress disorder. *Behaviour Research and Therapy*, 38(4), 319–345. doi:10.1016/S0005-7967(99)00123-0.
- Ehlers, A., Hackman, A., & Michael, T. (2004). Intrusive re-experiencing in post-traumatic stress disorder: phenomenology, theory, and therapy. *Memory*, 12(4), 403–415. doi:10.1080/09658210444000025.
- Ehling, T., Nijenhuis, E. R., & Krikke, A. P. (2008). Volume of discrete brain structures in complex dissociative disorders: preliminary findings. *Progress in Brain Research*, 167, 307–310. doi:10.1016/S0079-6123(07)67029-0.
- Eklund, A., Nichols, T. E., & Knutsson, H. (2016). Cluster failure: Why fMRI inferences for spatial extent have inflated false-positive rates. *Proceedings of the National Academy of Science of the United States of America*, 113(28), 7900–7905. doi: 10.1073/pnas.1602413113. Erratum in: *Proceedings of the National Academy of Science of the United States of America*, 113(33), E4929.
- Elbert, T., Rockstroh, B., Kolassa, I. T., Schauer, M., & Neuner, F. (2006). The influence of organized violence and terror on brain and mind - A co-constructive perspective. In P. Baltes, P. Reuter-Lorenz, & F. Rösler F (Eds.), *Lifespan development and the brain: The perspective of biocultural co-constructivism* (pp. 326–349). Cambridge, UK: University Press.
- Elliott, J. C., Stohl, M., Wall, M. M., Keyes, K. M., Skodol, A. E., Eaton, N. R., ... Hasin, D. S. (2016). Childhood maltreatment, personality disorders and 3-year persistence of adult alcohol and nicotine dependence in a national sample. *Addiction*, 111(5), 913–923. doi: 10.1111/add.13292.
- Elton, A., Tripathi, S. P., Mletzko, T., Young, J., Cisler, J. M., James, G. A., & Kilts, C. D. (2014). Childhood maltreatment is associated with a sex-dependent functional reorganization of a brain inhibitory control network. *Human Brain Mapping*, 35(4), 1654–1667. doi:10.1002/hbm.22280.
- Elzinga, B. M., Ardon, A. M., Heijnis, M. K., De Ruiter, M. B., Van Dyck, R., & Veltman, D. J. (2007). Neural correlates of enhanced working-memory performance in dissociative disorder: a functional MRI study. *Psychological Medicine*, 37(2), 235–245. doi:10.1017/S0033291706008932
- Elzinga, B. M., & Bremner, J. D. (2002). Are the neural substrates of memory the final common pathway in posttraumatic stress disorder (PTSD)? *Journal of Affective Disorders*, 70(1), 1–17. doi:10.1016/S0165-0327(01)00351-2.
- Elzinga, B. M., de Beurs, E., Sergeant, J. A., Van Dyck, R., & Phaf, R. H. (2000). Dissociative style and directed forgetting. *Cognitive Therapy and Research*, 24(3), 279–295.
- Elzinga, B. M., Phaf, R. H., Ardon, A. M., & van Dyck, R. (2003). Directed forgetting between, but not within, dissociative personality states. *Journal of Abnormal Psychology*, 112(2), 237–243. doi:10.1037/0021-843X.112.2.237.
- Ende, G., Cackowski, S., Van Eijk, J., Sack, M., Demirakca, T., Kleindienst, N., ... Schmahl, C. (2016). Impulsivity and Aggression in Female BPD and ADHD Patients: Association with ACC Glutamate and GABA Concentrations. *Neuropsychopharmacology*, 41(2), 410–418. doi:10.1038/npp.2015.153.
- Enzi, B., Doering, S., Faber, C., Hinrichs, J., Bahmer, J., & Northoff, G. (2013). Reduced deactivation in reward circuitry and midline structures during emotion processing in borderline personality disorder. *World Journal of Biological Psychiatry*, 14(1), 45–56. doi:10.3109/15622975.2011.579162.
- Etkin, A., Egner, T., & Kalisch, R. (2011). Emotional processing in anterior cingulate and medial prefrontal cortex. *Trends in Cognitive Science*, 15(2), 85–93. doi:10.1016/j.tics.2010.11.004.
- Evenden, J. L. (1999). Varieties of impulsivity. *Psychopharmacology*, 146(4), 348–361. doi:10.1007/PL00005481.

- Fanselow, M. S., & Lester, L. S. (1988). A functional behavioristic approach to aversively motivated behavior: Predatory imminence as a determinant of the topography of the defensive behavior. In R. C. Bolles & M. D. Breecher (Eds.), *Evolution and learning* (pp. 185-212). Hillsdale, NJ: Erlbaum.
- Felmingham, K., Kemp, A. H., Williams, L., Falconer, E., Olivieri, G., Peduto, A., & Bryant, R. (2008). Dissociative responses to conscious and non-conscious fear impact underlying brain function in post-traumatic stress disorder. *Psychological Medicine*, 38(12), 1771-1780. doi: 10.1017/S0033291708002742.
- Fertuck, E. A., Jekal, A., Song, I., Wyman, B., Morris, M. C., Wilson, S. T., ... Stanley, B. (2009). Enhanced 'Reading the Mind in the Eyes' in borderline personality disorder compared to healthy controls. *Psychological Medicine*, 39(12), 1979-1988. doi:10.1017/S003329170900600X.
- Fertuck, E. A., Lenzenweger, M. F., Clarkin, J. F., Hoermann, S., & Stanley, B. (2006). Executive neurocognition, memory systems, and borderline personality disorder. *Clinical Psychology Review*, 26(3), 346-375. doi:10.1016/j.cpr.2005.05.008.
- First, M. B., Spitzer, R. L., Gibbon, M., & Williams, J. B. (1997). *Structured Clinical Interview for DSM-IV Axis I Disorders – Clinical Version (SCID-CV)*. Washington, DC: American Psychiatric Press.
- Foa, E. (1995). *Posttraumatic Stress Diagnostic Scale Manual*. Minneapolis: National Computer Systems Inc.
- Foa, E. B., & Riggs, D. S. (1995). Posttraumatic-Stress-Disorder Following Assault - Theoretical Considerations and Empirical-Findings. *Current Directions in Psychological Science*, 4(2), 61-65. doi:10.1111/1467-8721.ep10771786.
- Ford, J. D., & Courtois, C. A. (2014). Complex PTSD, affect dysregulation, and borderline personality disorder. *Borderline Personality Disorder & Emotion Dysregulation*, 1, 9. doi:10.1186/2051-6673-1-9.
- Fossati, A., Gratz, K. L., Somma, A., Maffei, C., & Borroni, S. (2016). The Mediating Role of Emotion Dysregulation in the Relations Between Childhood Trauma History and Adult Attachment and Borderline Personality Disorder Features: A Study of Italian Nonclinical Participants. *Journal of Personality Disorders*, 30(5), 653-676. doi:10.1521/pedi_2015_29_222.
- Fox, M. D., & Raichle, M. E. (2007). Spontaneous fluctuations in brain activity observed with functional magnetic resonance imaging. *Nature Reviews. Neuroscience*, 8, 700-711. doi:0.1038/nrn2201.
- Fox, M. D., Snyder, A. Z., Vincent, J. L., Corbetta, M., Van Essen, D. C., & Raichle, M. E. (2005). The human brain is intrinsically organized into dynamic, anticorrelated functional networks. *Proceedings of the National Academy of Sciences USA*, 102(27), 9673-9678. doi:10.1073/pnas.0504136102.
- Frewen, P. A., & Lanius, R. A. (2006). Neurobiology of dissociation: unity and disunity in mind-body-brain. *The Psychiatric Clinics of North America*, 29(1), 113-128, ix. doi:10.1016/j.psc.2005.10.016.
- Frewen, P. A., & Lanius, R. A. (2014). Trauma-Related Altered States of Consciousness: Exploring the 4-D Model. *Journal of Trauma & Dissociation: The official journal of the International Society for the Study of Dissociation*, 15(4), 436-456. doi:10.1080/15299732.2013.873377.
- Freyd, J. J., Martorello, S. R., Alvarado, J. S., Hayes, A. E., & Christman, J. C. (1998). Cognitive environments and rissociative tendencies: performance on the standard Stroop task for high versus low dissociators. *Applied Cognitive Psychology*, 12, S91-S103. doi: 10.1002/(SICI)1099-0720(199812)12:7.<S91::AID-ACP599>3.0.CO;2-Z.
- Frias, A., Palma, C., Farriols, N., Gonzalez, L., & Horta, A. (2016). Anxious adult attachment may mediate the relationship between childhood emotional abuse and borderline personality disorder. *Personal and Mental Health*, 10(4), 274-284. doi:10.1002/pmh.1348.
- Frick, C., Lang, S., Kotchoubey, B., Sieswerda, S., Dinu-Biringer, R., Berger, M., ... Barnow, S. (2012). Hypersensitivity in borderline personality disorder during mindreading. *PLoS One*, 7(8), e41650. doi:10.1371/journal.pone.0041650.
- Friston, K. J. (2011). Functional and effective connectivity: a review. *Brain Connectivity*, 1(1), 13-36. doi: 10.1089/brain.2011.0008.

- Friston, K. J., Büchel, C., Fink, G. R., Morris, J., Rolls, E., & Dolan, R. J. (1997). Psychophysiological and modulatory interactions in neuroimaging. *Neuroimage*, 6(3), 218–229. doi:10.1006/nimg.1997.0291.
- Friston, K. J., Fletcher, P., Josephs, O., Holmes, A., Rugg, M. D., & Turner, R. (1998). Event-related fMRI: characterizing differential responses. *Neuroimage*, 7(1), 30–40. doi:10.1006/nimg.1997.0306.
- Friston, K. J., Frith, C. D., Turner, R., & Frackowiak, R. S. (1995). Characterizing evoked hemodynamics with fMRI. *Neuroimage*, 2(2), 157–165. doi:10.1006/nimg.1995.1018.
- Geier, C. F., Garver, K., Terwilliger, R., & Luna, B. (2009). Development of working memory maintenance. *Journal of Neurophysiology*, 101(1), 84–99. doi:10.1152/jn.90562.2008.
- Gershuny, B. S., & Thayer, J. F. (1999) Relations among psychological trauma, dissociative phenomena, and trauma-related distress: A review and integration. *Clinical Psychology Review*, 19(5), 631-657. doi:10.1016/S0272-7358(98)00103-2.
- Gilbert, R., Widom, C. S., Browne, K., Fergusson, D., Webb, E., & Janson, S. (2009). Burden and consequences of child maltreatment in high-income countries. *The Lancet*, 373(9657), 68–81. doi:10.1016/S0140-6736(08)61706-7.
- Gilboa, A., Shalev, A. Y., Laor, L., Lester, H., Louzoun, Y., Chisin, R., & Bonne, O. (2004). Functional connectivity of the prefrontal cortex and the amygdala in posttraumatic stress disorder. *Biological Psychiatry*, 55(3), 263–272. doi:10.1016/j.biopsych.2003.08.004.
- Glässcher, J. (2009). Visualization of group inference data in functional neuroimaging. *Neuroinformatics*, 7(1), 73-82 doi:10.1007/s12021-008-9042-x.
- Glenn, C. R., & Klonsky, E. D. (2009). Emotion dysregulation as a core feature of borderline personality disorder. *Journal of Personality Disorders*, 23(1), 20-28. doi:10.1521/pedi.2009.23.1.20.
- Goldman-Rakic, P. S., Bates, J. F., & Chafee, M. V. (1992). The prefrontal cortex and internally generated motor acts. *Current Opinions in Neurobiology*, 2(6), 830–835. doi:10.1016/0959-4388(92)90141-7.
- Golier, J., Yehuda, R., Bierer, L. M., Mitropoulou, V., New, A. S., Schmeidler, J., ... Siever, L. J. (2003). The relationship of Borderline Personality Disorder to Posttraumatic Stress Disorder and Traumatic Events. *American Journal of Psychiatry*, 160(11), 2018-2024. doi:10.1176/appi.ajp.160.11.2018.
- Goodman, M., Carpenter, D., Tang, C. Y., Goldstein, K. E., Avedon, J., Fernandez, N., ... Hazlett, E. A. (2014). Dialectical behavior therapy alters emotion regulation and amygdala activity in patients with borderline personality disorder. *Journal of Psychiatric Research*, 57, 108-116. doi:10.1016/j.jpsychires.2014.06.020.
- Goodman, M., Hazlett, E. A., Avedon, J. B., Siever, D. R., Chu, K. W., & New, A. S. (2011). Anterior cingulate volume reduction in adolescents with borderline personality disorder and co-morbid major depression. *Journal of Psychiatric Research*, 45(6), 803–807. doi:10.1016/j.jpsychires.2010.11.011.
- Goodman, M., New, A. S., Triebwasser, J., Collins, K. A., & Siever, L. (2010). Phenotype, endophenotype, and genotype comparisons between borderline personality disorder and major depressive disorder. *Journal of Personality Disorders*, 24(1), 38–59. doi:10.1521/pedi.2010.24.1.38.
- Goulden, N., Khusnulina, A., Davis, N. J., Bracewell, R. M., Bokde, A. L., McNulty, J. P., & Mullins, P. G. (2014). The salience network is responsible for switching between the default mode network and the central executive network: replication from DCM. *NeuroImage*, 99, 180-190. doi: 10.1016/j.neuroimage.2014.05.052.
- Gotlib, I. H., & Cane, D. B. (1987). Construct accessibility and clinical depression: a longitudinal investigation. *Journal of Abnormal Psychology*, 96(3), 199-204. doi:10.1037/0021-843X.96.3.199.
- Gotlib, I. H., & McCann, C.D. (1984). Construct accessibility and depression: an examination of cognitive and affective factors. *Journal of Personality and Social Psychology*, 47(2), 427-439. doi:10.1037/0022-3514.47.2.427.
- Görg, N., Priebe, K., Deuschel, T., Schüller, M., Schriner, F., Kleindienst, N., ... Bohus, M. (2016). Computer-Assisted In Sensu Exposure for Posttraumatic Stress Disorder: Development and Evaluation. *JMIR Mental Health*, 3(2), e27. doi: 10.2196/mental.5697.

- Grahn, J., Parkinson, J. A., & Owen, A. M. (2009). The role of the basal ganglia in learning and memory: neuropsychological studies. *Behavioural Brain Research*, 199(1), 53–60. doi:10.1016/j.bbr.2008.11.020.
- Grant, B. F., Chou, S. P., Goldstein, R. B., Huang, B., Stinson, F. S., Saha, T. D., ... Ruan, W. J. (2008). Prevalence, correlates, disability, and comorbidity of DSM-IV borderline personality disorder: results from the Wave 2 National Epidemiologic Survey on Alcohol and Related Conditions. *The Journal of Clinical Psychiatry*, 69(4), 533–545. doi:10.4088/JCP.v69n0511.
- Gratz, K. L., Dixon-Gordon, K. L., Breetz, A., & Tull, M. (2013). A laboratory-based examination of responses to social rejection in borderline personality disorder: the mediating role of emotion dysregulation. *Journal of Personality Disorders*, 27(2), 157–171. doi:0.1521/pedi.2013.27.2.157.70.
- Gratz, K. L., & Roemer, L. (2004). Multidimensional assessment of emotion regulation: development, factor structure, and initial validation of the Emotion Regulation Scale. *Journal of Psychopathology and Behavioral Assessment*, 26(1), 41–45. doi:10.1007/s10862-008-9102-4.
- Gray, J. R. (2004) Integration of emotion and cognitive control. *Current Directions in Psychological Science*, 13, 46–48. doi:10.1111/j.0963-7214.2004.00272.x.
- Greicius, M. (2008). Resting-state functional connectivity in neuropsychiatric disorders. *Current Opinion in Neurology*, 21(4), 424–430. doi:10.1097/WCO.0b013e328306f2c5.
- Greicius, M. D., Krasnow, B., Reiss, A. L., & Menon, V. (2003). Functional connectivity in the resting brain: a network analysis of the default mode hypothesis. *Proceedings of the National Academy of Sciences USA*, 100(1), 253–258. doi:10.1073/pnas.0135058100.
- Grefkes, C., & Fink, G.R. (2005). The functional organization of the intraparietal sulcus in humans and monkeys. *Journal of Anatomy*, 207(1), 3–17. doi:10.1111/j.1469-7580.2005.00426.x
- Gross, J. J. (2002). Emotion regulation: Affective, cognitive, and social consequences. *Psychophysiology*, 39(3), 281–291. doi:10.1017/S0048577201393198.
- Guitart-Masip, M., Pascual, J. C., Carmona, S., Hoekzema, E., Berge, D., Perez, V., ... Vilarroya, O. (2009). Neural correlates of impaired emotional discrimination in borderline personality disorder: an fMRI study. *Progress in Neuro-Psychopharmacol & Biological Psychiatry*, 33(8), 1537–1545. doi:10.1016/j.pnpbp.2009.08.022.
- Gunderson, J. G. (2007). Disturbed relationships as a phenotype for borderline personality disorder. *American Journal of Psychiatry*, 164(11), 1637–1640. doi:10.1176/appi.ajp.2007.07071125.
- Gunderson, J. G., & Lyons-Ruth, K. (2008). BPD's interpersonal hypersensitivity phenotype: a gene-environment-developmental model. *Journal of Personality Disorders*, 22(1), 22–41. doi:10.1521/pedi.2008.22.1.22.
- Gunderson, J. G., Zanarini, M. C., Choi-Kain, L. W., Mitchell, K. S., Jang, K. L., & Hudson, J. I. (2011). Family study of borderline personality disorder and its sectors of psychopathology. *Archives of General Psychiatry*, 68(7), 753–762. doi: 10.1001/archgenpsychiatry.2011.65.
- Gvirts, H. Z., Harari, H., Braw, Y., Shefet, D., Shamay-Tsoory, S. G., & Levkovitz, Y. (2012). Executive functioning among patients with borderline personality disorder (BPD) and their relatives. *Journal of Affective Disorders*, 143(1-3), 261–264. doi:10.1016/j.jad.2012.05.007.
- Hagenaars, M. A., Oitzl, M., & Roelofs, K. (2014). Updating freeze: aligning animal and human research. *Neuroscience and Biobehavioral Reviews*, 47, 165–176. doi:10.1016/j.neubiorev.2014.07.021.
- Haaland, V. Ø., & Landrø, N. I. (2009). Pathological dissociation and neuropsychological functioning in borderline personality disorder. *Acta Psychiatrica Scandinavica*, 119(5), 383–392. doi:10.1111/j.1600-0447.2008.01323.x.
- Haber, S. N., & Knutson, B. (2010). The reward circuit: linking primate anatomy and human imaging. *Neuropsychopharmacology*, 35(1), 4–26. doi:10.1038/npp.2009.129.

- Hagenhoff, M., Franzen, N., Gerstner, L., Koppe, G., Sammer, G., Netter, P., ... Lis, S. (2013). Reduced sensitivity to emotional facial expressions in borderline personality disorder: effects of emotional valence and intensity. *Journal of Personality Disorders*, 27(1), 19-35. doi: 10.1521/pedi.2013.27.1.19.
- Hahn, T., Dresler, T., Plichta, M. M., Ehlis, A. C., Ernst, L. H., Markulin, F., ... Fallgatter, A. J. (2010). Functional amygdala-hippocampus connectivity during anticipation of aversive events is associated with Gray's trait "sensitivity to punishment". *Biological Psychiatry*, 68(5), 459-464. doi:10.1016/j.biopsych.2010.04.033.
- Hampson, M., Peterson, B. S., Skudlarski, P., Gatenby, J. C., & Gore, J. C. (2002). Detection of functional connectivity using temporal correlations in MR images. *Human Brain Mapping*, 15(4), 247-262. doi:10.1002/hbm.10022.
- Hart, S. J., Green, S. R., Casp, M., & Belger, A. (2010). Emotional priming effects during Stroop task performance. *NeuroImage*, 49(3), 2662-2670. doi:10.1016/j.neuroimage.2009.10.076.
- Hazlett, E. W., Zhang, J., New, A. S., Zelmanova, Y., Goldstein, K. E., Haznedar, M. M., ... Chu, K. W. (2012). Potentiated amygdala response to repeated emotional pictures in borderline personality disorder. *Biological Psychiatry*, 72(6), 448-456. doi:10.1016/j.biopsych.2012.03.027.
- Herman, J. L., Perry, J. C., & van der Kolk, B. A. (1989). Childhood trauma in borderline personality disorder. *American Journal of Psychiatry*, 146(4), 490-495. doi: 10.1176/ajp.146.4.490
- Herpertz, S. C., Dietrich, T. M., Wenning, B., Krings, T., Erberich, S. G., Willmes, K., ... Sass, H. (2001). Evidence of abnormal amygdala functioning in borderline personality disorder: a functional MRI study. *Biological Psychiatry*, 50(4), 292-298. doi:10.1016/S0006-3223(01)01075-7.
- Herpertz, S. C., Kunert, H. J., Schwenger, U. B., & Sass, H. (1999). Affective responsiveness in borderline personality disorder: A psychophysiological approach. *American Journal of Psychiatry*, 156(10), 1550-1556.
- Herringa, R. J., Birn, R. M., Ruttle, P. L., Burghy, C. A., Stodola, D. E., Davidson, R. J., & Essex, M. J. (2013). Childhood maltreatment is associated with altered fear circuitry and increased internalizing symptoms by late adolescence. *Proceedings of the National Academy of Sciences USA*, 110(47), 19119-19124. doi:10.1073/pnas.1310766110.
- Hoerst, M., Weber-Fahr, W., Tunc-Skarka, N., Ruf, M., Bohus, M., Schmahl, C., & Ende, G. (2010). Correlation of glutamate levels in the anterior cingulate cortex with self-reported impulsivity in patients with borderline personality disorder and healthy controls. *Archives in General Psychiatry*, 67(9), 946-954. doi:10.1001/archgenpsychiatry.2010.93.
- Holm, A. L., & Severinsson, E. (2008). The emotional pain and distress of borderline personality disorder: A review of the literature. *International Journal of Mental Health Nursing*, 17(1), 27-35. doi:10.1111/j.1447-0349.2007.00508.x.
- Holmes, E. A., Brown, R. J., Mansell, W., Fearon, R. P., Hunter, E. C., Frasquilho, F., & Oakley, D. A. (2005). Are there two qualitatively distinct forms of dissociation? A review and some clinical implications. *Clinical Psychology Review*, 25(1), 1-23. doi:10.1016/j.cpr.2004.08.006.
- Holtmann, J., Herbort, M. C., Wustenberg, T., Soch, J., Richter, S., Walter H., ... Schott, B. H. (2013). Trait anxiety modulates fronto-limbic processing of emotional interference in borderline personality disorder. *Frontiers in Human Neuroscience*, 7, 54. doi:10.3389/fnhum.2013.00054.
- Hooley, J. M., Gruber, S. A., Parker, H. A., Guillaumot, J., Rogowska, J., & Yurgelun-Todd, D. A. (2010). Neural processing of emotional overinvolvement in borderline personality disorder. *Journal of Clinical Psychiatry*, 71(8), 1017-1024. doi:10.4088/JCP.07m03465blu.
- Hopfinger, J. B., Buonocore, M. H., & Mangun, G. R. (2000). The neural mechanisms of top-down attentional control. *Nature Neuroscience*, 3, 284-291. doi:10.1038/72999.
- Huntjens, R. J., Peters, M. L., Woertman, L., van der Hart, O., & Postma, A. (2007). Memory transfer for emotionally valenced words between identities in dissociative identity disorder. *Behaviour Research and Therapy*, 45(4):775-789. doi:10.1016/j.brat.2006.07.001.

- Iordan, A. D., Dolcos, S., & Dolcos, F. (2013). Neural signatures of the response to emotional distraction: a review of evidence from brain imaging investigations. *Frontiers in Human Neuroscience*, 7, 200. doi:10.3389/fnhum.2013.00200.
- Irle, E., Lange, C., & Sachsse, U. (2005). Reduced size and abnormal asymmetry of parietal cortex in women with borderline personality disorder. *Biological Psychiatry*, 57(2), 173-182. doi:10.1016/j.biopsych.2004.10.004.
- Jacob, G. A., Guenzler, C., Zimmermann, S., Scheel, C. N., Rüsch, N., Leonhart, R., ... Lieb, K. (2008). Time course of anger and other emotions in women with borderline personality disorder: a preliminary study. *Journal of Behavior Therapy and Experimental Psychiatry*, 39(3), 391-402. doi:10.1016/j.jbtep.2007.10.009.
- Jacob, G. A., Zvonik, K., Kamphausen, S., Sebastian, A., Maier, S., Philipsen, A., ... Tüscher, O. (2013). Emotional modulation of motor response inhibition in women with borderline personality disorder: an fMRI study. *Journal of Psychiatry & Neuroscience*, 38(3), 164-172. doi:10.1503/jpn.120029.
- Janet, P. (1889). *l'Automatise Psychologique*. Paris: Balliere.
- Jenkinson, M., Bannister, P., Brady, M., & Smith, S. (2002). Improved optimization for the robust and accurate linear registration and motion correction of brain images. *NeuroImage*, 17(2), 825-841. doi:10.1006/nimg.2002.1132.
- Jenkinson, M., & Smith, S. (2001). A global optimisation method for robust affine registration of brain images. *Medical Image Analysis*, 5(2), 143-156. doi:10.1016/S1361-8415(01)00036-6.
- Jin, C., Qi, R., Yin, Y., Hu, X., Duan, L., Xu, Q., ... Li, L. (2013). Abnormalities in whole-brain functional connectivity observed in treatment-naïve post-traumatic stress disorder patients following an earthquake. *Psychological Medicine*, 44(9), 1927-1936. doi:10.1017/S003329171300250X.
- Joels, M., Pu, Z., Wiegert, O., Oitzl, M.S., & Krugers, H.J. (2006). Learning under stress: how does it work? *Trends in Cognitive Science*, 10(4), 152-158. doi:10.1016/j.tics.2006.02.002.
- Johnstone, T., van Reekum, C. M., Urry, H. L., Kalin, N. H., & Davidson, R. J. (2007). Failure to regulate: counterproductive recruitment of top-down prefrontal-subcortical circuitry in major depression. *Journal of Neuroscience*, 27(33), 8877-8884. doi:10.1523/JNEUROSCI.2063-07.2007.
- Jørgensen, C. R., Freund, C., Bøye, R., Jordet, H., Andersen, D., & Kjølby, M. (2013). Outcome of mentalization-based and supportive psychotherapy in patients with borderline personality disorder: A randomized trial. *Acta Psychiatrica Scandinavica*, 127, 305-317. doi: 10.1111/j.1600-0447.2012.01923.x
- Judd, P. H. (2005). Neurocognitive impairment as a moderator in the development of borderline personality disorder. *Development and Psychopathology*, 17(4), 1173-1196. doi:10.1017/S0954579405050558.
- Juengling, F. D., Schmahl, C., Hesslinger, B., Ebert, D., Bremner, J. D., Gostomzyk, J., ... Lieb, K. (2003). Positron emission tomography in female patients with borderline personality disorder. *Journal of Psychiatric Research*, 37(2), 109-115. doi:10.1016/S0022-3956(02)00084-5.
- Kaiser, D., Jacob, G. A., Domes, G., & Arntz, A. (2016). Attentional Bias for Emotional Stimuli in Borderline Personality Disorder: A Meta-Analysis. *Psychopathology* 49(6), 383-396. doi: 10.1159/000448624.
- Kamphausen, S., Schroder, P., Maier, S., Bader, K., Feige, B., Kaller, C. P.,... Tüscher, O. (2013). Medial prefrontal dysfunction and prolonged amygdala response during instructed fear processing in borderline personality disorder. *World Journal of Biological Psychiatry*, 14(4), 307-318, S1-4. doi:10.3109/15622975.2012.665174.
- Kanske, P., Heissler, J., Schönfelder, S., Bongers, A., & Wessa, M. (2011). How to regulate emotion? Neural networks for reappraisal and distraction. *Cerebral Cortex*, 21(6), 1379-1388. doi:10.1093/cercor/bhq216.
- Karl, A., Schaefer, M., Malta, L. S., Dorfel, D., Rohleder, N., & Werner, A. (2006). A meta-analysis of structural brain abnormalities in PTSD. *Neuroscience and Biobehavioral Reviews*, 30(7), 1004-1031. doi:10.1016/j.neubiorev.2006.03.004.

- Kellenbach, M. L., Brett, M., & Patterson, K. (2001). Large, colorful, or noisy? Attribute- and modality-specific activations during retrieval of perceptual attribute knowledge. *Cognitive, Affective & Behavioral Neuroscience*, 1(3), 207-221. doi:10.3758/CABN.1.3.207.
- Kelly, S. P., Gomez-Ramirez, M., & Foxe, J. J. (2008). Spatial attention modulates initial afferent activity in human primary visual cortex. *Cerebral Cortex*, 18(11), 2629–2636. doi:10.1093/cercor/bhn022.
- Kemperman, I., Russ, M. J., & Shearin, E. N. (1997). Self-injurious behavior and mood regulation in borderline patients. *Journal of Personality Disorders*, 11(2), 146-157. doi:10.1521/pedi.1997.11.2.146.
- Kensinger, E.A., & Corkin, S. (2003). Effect of negative emotional content on working memory and long-term memory. *Emotion*, 3(4), 378–393. doi:10.1037/1528-3542.3.4.378.
- Ketay, S., Hamilton, H. K., Haas, B. W., & Simeon, D. (2014). Face processing in depersonalization: an fMRI study of the unfamiliar self. *Psychiatry Research*, 222(1-2), 107-110. doi:10.1016/j.psychresns.2014.02.003.
- Kim, S. G., & Ogawa, S. (2012). Biophysical and physiological origins of blood oxygenation level-dependent fMRI signals. *Journal of Cerebral Blood Flow and Metabolism*, 32(7), 1188-1206. doi: 10.1038/jcbfm.2012.23.
- King-Casas, B., Sharp, C., Lomax-Bream, L., Lohrenz, T., Fonagy, P., & Montague, P. R. (2008). The rupture and repair of cooperation in borderline personality disorder. *Science*, 321(5890), 806–810. doi:10.1126/science.1156902.
- Kleindienst, N., Bohus, M., Ludaescher, P., Limberger, M. F., Kuenkele, K., Ebner-Priemer, U.W., ... Schmahl, C. (2008). Motives for nonsuicidal self-injury among women with borderline personality disorder. *The Journal of Nervous and Mental Disease*, 196(3), 230–236. doi:10.1097/NMD.0b013e3181663026.
- Kleindienst, N., Limberger, M. F., Ebner-Priemer, U. W., Keibel-Mauchnik, J., Dyer, A., Berger, M., ... Bohus, M. (2011). Dissociation predicts poor response to dialectical behavioral therapy in female patients with borderline personality disorder. *Journal of Personality Disorders*, 25(4), 432-447. doi:10.1521/pedi.2011.25.4.432.
- Kleindienst, N., Priebe, K., Görg, N., Dyer, A., Steil, R., Lyssenko, L., ... Bohus, M. (2016). State dissociation moderates response to dialectical behavior therapy for posttraumatic stress disorder in women with and without borderline personality disorder. *European Journal of Psychotraumatology* 7, 30375. doi:10.3402/ejpt.v7.30375.
- Kluetsch, R. C., Schmahl, C., Niedtfeld, I., Densmore, M., Calhoun, V. D., Daniels, J., ... Lanius, R. A. (2012). Alterations in default mode network connectivity during pain processing in borderline personality disorder. *Archives of General Psychiatry*, 69(10), 993–1002. doi:10.1001/archgenpsychiatry.2012.476.
- Klumpp, H., Angstadt, M., & Phan, K. L. (2012). Shifting the focus of attention modulates amygdala and anterior cingulate cortex reactivity to emotional faces. *Neuroscience Letters*, 514(2), 210-213. doi:10.1016/j.neulet.2012.03.003.
- Knight, D. C., Smith, C. N., Cheng, D. T., Stein, E. A., & Helmstetter, F. J. (2004). Amygdala and hippocampal activity during acquisition and extinction of human fear conditioning. *Cognitive, Affective & Behavioral Neuroscience*, 4(3), 317–325. doi:10.3758/CABN.4.3.317.
- Koechlin, E., & Hyafil, A. (2007). Anterior prefrontal function and the limits of human-decision making. *Science*, 318(5850), 594–598. doi:10.1126/science.1142995.
- Koenigsberg H. W., Denny B. T., Fan J., Liu X., Guerreri S., Mayson S. J., ... Siever, L. J. (2014). The neural correlates of anomalous habituation to negative emotional pictures in borderline and avoidant personality disorder patients. *American Journal of Psychiatry*, 171(1), 82–90. doi:10.1176/appi.ajp.2013.13070852.
- Koenigsberg, H. W., Fan, J., Ochsner, K. N., Liu X., Guise, K. G., Pizzarello, S., ... Siever, L. J. (2009b). Neural correlates of the use of psychological distancing to regulate responses to negative social cues: a study of patients with borderline personality disorder. *Biological Psychiatry*, 66(9), 854–863. doi:10.1016/j.biopsych.2009.06.010.
- Koenigsberg, H. W., Harvey, P. D., Mitropoulou, V., Schmeidler, J., New, A.S., Goodman, M., ... Siever, L. J. (2002). Characterizing affective instability in borderline personality disorder. *American Journal of Psychiatry*, 159(5), 784-788. doi:10.1176/appi.ajp.159.5.784.

- Koenigsberg, H. W., Siever, L. J., Lee, H., Pizzarello, S., New, A. S., Goodman, M., ... Prohovnik, I. (2009a). Neural correlates of emotion processing in borderline personality disorder. *Psychiatry Research: Neuroimaging*, 172(3), 192–199. doi:10.1016/j.psychresns.2008.07.010.
- Kopala-Sibley, D. C., Zuroff, D. C., Russell, J. J., Moskowitz, D. S., & Paris, J. (2012). Understanding heterogeneity in borderline personality disorder: differences in affective reactivity explained by the traits of dependency and self-criticism. *Journal of Abnormal Psychology*, 121(3), 680-691. doi:10.1037/a0028513.
- Korzekwa, M.I., Dell, P.F., & Pain, C. (2009a). Dissociation and borderline personality disorder: an update for clinicians. *Current Psychiatry Reports*, 11(1), 82-88. doi: 10.1007/s11920-009-0013-1.
- Korzekwa, M. I., Dell, P. F., Links, P. S., Thabane, L., & Fouger, P. (2009b). Dissociation in borderline personality disorder: a detailed look. *Journal of Trauma & Dissociation*, 10(3), 346–367. doi:10.1080/15299730902956838.
- Kraus, A., Esposito, F., Seifritz, E., Di Salle, F., Ruf, M., Valerius, G., ... Schmahl, C. (2010a). Amygdala deactivation as a neural correlate of pain processing in patients with borderline personality disorder and cooccurrent PTSD. *Biological Psychiatry*, 65(9), 819–822. doi:10.1016/j.biopsych.2008.10.028
- Kraus, A., Valerius, G., Seifritz, E., Ruf, M., Bremner, J. D., Bohus, M., & Schmahl, C. (2010b). Script-driven imagery of self-injurious behavior in patients with borderline personality disorder: a pilot fMRI study. *Acta Psychiatrica Scandinavica*, 121(1), 41–51. doi:10.1111/j.1600-0447.2009.01417.x.
- Krause-Utz, A., Cackowski, S., Daffner, S., Sobanski, E., Plichta, M. M., Bohus, M., ... Schmahl, C. (2016). Delay discounting and response disinhibition under acute experimental stress in women with borderline personality disorder and adult attention deficit hyperactivity disorder. *Psychological Medicine*, 46(15), 3137-3149.
- Krause-Utz, A., & Elzinga, B. (in press). [Peritraumatische Dissoziation und Informationsverarbeitung]. In: C. Spitzer, A. Eckhard-Henn (eds.). *Dissoziation und Dissoziative Störungen*. Stuttgart: Schattauer.
- Krause-Utz A., Elzinga B. M., Oei N. Y., Spinhoven P., Bohus M., & Schmahl C. (2014a). Susceptibility to distraction by social cues in borderline personality disorder. *Psychopathology*, 47(3), 148–157. doi:10.1159/000351740.
- Krause-Utz, A., Elzinga, B. M., Oei, N. Y., Paret, C., Niedtfeld, I., Spinhoven, P., ... Schmahl, C. (2014d). Amygdala and Dorsal Anterior Cingulate Connectivity during an Emotional Working Memory Task in Borderline Personality Disorder Patients with Interpersonal Trauma History. *Frontiers in Human Neuroscience*, 8, 848. doi:10.3389/fnhum.2014.00848.
- Krause-Utz, A., Frost, R., Winter, D., & Elzinga, B. (2017). Dissociation and Alterations in Brain Function and Structure: Implications for Borderline Personality Disorder. *Current Psychiatry Reports*, 19(1), 1-22, doi:10.1007/s11920-017-0757-y.
- Krause-Utz, A., Keibel-Mauchnik, J., Ebner-Priemer, U., Bohus, M., & Schmahl, C. (2016). Classical conditioning in borderline personality disorder: an fMRI study. *European Archives of Psychiatry and Clinical Neuroscience*, 66(4), 291-305. doi: 10.1007/s00406-015-0593-1.
- Krause-Utz, A., Oei, N.Y., Niedtfeld, I., Bohus, M., Spinhoven, P., Schmahl, C., & Elzinga, B.M. (2012). Influence of emotional distraction on working memory performance in borderline personality disorder. *Psychological Medicine*, 42(10), 2181-2192. doi:10.1017/S0033291712000153.
- Krause-Utz, A., & Schmahl, C. (2010). Neurobiological differentiation between borderline patients with and without post-traumatic stress disorder. *European Psychiatric Review*, 3(2), 63–68.
- Krause-Utz, A., & Schmahl, C. (2016). A More Global Look at Altered Neural Structure and Resting-State Function in Borderline Personality Disorder. *Biological Psychiatry*, 79(2), 76-77. doi:10.1016/j.biopsych.2015.10.011.
- Krause-Utz, A., Sobanski, E., Alm, B., Valerius, G., Kleindienst, N., Bohus, M., & Schmahl, C. (2013). Impulsivity in relation to stress in patients with borderline personality disorder with and without co-occurring

- attention-deficit/hyperactivity disorder: an exploratory study. *The Journal of Nervous and Mental Disease*, 201(2), 116-123. doi:10.1097/NMD.0b013e31827f6462.
- Krause-Utz, A., Veer, I. M., Rombouts, S. A. R. B., Bohus, M., Schmahl, C., & Elzinga, B. M. (2014c). Amygdala and anterior cingulate resting-state functional connectivity in borderline personality disorder patients with a history of interpersonal trauma. *Psychological Medicine*, 44(13), 2889–2901. doi:10.1017/S0033291714000324.
- Krause-Utz, A., Winter, D., Niedtfeld, I., & Schmahl, C. (2014b). The latest neuroimaging findings in borderline personality disorder. *Current Psychiatry Reports*, 16(3), 438. doi:10.1007/s11920-014-0438-z.
- Kringelbach, M. L., & Rolls, E. T. (2004). The functional neuroanatomy of the human orbitofrontal cortex: evidence from neuroimaging and neuropsychology. *Progress in Neurobiology*, 72(5), 341–372. doi:10.1016/j.pneurobio.2004.03.006.
- Kruschwitz, J. D., Meyer-Lindenberg, A., Veer, I. M., Wackerhagen, C., Erk, S., Mohnke, S., ... Walter, H. (2015). Segregation of face sensitive areas within the fusiform gyrus using global signal regression? A study on amygdala resting-state functional connectivity. *Human Brain Mapping*, 36(10), 4089-40103. doi:10.1002/hbm.22900.
- Krystal, J. H., Bennett, A., Bremner, J. D., Southwick, S. M., & Charney, D. S. (1996). Recent developments in the neurobiology of dissociation. Implications for posttraumatic stress disorder. In L. K. Michelson & W. J. Ray (Eds.), *Handbook of Dissociation Theoretical, Empirical, and Clinical Perspectives* (pp. 163-190). New York, NY: Plenum Press.
- Krystal, J. H., Bennett, A. L., Bremner, J. D., Southwick, S. M., & Charney, D. S. (1995). Toward a cognitive neuroscience of dissociation and altered memory functions in post-traumatic stress disorder. In M. J. Friedman, D. S. Charney, & A. Y. Deutch (Eds.), *Neurobiological and clinical consequences of stress: From normal adaptation to post-traumatic stress disorder* (pp. 239-269). Philadelphia, PA: Lippincott Williams & Wilkins Publishers.
- Krystal, J. H., Bremner, J. D., Southwick, S. M., & Charney, D. S. (1998). The emerging neurobiology of dissociation: implications for treatment of posttraumatic stress disorder. In J. D. Bremner & C. R. Marmer (Eds.), *Trauma, memory, and dissociation* (pp. 321-363). Washington DC: American Psychiatric Press.
- Kuhlmann, A., Bertsch, K., Schmidinger, I., Thomann, P. A., & Herpertz, S. C. (2013). Morphometric differences in central stress-regulating structures between women with and without borderline personality disorder. *Journal of Psychiatry & Neuroscience*, 38(2), 129–137. doi:10.1503/jpn.120039.
- Kuo, J. R., & Linehan, M. M. (2009). Disentangling Emotion Processes in Borderline Personality Disorder: Physiological and Self-Reported Assessmet of Biological Vulnerability, Baseline Intensity, and Reactivity to Emotionally Evocative Stimuli. *Journal of Abnormal Psychology*, 118(3), 531-544. doi:10.1037/a0016392.
- LaBar, K. S., Gitelman, D. R., Parrish, T. B., & Mesulam, M. (1999). Neuroanatomic overlap of working memory and spatial attention networks: a functional MRI comparison within subjects. *NeuroImage*, 10(6), 695-704. doi: 10.1006/nimg.1999.0503.
- Laird, A. R., Fox, P. M., Eickhoff, S. B., Turner, J. A., Ray, K. L., Mckay, D. R., ... Fox, P. T. (2011). Behavioral interpretations of intrinsic connectivity networks. *Journal of Cognitive Neuroscience*, 23, 4022-4037. doi:10.1162/jocn_a_00077.
- Lang, S., Kotchoubey, B., Frick, C., Spitzer C., Grabe, H. J., & Barnow, S. (2012). Cognitive reappraisal in trauma-exposed women with borderline personality disorder. *Neuroimage*, 59(2), 1727- 1734. doi:10.1016/j.neuroimage.2011.08.061.
- Lang, P. J., Bradley, M. M., & Cuthbert, B. N. (2005). *International Affective Picture System (IAPS): Digitized Photographs, Instruction Manual and Affective Ratings (Technical Report A, 6th Edn)*. Gainesville, FL: University of Florida.
- Lange, C., Kracht, L., Herholz, K., Sachsse, U., & Irle, E. (2005). Reduced glucose metabolism in temporo-parietal cortices of women with borderline personality disorder. *Psychiatry Research*, 139(2), 115–126. doi:10.1016/j.psychresns.2005.05.003.

- Lanius, R. A. (2015). Trauma-related dissociation and altered states of consciousness: a call for clinical, treatment, and neuroscience research. *European Journal of Psychotraumatology*, 6, 27905. doi:10.3402/ejpt.v6.27905.
- Lanius, R. A., Bluhm, R. L., Coupland, N. J., Hegadoren, K. M., Rowe, B., Théberge, J., ... Brimson, M. (2010). Default mode network connectivity as a predictor of post-traumatic stress disorder symptom severity in acutely traumatized subjects. *Acta Psychiatrica Scandinavica*, 121(1), 33–40. doi:10.1111/j.1600-0447.2009.01391.x
- Lanius, R. A., Brand, B., Vermetten, E., Frewen, P. A., & Spiegel, D. (2012). The dissociative subtype of posttraumatic stress disorder: rationale, clinical and neurobiological evidence, and implications. *Depression and Anxiety*, 29(8), 701-708. doi:10.1002/da.21889.
- Lanius, R. A., Brand, B., Vermetten, E., Loewenstein, R. J., Brand, B., Schmahl, C., Bremner, J. D., & Spiegel, D. (2010). Emotion modulation in PTSD: clinical and neurobiological evidence for a dissociative subtype. *American Journal of Psychiatry*, 167(6), 640-647. doi: 10.1176/appi.ajp.2009.09081168.
- Lanius, R. A., Williamson, P. C., Bluhm, R. L., Densmore, M., Boksman, K., Neufeld, R. W., ... Menon, R. S. (2005). Functional connectivity of dissociative responses in posttraumatic stress disorder: a functional magnetic resonance imaging investigation. *Biological Psychiatry*, 57(8), 873–884. doi:10.1016/j.biopsych.2005.01.011.
- Lanius, R. A., Williamson, P. C., Boksman, K., Densmore, M., Gupta, M., Neufeld, R. W., ... Menon, R. S. (2002). Brain activation during script-driven imagery induced dissociative responses in PTSD: a functional magnetic resonance imaging investigation. *Biological Psychiatry*, 52(4), 305-311. doi:10.1016/S0006-3223(02)01367-7.
- Lanius R. A., Williamson, P. C., Densmore, M., Boksman, K., Neufeld, R. W., Gati, J. S., & Menon, R. S. (2004). The nature of traumatic memories: a 4-T fMRI functional connectivity analysis. *American Journal of Psychiatry*, 161(1), 36-44. doi:10.1176/appi.ajp.161.1.36.
- Larsen, R. J. (1984). *Theory and measurement of affect intensity as an individual difference characteristic*. Dissertation Abstracts International 85, 2297B. (University Microfilms No. 84-22112.)
- LeDoux, J. E. (1992). Brain mechanisms of emotion and emotional learning. *Current Opinions in Neurobiology*, 2(2), 191-197. doi:10.1016/0959-4388(92)90011-9.
- Lee, H., Heller, A. S., van Reekum, C. M., Nelson, B., & Davidson, R. J. (2012). Amygdala-prefrontal coupling underlies individual differences in emotion regulation. *NeuroImage*, 62(3), 1575–1581. doi:10.1016/j.neuroimage.2012.05.044.
- Lee, K. H., & Siegle, G. J. (2012). Common and distinct brain networks underlying explicit emotional evaluation: a meta-analytic study. *Social Cognitive Affective Neuroscience*, 7(5), 521-534. doi:10.1371/journal.pone.0044414.
- Leech, R., & Sharp, D. J. (2014). The role of the posterior cingulate cortex in cognition and disease. *Brain*, 137(Pt 1), 12–32. doi:10.1093/brain/awt162.
- Legris, J., & van Reekum, R. (2006). The neuropsychological correlates of borderline personality disorder and suicidal behaviour. *The Canadian Journal of Psychiatry*, 51(3), 131-142. doi:10.1177/070674370605100303.
- Leichsenring, F., Leibing, E., Kruse, J., New, A. S., & Leweke, F. (2011). Borderline personality disorder. *The Lancet*, 377(9759), 74–84. doi:10.1016/s0140-6736(10)61422-5.
- Lemche, E., Brammer, M. J., David, A. S., Surguladze, S. A., Phillips, M. L., Sierra, M., ... Giampietro, V. P. (2013). Interceptive-reflective regions differentiate alexithymia traits in depersonalization disorder. *Psychiatry Research*, 214(1), 66-72. doi:10.1016/j.psychresns.2013.05.006.
- Lemche, E., Sierra-Siegert, M., David, A. S., Phillips, M. L., Gasston, D., Williams, S. C., & Giampietro, V. P. (2016). Cognitive load and autonomic response patterns under negative priming demand in depersonalization-derealization disorder. *European Journal of Neuroscience*, 43(7), 971-978. doi:10.1111/ejn.13183.

- Lensvelt-Mulders, G., van der Hart, O., van Ochten, J. M., van Son, M. J., Steele, K., & Breeman, L. (2008). Relations among peritraumatic dissociation and posttraumatic stress: a meta-analysis. *Clinical Psychology Review*, 28(7), 1138-1151. doi:10.1016/j.cpr.2008.03.006
- Lenzenweger, M., Lane, M., Loranger, A., & Kessler, R. (2007). Personality disorders in the National Comorbidity Survey Replication. *Biological Psychiatry*, 62(6), 553-564. doi:10.1016/j.biopsych.2006.09.019.
- Liddle, E. B., Hollis, C., Batty, M. J., Groom, M. J., Totman, J. J., Liotti, M., ... Liddle, P. F. (2011). Task-related default mode network modulation and inhibitory control in ADHD: effects of motivation and methylphenidate. *Journal of Child Psychology and Psychiatry, and Allied Disciplines*, 52(7), 761-771. doi:10.1111/j.1469-7610.2010.02333.x.
- Lieb, K., Zanarini, M. C., Schmahl, C., Linehan, M. M., & Bohus, M. (2004). Borderline personality disorder. *The Lancet*, 364(9432), 453-461. doi:10.1016/s0140-6736(04)16770-6.
- Lieberman, M. D., & Cunningham, W. A. (2009). Type I and Type II error concerns in fMRI research: rebalancing the scale. *Social Cognitive and Affective Neuroscience*, 4(4), 423-428. doi:10.1093/scan/nsp052.
- Lindström, B. R., & Bohlin, G. (2012). Threat-relevance impairs executive functions: negative impact on working memory and response inhibition. *Emotion*, 12(2), 384-393. doi:10.1037/a0027305.
- Linehan, M. M. (1993). *Cognitive-Behavioural Treatment of Borderline Personality Disorder*. New York: Guilford Press.
- Linehan, M. M., Bohus, M., & Lynch, T. R. (2007). Dialectical Behavior Therapy for Pervasive Emotion Dysregulation: Theoretical and Practical Underpinnings. In J. J. Gross (Ed.). *Handbook of Emotion Regulation* (pp. 581-605). New York: Guilford Publications.
- Linehan, M. M., Korslund, K. E., Harned, M. S., Gallop, R. J., Lungu, A., Neacsu, A. D., ... Murray-Gregory, A. M. (2015). Dialectical behavior therapy for high suicide risk in individuals with borderline personality disorder: a randomized clinical trial and component analysis. *JAMA Psychiatry*, 72(5), 475-482. doi:10.1001/jamapsychiatry.2014.3039.
- Lis, S., & Bohus, M. (2013). Social interaction in borderline personality disorder. *Current Psychiatry Reports*, 15(2), 338. doi:10.1007/s11920-012-0338-z.
- Lis, E., Greenfield, B., Henry, M., Guile, J. M., & Dougherty, G. (2007). Neuroimaging and genetics of borderline personality disorder: a review. *Journal of Psychiatry Neuroscience*, 32(3), 162-173.
- Loeffler-Stastka, H., Szerencsics, M., & Blueml, V. (2009). Dissociation, trauma, affect regulation and personality in patients with a borderline personality organization. *Bulletin of the Menninger Clinic*, 73(2), 81-98. doi:10.1521/bumc.2009.73.2.81.
- Loranger, A.W. (1999). *International Personality Disorder Examination (IPDE): DSM-IV and ICD-10 modules*. Odessa, FL: Psychological Assessment Resources.
- Ludaescher, P., Bohus, M., Lieb, K., Philipsen, A., Jochims, A., & Schmahl, C. (2007). Elevated pain thresholds correlate with dissociation and aversive arousal in patients with borderline personality disorder. *Psychiatry Research*, 149(1-3), 291-296. doi:10.1016/j.psychres.2005.04.009.
- Ludaescher, P., Valerius, G., Stiglmayr, C., Mauchnik, J., Lanius, R.A., Bohus, M., & Schmahl, C. (2010). Pain sensitivity and neural processing during dissociative states in patients with borderline personality disorder with and without comorbid posttraumatic stress disorder: a pilot study. *Journal of Psychiatry & Neuroscience*, 35(3), 177-184. doi:10.1503/jpn.090022.
- Lupien, S. J., Gillin, C. J., & Hauger, R. L. (1999). Working memory is more sensitive than declarative memory to the acute effects of corticosteroids: a dose-response study in humans. *Behavioral Neuroscience*, 113(3), 420-430. doi:10.1037/0735-7044.113.3.420.
- Lupien, S. J., Maheu, F., Tu, M., Fiocco, A., & Schramek, T. E. (2007). The effects of stress and stress hormones on human cognition: Implications for the field of brain and cognition. *Brain and Cognition*, 65(3), 209-237. doi:10.1016/j.bandc.2007.02.007.

- Lynch, T. R., Rosenthal, M. Z., Kosson, D. S., Cheavens, J. S., Lejuez, C. W., & Blair, R. J. (2006). Heightened sensitivity to facial expressions of emotion in borderline personality disorder. *Emotion*, 6(4), 647-655. doi:10.1037/1528-3542.6.4.647.
- Lynum, L. I., Wilberg, T., & Karterud, S. (2008). Self-esteem in patients with borderline and avoidant personality disorders. *Scandinavian Journal of Psychology*, 49(5), 469-477. doi:10.1111/j.1467-9450.2008.00655.x.
- Machielsen, W. C., Rombouts, S. A., Barkhof, F., Scheltens, P., & Witter, M. P. (2000). fMRI of visual encoding: reproducibility of activation. *Human Brain Mapping*, 9(3), 156-164. doi:10.1002/(SICI)1097-0193(200003)9:3<156::AID-HBM4>3.0.CO;2-Q.
- MacLeod, C., Rutherford, E., Campbell, L., Ebsworthy, G., & Holker, L. (2002). Selective attention and emotional vulnerability: assessing the causal basis of their association through the experimental manipulation of attentional bias. *Journal of Abnormal Psychology*, 111(1), 107-123. doi:10.1037/0021-843X.111.1.107.
- Majerus, S., Poncelet, M., Van der Linden, M., Albouy, G., Salmon, E., Sterpenich, V., ... Maquet, P. (2006). The left intraparietal sulcus and verbal shortterm memory: focus of attention or serial order? *NeuroImage*, 32(2), 880-891. doi:10.1016/j.neuroimage.2006.03.048.
- Maier, S., Szalkowski, A., Kamphausen, S., Perlov, E., Feige, B., Blechert, J., ... Tüscher, O. (2012). Clarifying the role of the rostral dmPFC/dACC in fear/anxiety: learning, appraisal or expression? *PLoS One*, 7(11), e50120. doi: 10.1371/journal.pone.0050120.
- Maier-Hein, K. H., Brunner, R., Lutz, K., Henze, R., Parzer, P., Feigl, N., ... Stieltjes, B. (2014). Disorder-specific white matter alterations in adolescent borderline personality disorder. *Biological Psychiatry*, 75(1), 81-8. doi:10.1016/j.biopsych.2013.03.031.
- Mak, A. D., & Lam, L. C. (2013) Neurocognitive profiles of people with borderline personality disorder. *Current Opinions in Psychiatry*, 26(1), 90-96. doi:10.1097/YCO.0b013e32835b57a9.
- Margulies, D. S., Kelly, A. M., Uddin, L. Q., Biswal, B. B., Castellanos, F. X., & Milham, M. P. (2007). Mapping the functional connectivity of anterior cingulate cortex. *NeuroImage*, 37(2), 579-588. doi:10.1016/j.neuroimage.2007.05.019.
- Markowitz, J. C. (2005). Interpersonal therapy of personality disorders. In J. M. Oldham, A. E. Skodol, & B. S. Bender (Eds.), *Textbook of Personality Disorders* (pp. 321-334). Washington, DC: American Psychiatric Press.
- Marmar, C. R., Weiss, D. S., & Metzler, T. J. (1998). Peritraumatic Dissociation and Posttraumatic Stress Disorder. In J. D. Bremner & C. R. Marmar (Eds.), *Trauma, Memory and Dissociation* (pp. 229-247). Washington, DC: American Psychiatric Press, Inc.
- Martín-Blanco, A., Ferrer, M., Soler, J., Arranz, M. J., Vega, D., Calvo, N., ... Pascual, J. C. (2016). The role of hypothalamus-pituitary-adrenal genes and childhood trauma in borderline personality disorder. European Archives of Psychiatry and Clinical Neuroscience, 266(4), 307-316. doi: 10.1007/s00406-015-0612-2.
- Mathews, A., & MacLeod, C. (1985). Selective processing of threat cues in anxiety states. *Behaviour Research and Therapy*, 23(5), 563-569. doi:10.1016/0005-7967(85)90104-4.
- Mauchnik, J., & Schmahl, C. (2010). The latest neuroimaging findings in borderline personality disorder. *Current Psychiatry Reports*, 12(1), 46-55. doi:10.1007/s11920-009-0089-7.
- McCloskey, M. S., New, A. S., Siever, L. J., Goodman, M., Koenigsberg, H. W., Flory, J. D., & Coccaro, E. F. (2009). Evaluation of behavioral impulsivity and aggression tasks as endophenotypes for borderline personality disorder. *Journal of Psychiatr Research*, 43(12), 1036-1048. doi:10.1016/j.jpsychires.2009.01.002.
- McGaugh, J. (2004). The amygdala modulates the consolidation of memories of emotionally arousing experiences. *Annual Reviews: Neuroscience*, 27, 1-28. doi:10.1146/annurev.neuro.27.070203.144157.
- McLaren, D. G., Ries, M. L., Xu, G., & Johnson, S. C. (2012). A generalized form of context-dependent psychophysiological interactions (gPPI): a comparison to standard approaches. *NeuroImage*, 61(4), 1277-1286. doi:10.1016/j.neuroimage.2012.03.068.

- McRae, K., Hughes, B., Chopra, S., Gabrieli, J. D., Gross, J. J., & Ochsner, K. N. (2010). The neural bases of distraction and reappraisal. *Journal of Cognitive Neuroscience*, 22(2), 248–262. doi:10.1162/jocn.2009.21243.
- Meng, M., Cherian, T., Singal, G., & Sinah, P. (2012). Lateralization of face processing in the human brain. *Proceedings of the Royal Biological Society*, 279, 2052–2061. doi:10.1098/rspb.2011.1784.
- Menon, V. (2011). Large-scale brain networks and psychopathology: a unifying triple network model. *Trends in Cognitive Science*, 15(10): 483–506. doi:10.1016/j.tics.2011.08.003.
- Menon, V., & Uddin, L. Q. (2010). Saliency, switching, attention and control: a network model of insula function. *Brain Structure and Function*, 214(5–6), 655–667. doi:10.1007/s00429-010-0262-0.
- Mesulam, M. M. (1998). From sensation to cognition. *Brain*, 121(6), 1013–1052. doi:10.1093/brain/121.6.1013.
- Meyer-Lindenberg, A. (2008). Trust me on this. *Science*, 321(5890), 778–780. doi:10.1126/science.1162908.
- Michelson, L., Vives, A., Testa, S., Marchione, N., & June, K. (1998). The role of trauma and dissociation in cognitive-behavioral psychotherapy outcome and maintenance for panic disorder with agoraphobia. *Behaviour Research and Therapy*, 36(11), 1011–1050. doi:10.1016/S0005-7967(98)00073-4.
- Mier, D., Lis, S., Esslinger, C., Sauer, C., Hagenhoff, M., Ulferts, J., ... Kirsch, P. (2013). Neuronal correlates of social cognition in borderline personality disorder. *Social Cognitive and Affective Neuroscience*, 8(5), 531–537. doi:10.1093/scan/nss028.
- Miller, E. K. (2000). The prefrontal cortex and cognitive control. *Nature Reviews. Neuroscience*, 1(1), 59–65. doi:10.1038/35044578.
- Mincic, A.M. (2010). Neural substrate of the cognitive and emotional interference processing in healthy adolescents. *Acta Neurobiologiae Experimentalis*, 70(4), 406–422.
- Minzenberg, M. J., Fan, J., New, A. S., Tang, C.Y., & Siever, L. J. (2007). Fronto-limbic dysfunction in response to facial emotion in Functional connectivity in borderline personality disorder 11 borderline personality disorder: an event-related fMRI study. *Psychiatry Research*, 155(3), 231–243. doi:10.1016/j.psychresns.2007.03.006.
- Minzenberg, M. J., Poole, J. H., & Vinogradov, S. (2008). A neurocognitive model of borderline personality disorder: effects of childhood sexual abuse and relationship to adult social attachment disturbance. *Development and Psychopathology*, 20(1), 341–368. doi:10.1017/S0954579408000163.
- Mitchell, D. G., Luo, Q., Mondillo, K., Vythilingam, M., Finger, E. C., & Blair R. J. (2008). The interference of operant task performance by emotional distractors: an antagonistic relationship between the amygdala and frontoparietal cortices. *NeuroImage*, 40(2), 859–868. doi:10.1016/j.neuroimage.2007.08.002.
- Moeller, F. G., Barratt, E. S., Dougherty, D. M., Schmitz, J. M., & Swann, A. C. (2001). Psychiatric aspects of impulsivity. *American Journal of Psychiatry*, 158(11), 1783–1793. doi:10.1176/appi.ajp.158.11.1783.
- Molapour, T., Golkar, A., Navarrete, C. D., Haaker, J., & Olsson, A. (2015). Neural correlates of biased social fear learning and interaction in an intergroup context. *NeuroImage*, 121, 171–183. doi:10.1016/j.neuroimage.2015.07.015.
- Morey, R. A., Dolcos, F., Petty, C. M., Cooper, D. A., Hayes, J. P., LaBar, K. S., & McCarthy, G. (2009). The role of trauma-related distractors on neural systems for working memory and emotion processing in posttraumatic stress disorder. *Journal of Psychiatric Research*, 43(8), 809–817. doi:10.1016/j.jpsychires.2008.10.014.
- Moritz, S., Schilling, L., Wingenfeld, K., Kother, U., Wittekind, C., Terfehr, K., & Spitzer, C. (2011). Psychotic-like cognitive biases in borderline personality disorder. *Journal of Behavior Therapy and Experimental Psychiatry*, 42(3), 349–354. doi:10.1016/j.jbtep.2011.02.003.
- Murphy, K., Birn, R. M., Handwerker, D. A., Jones, T. B., & Bandettini, P. A. (2009). The impact of global signal regression on resting state correlations: are anti-correlated networks introduced? *NeuroImage*, 44(3), 893–905. doi:10.1016/j.neuroimage.2008.09.036.

- Mylius, V., Ayache, S. S., Ahdab, R., Farhat, W. H., Zouari, H. G., Belke, M., ... Lefaucheur, J. P. (2013). Definition of DLPFC and M1 according to anatomical landmarks for navigated brain stimulation: inter-rater reliability, accuracy, and influence of gender and age. *NeuroImage*, 78, 224–232. doi:10.1016/j.neuroimage.2013.03.061.
- Naoum, J., Reitz, S., Krause-Utz, A., Kleindienst, N., Willis, F., Kuniss, S., ..., Schmahl, C. Psychiatry Research (2016). The role of seeing blood in non-suicidal self-injury in female patients with borderline personality disorder. *Psychiatry Research*, 246, 676-682. doi: 10.1016/j.psychres.2016.10.066.
- Nardo, D., Hogberg, G., Lanius, R. A., Jacobsson, H., Jonsson, C., Hällström, T., & Pagani, M. (2013). Gray matter volume alterations related to trait dissociation in PTSD and traumatized controls. *Acta Psychiatrica Scandinavica*, 128(3), 222-233. doi:10.1111/acps.12026.
- Nee, D. E., Wager, T. D., & Jonides, J. (2007). Interference resolution: insights from a meta-analysis of neuroimaging tasks. *Cognitive, Affective & Behavioral Neuroscience*, 7(1), 1–17. doi:10.3758/CABN.7.1.1.
- Nesse, R. M. (1999). Proximate and evolutionary studies of anxiety, stress and depression: synergy at the interface. *Neuroscience and Biobehavioral Reviews*, 23(7), 895-903.
- Neumann, J., Fox, P. T., Turner, R., & Lohmann, G. (2010). Learning partially directed functional networks from meta-analysis imaging data. *NeuroImage*, 49(2), 1372–1384. doi:10.1016/j.neuroimage.2009.09.056.
- New, A. S., Carpenter, D. M., Perez-Rodriguez, M. M., Ripoll, L. H., Avedon, J., Patil, U.,... Goodman, M. (2013). Developmental differences in diffusion tensor imaging parameters in borderline personality disorder. *Journal of Psychiatric Research*, 47(8), 1101–1109. doi:10.1016/j.jpsychires.2013.03.021.
- New, A. S., Hazlett, E. A., Buchsbaum, M. S., Goodman, M., Mitelman, S. A., Newmark, R., ... Siever, L. J. (2007). Amygdala-prefrontal disconnection in borderline personality disorder. *Neuropsychopharmacology*, 32(7), 1629–1640. doi:10.1038/sj.npp.1301283.
- New, A. S., Hazlett, E. A., Newmark, R. E., Zhang, J., Triebwasser, J., Meyerson, D., ... Buchsbaum, M. S. (2009). Laboratory induced aggression: a positron emission tomography study of aggressive individuals with borderline personality disorder. *Biological Psychiatry*, 66(12), 1107–1114. doi:10.1016/j.biopsych.2009.07.015.
- New, A., Perez-Rodriguez, M., & Ripoll, L. H. (2012). Neuroimaging and borderline personality disorder. *Psychiatric Annals*, 42(2), 65-71. doi:10.3928/00485713-20120424-07.
- Nichols, T. E., Das, S., Eickhoff, S. B., Evans, A. C., Glatard, T., Hanke, M., ... Yeo, B. T. (2017). Best practices in data analysis and sharing in neuroimaging using MRI. *Nature Neuroscience*, 20(3), 299-303. doi: 10.1038/nn.4500.
- Nicholson, A. A., Densmore, M., Frewen, P. A., Théberge, J., Neufeld, R. W., McKinnon, M. C., & Lanius, R. A. (2015). The Dissociative Subtype of Posttraumatic Stress Disorder: Unique Resting-State Functional Connectivity of Basolateral and Centromedial Amygdala Complexes. *Neuropsychopharmacology*, 40(10), 2317-2326. doi:10.1038/npp.2015.79.
- Niedtfeld I., Kirsch P., Schulze L., Herpertz S. C., Bohus M., & Schmahl C. (2012). Functional connectivity of pain-mediated affect regulation in borderline personality disorder. *PLoS ONE*, 7(3), e33293. doi:10.1371/journal.pone.0033293.
- Niedtfeld, I., Schulze, L., Kirsch, P., Herpertz, S. C., Bohus, M., & Schmahl, C. (2010). Affect regulation and pain in borderline personality disorder: a possible link to the understanding of self-injury. *Biological Psychiatry*, 68(4), 383–391. doi:10.1016/j.biopsych.2010.04.015.
- Niedtfeld, I., Schulze, L., Krause-Utz, A., Demirakca, T., Bohus, M., & Schmahl, C. (2013). Voxel-based morphometry in women with borderline personality disorder with and without comorbid posttraumatic stress disorder. *PLoS One*, 8(6):e65824. doi:10.1371/journal.pone.0065824.
- Niendam, T. A., Laird, A. R., Ray, K. L., Dean, Y. M., Glahn, D. C., & Carter, C. S. (2012). Meta-analytic evidence for a superordinate cognitive control network subserving diverse executive functions. *Cognitive, Affective & Behavioral Neuroscience*, 12(2), 241–268. doi:10.3758/s13415-011-0083-5.

- Nijenhuis, E. R. S., Spinhoven, P., van Dyck, R., van der Hart, O., & Vanderlinden, J. (1998). Degree of somatoform and psychological dissociation in dissociative disorder is correlated with reported trauma. *Journal of Traumatic Stress, 11*(4), 711-730. doi:10.1023/A:1024493332751.
- Nobre, A. C., Allison, T., & McCarthy, G. (1994). Word recognition in the human inferior temporal lobe. *Nature, 372*(6503), 260-263. doi:10.1038/372260a0.
- Nooner, K. B., Mennes, M., Brown, S., Castellanos, F. X., Leventhal, B., Milham, M. P., & Colcombe, S. J. (2013). Relationship of trauma symptoms to amygdala-based functional brain changes in adolescents. *Journal of Traumatic Stress, 26*(6), 784-787. doi:10.1002/jts.21873.
- Nunes, P. M., Wenzel, A., Borges, K. T., Porto, C. R., Caminha, R. M., & de Oliveira, I. R. (2009). Volumes of the hippocampus and amygdala in patients with borderline personality disorder: a meta-analysis. *Journal of Personality Disorders, 23*(4), 333-345. doi:10.1521/pedi.2009.23.4.333.
- Ochsner K. N., & Gross, J. J. (2005). The cognitive control of emotion. *Trends in Cognitive Science, 9*(5), 242-249. doi:10.1016/j.tics.2005.03.010.
- Ochsner, K. N., & Gross, J. J. (2007). The neural architecture of emotion regulation. In J. J. Gross & R. Buck (Eds.), *The Handbook of Emotion Regulation* (pp. 87-109). New York, NY: Guilford Press.
- Ochsner, K. N., Bunge, S. A., Gross, J. J., & Gabrieli, J. D. (2002). Rethinking feelings: an fMRI study of the cognitive regulation of emotion. *Journal of Cognitive Neuroscience, 14*(8), 1215-1229. doi:10.1162/089892902760807212.
- Ochsner, K. N., Ray, R. D., Cooper, J. C., Robertson, E. R., Chopra, S., Gabrieli, J. D., & Gross, J. J. (2004). For better or for worse: neural systems supporting the cognitive down- and up-regulation of negative emotion. *NeuroImage, 23*(2):483-99. doi:10.1016/j.neuroimage.2004.06.030.
- Ochsner, K. N., Silvers, J. A., & Buhle, J. T. (2012). Functional imaging studies of emotion regulation: a synthetic review and evolving model of the cognitive control of emotion. *Annals of the New York Academy of Science, 1251*, E1-E24. doi:10.1111/j.1749-6632.2012.06751.x.
- Oei, N. Y., Tollenaar, M. S., Elzinga, B. M., & Spinhoven, P. (2010). Propranolol reduces emotional distraction in working memory: a partial mediating role of propranolol-induced cortisol increases? *Neurobiology of Learning and Memory, 93*(3), 388-395. doi:10.1016/j.nlm.2009.12.005.
- Oei, N. Y., Tollenaar, M. S., Spinhoven, P., & Elzinga, B. M. (2009). Hydrocortisone reduces emotional distracter interference in working memory. *Psychoneuroendocrinology, 34*(9), 1284-1293. doi:10.1016/j.psyneuen.2009.03.015.
- Oei, N. Y., Veer, I. M., Wolf, O. T., Spinhoven, P., Rombouts, S. A., & Elzinga, B. M. (2012). Stress shifts brain activation towards ventral "affective" areas during emotional distraction. *Social Cognitive and Affective Neuroscience, 7*(4), 403-412. doi:10.1093/scan/nsr024.
- Ogawa, S., Lee, T., Kay, A., & Tank, D. (1990). Brain magnetic resonance imaging with contrast dependent on blood oxygenation. *Proceedings of the National Academy of Sciences USA, 87*(24), 9868-9872.
- Ogawa, J. R., Sroufe, L. A., Weinfield, N. S., Carlson, E. A., & Egeland, B. (1997). Development and the fragmented self: longitudinal study of dissociative symptomatology in a nonclinical sample. *Development and Psychopathology, 9*(4), 855-879.
- Ogawa, S., Tank, D. W., Menon, R., Ellermann, J. M., Kim, S. G., Merkle, H., & Ugurbil K. (1992). Intrinsic signal changes accompanying sensory stimulation: functional brain mapping with magnetic resonance imaging. *Proceedings of the National Academy of Sciences USA, 89*(13), 5951-5955.
- Ohman, A., Flykt, A., & Esteves, F. (2001). Emotion drives attention: detecting the snake in the grass. *Journal of Experimental Psychology: General, 130*(3), 466-478.
- O'Neill, A., & Frodl, T. (2012). Brain structure and function in borderline personality disorder. *Brain Structure and Function, 217*(4), 767-782. doi:10.1007/s00429-012-0379-4.

- O'Neill, A., D'Souza, A., Carballido, A., Joseph, S., Kerskens, C., & Frodl, T. (2013) Magnetic resonance imaging in patients with borderline personality disorder: a study of volumetric abnormalities. *Psychiatry Research*, 213(1), 1–10. doi:10.1016/j.psychresns.2013.02.006.
- O'Reilly, J. X., Woolrich, M. W., Behrens, T. E., Smith, S. M., & Johansen-Berg, H. (2012). Tools of the trade: psychophysiological interactions and functional connectivity. *Social Cognitive and Affective Neuroscience*, 7(5), 604–609. doi:10.1093/scan/nss055.
- OVAYSIKIA, S., Tahir, K. A., Chan, J. L., & DeSouza, J. F. (2011). Word wins over face: emotional Stroop effect activates the frontal cortical network. *Frontiers in Human Neuroscience*, 4, 234. doi:10.3389/fnhum.2010.00234.
- Owen, A. M., McMillan, K. M., Laird, A. R., & Bullmore, E. (2005). N-back working memory paradigm: a meta-analysis of normative functional neuroimaging studies. *Human Brain Mapping*, 25(1), 46–59. doi:10.1002/hbm.20131.
- Packard, M. G., & Knowlton, B. J. (2002). Learning and memory functions of the basal ganglia. *Annual Review of Neuroscience*, 25, 563–593. doi:10.1146/annurev.neuro.25.112701.142937.
- Pammer, K., Hansen, P. C., Kringselbach, M. L., Holliday, I., Barnes, G., Hillebrand, A., ... Cornelissen, P. L. (2004). Visual word recognition: the first half second. *NeuroImage*, 22(), 1819–1825. doi:10.1016/j.neuroimage.2004.05.004.
- Panos, P. T., Jackson, J. W., Hasan, O., & Panos, A. (2014). Meta-analysis and systematic review assessing the efficacy of dialectical behavior therapy (DBT). *Research on Social Work Practice*, 24, 213–223. DOI: 10.1177/1049731513503047
- Paret, C., Brenninkmeyer, J., Meyer, B., Yuen, K. S., Gartmann, N., Mechias, M. L., & Kalisch, R. (2011). A test for the implementation-maintenance model of reappraisal. *Frontiers in Psychology*, 2, 216. doi:10.3389/fpsyg.2011.00216.
- Paret, C., Klütsch, R., Zaehringer, J., Ruf, M., Demirkaya, T., Bohus, M., ... Schmahl, C. (2016). Alterations of amygdala-prefrontal connectivity with real-time fMRI neurofeedback in BPD patients. *Social Cognitive and Affective Neuroscience*, 11(6), 952–960. doi:10.1093/scan/nsw016.
- Patton, J., Stanford, M., & Barratt, E. (1995). Factor structure of the Barratt Impulsiveness Scale. *Journal of Clinical Psychology*, 51(6), 768–774.
- Perez-Rodriguez, M. M., Hazlett, E. A., Rich, E. L., Ripoll, L. H., Weiner, D. M., Spence, N., ... New, A. S. (2012). Striatal activity in borderline personality disorder with comorbid intermittent explosive disorder: sex differences. *Journal of Psychiatric Research*, 46(6), 797–804. doi:10.1016/j.jpsychires.2012.02.014.
- Perez-Rodriguez, M. M., Weinstein, S., New, A. S., Bevilacqua, L., Yuan, Q., Zhou, Z., ... Siever, L. J. (2010). Tryptophan-hydroxylase 2 haplotype association with borderline personality disorder and aggression in a sample of patients with personality disorders and healthy controls. *Journal of Psychiatric Research*, 44(15), 1075–1081. doi:10.1016/j.jpsychires.2010.03.014.
- Perlstein, W. M., Elbert, T., & Stenger, V. A. (2002). Dissociation in human prefrontal cortex of affective influences on working memory-related activity. *Proceedings of the National Academy of Sciences USA*, 99(3), 1736–1741. doi:10.1073/pnas.241650598.
- Pessoa, L. (2008). On the relationship between emotion and cognition. *Nature Reviews. Neuroscience*, 9(2), 148–158. doi:10.1038/nrn2317.
- Pessoa, L. (2010). Emergent processes in cognitive-emotional interactions. *Dialogues in Clinical Neuroscience*, 12(4), 433–448.
- Pessoa, L., Padmala, S., Kenzer, A., & Bauer, A. (2012). Interactions between cognition and emotion during response inhibition. *Emotion*, 12(1), 192–197. doi:10.1037/a0024109.
- Pessoa, L., McKenna, M., Gutierrez, E., & Ungerleider, L. G. (2002). Neural processing of emotional faces requires attention. *Proceedings of the National Academy of Sciences USA*, 99(17), 11458–11463. doi:10.1073/pnas.172403899.

- Petersen, S. E., & Posner, M. I. (2012). The attention system of the human brain: 20 years after. *Annual Reviews of Neuroscience*, 35, 73–89. doi:10.1146/annurev-neuro-062111-150525.
- Pieper, S., Out, D., Bakermans-Kranenburg, M. J., & van IJzendoorn, M. H. (2011). Behavioral and molecular genetics of dissociation: the role of the serotonin transporter gene promoter polymorphism (5-HTTLPR). *Journal of Traumatic Stress*, 24(4), 373–380. doi: 10.1002/jts.20659.
- Phan, K. L., Fitzgerald, D. A., Nathan, P. J., Moore, G. J., Uhde, T. W., & Tancer, M. E. (2005). Neural substrates for voluntary suppression of negative affect: a functional magnetic resonance imaging study. *Biological Psychiatry*, 57(3), 210–219. doi:10.1016/j.biopsych.2004.10.030.
- Phan, K. L., Wager, T., Taylor, S. F., & Liberzon, I. (2002). Functional neuroanatomy of emotion: a meta-analysis of emotion activation studies in PET and fMRI. *NeuroImage*, 16(2), 331–348. doi:10.1006/nimg.2002.1087.
- Phan, K. L., Wager, T. D., Taylor, S. F., & Liberzon, I. (2004). Functional neuroimaging studies of human emotions. *CNS Spectrums*, 9(4), 258–266.
- Phelps, E. A. (2004). Human emotion and memory: interactions of the amygdala and hippocampal complex. *Current Opinion in Neurobiology*, 14, 198–202. doi:10.1016/j.conb.2004.03.015.
- Philipsen, A., Limberger, M. F., Lieb, K., Feige, B., Kleindiest, N., Ebner-Priemer, U., ... Bohus, M. (2008). Attention-deficit hyperactivity disorder as a potentially aggravating factor in borderline personality disorder. *British Journal of Psychiatry*, 192(2), 118–123. doi:10.1192/bjp.bp.107.035782.
- Phillips, M. L., Drevets, W. C., Rauch, S. L., & Lane, R. (2003). Neurobiology of emotion perception I: The neural basis of normal emotion perception. *Biological Psychiatry*, 54(5), 504–514. doi:10.1016/S0006-3223(03)00171-9.
- Phillips, M. L., Medford, N., Senior, C., Bullmore, E. T., Suckling, J., Brammer, M. J., ... David, A. S. (2001). Depersonalization disorder: thinking without feeling. *Psychiatry Research*, 108(3), 145–160. doi:10.1016/S0927-4927(01)00119-6.
- Phillips, M. L., & Sierra, M. (2003). Depersonalization disorder: a functional neuroanatomical perspective. *Stress*, 6(3), 157–165. doi:10.1080/1025389031000138538.
- Pietrek, C., Elbert, T., Weierstall, R., Müller, O., & Rockstroh, B. (2013). Childhood adversities in relation to psychiatric disorders. *Psychiatry Research*, 206(1), 103–110. doi: 10.1016/j.psychres.2012.11.003.
- Posner, M. I., & Rothbart, M. K. (2002). Attention, self-regulation, and consciousness In J. T. Cacioppo, G. G. Berntson, et al. (Eds.), *Foundations in social neuroscience: Social neuroscience series* (pp. 189–243). Cambridge, MA: MIT Press.
- Prehn, K., Schulze, L., Rossmann, S., Berger, C., Vohs, K., Fleischer, M., ... Herpertz, S. C. (2013). Effects of emotional stimuli on working memory processes in male criminal offenders with borderline and antisocial personality disorder. *World Journal of Biological Psychiatry*, 14(1), 71–78. doi:10.3109/15622975.2011.584906.
- Prossin, A. R., Love, T. M., Koeppe, R. A., Zubiena, J.-K., & Silk, K. R. (2010). Dysregulation of regional endogenous opioid function in borderline personality disorder. *American Journal of Psychiatry*, 167(8), 925–933. doi:10.1176/appi.ajp.2010.09091348.
- Qin, S., Duan, X., Supekar, K., Chen, H., Chen, T., & Menon, V. (2016). Large-scale intrinsic functional network organization along the long axis of the human medial temporal lobe. *Brain Structure and Function*, 221(6), 3237–58. doi:10.1007/s00429-015-1098-4.
- Rabinak, C. A., Angstadt, M., Welsh, R. C., Kenndy, A. E., Lyubkin, M., Martis, B., & Phan, K. L. (2011). Altered amygdala resting-state functional connectivity in post-traumatic stress disorder. *Frontiers in Psychiatry*, 2, 62. doi:10.3389/fpsyg.2011.00062.
- Radaelli, D., Poletti, S., Dallaspezia, S., Colombo, C., Smeraldi, E., & Benedetti, F. (2012). Neural responses to emotional stimuli in comorbid borderline personality disorder and bipolar depression. *Psychiatry Research*, 203(1), 61–66. doi:10.1016/j.psychresns.2011.09.010.

- Radua, J., Phillips, M. L., Russell, T., Lawrence, N., Marshall, N., Kalidindi, S., ... Surguladze, S. A. (2010). Neural response to specific components of fearful faces in healthy and schizophrenic adults. *NeuroImage*, 49(1), 939–946. doi:10.1016/j.neuroimage.2009.08.030.
- Raichle, M. E., MacLeod, A. M., Snyder, A. Z., Powers, W. J., Gusnard, D. A., & Shulman, G. L. (2001). A default mode of brain function. *Proceedings of the National Academy of Sciences USA*, 98(2), 676–682. doi:10.1073/pnas.98.2.676.
- Ramnani, N., & Owen, A. M. (2004). Anterior prefrontal cortex: insights into function from anatomy and neuroimaging. *Nature Reviews Neuroscience*, 5, 184–194. doi:10.1038/nrn1343.
- Ravizza, S. M., Delgado, M. R., Chein, J. M., Becker, J. T., & Fiez, J. A. (2004). Functional dissociations within the inferior parietal cortex in verbal working memory. *NeuroImage*, 22(2), 562–573. doi:10.1016/j.neuroimage.2004.01.039.
- Rauss, K. S., Pourtois, G., Vuilleumier, P., & Schwartz, S. (2009). Attentional load modifies early activity in human primary visual cortex. *Human Brain Mapping*, 30(5), 1723–1733. doi:10.1002/hbm.20636.
- Reichborn-Kjennerud, T., Ystrom, E., Neale, M. C., Aggen, S. H., Mazzeo, S. E., Knudsen, G. P., ... Kendler, K. S. (2013). Structure of genetic and environmental risk factors for symptoms of DSM-IV borderline personality disorder. *JAMA Psychiatry*, 70(11), 1206–1214. doi:10.1001/jamapsychiatry.2013.1944.
- Reinders, A. A., Nijenhuis, E. R., Quak, J., Korf, J., Haaksma, J., Paans, A. M., ... den Boer, J. A. (2006). Psychobiological characteristics of dissociative identity disorder: a symptom provocation study. *Biological Psychiatry*, 60(7), 730–40. doi:10.1016/j.biopsych.2005.12.019.
- Reinders, A. A., Willemse, A. T., den Boer, J. A., Vos, H. P., Veltman, D. J., & Loewenstein, R. J. (2014). Opposite brain emotion-regulation patterns in identity states of dissociative identity disorder: a PET study and neurobiological model. *Psychiatry Research*, 223(3), 236–243. doi:10.1016/j.psychresns.2014.05.005.
- Reitz, S., Krause-Utz, A., Pogatzki-Zahn, E. M., Ebner-Priemer, U., Bohus, M., & Schmahl, C. (2012). Stress regulation and incision in borderline personality disorder – a pilot study modelling cutting behaviour. *Journal of Personality Disorders*, 26(4), 605–615. doi:10.1521/pedi.2012.26.4.605.
- Reitz, S., Kluetsch, R., Niedtfeld, I., Knorz, T., Lis, S., Paret, C., ... Schmahl, C. (2015). Incision and stress regulation in borderline personality disorder: neurobiological mechanisms of self-injurious behaviour. *British Journal of Psychiatry*, 207(2), 165–172. doi:10.1192/bj.p.114.153379.
- Renneberg, B., Herm, K., Hahn, A., Staebler, K., Lammers, C. H., & Roecke, S. (2012). Perception of social participation in borderline personality disorder. *Clinical Psychology & Psychotherapy*, 19(6), 473–480. doi:10.1002/cpp.772.
- Resick, P. A., & Schnicke, M. K. (1993). *Cognitive processing therapy for rape victims: A treatment manual*. Newbury Park, CA: Sage.
- Reynolds, J. R., McDermott, K. B., & Braver, T. S. (2006). A direct comparison of anterior prefrontal cortex involvement in episodic retrieval and integration. *Cerebral Cortex*, 16(4), 519–528. doi:10.1093/cercor/bhi131.
- Richter-Levin, G., & Akirav, I. (2000). Amygdala-hippocampus dynamic interaction in relation to memory. *Molecular Neurobiology*, 22(1-3), 11–20. doi:10.1385/MN.
- Rodrigues, E., Wenzel, A., Ribeiro, M. P., Quarantini, L. C., Miranda-Scippa, A., de Sena, E. P., & de Oliveira, I. R. (2011). Hippocampal volume in borderline personality disorder with and without comorbid posttraumatic stress disorder: a meta-analysis. *European Psychiatry*, 26(7), 452–456. doi:10.1016/j.eurpsy.2010.07.005.
- Roelofs, K. (2017). Freeze for action: neurobiological mechanisms in animal and human freezing. *Philosophical Transactions of the Royal Society of London. Series B, Biological Science*, 372(1718). pii: 20160206. doi:10.1098/rstb.2016.0206.
- Roelofs, K., Keijsers, G. P., Hoogduin, K. A., Näring, G. W., & Moene, F. C. (2002). Childhood abuse in patients with conversion disorder. *American Journal of Psychiatry*, 159(11), 1908–1913. doi:10.1176/appi.ajp.159.11.1908

- Roelofs, K., Spinhoven, P., Sandijck, P., Moene, F. C., & Hoogduin, K. A. (2005). The impact of early trauma and recent life-events on symptom severity in patients with conversion disorder. *Journal of Nervous and Mental Disease*, 193(8), 508-514. doi:10.1007/s00112-005-0630-0.
- Roepke, S., Vater, A., Preißler, S., Heekeren, H. R., & Dziobek, I. (2013). Social cognition in borderline personality disorder. *Frontiers in Neuroscience*, 6, 195. doi:10.3389/fnins.2012.00195.
- Roesler, M., Retz-Junginger, P., Retz, W., & Stieglitz, R. D. (2008). [Homburger ADHS-Skalen für Erwachsene (HASE)]. Manual [in German]. Göttingen: Hogrefe.
- Rosenthal, M. Z., Gratz, K. L., Kosson, D. S., Cheavens, J. S., Lejuez, C. W., & Lynch, T. R. (2008). Borderline personality disorder and emotional responding: A review of the research literature. *Clinical Psychology Review*, 28(1), 75-91. doi:10.1016/j.cpr.2007.04.001.
- Ross-Gower, J., Waller, G., Tyson, M., & Elliott, P. (1998). Reported sexual abuse and subsequent psychopathology among women attending psychology clinics: the mediating role of dissociation. *British Journal of Clinical Psychology*, 37(Pt 3), 313-326.
- Rossi, R., Lanfredi, M., Pievani, M., Boccardi, M., Beneduce, R., Rillosi, L., ... Frisoni, G. B. (2012). Volumetric and topographic differences in hippocampal subdivisions in borderline personality and bipolar disorders. *Psychiatry Research*, 203(2-3), 132-138. doi:10.1016/j.psychresns.2011.12.004.
- Roy, A. K., Shehzad, Z., Margulies, D. S., Kelly, A. M., Uddin, L. Q., Gotimer, K., ... Milham, M. P. (2009). Functional connectivity of the human amygdala using resting state fMRI. *NeuroImage*, 45(2), 614-626. doi:10.1016/j.neuroimage.2008.11.030.
- Rueda, M. R., Posner, M. I., & Rothbart, M. K. (2005). The development of executive attention: contributions to the emergence of self-regulation. *Developmental Neuropsychology*, 28(2), 573-594. doi:10.1207/s15326942dn2802_2.
- Ruesch, N., Bracht, T., Kreher, B. W., Schnell, S., Glauche, V., Il'yasov, K. A., ... van Elst, L. T. (2010). Reduced interhemispheric structural connectivity between anterior cingulate cortices in borderline personality disorder. *Psychiatry Research*, 181(2), 151-154. doi:10.1016/j.psychresns.2009.08.004.
- Ruesch, N., Lieb, K., Gottler, I., Hermann, C., Schramm, E., Richter, H., ... Bohus, M. (2007). Shame and implicit self-concept in women with borderline personality disorder. *American Journal of Psychiatry*, 164(3), 500-508. doi:10.1176/ajp.2007.164.3.500.
- Ruesch, N., Weber, M., Il'yasov, K. A., Lieb, K., Ebert, D., Hennig, J., ... van Elst, T. J. (2007). Inferior frontal white matter microstructure and patterns of psychopathology in women with borderline personality disorder and comorbid attention-deficit hyperactivity disorder. *NeuroImage*, 35(2), 738-747. doi:10.1016/j.neuroimage.2006.12.007.
- Rufer, M., Held, D., Cremer, J., Fricke, S., Moritz, S., Peter, H., & Hand, I. (2006). Dissociation as a predictor of cognitive behavior therapy outcome in patients with obsessive-compulsive disorder. *Psychotherapy and Psychosomatics*, 75(1), 40-46. doi:10.1159/000089225.
- Ruocco, A. C. (2005). The neuropsychology of borderline personality disorder: a metaanalysis and review. *Psychiatry Research*, 137(3), 191-202. doi:10.1016/j.psychres.2005.07.004.
- Ruocco, A. C., Amirthavasagam, S., Choi-Kain, L. W., & McMain, S. F. (2013). Neural correlates of negative emotionality in borderline personality disorder: an activation-likelihood-estimation meta-analysis. *Biological Psychiatry*, 73(2), 153-160. doi:10.1016/j.biopsych.2012.07.014.
- Ruocco, A. C., Medaglia, J. D., Tinker, J. R., Ayaz, H., Forman, E. M., Newman, C. F., ... Chute, D. L. (2010). Medial prefrontal cortex hyperactivation during social exclusion in borderline personality disorder. *Psychiatry Research*, 181(3), 233-236. doi:10.1016/j.psychresns.2009.12.001.
- Saad, Z. S., Gotts, S. J., Murphy, K., Chen, G., Jo H. J., Martin, A., & Cox, R. W. (2012). Trouble at rest: how correlation patterns and group differences become distorted after global signal regression. *Brain Connectivity*, 2(1), 25-32. doi:10.1089/brain.2012.0080.

- Sakai, K., Ramnani, N., & Passingham, R. E. (2002). Learning of sequences of finger movements and timing: frontal lobe and action-oriented representation. *Journal of Neurophysiology*, 88(4), 2035-2046.
- Sala, M., Caverzasi, E., Lazzaretti, M., Morandotti, N., De Vidovich, G., Marraffini, E., ... Brambilla, P. (2011). Dorsolateral prefrontal cortex and hippocampus sustain impulsivity and aggressiveness in borderline personality disorder. *Journal of Affective Disorders*, 131(1-3), 417-421. doi:10.1016/j.jad.2010.11.036.
- Salavert, J., Gasol, M., Vieta, E., Cervantes, A., Trampal, C., & Gispert, J. D. (2011). Fronto-limbic dysfunction in borderline personality disorder: a 18 F-FDG positron emission tomography study. *Journal of Affective Disorders*, 131(1-3), 260-267. doi:10.1016/j.jad.2011.01.001.
- Salvador, R., Vega, D., Pascual, J. C., Marco, J., Canales-Rodríguez, E. J., Aguilar, S., ... Pomarol-Clotet, E. (2016). Converging Medial Frontal Resting State and Diffusion-Based Abnormalities in Borderline Personality Disorder. *Biological Psychiatry*, 79(2), 107-116. doi:10.1016/j.biopsych.2014.08.026.
- Sanfey, A. G., Rilling, J. K., Aronson, J. A., Nystrom, L. E., & Cohen, J. D. (2003). The neural basis of economic decision-making in the Ultimatum Game. *Science*, 300(5626), 1755-1758. doi:10.1126/science.1082976.
- Sar, V., Unal, S. N., & Ozturk, E. (2007). Frontal and occipital perfusion changes in dissociative identity disorder. *Psychiatry Research*, 156(3), 217-223. doi:10.1016/j.psychresns.2006.12.017
- Sato, J. R., de Araujo Filho, G. M., de Araujo, T. B., Bressan, R. A., de Oliveira, P. P., & Jackowski, A. P. (2012). Can neuroimaging be used as a support to diagnosis of borderline personality disorder? An approach based on computational neuroanatomy and machine learning. *Journal of Psychiatric Research*, 46(9), 1126-1132. doi:10.1016/j.jpsychires.2012.05.008.
- Schauer, M., & Elbert, T. (2010). Dissociation following traumatic stress: Etiology and treatment. *Journal of Psychology*, 218(2), 109-127. doi:10.1027/0044-3409/a000018.
- Scheiderer, E. M., Wood, P. K., & Trull, T. J. (2015). The comorbidity of borderline personality disorder and posttraumatic stress disorder: revisiting the prevalence and associations in a general population sample. *Borderline Personality Disorder and Emotion Dysregulation*, 2, 11. doi: 10.1186/s40479-015-0032-y.
- Scherpiet, S., Brühl, A. B., Opialla, S., Roth, L., Jäncke, L., & Herwig, U. (2014). Altered emotion processing circuits during the anticipation of emotional stimuli in women with borderline personality disorder. *European Archives of Psychiatry and Clinical Neuroscience*, 264(1), 45-60. doi:10.1007/s00406-013-0444-x.
- Schimmack, U. (2005). Attentional interference effects of emotional pictures: threat, negativity, or arousal? *Emotion*, 5(1), 55-66. doi: 10.1037/1528-3542.5.1.55.
- Schlumpf, Y. R., Reinders, A. A., Nijenhuis, E. R., Luechinger, R., van Osch, M. J., & Jancke, L. (2014). Dissociative part-dependent resting-state activity in dissociative identity disorder: a controlled fMRI perfusion study. *PLoS One*, 9(6), e98795. doi:10.1371/journal.pone.0098795.
- Schmahl, C., Bohus, M., Esposito, F., Treede, R. D., Di Salle, F., Greffrath, W., ... Seifritz, E. (2006). Neural correlates of antinociception in borderline personality disorder. *Archives in General Psychiatry*, 63(6), 659-667. doi:10.1001/archpsyc.63.6.659.
- Schmahl, C. G., Elzinga, B. M., Vermetten, E., Sanislow, C., McGlashan, T. H., & Bremner, J. D. (2003). Neural correlates of memories of abandonment in women with and without borderline personality disorder. *Biological Psychiatry*, 54(2), 142-151. doi:10.1016/S0006-3223(02)01720-1.
- Schmahl, C., Greffrath, W., Baumgartner, U., Schlereth, T., Magerl, W., Philipsen, A., ... Treede, R. D. (2004). Differential nociceptive deficits in patients with borderline personality disorder and self-injurious behavior: laserevoked potentials, spatial discrimination of noxious stimuli, and pain ratings. *Pain*, 110(1-2), 470-479. doi:10.1016/j.pain.2004.04.035.
- Schmahl, C., Herpertz, S. C., Bertsch, K., Ende, G., Flor, H., Kirsch, P., ... Bohus, M. (2014). Mechanisms of disturbed emotion processing and social interaction in borderline personality disorder: state of the art and research agenda of the German Clinical Research Unit. *Borderline Personality Disorder and Emotion Dysregulation*, 1, 12. doi:10.1186/2051-6673-1-12.

- Schmahl, C. G., Vermetten, E., Elzinga, B. M., & Bremner, J. D. (2004). A positron emission tomography study of memories of childhood abuse in borderline personality disorder. *Biological Psychiatry*, 55(7), 759–765. doi: 10.1016/j.biopsych.2003.11.007.
- Schnell, K., & Herpertz, S. C. (2007). Effects of dialectic-behavioral-therapy on the neural correlates of affective hyperarousal in borderline personality disorder. *Journal of Psychiatric Research*, 41(10), 837-847. doi: 10.1016/j.jpsychires.2006.08.011.
- Schulz, C. S., Camchong, J., Romine, A., Schlesinger, A., Kuskowski, M., Pardo, J. V., ... Lim, K. O. (2013). An exploratory study of the relationship of symptom domains and diagnostic severity to PET scan imaging in borderline personality disorder. *Psychiatry Research*, 214(2), 161–168. doi:10.1016/j.psychresns.2013.05.007.
- Schultz, J., & Lennert, T. (2009). BOLD signal in intraparietal sulcus covaries with magnitude of implicitly driven attention shifts. *NeuroImage*, 45(4), 1314-1328. doi: 10.1016/j.neuroimage.2009.01.012.
- Schulze, L., Domes, G., Krüger, A., Berger, C., Fleischer, M., Prehn, K., ... Herpertz, S. C. (2011). Neuronal correlates of cognitive reappraisal in borderline patients with affective instability. *Biological Psychiatry*, 69(6), 564–573. doi:10.1016/j.biopsych.2010.10.025.
- Schulze, L., Schmahl, C., & Niedtfeld, I. (2016). Neural Correlates of Disturbed Emotion Processing in Borderline Personality Disorder: A Multimodal Meta-Analysis. *Biological Psychiatry*, 79(2), 97-106. doi:10.1016/j.biopsych.2015.03.027.
- Schweizer, S., & Dalgleish, T. (2011). Emotional working memory capacity in posttraumatic stress disorder (PTSD). *Behaviour Research and Therapy* 49(8), 498–504. doi:10.1016/j.brat.2011.05.007.
- Schweizer, S., Grahn, J., Hampshire, A., Mobbs, D., & Dalgleish, T. (2013). Training the emotional brain: improving affective control through emotional working memory training. *Journal of Neuroscience*, 33(12), 5301–5311. doi:10.1523/JNEUROSCI.2593-12.2013.
- Sempertegui, G. A., Karreman, A., Arntz, A., & Bekker, M. H.. (2013). Schema therapy for borderline personality disorder: a comprehensive review of its empirical foundations, effectiveness and implementation possibilities. *Clinical Psychology Reviews*, 33(3), 426-447.
- Shapiro, F., & Maxfield, L. (2002) Eye Movement Desensitization and Reprocessing (EMDR): information processing in the treatment of trauma. *Journal of Clinical Psychology*, 58(8), 933-946. doi:10.1002/jclp.10068.
- Shapiro, F. (2010). EMDR and the adaptive information processing model: Integrative treatment and case conceptualization. *Clinical Social Work Journal*, 39(2), 191–200. doi:10.1007/s10615-010-0300-7.
- Shearer, S. L. (1994). Dissociative phenomena in women with borderline personality disorder. *American Journal of Psychiatry*, 151(9), 1324-1328. doi:10.1176/ajp.151.9.1324.
- Shehzad, Z., Kelly, A. M., Reiss, P. T., Gee, D. G., Gotimer, K., Uddin, ... Milham, M. P. (2009). The resting brain: unconstrained yet reliable. *Cerebral Cortex*, 19(10), 2209–2229. doi: 10.1093/cercor/bhn256.
- Sebastian, A., Jacob, G., Lieb, K., & Tüscher, O. (2013). Impulsivity in borderline personality disorder: a matter of disturbed impulse control or a facet of emotional dysregulation? *Current Psychiatry Reports*, 15(2), 339.
- Sebastian, A., Jung, P., Krause-Utz, A., Lieb, K., Schmahl, C., & Tüscher, O. (2014). Frontal dysfunctions of impulse control - a systematic review in borderline personality disorder and attention-deficit/hyperactivity disorder. *Frontiers in Human Neuroscience*, 8, 698. doi:10.3389/fnhum.2014.00698.
- Sedeno, L., Couto, B., Melloni, M., Canales-Johnson, A., Yoris, A., Baez, S., ... Ibanez, A. (2014). How do you feel when you can't feel your body? Interception, functional connectivity and emotional processing in depersonalization-derealization disorder. *PLoS One*, 9(6), e98769.
- Seeley, W. W., Menon, V., Schatzberg, A. F., Keller, J., Glover, G. H., Kenna, H., ... Greicius, M. D. (2007). Dissociable intrinsic connectivity networks for salience processing and executive control. *Journal of Neuroscience*, 27(9), 2349–2356. doi:10.1523/JNEUROSCI.5587-06.2007.

- Seger, C. A., & Cincotta, C. M. (2005). The roles of caudate nucleus in human classification learning. *Journal of Neuroscience*, 25(11), 2941–2951. doi:10.1523/JNEUROSCI.3401-04.2005.
- Sierra, M., & Berrios, G. E. (1998). Depersonalization: neurobiological perspectives. *Biological Psychiatry*, 44(9), 898–908. doi:10.1016/S0006-3223(98)00015-8.
- Sierra, M., Senior, C., Dalton, J., McDonough, M., Bond, A., Phillips, M. L., ... David, A. S. (2002). Autonomic response in depersonalization disorder. *Archives of General Psychiatry*, 59(9), 833-838. doi:10.1001/archpsyc.59.9.833.
- Sierra, M., Senior, C., Phillips, M. L., & David, A. S. (2006). Autonomic response in the perception of disgust and happiness in depersonalization disorder. *Psychiatry Research*, 145(2-3), 225-231. doi:10.1016/j.psychres.2005.05.022.
- Sieswerda, S., Arntz, A., Mertens, I., & Vertommen, S. (2007). Hypervigilance in patients with borderline personality disorder: specificity, automaticity, and predictors. *Behaviour Research and Therapy*, 45(5), 1011-1024. doi:10.1016/j.brat.2006.07.012.
- Silbersweig, D., Clarkin, J. F., Goldstein, M., Kernberg, O. F., Tuescher, O., Levy, K. N. ... Stern, E. (2007). Failure of frontolimbic inhibitory function in the context of negative emotion in borderline personality disorder. *American Journal of Psychiatry*, 164(12), 1832-1841. doi:10.1176/appi.ajp.2007.06010126.
- Simeon, D., Guralnik, O., Hazlett, E. A., Spiegel-Cohen, J., Hollander, E., & Buchsbaum, M. S. (2000). Feeling unreal: a PET study of depersonalization disorder. *American Journal of Psychiatry*, 157(11), 1782-1788. doi:10.1176/appi.ajp.157.11.1782.
- Simeon, D., Nelson, D., Elias, R., Greenberg, J., & Hollander, E. (2003). Relationship of personality to dissociation and childhood trauma in borderline personality disorder. *CNS Spectrums*, 8(10), 755-762.
- Simon, O., Mangin, J. F., Cohen, L., Le Bihan, D., & Dehaene, S. (2002). Topographical layout of hand, eye, calculation, and language-related areas in the human parietal lobe. *Neuron*, 33(3), 475-487. doi:10.1016/S0896-6273(02)00575-5.
- Skodol, A. E., Gunderson, J. G., McGlashan, T. H., Dyck, I. R., Stout RL, Bender, D. S.,... Oldham, J. M. (2002b). Functional impairment in patients with schizotypal, borderline, avoidant, or obsessive-compulsive personality disorder. *American Journal of Psychiatry*, 159(2), 276–283. doi:10.1176/appi.ajp.159.2.276.
- Skodol, A. E., Gunderson, J. G., Pfohl, B., Widiger, T. A., Livesley, W. J., & Siever, L. J. (2002a). The borderline diagnosis I: Psychopathology comorbidity, and personality structure. *Biological Psychiatry*, 51(12), 936–950. doi:10.1016/S0006-3223(02)01324-0.
- Skodol, A. E., Gunderson, J. G., Shea, M. T., McGlashan, T. H., Morey, L. C., Sanislow, C., & Stout, R. L. (2005). The Collaborative Longitudinal Personality Disorders Study (CLPS): overview and implications. *Journal of Personality Disorders*, 19(5), 487-504. doi:10.1521/pedi.2005.19.5.487.
- Smith, S. M., Fox, P. T., Miller, K. L., Glahn, D. C., Fox, P. M., Mackay, C. E., ... Beckmann, C. F. (2009). Correspondence of the brain's functional architecture during activation and rest. *Proceedings of the National Academy of Science of the United States of America*, 106(31), 13040-13045. doi: 10.1073/pnas.0905267106.
- Smith, S. M., Jenkinson, M., Woolrich, M. W., Beckmann, C. F., Behrens, T. E., Johansen-Berg, H., ... Matthews, P. M. (2004). Advances in functional and structural MR image analysis and implementation as FSL. *NeuroImage*, 23(Suppl.1), 208–219. doi:10.1016/j.neuroimage.2004.07.051.
- Smith, E. E., & Jonides, J. (1999). Storage and executive processes in the frontal lobes. *Science*, 283(5408), 1657-1661. doi:10.1126/science.238.5408.1657.
- Smith, A. P., Stephan, K. E., Rugg, M. D. & Dolan, R. J. (2006). Task and content modulate amygdala-hippocampal connectivity in emotional retrieval. *Neuron*, 49(4), 631–638. doi:10.1016/j.neuron.2005.12.025.
- Smoski, M. J., Salsman, N., Wang, L., Smith, V., Lynch, T. R., Dager, S. R., ... Linehan, M. M. (2011). Functional imaging of emotion reactivity in opiate-dependent borderline personality disorder. *Personality Disorders: Theory, Research, and Treatment*, 2(3), 230–241. doi:10.1037/a0022228.

- Soloff, P. H., Lynch, K. G., & Kelly, T. M. (2002). Childhood abuse as a risk factor for suicidal behavior in borderline personality disorder. *Journal of Personality Disorders*, 16, 201-214. doi:10.1521/pedi.16.3.201.22542.
- Soloff, P. H., Nutche, J., Goradia, D., & Diwadkar, V. (2008). Structural brain abnormalities in borderline personality disorder: a voxel-based morphometry study. *Psychiatry Research*, 164(3), 223–236. doi:10.1016/j.psychresns.2008.02.003.
- Soloff, P. H., Pruitt, P., Sharma, M., Radwan, J., White, R., & Diwadkar, V. A. (2012). Structural brain abnormalities and suicidal behavior in borderline personality disorder. *Journal of Psychiatric Research*, 46(4), 516–525. doi:10.1016/j.jpsychires.2012.01.003.
- Spiegel, D. (1991). Neurophysiological correlates of hypnosis and dissociation. *Journal of Neuropsychiatry and Clinical Neuroscience*, 3(4), 440-445. doi:10.1176/jpn.3.4.440.
- Spiegel, D., & Cardena, E. (1991). Disintegrated experience: the dissociative disorders revisited. *Journal of Abnormal Psychology*, 100(3), 366-378. doi:10.1037/0021-843X.100.3. 366.
- Spiegel, D., Loewenstein, R. J., Lewis-Fernandez, R., Sar, V., Simeon, D., Vermetten, E., ... Dell, P. F. (2011). Dissociative disorders in DSM-5. *Depression and Anxiety*, 28(12), E17-45. doi:10.1002/da.20923.
- Spielberger, C. D., Gorsuch, R. L., & Lushene, R. E. (1970). *Manual for the State-Trait Anxiety Inventory*. Palo Alto, CA: Consulting Psychologists Press.
- Spinthoven, P., Roelofs, K., Moene, F., Kuyk, J., Nijenhuis, E., Hoogduin, K., & Van Dyck, R. (2004). Trauma and dissociation in conversion disorder and chronic pelvic pain. *International Journal of Psychiatry in Medicine* 34(4), 305-218. doi:10.2190/YDK2-C66W-CL6L-N5TK.
- Spitzer, C., Barnow, S., Freyberger, H. J., & Grabe, H. J. (2007). Dissociation predicts symptom-related treatment outcome in short-term inpatient psychotherapy. *Australian and New Zealand Journal of Psychiatry*, 41(8): 682-687. doi:10.1080/00048670701449146.
- Sprock, J., Rader, T. J., Kendall, J. P., & Yoder, C. Y. (2000). Neuropsychological functioning in patients with borderline personality disorder. *Journal of Clinical Psychology*, 56(12), 1587-1600. doi:10.1002/1097-4679(200012)56:12<1587::AID-9>3.0.CO;2-6.
- Squire, L. R., & Zola-Morgan, S. (1991). The medial temporal lobe memory system. *Science*, 253(5026), 1380–1386. doi:10.1126/science.1896849.
- Sridharan, D., Levitin, D. J., & Menon, V. (2008). A critical role for the right fronto-insular cortex in switching between central-executive and default-mode networks. *Proceedings of the National Academy of Sciences USA*, 105(34), 12569–12574. doi:10.1073/pnas.0800005105.
- Sripada, R. K., King, A. P., Garfinkel, S. N., Wang, X., Sripada, C. S., Welsh, R. C., & Liberzon, I. (2012). Altered resting-state amygdala functional connectivity in men with posttraumatic stress disorder. *Journal of Psychiatry and Neuroscience*, 37(4), 241–249. doi:10.1503/jpn.110069.
- Staebler, K., Helbing, E., Rosenbach, C., & Renneberg, B. (2010). Rejection sensitivity and borderline personality disorder. *Clinical Psychology & Psychotherapy*, 18(4), 275-283. doi:10.1002/cpp.705.
- Staebler, K., Renneberg, B., Stopsack, M., Fiedler, P., Weiler, M., & Roepke, S. (2011). Facial emotional expression in reaction to social exclusion in borderline personality disorder. *Psychological Medicine*, 41(9), 1929-1938. doi:10.1017/S0033291711000080.
- Stahl, C., Voss, A., Schmitz, F., Nuszbaum, M., Tuescher, O., Lieb, K., & Klauer, K. C. (2013). Behavioral components of impulsivity. *Journal of Experimental Psychology: General*, 143(2), 850-886. doi:10.1037/a0033981.
- Stein, J. L., Wiedholz, L. M., Bassett, D. S., Weinberger, D. R., Zink, C. F., Mattay, V. S., & Meyer-Lindenberg, A. (2007). A validated network of effective amygdala connectivity. *NeuroImage*, 36(3), 736–745. doi:10.1016/j.neuroimage.2007.03.022.

- Steinberg, M. (1994). *Interviewers Guide to the Structured Clinical Interview for DSM-IV Dissociative Disorders*. Washington, DC: American Psychiatric Press.
- Sternberg, S. (1966). High-speed scanning in human memory. *Science*, 153(3736), 652–654. doi:10.1126/science.153.3736.652.
- Stevens, J. S., Jovanovic, T., Fani, N., Ely, T. D., Glover, E. M., Bradley, B., & Ressler, K. J. (2013). Disrupted amygdala-prefrontal functional connectivity in civilian women with posttraumatic stress disorder. *Journal of Psychiatric Research*, 47(10), 1469–1478. doi:10.1016/j.jpsychires.2013.05.031.
- Stiglmayr, C. E., Braakmann, D., Haaf, B., Stieglitz, R. D., & Bohus, M. (2003). [Development and characteristics of Dissociation-Tension-Scale acute (DSS-Akute)]. [Article in German]. *Psychotherapie, Psychosomatik, Medizinische Psychologie*, 53(7), 287-294. doi:10.1055/s-2003-40495.
- Stiglmayr, C. E., Ebner-Priemer, U. W., Bretz, J., Behm, R., Mohse, M., Lammers, C.H. ... Bohus, M. (2008). Dissociative symptoms are positively related to stress in borderline personality disorder. *Acta Psychiatrica Scandinavica*, 117(2), 139–147. doi:10.1111/j.1600-0447.2007.01126.x.
- Stiglmayr, C. E., Grathwol, T., Linehan, M. M., Ihorst, G., Fahrenberg, J., & Bohus, M. (2005). Aversive tension in patients with borderline personality disorder: a computer-based controlled field study. *Acta Psychiatrica Scandinavica*, 111(5), 372-379. doi:10.1111/j.1600-0447.2004.00466.x.
- Stiglmayr, C., Schmahl, C., Bremner, J. D., Bohus, M., & Ebner-Priemer, U. (2009). Development and psychometric characteristics of the DSS-4 as a short instrument to assess dissociative experience during neuropsychological experiments. *Psychopathology*, 42(6), 370-374. doi:10.1159/000236908.
- Stiglmayr, C., Schimke, P., Wagner, T., Braakmann, D., Schweiger, U., Sipos, V., ... Kienast, T. (2010). Development and psychometric characteristics of the Dissociation Tension Scale. *Journal of Personality Assessment*, 92(3), 269–277. doi:10.1080/00223891003670232.
- Stiglmayr, C. E., Shapiro, D. A., Stieglitz, R.D., Limberger, M.F., & Bohus M (2001). Experience of aversive tension and dissociation in female patients with borderline personality disorder – a controlled study. *Journal of Psychiatric Research*, 35(), 111–118. doi:10.1016/S0022-3956(01)00012-7.
- Stoffers, J. M., Vollm, B. A., Rucker, G., Timmer, A., Huband, N., & Lieb, K. (2012). Psychological therapies for people with borderline personality disorder. *The Cochrane Database of Systematic Reviews*, 8(CD005652), 1-255. doi:10.1002/14651858.CD005652.pub2.
- Takahashi, T., Chanen, A. M., Wood, S. J., Yucel, M., Kawasaki, Y., McGorry, P. D., ... Pantelis, C. (2010). Superior temporal gyrus volume in teenagers with first-presentation borderline personality disorder. *Psychiatry Research*, 182(1), 73–76. doi:10.1016/j.psychresns.2009.10.014.
- Teicher, M. H., & Samson, J. A. (2013). Childhood maltreatment and psychopathology: a case for ecophenotypic variants as clinically and neurobiologically distinct subtypes. *American Journal of Psychiatry*, 170(10), 1114–1133. doi:10.1176/appi.ajp.2013.12070957.
- Thome, J., Liebke, L., Bungert, M., Schmahl, C., Domes, G., Bohus, M., & Lis, S. (2016). Confidence in facial emotion recognition in borderline personality disorder. *Personality Disorders*, 7(2), 159-168. doi:10.1037/per0000142. PubMed PMID: 26389624.
- Todd, J. J., & Marois, R. (2004). Capacity limit of visual short-term memory in human posterior parietal cortex. *Nature*, 428(6984), 751-754. doi:10.1038/nature02466.
- Tollenaar, M. S., Elzinga, B. M., Spinhoven, P., & Everaerd, W. A. (2008a). The effects of cortisol increase on long-term memory retrieval during and after acute psychosocial stress. *Acta Psychologica*, 127(3), 542-552. doi:10.1016/j.actpsy.2007.10.007.
- Tollenaar, M. S., Elzinga, B. M., Spinhoven, P., & Everaerd, W. (2008). Long-term outcomes of memory retrieval under stress. *Behavioral Neuroscience*, 122(3), 697-703. doi:10.1037/0735-7044.122.3.697.

- Tollenaar, M. S., Elzinga, B. M., Spinhoven, P., & Everaerd, W. (2009a). Psychophysiological responding to emotional memories in healthy young men after cortisol and propranolol administration. *Psychopharmacology*, 203(4), 793-803. doi: 10.1007/s00213-008-1427-x.
- Tollenaar, M. S., Elzinga, B. M., Spinhoven, P., & Everaerd, W. (2009b). Autobiographical memory after acute stress in healthy young men. *Memory*, 17(3), 301-310. doi:10.1080/09658210802665845.
- Townsend, J. D., Torrisi, S. J., Lieberman, M. D., Sugar, C. A., Bookheimer, S. Y., & Altshuler, L. L. (2013). Frontal-amygdala connectivity alterations during emotion downregulation in bipolar I disorder. *Biological Psychiatry*, 73(2), 127-135. doi:10.1016/j.biopsych.2012.06.030.
- Trull, T. J., Jahng, S., Tomko, R. L., Wood, P. K., & Sher, K. J. (2010). Revised NESARC personality disorder diagnoses: gender, prevalence, and comorbidity with substance dependence disorders. *Journal of Personality Disorders*, 24(4), 412-426. doi:10.1521/pedi.2010.24.4.412.
- Tursich, M., Ros, T., Frewen, P. A., Kluetsch, R. C., Calhoun, V. D., & Lanius, R. A. (2015). Distinct intrinsic network connectivity patterns of post-traumatic stress disorder symptom clusters. *Acta Psychiatrica Scandinavica*, 132(1), 29-38. doi:10.1111/acps.12387.
- Tzourio-Mazoyer, N., Landeau, B., Papathanassiou, D., Crivello, F., Etard, O., & Delcroix, N., ... Joliot, M. (2002). Automated anatomical labeling of activations in SPM using a macroscopic anatomical parcellation of the MNI MRI single-subject brain. *NeuroImage*, 15(1): 273-289. doi:10.1006/nimg.2001.0978.
- Tzschorpe, J., Nees, F., Banaschewski, T., Barker, G. J., Buchel, C., Conrod, P. J., ... Flor, H. (2014). Aversive learning in adolescents: modulation by amygdala-prefrontal and amygdala-hippocampal connectivity and neuroticism. *Neuropsychopharmacology*, 39(4), 875-884. doi:10.1038/npp.2013.287.
- Unoka, Z., Fogd, D., Fuzy, M., & Csukly, G. (2011). Misreading the facial signs: specific impairments and error patterns in recognition of facial emotions with negative valence in borderline personality disorder. *Psychiatry Research*, 189(3), 419-425. doi:10.1016/j.psychres.2011.02.010.
- Van den Bosch, L. M., Verheul, R., Langeland, W., & Van Den Brink, W. (2003). Trauma, dissociation, and posttraumatic stress disorder in female borderline patients with and without substance abuse problems. *Australian and New Zealand Journal of Psychiatry*, 37(5), 549-555. doi:10.1046/j.1440-1614.2003.01199.x
- Van der Hart, O., Nijenhuis, E., Steele, K., & Brown, D. (2004). Trauma-related dissociation: conceptual clarity lost and found. *Australian and New Zealand Journal of Psychiatry*, 38(11-12), 906-914. doi:10.1080/j.1440-1614.2004.01480.x.
- Van der Hart, O., van Ochten, J. M., van Son, M. J., Steele, K., & Lensvelt-Mulders, G. (2008). Relations among peritraumatic dissociation and posttraumatic stress: a critical review. *Journal of Trauma & Dissociation: The official journal of the International Society for the Study of Dissociation*, 9(4), 481-505. doi:10.1016/j.cpr.2008.03.006.
- Van der Kolk, B. A., McFarlane, A. C., & Weisaeth, L. (1996). *Traumatic stress: The effects of overwhelming experience on mind, body, and society*. New York, NY: The Guilford Press.
- Van der Kolk, B. A., & van der Hart, O. (1989). Pierre Janet and the breakdown of adaptation in psychological trauma. *American Journal of Psychiatry*, 146(12), 1530-1540. doi:10.1176/ajp.146.12.1530.
- Van der Velden, P. G., & Wittmann, L. (2008). The independent predictive value of peritraumatic dissociation for PTSD symptomatology after type I trauma: a systematic review of prospective studies. *Clinical Psychology Review*, 28(6), 1009-1020. doi:10.1016/j.cpr.2008.02.006.
- Van der Werff, S. J. A., Pannekoek, J. N., Veer, I. M., van Tol, M. J., Aleman, A., Veltman, D. J., ... van der Wee, N. N. (2013). Resting-state functional connectivity in adults with childhood emotional maltreatment. *Psychological Medicine*, 43(9), 1825-1836. doi:10.1017/S0033291712002942.
- Van Eijk, J., Sebastian, A., Krause-Utz, A., Cackowski, S., Demirakca, T., Biedermann, S. V., ... Tüscher, O. (2015). Women with borderline personality disorder do not show altered BOLD responses during response inhibition. *Psychiatry Research*, 234(3), 378-389. doi:10.1016/j.psychresns.2015.09.017.

- Van Zutphen, L., Siep, N., Jacob, G. A., Goebel, R., & Arntz, A. (2015). Emotional sensitivity, emotion regulation and impulsivity in borderline personality disorder: a critical review of fMRI studies. *Neuroscience and Biobehavioral Reviews*, 51, 64-76. doi:10.1016/j.neubiorev.2015.01.001.
- van Wingen, G. A., Tendolkar, I., Urner, M., van Marle, H. J., Denys, D., Verkes R. J., & Fernandez, G. (2013). Short-term antidepressant administration reduces default mode and task-positive network connectivity in healthy individuals during rest. *NeuroImage*, 88, 47-53. doi:10.1016/j.neuroimage.2013.11.022.
- Veer, I. M., Oei, N. Y., Spinhoven, P., van Buchem, M. A., Elzinga, B. M., & Rombouts, S. A. (2011). Beyond acute social stress: increased functional connectivity between amygdala and cortical midline structures. *NeuroImage*, 57(4), 1534-1541. doi:10.1016/j.neuroimage.2011.05.074.
- Verbruggen, F., & De Houwer, J. (2007). Do emotional stimuli interfere with response inhibition? Evidence from the stop signal paradigm. *Cognition and Emotion*, 21(2), 391-403. doi:10.1080/02699930600625081.
- Vermetten, E., Schmahl, C., Lindner, S., Loewenstein, R. J., & Bremner, J. D. (2006). Hippocampal and amygdalar volumes in dissociative identity disorder. *American Journal of Psychiatry*, 163(4), 630-636. doi:10.1176/ajp.2006.163.4.630.
- Vermetten, E., & Spiegel, D. (2014). Trauma and dissociation: implications for borderline personality disorder. *Current Psychiatry Reports*, 16(2), 434. doi:10.1007/s11920-013-0434-8.
- Vincent, J. L., Patel, G. H., Fox, M. D., Snyder, A. Z., Baker, J. T., Van Essen, D. C., ... Raichle, M. E. (2007). Intrinsic functional architecture in the anaesthetized monkey brain. *Nature*, 447(7140), 83-86. doi:10.1038/nature05758.
- Visintin, E., De Panfilis., Amore, M., Balestrieri, M., Wolf, R. C., & Sambataro, F. (2016). Mapping the brain correlates of borderline personality disorder: A functional neuroimaging meta-analysis of resting state studies. *Journal of Affective Disorders*, 204, 262-269. doi: 10.1016/j.jad.2016.07.025.
- von Ceumern-Lindenstjerna, I. A., Brunner, R., Parzer, P., Mundt, C., Fiedler, P., & Resch, F. (2010). Attentional bias in later stages of emotional information processing in female adolescents with borderline personality disorder. *Psychopathology*, 43(1), 25-32. doi:10.1159/000255960.
- Wagner, A. W., & Linehan, M. M. (1999). Facial expression recognition ability among women with borderline personality disorder: implications for emotion regulation. *Journal of Personality Disorders*, 13(4), 329-344. doi:10.1521/pedi.1999.13.4.329.
- Wager, T. D., & Smith, E. E. (2003). Neuroimaging studies of working memory: a meta-analysis. *Cognitive, Affective & Behavioral Neuroscience*, 3(4), 255-274. doi:10.3758/CABN.3.4.255.
- Waller, N. G., Putnam, F. W., & Bernstein, C. E. (1996). Types of dissociation and dissociative types: A taxometric analysis of dissociative experiences. *Psychological Methods*, 1(3), 300-321. doi:10.1037/1082-989X.1.3.300.
- Walterfang, M., Chanen, A. M., Barton, S., Wood, A. G., Jones, S., Reutens, D. C., ... Pantelis, C. (2010). Corpus callosum morphology and relationship to orbitofrontal and lateral ventricular volume in teenagers with first-presentation borderline personality disorder. *Psychiatry Research*, 183(1), 30-37. doi:10.1016/j.psychresns.2010.04.001.
- Wang, L., LaBar, K. S., Smoski, M., Rosenthal, M. Z., Dolcos, F., Lynch, T. R., ... McCarthy, G. (2008). Prefrontal mechanisms for executive control over emotional distraction are altered in major depression. *Psychiatry Research*, 163(2), 143-155. doi: 10.1016/j.psychresns.2007.10.004.
- Wang, G. Y., van Eijk, J., Demirakca, T., Sack, M., Krause-Utz, A., Cackowski, S., ... Ende, G. (2016). ACC GABA levels are associated with functional activation and connectivity in the fronto-striatal network during interference inhibition in patients with borderline personality disorder. *Neuroimage*, 147, 164-174, doi:10.1016/j.neuroimage.2016.12.013
- Ward, M. F., Wender, P. H., & Reimherr, F. W. (1993). The Wender Utah Rating Scale: An aid in the retrospective diagnosis of childhood Attention Deficit Hyperactivity Disorder. *American Journal of Psychiatry*, 150(6), 885-890. doi:10.1176/ajp.150.6.885.

- Waters, T. E. A. (2014). Relations between the functions of autobiographical memory and psychological wellbeing. *Memory*, 22, 265-275.
- Watson, S., Chilton, R., Fairchild, H., & Whewell, P. (2006). Association between childhood trauma and dissociation among patients with borderline personality disorder. *Australian and New Zealand Journal of Psychiatry*, 40(5), 478-481. doi:10.1111/j.1440-1614.2006.01825.x.
- Whalen, P. J., Bush, G., McNally, R. J., Wilhelm, S., McInerney, S. C., Jenike, M. A., & Rauch, S. L. (1998). The emotional counting Stroop paradigm: a functional magnetic resonance imaging probe of the anterior cingulate affective division. *Biological Psychiatry*, 44(12), 1219-1228. doi:10.1016/S0006-3223(98)00251-0.
- Weissman, D. H., Roberts, K. C., Visscher, K. M., & Woldorff, M. G. (2006). The neural bases of momentary lapses in attention. *Nature Neuroscience*, 9(7), 971-978. doi:10.1038/nn1727.
- Welch, S. S., Linehan, M. M., Sylvers, P., Chittams, J., & Rizvi, S. L. (2008) Emotional responses to self-injury imagery among adults with borderline personality disorder. *Journal of Consulting and Clinical Psychology*, 76(1), 45-51. doi:10.1037/0022-006X.76.1.45.
- Weniger, G., Lange, C., Sachsse, U., & Irle, E. (2008). Amygdala and hippocampal volumes and cognition in adult survivors of childhood abuse with dissociative disorders. *Acta Psychiatrica Scandinavica*, 118(4), 281-290. doi:10.1111/j.1600-0447.2008.01246.x.
- Whittle, S., Chanen, A. M., Fornito, A., McGorry, P. D., Pantelis, C., & Yucel, M. (2009). Anterior cingulate volume in adolescents with firstpresentation borderline personality disorder. *Psychiatry Research*, 172(2), 155-160. doi:10.1016/j.psychresns.2008.12.004.
- Widom, C. S., Czaja, S. J., & Paris, J. (2009). A prospective investigation of borderline personality disorder in abused and neglected children followed up into adulthood. *Journal of Personality Disorders*, 23(5), 433-446. doi:10.1521/pedi.2009.23.5.433.
- Williams, J. M., Mathews, A., & MacLeod, C. (1996). The emotional Stroop task and psychopathology. *Psychological Bulletin*, 120(1), 3-24. doi:10.1037/0033-2909.120.1.3.
- Wingenfeld, K., Driessen, M., Terfehr, K., Schlosser, N., Fernando, S. C., Otte, C., ... Wolf, O. T. (2012). Cortisol has enhancing, rather than impairing effects on memory retrieval in PTSD. *Psychoneuroendocrinology*, 37(7), 1048-1056. doi:10.1016/j.psyneuen.2011.12.002.
- Wingenfeld, K., Mensebach, C., Rullkoetter, N., Schlosser, N., Schaffrath, C., Woermann, F. G., ... Beblo, T. (2009a). Attentional bias to personally relevant words in borderline personality disorder is strongly related to comorbid posttraumatic stress disorder. *Journal of Personality Disorders*, 23(2), 141-155.
- Wingenfeld, K., Rullkoetter, N., Mensebach, C., Beblo, T., Mertens, M., Kreisel, S., ... Woermann, F. G. (2009b). Neural correlates of the individual emotional Stroop in borderline personality disorder. *Psychoneuroendocrinology*, 34(4), 571-586. doi:10.1016/j.psyneuen.2008.10.024.
- Wingenfeld, K., & Wolf, O. (2014). Stress, memory and the hippocampus. *Frontiers of Neurology and Neuroscience*, 34, 109-120. doi:10.1159/000356423.
- Winter, D., Elzinga, B., & Schmahl, C. (2014). Emotions and memory in borderline personality disorder. *Psychopathology*, 47(2), 71-85. doi:10.1159/000356360.
- Winter, D., Krause-Utz, A., Lis, S., Chiu, C. D., Lanius, R. A., Schriner, F. ... Schmahl, C. (2015): Dissociation in borderline personality disorder: Disturbed cognitive and emotional inhibition and its neural correlates. *Psychiatry Research: Neuroimaging*, 233(3), 339-351. doi:10.1016/j.psyneuen.2015.05.018.
- Winter, D., Niedtfeld, I., Schmitt, R., Bohus, M., Schmahl, C., & Herpertz, S. C. (in press). Neural correlates of distraction in borderline personality disorder before and after dialectical behavior therapy. *European Archives of Psychiatry and Clinical Neuroscience*. [Epub ahead of print]. doi:10.1007/s00406-016-0689-2.
- Wittchen, H. U., Wunderlich, U. & Gruschwitz, S. (1997). *SKID. Strukturiertes Klinisches Interview für DSM-IV Achse I*. Göttingen: Hogrefe.

- Wolf, E. J., Lunney, C. A., Miller, M. W., Resick, P. A., Friedman, M. J., & Schnurr, P. P. (2012). The dissociative subtype of PTSD: a replication and extension. *Depression and Anxiety*, 29(8), 679–688. doi:10.1002/da.21946.
- Wolf, R. C., Sambataro, F., Vasic, N., Schmid, M., Thomann, P. A., Bienentreu, S. D., & Wolf, N. D. (2011). Aberrant connectivity of resting-state networks in borderline personality disorder. *Journal of Psychiatry and Neuroscience*, 36(2), 402-411. doi:10.1503/jpn.100150.
- Wolf, R. C., Thomann, P. A., Sambataro, F., Vasic, N., Schmid, M., & Wolf, N. D. (2012) Orbitofrontal cortex and impulsivity in borderline personality disorder: an MRI study of baseline brain perfusion. *European Archives of Psychiatry and Clinical Neuroscience*, 262(8) 677–685. doi:10.1007/s00406-012-0303-1.
- Wolf, E. J., Miller, M. W., Reardon, A. F., Ryabchenko, K. A., Castillo, D., & Freund, R. (2012). A latent class analysis of dissociation and posttraumatic stress disorder: evidence for a dissociative subtype. *Archives of General Psychiatry*, 69(7), 698–705. doi:10.1001/archgenpsychiatry.2011.1574.
- Wolf, E. J., Rasmussen, A. M., Mitchell, K. S., Logue, M. W., Baldwin, C. T., & Miller, M. W. (2014). A genome-wide association study of clinical symptoms of dissociation in a trauma-exposed sample. *Depression and Anxiety*, 31(4), 352-360. doi:10.1002/da.22260.
- Wolff, S., Stiglmayr, C., Bretz, H. J., Lammers, C. H., & Auckenthaler, A. (2007). Emotion identification and tension in female patients with borderline personality disorder. *British Journal of Clinical Psychology*, 46(Pt3), 347-360. doi:10.1348/014466507X173736.
- Wolke, D., Schreier, A., Zanarini, M. C., & Winsper, C. (2012). Bullied by peers in childhood and borderline personality symptoms at 11 years of age: A prospective study. *Journal of Child Psychology and Psychiatry*, 53(8), 846-855. doi:10.1111/j.1469-7610.2012.02542.x.
- Woon, F. L., & Hedges, D. W. (2009). Amygdala volume in adults with posttraumatic stress disorder: a meta-analysis. *Journal of Neuropsychiatry Clinical Neuroscience*, 21(1), 5-12. doi:10.1001/archgenpsychiatry.2012.50.
- Worsley, K. J. (2001). Statistical analysis of activation images. In P. Jezzard, P. M. Matthews, & S. Smith (Eds.), *Functional MRI: An Introduction to Methods* (pp. 251–270). New York, NY: Oxford University Press Inc.
- Yen, S., Shea, M. T., Battle, C. L., Johnsom, D. M., Zlotnick, C., Dolan-Sewell, R., ... McGlashan, T. H. (2002). Traumatic exposure and posttraumatic stress disorder in borderline, schizotypal, avoidant, and obsessive-compulsive personality disorders: findings from the collaborative longitudinal personality disorders study. *Journal of Nervous and Mental Disease*, 190(8), 510-518. doi:10.1097/01.NMD.0000026620.66764.78.
- Young, J. E., Klosko, J. S., & Weishaar, M. E. (2003). *Schema therapy: a practitioner's guide*. New York, NY: Guilford.
- Zanarini, M. C. (2000). Childhood experiences associated with the development of borderline personality disorder. *Psychiatric Clinics of North America*, 23(1), 89-101. doi:10.1016/S0193-953X(05)70145-3.
- Zanarini, M. C., Frankenburg, F. R., Hennen, J., Reich, D. B., & Silk, K. R. (2005). The McLean Study of Adult Development (MSAD): overview and implications of the first six years of prospective follow-up. *Journal of Personality Disorders*, 19, 505–523. doi:10.1521/pedi.2005.19.5.505.
- Zanarini, M. C., Frankenburg, F. R., Jager-Hyman, S., Reich, D. B., & Fitzmaurice, G. (2008). The course of dissociation for patients with borderline personality disorder and axis II comparison subjects: a 10-year follow-up study. *Acta Psychiatrica Scandinavica*, 118(4), 291-296. doi:10.1111/j.1600-0447.2008.01247.x.
- Zanarini, M. C., Frankenburg, F. R., Reich, D. B., & Fitzmaurice, G. (2010). Time to attainment of recovery from borderline personality disorder and stability of recovery: a 10-year prospective follow-up study. *American Journal of Psychiatry*, 167(6), 663–667. doi:10.1176/appi.ajp.2009.09081130.
- Zanarni, M. C., Frankenburg, F. R., Reich, D. B., Fitzmaurice, G., Weinberg, I., & Gunderson, J. G. (2008). The 10-year course of physically self-destructive acts reported by borderline patients and axis II comparison subjects. *Acta Psychiatrica Scandinavica*, 117(3), 177-184. doi:10.1111/j.1600-0447.2008.01155.x

- Zanarini, M. C., Frankenburg, F. R., Vujanovic, A. A., Hennen, J., Reich, D. B., & Silk, K. R. (2004). Axis II comorbidity of borderline personality disorder: description of 6-year course and prediction to time-to-remission. *Acta Psychiatrica Scandinavica*, 110(6), 416-420. doi:10.1111/j.1600-0447.2004.00362.x.
- Zanarini, M. C., Ruser, T. F., Frankenburg, F. R., & Hennen, J. (2000). The dissociative experiences of borderline patients. *Comprehensive Psychiatry*, 41(), 223-227. doi:10.1016/S0010-440X(00)90051-8.
- Zanarini, M. C., Ruser, T. F., Frankenburg, F. R., Hennen, J., & Gunderson, J. G. (2000). Risk factors associated with the dissociative experiences of borderline patients. *Journal of Nervous and Mental Disease*, 188(1), 26-30.
- Zanarini, M. C., Yong, L., Frankenburg, F. R., Hennen, J., Reich, D. B., Marino, M. F., & Vujanovic, A. A. (2002). Severity of reported childhood sexual abuse and its relationship to severity of borderline psychopathology and psychosocial impairment among borderline inpatients. *The Journal of nervous and mental disease*, 190(6), 381-387. doi:10.1097/00005053-200206000-00006
- Zeki, S., & Romaya, J. P. (2008). Neural correlates of hate. *PLoS One*, 3(10), e3556. doi:10.1371/journal.pone.0003556.
- Zelikowsky, M., Hersman, S., Chawla, M. K., Barnes, C. A., & Fanselow, M. S. (2014). Neuronal ensembles in amygdala, hippocampus, and prefrontal cortex track differential components of contextual fear. *Journal of Neuroscience*, 34(25), 8462-8466. doi:10.1523/JNEUROSCI.3624-13.2014.
- Zuo, X., Kelly, C., Adelstein, J. S., Klein, D. F., Castellanos, F. X., & Milham, M. P. (2010). Reliable intrinsic connectivity networks: Test-retest evaluation using ICA and dual regression approach. *NeuroImage*, 49, 2163-2177. doi:10.1016/j.neuroimage.2009.10.080.

Meine Blumen werden die Farbe verlieren.
Meine Spiegel werden zufrieren.
In meinen Büchern werden die Zeilen verwachsen.
Meine Vögel werden in den Gassen
herumflattern und sich an fremden Fenstern verwunden.
Nichts ist mehr mit mir verbunden.
Ich bin von allem verlassen. -
Ich bin eine Insel.

Ich bin eine Insel und allein.

Ich bin reich.
Jetzt geht alles in mir umher,
sicher und sorglos; wie Genesende
gehn die Gefühle, genießend das Gehn,
durch meines Leibes dunkles Haus.
Einige sind Lesende
über Erinnerungen;
aber die jungen
sehn alle hinaus.
Denn wo sie hintreten an meinen Rand,
ist mein Gewand von Glas.

Rainer Maria Rilke
Aus: Die Blinde

Alles Wissen
und alle Vermehrung unseres Wissens
endet nicht mit einem Schlusspunkt,
sondern mit einem Fragezeichen.

Hermann Hesse