



Universiteit
Leiden
The Netherlands

Harnessing placebo effects by targeting expectancies

Peerdeman, K.J.

Citation

Peerdeman, K. J. (2018, February 7). *Harnessing placebo effects by targeting expectancies*. Retrieved from <https://hdl.handle.net/1887/61047>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/61047>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/61047> holds various files of this Leiden University dissertation

Author: Peerdeman, Kaya

Title: Harnessing placebo effects by targeting expectancies

Date: 2018-02-07

REFERENCES

SAMENVATTING (*DUTCH SUMMARY*)

PUBLICATIONS

CURRICULUM VITAE

DANKWOORD (*ACKNOWLEDGEMENTS*)

REFERENCES

- 1 Ader, R., Mercurio, M.G., Walton, J., James, D., Davis, M., Ojha, V., Kimball, A.B., & Fiorentino, D. (2010). Conditioned pharmacotherapeutic effects: A preliminary study. *Psychosomatic Medicine*, 72, 192-197.
- 2 Aktas, A., Walsh, D., & Rybicki, L. (2010). Symptom clusters: Myth or reality? *Palliative Medicine*, 24, 373-385.
- 3 Aldrich, S., Eccleston, C., & Crombez, G. (2000). Worrying about chronic pain: Vigilance to threat and misdirected problem solving. *Behaviour Research and Therapy*, 38, 457-470.
- 4 Amanzio, M., & Benedetti, F. (1999). Neuropharmacological dissection of placebo analgesia: Expectation-activated opioid systems versus conditioning-activated specific subsystems. *The Journal of Neuroscience*, 19, 484-494.
- 5 Amanzio, M., Pollo, A., Maggi, G., & Benedetti, F. (2001). Response variability to analgesics: A role for non-specific activation of endogenous opioids. *PAIN*, 90, 205-215.
- 6 Andre-Obadia, N., Magnin, M., & Garcia-Larrea, L. (2011). On the importance of placebo timing in rTMS studies for pain relief. *Pain*, 152, 1233-7.
- 7 Annoni, M., & Miller, F. (2014). Placebos in clinical practice: An ethical overview. *Douleur et Analgésie*, 27, 215-220.
- 8 Aslaksen, P.M., Bystad, M., Vambheim, S.M., & Flaten, M.A. (2011). Gender differences in placebo analgesia: Event-related potentials and emotional modulation. *Psychosomatic Medicine*, 73, 193-199.
- 9 Aslaksen, P.M., & Flaten, M.A. (2008). The roles of physiological and subjective stress in the effectiveness of a placebo on experimentally induced pain. *Psychosomatic Medicine*, 70, 811-818.
- 10 Aslaksen, P.M., & Lyby, P.S. (2015). Fear of pain potentiates nocebo hyperalgesia. *Journal of Pain Research*, 8, 703-710.
- 11 Aslaksen, P.M., Zwarg, M.L., Eilertsen, H.I.H., Gorecka, M.M., & Bjørkedal, E. (2015). Opposite effects of the same drug: Reversal of topical analgesia by nocebo information. *PAIN*, 156, 39-46.
- 12 Astrand, P.O., & Ryhming, I. (1954). A nomogram for calculation of aerobic capacity (physical fitness) from pulse rate during sub-maximal work. *Journal of Applied Physiology*, 7, 218-221.
- 13 Atlas, L.Y., & Wager, T.D. (2012). How expectations shape pain. *Neuroscience Letters*, 520, 140-148.
- 14 Atlas, L.Y., & Wager, T.D. (2014). A meta-analysis of brain mechanisms of placebo analgesia: Consistent findings and unanswered questions. In. *Handbook of Experimental Pharmacology* (pp. 37-69). Springer.
- 15 Atlas, L.Y., Whittington, R.A., Lindquist, M.A., Wielgosz, J., Sonty, N., & Wager, T.D. (2012). Dissociable influences of opiates and expectations on pain. *The Journal of Neuroscience*, 32, 8053-8064.
- 16 Atlas, L.Y., Wielgosz, J., Whittington, R.A., & Wager, T.D. (2014). Specifying the non-specific factors underlying opioid analgesia: Expectancy, attention, and affect. *Psychopharmacology*, 231, 813-823.
- 17 Bandura, A. (1977). Self-efficacy: Toward a unifying theory of behavioral change. *Psychological Review*, 84, 191-215.
- 18 Bannuru, R.R., McAlindon, T.E., Sullivan, M.C., Wong, J.B., Kent, D.M., & Schmid, C.H. (2015). Effectiveness and implications of alternative placebo treatments: A systematic review and network meta-analysis of osteoarthritis trials. *Annals of Internal Medicine*, 163, 365-372.
- 19 Bantick, S.J., Wise, R.G., Ploghaus, A., Clare, S., Smith, S.M., & Tracey, I. (2002). Imaging how attention modulates pain in humans using functional MRI. *Brain*, 125, 310-319.
- 20 Bartels, D.J.P., van Laarhoven, A.I.M., Haverkamp, E.A., Wilder-Smith, O.H.,

- Donders, A.R.T., van Middendorp, H., van de Kerkhof, P.C.M., & Evers, A.W.M. (2014). Role of conditioning and verbal suggestion in placebo and nocebo effects on itch. *PLOS ONE*, 9, e91727.
- 21 Baumeister, R.F., Bratslavsky, E., Finkenauer, C., & Vohs, K.D. (2001). Bad is stronger than good. *Review of General Psychology*, 5, 323-370.
- 22 Beers, T.M., Jr., & Karoly, P. (1979). Cognitive strategies, expectancy, and coping style in the control of pain. *Journal of Consulting and Clinical Psychology*, 47, 179-180.
- 23 Benedetti, F. (2008). Placebo effects. Understanding the mechanisms in health and disease. *Oxford University Press*.
- 24 Benedetti, F. (2014). Placebo effects. 2nd edition. *Oxford University Press*.
- 25 Benedetti, F., Amanzio, M., & Maggi, G. (1995). Potentiation of placebo analgesia by proglumide. *The Lancet*, 346, 1231.
- 26 Benedetti, F., Amanzio, M., Vighetti, S., & Asteggiano, G. (2006). The biochemical and neuroendocrine bases of the hyperalgesic nocebo effect. *The Journal of Neuroscience*, 26, 12014-12022.
- 27 Benedetti, F., Arduino, C., & Amanzio, M. (1999). Somatotopic activation of opioid systems by target-directed expectations of analgesia. *The Journal of Neuroscience*, 19, 3639-3648.
- 28 Benedetti, F., Arduino, C., Costa, S., Vighetti, S., Tarenzi, L., Rainero, I., & Asteggiano, G. (2006). Loss of expectation-related mechanisms in Alzheimer's disease makes analgesic therapies less effective. *PAIN*, 121, 133-144.
- 29 Benedetti, F., & Dogue, S. (2015). Different placebos, different mechanisms, different outcomes: Lessons for clinical trials. *PLOS ONE*, 10, e0140967.
- 30 Benedetti, F., Maggi, G., Lopiano, L., Lanotte, M., Rainero, I., Vighetti, S., & Pollo, A. (2003). Open versus hidden medical treatments: The patient's knowledge about a therapy affects the therapy outcome. *Prevention & Treatment*, 6, 1a.
- 31 Benedetti, F., Pollo, A., Lopiano, L., Lanotte, M., Vighetti, S., & Rainero, I. (2003). Conscious expectation and unconscious conditioning in analgesic, motor, and hormonal placebo/nocebo responses. *The Journal of Neuroscience*, 23, 4315-4323.
- 32 Berg, C.J., Snyder, C.R., & Hamilton, N. (2008). The effectiveness of a hope intervention in coping with cold pressor pain. *Journal of Health Psychology*, 13, 804-809.
- 33 Berna, C., Kirsch, I., Zion, S.R., Lee, Y.C., Jensen, K.B., Sadler, P., Kapchuk, T.J., & Edwards, R.R. (2017). Side effects can enhance treatment response through expectancy effects: An experimental analgesic randomized controlled trial. *PAIN*, 158, 1014-1020.
- 34 Berna, C., Tracey, I., & Holmes, E.A. (2012). How a better understanding of spontaneous mental imagery linked to pain could enhance imagery-based therapy in chronic pain. *Journal of Experimental Psychopathology*, 3, 258-273.
- 35 Bialosky, J.E., George, S.Z., Horn, M.E., Price, D.D., Staud, R., & Robinson, M.E. (2014). Spinal manipulative therapy-specific changes in pain sensitivity in individuals with low back pain. *The Journal of Pain*, 15, 136-148.
- 36 Blackwell, B., Bloomfield, S.S., & Buncher, C.R. (1972). Demonstration to medical students of placebo responses and non-drug factors. *The Lancet*, 299, 1279-1282.
- 37 Bless, H., & Burger, A.M. (2016). Assimilation and contrast in social priming. *Current Opinion in Psychology*, 12, 26-31.
- 38 Bolles, R.C. (1972). Reinforcement, expectancy, and learning. *Psychological Review*, 79, 394-409.
- 39 Borkovec, T.D., Robinson, E., Pruzinsky, T., & Depree, J.A. (1983). Preliminary exploration of worry: Some characteristics and processes. *Behaviour Research and Therapy*, 21, 9-16.
- 40 Boselie, J.J.L.M., Vancleef, L.M.G.,

- Smeets, T., & Peters, M.L. (2014). Increasing optimism abolishes pain-induced impairments in executive task performance. *PAIN*, 155, 334–340.
- 41 Breivik, H., Collett, B., Ventafridda, V., Cohen, R., & Gallacher, D. (2006). Survey of chronic pain in Europe: Prevalence, impact on daily life, and treatment. *European Journal of Pain*, 10, 287-333.
- 42 Brosschot, J.F., & van der Doef, M. (2006). Daily worrying and somatic health complaints: Testing the effectiveness of a simple worry reduction intervention. *Psychology & Health*, 21, 19-31.
- 43 Brown, G.P., Macleod, A.K., Tata, P., & Goddard, L. (2002). Worry and the simulation of future outcomes. *Anxiety Stress and Coping*, 15, 1-17.
- 44 Buckingham, G., & Goodale, M.A. (2013). When the predictive brain gets it really wrong. *Behavioral and Brain Sciences*, 36, 208-209.
- 45 Buhle, J.T., Stevens, B.L., Friedman, J.J., & Wager, T.D. (2012). Distraction and placebo: Two separate routes to pain control. *Psychological Science*, 23, 246-253.
- 46 Butler, G., & Mathews, A. (1983). Cognitive-processes in anxiety. *Advances in Behaviour Research and Therapy*, 5, 51-62.
- 47 Carlino, E., Benedetti, F., & Pollo, A. (2014). The effects of manipulating verbal suggestions on physical performance. *Zeitschrift Fur Psychologie-Journal of Psychology*, 222, 154-164.
- 48 Carroll, J.S. (1978). The effect of imagining an event on expectations for the event: An interpretation in terms of the availability heuristic. *Journal of Experimental Social Psychology*, 14, 88-96.
- 49 Carvalho, C., Caetano, J.M., Cunha, L., Rebouta, P., Kapchuk, T.J., & Kirsch, I. (2016). Open-label placebo treatment in chronic low back pain: A randomized controlled trial. *PAIN*, 157, 2766-2772.
- 50 Caterinicchio, R.P. (1979). Testing plausible path models of interpersonal-trust in patient-physician treatment relationships. *Social Science & Medicine Part A: Medical Psychology & Medical Sociology*, 13a, 81-99.
- 51 Centraal Bureau voor de Statistiek (2015). Bevolking; geslacht, leeftijd, burgerlijke staat en regio.
- 52 Charron, J., Rainville, P., & Marchand, S. (2006). Direct comparison of placebo effects on clinical and experimental pain. *Clinical Journal of Pain*, 22, 204-211.
- 53 Chaves, J.F., & Barber, T.X. (1974). Cognitive strategies, experimenter modeling, and expectation in the attenuation of pain. *Journal of Abnormal Psychology*, 83, 356-363.
- 54 Clauw, D.J., & Chrousos, G.P. (1997). Chronic pain and fatigue syndromes: Overlapping clinical and neuroendocrine features and potential pathogenic mechanisms. *Neuroimmunomodulation*, 4, 134-153.
- 55 Cohen, J. (1988). Statistical power analysis for the behavioral sciences. 2nd edition. *Lawrence Erlbaum Associates*.
- 56 Colagiuri, B., Quinn, V.F., & Colloca, L. (2015). Nocebo hyperalgesia, partial reinforcement, and extinction. *The Journal of Pain*, 16, 995-1004.
- 57 Colagiuri, B., Schenk, L.A., Kessler, M.D., Dorsey, S.G., & Colloca, L. (2015). The placebo effect: From concepts to genes. *Neuroscience*, 307, 171-190.
- 58 Colloca, L., & Benedetti, F. (2009). Placebo analgesia induced by social observational learning. *PAIN*, 144, 28-34.
- 59 Colloca, L., & Miller, F.G. (2011). How placebo responses are formed: A learning perspective. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 366, 1859-1869.
- 60 Colloca, L., Petrovic, P., Wager, T.D., Ingvar, M., & Benedetti, F. (2010). How the number of learning trials affects placebo and nocebo responses. *PAIN*, 151, 430-439.
- 61 Colloca, L., Sigaudo, M., & Benedetti, F. (2008). The role of learning in nocebo and placebo effects. *PAIN*, 136, 211-218.
- 62 Cormier, S., Lavigne, G.L., Choiniere, M., & Rainville, P. (2016). Expectations

- predict chronic pain treatment outcomes. *PAIN*, 157, 329-338.
- 63 Cowen, R., Stasiowska, M.K., Laycock, H., & Bantel, C. (2015). Assessing pain objectively: The use of physiological markers. *Anaesthesia*, 70, 828-847.
- 64 Craig, C.L., Marshall, A.L., Sjöström, M., Bauman, A.E., Booth, M.L., Ainsworth, B.E., Pratt, M., Ekelund, U., Yngve, A., Sallis, J.F., & Oja, P. (2003). International physical activity questionnaire: 12-country reliability and validity. *Medicine and Science in Sports and Exercise*, 35, 1381-1395.
- 65 Dadds, M.R., Bovbjerg, D.H., Redd, W.H., & Cutmore, T.R.H. (1997). Imagery in human classical conditioning. *Psychological Bulletin*, 122, 89-103.
- 66 Danhauer, S.C., Marler, B., Rutherford, C.A., Lovato, J.F., Asbury, D.Y., McQuellon, R.P., & Miller, B.E. (2007). Music or guided imagery for women undergoing colposcopy: A randomized controlled study of effects on anxiety, perceived pain, and patient satisfaction. *Journal of Lower Genital Tract Disease*, 11, 39-45.
- 67 Darragh, M., Booth, R.J., & Consedine, N.S. (2014). Investigating the 'placebo personality' outside the pain paradigm. *Journal of Psychosomatic Research*, 76, 414-421.
- 68 Darragh, M., Chang, J.W.-H., Booth, R.J., & Consedine, N.S. (2015). The placebo effect in inflammatory skin reactions: The influence of verbal suggestion on itch and weal size. *Journal of Psychosomatic Research*, 78, 489-494.
- 69 Davis, C.E., Stockstill, J.W., Stanley, W.D., & Wu, Q. (2014). Pain-related worry in patients with chronic orofacial pain. *Journal of the American Dental Association*, 145, 722-730.
- 70 de Craen, A.J.M., Lampe-Schoenmaeckers, A.J.E.M., Kraal, J.W., Tijssen, J.G.P., & Kleijnen, J. (2001). Impact of experimentally-induced expectancy on the analgesic efficacy of tramadol in chronic pain patients: A 2 x 2 factorial, randomized, placebo-controlled, double-blind trial. *Journal of Pain and Symptom Management*, 21, 210-217.
- 71 de Craen, A.J.M., Tijssen, J.G.P., de Gans, J., & Kleijnen, J. (2000). Placebo effect in the acute treatment of migraine: Subcutaneous placebos are better than oral placebos. *The Journal of Neurology*, 247, 183-188.
- 72 de Jong, P.J., van Baast, R., Arntz, A., & Merckelbach, H. (1996). The placebo effect in pain reduction: The influence of conditioning experiences and response expectancies. *International Journal of Behavioral Medicine*, 3, 14-29.
- 73 Desimone, J.A., Harms, P.D., & Desimone, A.J. (2015). Best practice recommendations for data screening. *Journal of Organizational Behavior*, 36, 171-181.
- 74 Devine, D.P., & Spanos, N.P. (1990). Effectiveness of maximally different cognitive strategies and expectancy in attenuation of reported pain. *Journal of Personality and Social Psychology*, 58, 672-678.
- 75 Di Blasi, Z., Harkness, E., Ernst, E., Georgiou, A., & Kleijnen, J. (2001). Influence of context effects on health outcomes: A systematic review. *The Lancet*, 357, 757-762.
- 76 Dillworth, T., & Jensen, M.P. (2010). The role of suggestions in hypnosis for chronic pain: A review of the literature. *The Open Pain Journal*, 3, 39-51.
- 77 Doering, B.K., & Rief, W. (2012). Utilizing placebo mechanisms for dose reduction in pharmacotherapy. *Trends in Pharmacological Sciences*, 33, 165-172.
- 78 Drury, D.G., Stuempfle, K.J., Shannon, R., & Miller, J. (2004). An investigation of exercise-induced hypoalgesia after isometric and cardiovascular exercise. *Journal of Exercise Physiology online*, 7, 1-5.
- 79 Duncan, M.J. (2010). Placebo effects of caffeine on anaerobic performance in moderately trained adults. *Serbian Journal of Sports Sciences*, 4, 99-106.
- 80 Eccleston, C., & Crombez, G. (1999). Pain

- demands attention: A cognitive-affective model of the interruptive function of pain. *Psychological Bulletin*, 125, 356-366.
- 81 Eippert, F., Bingel, U., Schoell, E.D., Yacubian, J., Klinger, R., Lorenz, J., & Büchel, C. (2009). Activation of the opioidergic descending pain control system underlies placebo analgesia. *Neuron*, 63, 533-543.
- 82 Espay, A.J., Norris, M.M., Eliassen, J.C., Dwivedi, A., Smith, M.S., Banks, C., Allendorfer, J.B., Lang, A.E., Fleck, D.E., Linke, M.J., & Szaflarski, J.P. (2015). Placebo effect of medication cost in Parkinson disease: A randomized double-blind study. *Neurology*, 84, 794-802.
- 83 Evers, A.W.M., Peerdeman, K.J., Bartels, D.J.P., & van Laarhoven, A.I.M. (2016). Placebo and nocebo effects on itch: Methodological and clinical implications. In: Misery, L., & Ständer, S. (Eds.). *Pruritus* (pp. 103-110). Springer International Publishing.
- 84 Faasse, K., Cundy, T., Gamble, G., & Petrie, K.J. (2013). The effect of an apparent change to a branded or generic medication on drug effectiveness and side effects. *Psychosomatic Medicine*, 75, 90-96.
- 85 Fairchild, A.J., & MacKinnon, D.P. (2009). A general model for testing mediation and moderation effects. *Prevention Science*, 10, 87-99.
- 86 Fardo, F., Allen, M., Jegindo, E.E., Angrilli, A., & Roepstorff, A. (2015). Neurocognitive evidence for mental imagery-driven hypoalgesic and hyperalgesic pain regulation. *NeuroImage*, 120, 350-361.
- 87 Fassler, M., Meissner, K., Kleijnen, J., Hrobjartsson, A., & Linde, K. (2015). A systematic review found no consistent difference in effect between more and less intensive placebo interventions. *Journal of Clinical Epidemiology*, 68, 442-451.
- 88 Faul, F., Erdfelder, E., Buchner, A., & Lang, A.-G. (2009). Statistical power analyses using G*Power 3.1: Tests for correlation and regression analyses. *Behavior Research Methods*, 41, 1149-1160.
- 89 Fazio, R.H., Chen, J., McDonel, E.C., & Sherman, S.J. (1982). Attitude accessibility, attitude behavior consistency, and the strength of the object evaluation association. *Journal of Experimental Social Psychology*, 18, 339-357.
- 90 Flaten, M.A., Aslaksen, P.M., Finset, A., Simonsen, T., & Johansen, O. (2006). Cognitive and emotional factors in placebo analgesia. *Journal of Psychosomatic Research*, 61, 81-89.
- 91 Flaten, M.A., Aslaksen, P.M., Lyby, P.S., & Bjorkedal, E. (2011). The relation of emotions to placebo responses. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 366, 1818-1827.
- 92 Fojii, S., Tadayonfar, M.A., Mohsenpour, M., & Rakhshani, M.H. (2015). The study of the effect of guided imagery on pain, anxiety and some other hemodynamic factors in patients undergoing coronary angiography. *Complementary Therapies in Clinical Practice*, 21, 119-123.
- 93 Freeman, S., Yu, R., Egorova, N., Chen, X., Kirsch, I., Claggett, B., Kapchuk, T.J., Gollub, R.L., & Kong, J. (2015). Distinct neural representations of placebo and nocebo effects. *NeuroImage*, 112, 197-207.
- 94 Fukuda, K., Straus, S.E., Hickie, I., Sharpe, M.C., Dobbins, J.G., Komaroff, A., & the International Chronic Fatigue Syndrome Study Group (1994). The chronic fatigue syndrome: A comprehensive approach to its definition and study. *Annals of Internal Medicine*, 121, 953-959.
- 95 Geers, A.L., Fowler, S.L., Wellman, J.A., Helfer, S.G., Close, S., & France, C.R. (2015). Prior experience with a pain stimulus as a predictor of placebo analgesia. *Journal of Behavioral Medicine*, 38, 136-142.
- 96 Geers, A.L., Kosbab, K., Helfer, S.G., Weiland, P.E., & Wellman, J.A. (2007). Further evidence for individual differences in placebo responding: An

- interactionist perspective. *Journal of Psychosomatic Research*, 62, 563-570.
- 97 Geers, A.L., & Lassiter, G.D. (1999). Affective expectations and information gain: Evidence for assimilation and contrast effects in affective experience. *Journal of Experimental Social Psychology*, 35, 394-413.
- 98 Geers, A.L., & Lassiter, G.D. (2005). Affective assimilation and contrast: Effects of expectations and prior stimulus exposure. *Basic and Applied Social Psychology*, 27, 143-154.
- 99 Geers, A.L., Weiland, P.E., Kosbab, K., Landry, S.J., & Helfer, S.G. (2005). Goal activation, expectations, and the placebo effect. *Journal of Personality and Social Psychology*, 89, 143-159.
- 100 Geers, A.L., Wellman, J.A., Fowler, S.L., Helfer, S.G., & France, C.R. (2010). Dispositional optimism predicts placebo analgesia. *The Journal of Pain*, 11, 1165-1171.
- 101 Geers, A.L., Wellman, J.A., Fowler, S.L., Rasinski, H.M., & Helfer, S.G. (2011). Placebo expectations and the detection of somatic information. *Journal of Behavioral Medicine*, 34, 208-217.
- 102 Geuter, S., & Büchel, C. (2013). Facilitation of pain in the human spinal cord by nocebo treatment. *The Journal of Neuroscience*, 33, 13784-13790.
- 103 Geuter, S., Eippert, F., Hindi Attar, C., & Büchel, C. (2013). Cortical and subcortical responses to high and low effective placebo treatments. *NeuroImage*, 67, 227-236.
- 104 Goeman, J.J., & Finos, L. (2012). The inheritance procedure: Multiple testing of tree-structured hypotheses. *Statistical Applications in Genetics and Molecular Biology*, 11, 11.
- 105 Gonzales, E.A., Ledesma, R.J.A., McAllister, D.J., Perry, S.M., Dyer, C.A., & Maye, J.P. (2010). Effects of guided imagery on postoperative outcomes in patients undergoing same-day surgical procedures: A randomized, single-blind study. *AANA Journal*, 78, 181-188.
- 106 Goodin, B.R., & Bulls, H.W. (2013). Optimism and the experience of pain: Benefits of seeing the glass as half full. *Current Pain and Headache Reports*, 17, 329.
- 107 Gracely, R.H., Dubner, R., Deeter, W.R., & Wolske, P.J. (1985). Clinicians' expectations influence placebo analgesia. *The Lancet*, 325, 43.
- 108 Green, J.P., Barabasz, A.F., Barrett, D., & Montgomery, G.H. (2005). Forging ahead: The 2003 APA Division 30 definition of hypnosis. *International Journal of Clinical and Experimental Hypnosis*, 53, 259-264.
- 109 Gregory, W.L., Burroughs, W.J., & Ainslie, F.M. (1985). Self-relevant scenarios as an indirect means of attitude-change. *Personality and Social Psychology Bulletin*, 11, 435-444.
- 110 Greisen, J., Juhl, C.B., Grøfte, T., Vilstrup, H., Jensen, T.S., & Schmitz, O. (2001). Acute pain induces insulin resistance in humans. *Anesthesiology*, 95, 578-584.
- 111 Groeneweg, R., Haanstra, T., Bolman, C.A.W., Oostendorp, R.A.B., van Tulder, M.W., & Ostelo, R.W.J.G. (2017). Treatment success in neck pain: The added predictive value of psychosocial variables in addition to clinical variables. *Scandinavian Journal of Pain*, 14, 44-52.
- 112 Gryll, S.L., & Katahn, M. (1978). Situational factors contributing to placebo effect. *Psychopharmacology*, 57, 253-261.
- 113 Haanstra, T.M., Kamper, S.J., Williams, C.M., Spriensma, A.S., Lin, C.W.C., Maher, C.G., de Vet, H.C.W., & Ostelo, R.W.J.G. (2015). Does adherence to treatment mediate the relationship between patients' treatment outcome expectancies and the outcomes of pain intensity and recovery from acute low back pain? *PAIN*, 156, 1530-1536.
- 114 Haanstra, T.M., van den Berg, T., Ostelo, R.W., Poolman, R.W., Jansma, E.P., Cuijpers, P., & de Vet, H.C. (2012). Systematic review: Do patient expectations influence treatment outcomes in total knee and total hip arthroplasty? *Health Qual Life Outcomes*, 10, 152.

- 115 Haase, O., Schwenk, W., Hermann, C., & Müller, J.M. (2005). Guided imagery and relaxation in conventional colorectal resections: A randomized, controlled, partially blinded trial. *Diseases of the Colon & Rectum, 48*, 1955-1963.
- 116 Hackmann, A., Bennett-Levy, J., & Holmes, E.A. (2011). Oxford guide to imagery in cognitive therapy. *Oxford University Press*.
- 117 Hall, K.T., Loscalzo, J., & Kaptchuk, T.J. (2015). Genetics and the placebo effect: The placeboome. *Trends in Molecular Medicine, 21*, 285-294.
- 118 Hall, M.A., Dugan, E., Zheng, B.Y., & Mishra, A.K. (2001). Trust in physicians and medical institutions: What is it, can it be measured, and does it matter? *Milbank Quarterly, 79*, 613-639.
- 119 Hanssen, M.M., Peters, M.L., Vlaeyen, J.W.S., Meevissen, Y.M.C., & Vancleef, L.M.G. (2013). Optimism lowers pain: Evidence of the causal status and underlying mechanisms. *PAIN, 154*, 53-58.
- 120 Hanssen, M.M., Vancleef, L.M.G., Vlaeyen, J.W.S., & Peters, M.L. (2014). More optimism, less pain! The influence of generalized and pain-specific expectations on experienced cold-pressor pain. *Journal of Behavioral Medicine, 37*, 47-58.
- 121 Harvie, D.S., Moseley, G.L., Hillier, S.L., & Meulders, A. (2017). Classical conditioning differences associated with chronic pain: A systematic review. *The Journal of Pain, 18*, 889-898.
- 122 Hashish, I., Hai, H.K., Harvey, W., Feinmann, C., & Harris, M. (1988). Reduction of postoperative pain and swelling by ultrasound treatment: A placebo effect. *PAIN, 33*, 303-311.
- 123 Hashmi, J.A., Kong, J., Spaeth, R., Khan, S., Kaptchuk, T.J., & Gollub, R.L. (2014). Functional network architecture predicts psychologically mediated analgesia related to treatment in chronic knee pain patients. *The Journal of Neuroscience, 34*, 3924-3936.
- 124 Hassanlouei, H., Arendt-Nielsen, L., Kersting, U.G., & Falla, D. (2012). Effect of exercise-induced fatigue on postural control of the knee. *Journal of Electromyography and Kinesiology, 22*, 342-347.
- 125 Hayano, J., Yamada, M., Sakakibara, Y., Fujinami, T., Yokoyama, K., Watanabe, Y., & Takata, K. (1990). Short- and long-term effects of cigarette smoking on heart rate variability. *The American Journal of Cardiology, 65*, 84-88.
- 126 Hayes, A.F. (2013). Introduction to mediation, moderation, and conditional process analysis: A regression-based approach. *Gulford Press*.
- 127 Higgins, J.P.T., & Green, S. (2011). Cochrane handbook for systematic reviews of interventions. *The Cochrane Collaboration*.
- 128 Higgins, J.P.T., Thompson, S.G., Deeks, J.J., & Altman, D.G. (2003). Measuring inconsistency in meta-analyses. *British Medical Journal, 327*, 557-560.
- 129 Ho, K.H., Hashish, I., Salmon, P., Freeman, R., & Harvey, W. (1988). Reduction of post-operative swelling by a placebo effect. *Journal of psychosomatic research, 32*, 197-205.
- 130 Hoffman, M.D., & Hoffman, D.R. (2007). Does aerobic exercise improve pain perception and mood? A review of the evidence related to healthy and chronic pain subjects. *Current Pain and Headache Reports, 11*, 93-97.
- 131 Hofmann, M., Wrobel, N., Kessner, S., & Bingel, U. (2014). Minimizing carry-over effects after treatment failure and maximizing therapeutic outcome: Can changing the route of administration mitigate the influence of treatment history? *Zeitschrift Fur Psychologie-Journal of Psychology, 222*, 171-178.
- 132 Hofstetter, C.R., Sallis, J.F., & Hovell, M.F. (1990). Some health dimensions of self-efficacy: Analysis of theoretical specificity. *Social Science & Medicine, 31*, 1051-1056.
- 133 Holmes, E.A., Arntz, A., & Smucker, M.R. (2007). Imagery rescripting in cognitive behaviour therapy: Images, treatment

- techniques and outcomes. *Journal of Behavior Therapy and Experimental Psychiatry*, 38, 297-305.
- 134 Horan, J.J., Laying, F.C., & Pursell, C.H. (1976). Preliminary study of effects of "in vivo" emotive imagery on dental discomfort. *Perceptual and Motor Skills*, 42, 105-106.
- 135 Horing, B., Weimer, K., Muth, E.R., & Enck, P. (2014). Prediction of placebo responses: A systematic review of the literature. *Frontiers in Psychology*, 5, 1079.
- 136 Horing, B., Weimer, K., Schrade, D., Muth, E.R., Scisco, J.L., Enck, P., & Klosterhalfen, S. (2013). Reduction of motion sickness with an enhanced placebo instruction: An experimental study with healthy participants. *Psychosomatic Medicine*, 75, 497-504.
- 137 Horne, R., Weinman, J., & Hankins, M. (1999). The beliefs about medicines questionnaire: The development and evaluation of a new method for assessing the cognitive representation of medication. *Psychology & Health*, 14, 1-24.
- 138 Howe, L.C., Goyer, J.P., & Crum, A.J. (2017). Harnessing the placebo effect: Exploring the influence of physician characteristics on placebo response. *Health Psychology*.
- 139 Hunter, T., Siess, F., & Colloca, L. (2014). Socially induced placebo analgesia: A comparison of a pre-recorded versus live face-to-face observation. *European Journal of Pain*, 18, 914-922.
- 140 International Council for Harmonisation of Technical Requirements for Pharmaceuticals for Human Use (ICH) (1998). ICH harmonised tripartite guideline E9 statistical principles for clinical trials. *Federal Register*.
- 141 Jackson, T., Wang, Y.L., Wang, Y., & Fan, H.Y. (2014). Self-efficacy and chronic pain outcomes: A meta-analytic review. *The Journal of Pain*, 15, 800-814.
- 142 Jacobson, A.F. (2006). Cognitive-behavioral interventions for IV insertion pain. *AORN Journal*, 84, 1031-1048.
- 143 Jensen, K., Kirsch, I., Odmalm, S., Kaptchuk, T.J., & Ingvar, M. (2015). Classical conditioning of analgesic and hyperalgesic pain responses without conscious awareness. *Proceedings of the National Academy of Sciences of the United States of America*, 112, 7863-7867.
- 144 Jensen, M.P., & Karoly, P. (1991). Motivation and expectancy factors in symptom perception: A laboratory study of the placebo-effect. *Psychosomatic Medicine*, 53, 144-152.
- 145 Jensen, M.P., Turner, J.A., & Romano, J.M. (1991). Self-efficacy and outcome expectancies: Relationship to chronic pain coping strategies and adjustment. *PAIN*, 44, 263-269.
- 146 Johansen, O., Brox, J., & Flaten, M.A. (2003). Placebo and nocebo responses, cortisol, and circulating beta-endorphin. *Psychosomatic Medicine*, 65, 786-790.
- 147 Jubb, J., & Bensing, J.M. (2013). The sweetest pill to swallow: How patient neurobiology can be harnessed to maximise placebo effects. *Neuroscience & Biobehavioral Reviews*, 37, 2709-2720.
- 148 Kam-Hansen, S., Jakubowski, M., Kelley, J.M., Kirsch, I., Hoaglin, D.C., Kaptchuk, T.J., & Burstein, R. (2014). Altered placebo and drug labeling changes the outcome of episodic migraine attacks. *Science Translational Medicine*, 6, 218ra5.
- 149 Kaptchuk, T.J., Friedlander, E., Kelley, J.M., Sanchez, M.N., Kokkotou, E., Singer, J.P., Kowalczykowski, M., Miller, F.G., Kirsch, I., & Lembo, A.J. (2010). Placebos without deception: A randomized controlled trial in irritable bowel syndrome. *PLOS ONE*, 5, e15591.
- 150 Kaptchuk, T.J., Goldman, P., Stone, D.A., & Stason, W.B. (2000). Do medical devices have enhanced placebo effects? *Journal of Clinical Epidemiology*, 53, 786-792.
- 151 Kaptchuk, T.J., Kelley, J.M., Conboy, L.A., Davis, R.B., Kerr, C.E., Jacobson, E.E., Kirsch, I., Schyner, R.N., Nam, B.H., & Nguyen, L.T. (2008). Components of

- placebo effect: Randomised controlled trial in patients with irritable bowel syndrome. *British Medical Journal*, 336, 999-1003.
- 152 Kaptchuk, T.J., Stason, W.B., Davis, R.B., Legedza, A.T.R., Schnyer, R.N., Kerr, C.E., Stone, D.A., Nam, B.H., Kirsch, I., & Goldman, R.H. (2006). Sham device v inert pill: Randomised controlled trial of two placebo treatments. *British Medical Journal*, 332, 391-397.
- 153 Karvonen, M.J., Kentala, E., & Mustala, O. (1957). The effects of training on heart rate; A longitudinal study. *Annales Medicinae Experimentalis et Biologiae Fenniae*, 35, 307-315.
- 154 Kelley, J.M., Kraft-Todd, G., Schapira, L., Kossowsky, J., & Riess, H. (2014). The influence of the patient-clinician relationship on healthcare outcomes: A systematic review and meta-analysis of randomized controlled trials. *PLOS ONE*, 9, e94207.
- 155 Kercher, K. (1992). Assessing subjective well-being in the old-old: The PANAS as a measure of orthogonal dimensions of positive and negative affect. *Research on Aging*, 14, 131-168.
- 156 Kessner, S., Wiech, K., Forkmann, K., Ploner, M., & Bingel, U. (2013). The effect of treatment history on therapeutic outcome: An experimental approach. *JAMA Internal Medicine*, 173, 1468-1469.
- 157 King, L.A. (2001). The health benefits of writing about life goals. *Personality and Social Psychology Bulletin*, 27, 798-807.
- 158 Kirsch, I. (1985). Response expectancy as a determinant of experience and behavior. *American Psychologist*, 40, 1189-1202.
- 159 Kirsch, I. (1997). Response expectancy theory and application: A decennial review. *Applied & Preventive Psychology*, 6, 69-79.
- 160 Kirsch, I., Kong, J., Sadler, P., Spaeth, R., Cook, A., Kaptchuk, T., & Gollub, R. (2014). Expectancy and conditioning in placebo analgesia: Separate or connected processes? *Psychology of Consciousness*, 1, 51-59.
- 161 Kirsch, I., Lynn, S.J., Vigorito, M., & Miller, R.R. (2004). The role of cognition in classical and operant conditioning. *Journal of Clinical Psychology*, 60, 369-392.
- 162 Kirschbaum, C., & Hellhammer, D.H. (1994). Salivary cortisol in psychoneuroendocrine research: Recent developments and applications. *Psychoneuroendocrinology*, 19, 313-333.
- 163 Kirschbaum, C., & Hellhammer, D.H. (2000). Salivary cortisol. In. *Encyclopedia of stress* (pp. 379-383). American Press.
- 164 Kjøgx, H., Kasch, H., Zachariae, R., Svensson, P., Jensen, T.S., & Vase, L. (2016). Experimental manipulations of pain catastrophizing influence pain levels in patients with chronic pain and healthy volunteers. *PAIN*, 157, 1287-1296.
- 165 Klinger, R. (2010). Das Potenzial des analgetischen Plazeboeffektes: S3-Leitlinien-Empfehlung zur Behandlung akuter und perioperativer Schmerzen [The potential of the analgetic placebo effect - S3-guideline recommendation on the clinical use for acute and perioperative pain management]. *Anästhesiologie, Intensivmedizin, Notfallmedizin, Schmerztherapie*, 45, 22-29.
- 166 Klinger, R., Soost, S., Flor, H., & Worm, M. (2007). Classical conditioning and expectancy in placebo hypoalgesia: A randomized controlled study in patients with atopic dermatitis and persons with healthy skin. *PAIN*, 128, 31-39.
- 167 Klosterhalfen, S., Kellermann, S., Braun, S., Kowalski, A., Schrauth, M., Zipfel, S., & Enck, P. (2009). Gender and the nocebo response following conditioning and expectancy. *Journal of Psychosomatic Research*, 66, 323-328.
- 168 Koban, L., Brass, M., Lynn, M.T., & Pourtois, G. (2012). Placebo analgesia affects brain correlates of error processing. *PLOS ONE*, 7, e49784.
- 169 Kong, J., Spaeth, R., Cook, A., Kirsch, I., Claggett, B., Vangel, M., Gollub, R.L., Smoller, J.W., & Kaptchuk, T.J. (2013). Are all placebo effects equal? Placebo pills,

- sham acupuncture, cue conditioning and their association. *PLOS ONE*, 8, e67485.
- 170 Kosek, E., Rosen, A., Carville, S., Choy, E., Gracely, R.H., Marcus, H., Petzke, F., Ingvar, M., & Jensen, K.B. (2017). Lower placebo responses after long-term exposure to fibromyalgia pain. *The Journal of Pain*, 18, 835-843.
- 171 Kosslyn, S.M., Ganis, G., & Thompson, W.L. (2001). Neural foundations of imagery. *Nature Reviews Neuroscience*, 2, 635-642.
- 172 Kroenke, K. (2003). Patients presenting with somatic complaints: Epidemiology, psychiatric co-morbidity and management. *International Journal of Methods in Psychiatric Research*, 12, 34-43.
- 173 Kroenke, K., & Price, R.K. (1993). Symptoms in the community. Prevalence, classification, and psychiatric comorbidity. *Archives of Internal Medicine*, 153, 2474-2480.
- 174 Kwekkeboom, K.L., Wanta, B., & Bumpus, M. (2008). Individual difference variables and the effects of progressive muscle relaxation and analgesic imagery interventions on cancer pain. *Journal of Pain and Symptom Management*, 36, 604-615.
- 175 Kyle, B.N., & McNeil, D.W. (2014). Autonomic arousal and experimentally induced pain: A critical review of the literature. *Pain Research & Management*, 19, 159-167.
- 176 Lakens, D. (2013). Calculating and reporting effect sizes to facilitate cumulative science: A practical primer for t-tests and ANOVAs. *Frontiers in Psychology*, 4, 863.
- 177 Lasagna, L. (1955). Placebos. *Scientific American*, 193, 68-71.
- 178 Laska, E., & Sunshine, A. (1973). Anticipation of analgesia. A placebo effect. *Headache*, 13, 1-11.
- 179 Lee, H.-F., Hsieh, J.-C., Lu, C.-L., Yeh, T.-C., Tu, C.-H., Cheng, C.-M., Nliddam, D.M., Lin, H.-C., Lee, F.-Y., & Chang, F.-Y. (2012). Enhanced affect/cognition-related brain responses during visceral placebo analgesia in irritable bowel syndrome patients. *PAIN*, 153, 1301-1310.
- 180 Levine, J.D., & Gordon, N.C. (1984). Influence of the method of drug administration on analgesic response. *Nature*, 312, 755-756.
- 181 Liberman, R. (1964). An experimental study of the placebo response under three different situations of pain. *Journal of Psychiatric Research*, 2, 233-246.
- 182 Lidstone, S.C., Schulzer, M., Dinelle, K., Mak, E., Sossi, V., Ruth, T.J., de la Fuente-Fernández, R., Phillips, A.G., & Stoessl, A.J. (2010). Effects of expectation on placebo-induced dopamine release in Parkinson disease. *Archives of General Psychiatry*, 67, 857-865.
- 183 Linton, S.J. (2000). A review of psychological risk factors in back and neck pain. *Spine*, 25, 1148-1156.
- 184 Litt, M.D. (1988). Self-efficacy and perceived control: Cognitive mediators of pain tolerance. *Journal of Personality and Social Psychology*, 54, 149-160.
- 185 Ljosaa, T.M., Rustoen, T., Mork, C., Stubhaug, A., Miaskowski, C., Paul, S.M., & Wahl, A.K. (2010). Skin pain and discomfort in psoriasis: An exploratory study of symptom prevalence and characteristics. *Acta Dermato-Venereologica*, 90, 39-45.
- 186 Loggia, M.L., Juneau, M., & Bushnell, M.C. (2011). Autonomic responses to heat pain: Heart rate, skin conductance, and their relation to verbal ratings and stimulus intensity. *PAIN*, 152, 592-598.
- 187 Losin, E.A.R., Anderson, S.R., & Wager, T.D. (2017). Feelings of clinician-patient similarity and trust influence pain: Evidence from simulated clinical interactions. *The Journal of Pain*, 18, 787-799.
- 188 Lundh, L.G. (1987). Placebo, belief, and health. A cognitive-emotional model. *Scandinavian Journal of Psychology*, 28, 128-143.
- 189 Lyby, P.S., Aslaksen, P.M., & Flaten, M.A. (2010). Is fear of pain related to placebo analgesia? *Journal of Psychosomatic Research*, 68, 369-377.

- 190 Lyby, P.S., Aslaksen, P.M., & Flaten, M.A. (2011). Variability in placebo analgesia and the role of fear of pain—an ERP study. *PAIN*, 152, 2405-2412.
- 191 Lyby, P.S., Forsberg, J.T., Asli, O., & Flaten, M.A. (2012). Induced fear reduces the effectiveness of a placebo intervention on pain. *PAIN*, 153, 1114-1121.
- 192 Macedo, A., Farre, M., & Banos, J.E. (2006). A meta-analysis of the placebo response in acute migraine and how this response may be influenced by some of the characteristics of clinical trials. *European Journal of Clinical Pharmacology*, 62, 161-172.
- 193 MacLeod, A.K., Byrne, A., & Valentine, J.D. (1996). Affect, emotional disorder, and future-directed thinking. *Cognition & Emotion*, 10, 69-85.
- 194 Macleod, A.K., Williams, J.M.G., & Bekerian, D.A. (1991). Worry is reasonable: The role of explanations in pessimism about future personal events. *Journal of Abnormal Psychology*, 100, 478-486.
- 195 Manzoni, G.M., Pagnini, F., Castelnovo, G., & Molinari, E. (2008). Relaxation training for anxiety: A ten-years systematic review with meta-analysis. *BMC Psychiatry*, 8, 41.
- 196 Marteau, T.M., & Bekker, H. (1992). The development of a six-item short-form of the state scale of the Spielberger State-Trait Anxiety Inventory (STA). *The British Journal of Clinical Psychology*, 31, 301-306.
- 197 Martin-Pichora, A.L., Mankovsky-Arnold, T.D., & Katz, J. (2011). Implicit versus explicit associative learning and experimentally induced placebo hypoalgesia. *Journal of Pain Research*, 4, 67-77.
- 198 Matre, D., Casey, K.L., & Knardahl, S. (2006). Placebo-induced changes in spinal cord pain processing. *The Journal of Neuroscience*, 26, 559-563.
- 199 Matterne, U., Apfelbacher, C.J., Loerbroks, A., Schwarzer, T., Buttner, M., Ofenloch, R., Diepgen, T.L., & Weisshaar, E. (2011). Prevalence, correlates and characteristics of chronic pruritus: A population-based cross-sectional study. *Acta Dermato-Venereologica*, 91, 674-679.
- 200 McCracken, L.M. (1997). "Attention" to pain in persons with chronic pain: A behavioral approach. *Behavior Therapy*, 28, 271-284.
- 201 McNorgan, C. (2012). A meta-analytic review of multisensory imagery identifies the neural correlates of modality-specific and modality-general imagery. *Frontiers in Human Neuroscience*, 6, 285.
- 202 Meevissen, Y.M.C., Peters, M.L., & Alberts, H.J.E.M. (2011). Become more optimistic by imagining a best possible self: Effects of a two week intervention. *Journal of Behavior Therapy and Experimental Psychiatry*, 42, 371-378.
- 203 Meissner, K., Fassler, M., Rucker, G., Kleijnen, J., Hroobjartsson, A., Schneider, A., Antes, G., & Linde, K. (2013). Differential effectiveness of placebo treatments: A systematic review of migraine prophylaxis. *JAMA Internal Medicine*, 173, 1941-1951.
- 204 Moher, D., Liberati, A., Tetzlaff, J., Altman, D.G., & Prisma Group (2009). Preferred reporting items for systematic reviews and meta-analyses: The PRISMA statement. *PLOS Medicine*, 6, e1000097.
- 205 Mols, F., Pelle, A.J., & Kupper, N. (2009). Normative data of the SF-12 health survey with validation using postmyocardial infarction patients in the Dutch population. *Quality of Life Research*, 18, 403-414.
- 206 Mondloch, M.V., Cole, D.C., & Frank, J.W. (2001). Does how you do depend on how you think you'll do? A systematic review of the evidence for a relation between patients' recovery expectations and health outcomes. *Canadian Medical Association Journal*, 165, 174-179.
- 207 Montgomery, G.H., David, D., Winkel, G., Silverstein, J.H., & Bovbjerg, D.H. (2002). The effectiveness of adjunctive hypnosis with surgical patients: A meta-analysis. *Anesthesia and Analgesia*, 94, 1639-1645.
- 208 Montgomery, G.H., & Kirsch, I. (1997).

- Classical conditioning and the placebo effect. *PAIN*, 72, 107-113.
- 209 Morton, D.L., Watson, A., El-Deredy, W., & Jones, A.K.P. (2009). Reproducibility of placebo analgesia: Effect of dispositional optimism. *PAIN*, 146, 194-198.
- 210 Mun, C.J., Thummala, K., Davis, M.C., Karoly, P., Tennen, H., & Zautra, A.J. (2017). Predictors and social consequences of daily pain expectancy among adults with chronic pain. *PAIN*, 158, 1224-1233.
- 211 Murray, F.S., & Weaver, M.M. (1975). Effects of ipsilateral and contralateral counterirritation on experimentally produced itch in human beings. *Journal of Comparative and Physiological Psychology*, 89, 819-826.
- 212 Nakamura, Y., Donaldson, G.W., Kuhn, R., Bradshaw, D.H., Jacobson, R.C., & Chapman, C.R. (2012). Investigating dose-dependent effects of placebo analgesia: A psychophysiological approach. *PAIN*, 153, 227-237.
- 213 Napadow, V., Li, A., Loggia, M.L., Kim, J., Mawla, I., Desbordes, G., Schalock, P.C., Lerner, E.A., Tran, T.N., Ring, J., Rosen, B.R., Kaptchuk, T.J., & Pfab, F. (2015). The imagined itch: Brain circuitry supporting nocebo-induced itch in atopic dermatitis patients. *Allergy*, 70, 1485-1492.
- 214 Noonan, V., & Dean, E. (2000). Submaximal exercise testing: Clinical application and interpretation. *Physical Therapy*, 80, 782-807.
- 215 Ospina, M., & Harstall, C. (2002). Prevalence of chronic pain: An overview. *Alberta Heritage Foundation for Medical Research*.
- 216 Patel, T., Ishiiji, Y., & Yosipovitch, G. (2007). Menthol: A refreshing look at this ancient compound. *Journal of the American Academy of Dermatology*, 57, 873-878.
- 217 Pavlov, I.P. (1927). Conditioned reflexes: An investigation of the physiological activity of the cerebral cortex *Oxford University Press*.
- 218 Pearson, S.D., & Raeke, L.H. (2000). Patients' trust in physicians: Many theories, few measures, and little data. *Journal of General Internal Medicine*, 15, 509-513.
- 219 Peerdeman, K.J., van Laarhoven, A.I.M., Bartels, D.J.P., Peters, M.L., & Evers, A.W.M. (2017). Placebo-like analgesia via response imagery. *European Journal of Pain*, 21, 1366-1377.
- 220 Peerdeman, K.J., van Laarhoven, A.I.M., Donders, A.R.T., Hopman, M.T.E., Peters, M.L., & Evers, A.W.M. (2015). Inducing expectations for health: Effects of verbal suggestion and imagery on pain, itch, and fatigue as indicators of physical sensitivity. *PLOS ONE*, 10, e0139563.
- 221 Peerdeman, K.J., van Laarhoven, A.I.M., Keij, S.M., Vase, L., Rovers, M.M., Peters, M.L., & Evers, A.W.M. (2016). Relieving patients' pain with expectation interventions: A meta-analysis. *PAIN*, 157, 1179-1191.
- 222 Peerdeman, K.J., van Laarhoven, A.I.M., Peters, M.L., & Evers, A.W.M. (2016). An integrative review of the influence of expectancies on pain. *Frontiers in Psychology*, 7, 1270.
- 223 Peeters, F.P.M.L., Ponds, R.W.H.M., & Vermeeren, M.T.G. (1996). Affectiviteit en zielbeoordeling van depressie en angst. *Tijdschrift voor Psychiatrie*, 38, 240-250.
- 224 Peters, M.L., Flink, I.K., Boersma, K., & Linton, S.J. (2010). Manipulating optimism: Can imagining a best possible self be used to increase positive future expectancies? *The Journal of Positive Psychology*, 5, 204-211.
- 225 Petersen, G.L., Finnerup, N.B., Colloca, L., Amanzio, M., Price, D.D., Jensen, T.S., & Vase, L. (2014). The magnitude of nocebo effects in pain: A meta-analysis. *PAIN*, 155, 1426-1434.
- 226 Petersen, G.L., Finnerup, N.B., Grosen, K., Pilegaard, H.K., Tracey, I., Benedetti, F., Price, D.D., Jensen, T.S., & Vase, L. (2014). Expectations and positive emotional feelings accompany reductions in ongoing and evoked neuropathic pain following placebo interventions. *PAIN*, 155, 2687-2698.

- 227 Petersen, G.L., Finnerup, N.B., Norskov, K.N., Grosen, K., Pilegaard, H.K., Benedetti, F., Price, D.D., Jensen, T.S., & Vase, L. (2012). Placebo manipulations reduce hyperalgesia in neuropathic pain. *PAIN*, 153, 1292-1300.
- 228 Philips, C., & Samson, D. (2012). The rescripting of pain images. *Behavioural and Cognitive Psychotherapy*, 40, 558-576.
- 229 Pollo, A., Carlino, E., & Benedetti, F. (2008). The top-down influence of ergogenic placebos on muscle work and fatigue. *European Journal of Neuroscience*, 28, 379-388.
- 230 Pollo, A., Vighetti, S., Rainero, I., & Benedetti, F. (2003). Placebo analgesia and the heart. *PAIN*, 102, 125-133.
- 231 Posadzki, P., & Ernst, E. (2011). Guided imagery for musculoskeletal pain: A systematic review. *Clinical Journal of Pain*, 27, 648-653.
- 232 Posadzki, P., Lewandowski, W., Terry, R., Ernst, E., & Stearns, A. (2012). Guided imagery for non-musculoskeletal pain: A systematic review of randomized clinical trials. *Journal of Pain and Symptom Management*, 44, 95-104.
- 233 Pozek, J.-P.J., Beausang, D., Baratta, J.L., & Viscusi, E.R. (2016). The acute to chronic pain transition. Can chronic pain be prevented? *Medical Clinics of North America*, 100, 17-30.
- 234 Price, D.D., Barrell, J.J., & Gracely, R.H. (1980). A psychophysical analysis of experiential factors that selectively influence the affective dimension of pain. *PAIN*, 8, 137-149.
- 235 Price, D.D., Craggs, J., Verne, G.N., Perlstein, W.M., & Robinson, M.E. (2007). Placebo analgesia is accompanied by large reductions in pain-related brain activity in irritable bowel syndrome patients. *PAIN*, 127, 63-72.
- 236 Price, D.D., Finniss, D.G., & Benedetti, F. (2008). A comprehensive review of the placebo effect: Recent advances and current thought. *Annual Review of Psychology*, 59, 565-590.
- 237 Price, D.D., Milling, L.S., Kirsch, I., Duff, A., Montgomery, G.H., & Nicholls, S.S. (1999). An analysis of factors that contribute to the magnitude of placebo analgesia in an experimental paradigm. *PAIN*, 83, 147-156.
- 238 Quartana, P.J., Campbell, C.M., & Edwards, R.R. (2009). Pain catastrophizing: A critical review. *Expert Review of Neurotherapeutics*, 9, 745-758.
- 239 Rao, J.K., Anderson, L.A., Inui, T.S., & Frankel, R.M. (2007). Communication interventions make a difference in conversations between physicians and patients: A systematic review of the evidence. *Medical Care*, 45, 340-349.
- 240 Rasmussen, H.N., Scheier, M.F., & Greenhouse, J.B. (2009). Optimism and physical health: A meta-analytic review. *Annals of Behavioral Medicine*, 37, 239-256.
- 241 Raune, D., MacLeod, A., & Holmes, E.A. (2005). The simulation heuristic and visual imagery in pessimism for future negative events in anxiety. *Clinical Psychology & Psychotherapy*, 12, 313-325.
- 242 Rawdin, B., Evans, C., & Rabow, M.W. (2013). The relationships among hope, pain, psychological distress, and spiritual well-being in oncology outpatients. *Journal of Palliative Medicine*, 16, 167-172.
- 243 Reiner, K., Tibi, L., & Lipsitz, J.D. (2013). Do mindfulness-based interventions reduce pain intensity? A critical review of the literature. *Pain Medicine*, 14, 230-242.
- 244 Rescorla, R.A. (1988). Pavlovian conditioning. It's not what you think it is. *American Psychologist*, 43, 151-160.
- 245 Rescorla, R.A., & Wagner, A.R. (1972). A theory of Pavlovian conditioning: Variations in the effectiveness of reinforcement and nonreinforcement. In: Black, A.H., & Prokasy, W.F. (Eds.). *Classical Conditioning II: Current Research and Theory* (pp. 64-99). Appleton-Century-Crofts.
- 246 Roderigo, T., Benson, S., Schöls, M., Hetkamp, M., Schedlowski, M., Enck, P., &

- Elsenbruch, S. (2017). Effects of acute psychological stress on placebo and nocebo responses in a clinically relevant model of visceroperception. *PAIN*, 158, 1489-1498.
- 247 Rodriguez-Raecke, R., Doganci, B., Breimhorst, M., Stankevitz, A., Büchel, C., Birklein, F., & May, A. (2010). Insular cortex activity is associated with effects of negative expectation on nociceptive long-term habituation. *The Journal of Neuroscience*, 30, 11363-11368.
- 248 Roelofs, J., ter Riet, G., Peters, M.L., Kessels, A.G.H., Reulen, J.P.H., & Menheere, P.P.C.A. (2000). Expectations of analgesia do not affect spinal nociceptive R-III reflex activity: An experimental study into the mechanism of placebo-induced analgesia. *PAIN*, 89, 75-80.
- 249 Rohleder, N., & Nater, U.M. (2009). Determinants of salivary alpha-amylase in humans and methodological considerations. *Psychoneuroendocrinology*, 34, 469-485.
- 250 Rose, J.P., Geers, A.L., Rasinski, H.M., & Fowler, S.L. (2012). Choice and placebo expectation effects in the context of pain analgesia. *Journal of Behavioral Medicine*, 35, 462-470.
- 251 Rotter, J.B. (1954). Social learning and clinical psychology. *Prentice-Hall*.
- 252 Rotter, J.B. (1967). A new scale for the measurement of interpersonal trust. *Journal of Personality*, 35, 651-665.
- 253 Sanderman, R., Arrindell, W.A., Ranchor, A.V., Eysenck, H.J., & Eysenck, S.B.G. (1995). Het meten van persoonlijkheidskenmerken met de Eysenck Personality Questionnaire (EPQ): Een handleiding. *Noordelijk Centrum voor Gezondheidsvraagstukken*.
- 254 Sandler, A.D., & Bodfish, J.W. (2008). Open-label use of placebos in the treatment of ADHD: A pilot study. *Child Care, Health and Development*, 34, 104-110.
- 255 Schaefer, M., Harke, R., & Denke, C. (2016). Open-label placebos improve symptoms in allergic rhinitis: A randomized controlled trial. *Psychotherapy and Psychosomatics*, 85, 373-374.
- 256 Schedlowski, M., Enck, P., Rief, W., & Bingel, U. (2015). Neuro-bio-behavioral mechanisms of placebo and nocebo responses: Implications for clinical trials and clinical practice. *Pharmacological Reviews*, 67, 697-730.
- 257 Scheier, M.F., & Carver, C.S. (1987). Dispositional optimism and physical well-being: The influence of generalized outcome expectancies on health. *Journal of Personality*, 55, 169-210.
- 258 Scheier, M.F., Carver, C.S., & Bridges, M.W. (1994). Distinguishing optimism from neuroticism (and trait anxiety, self-mastery, and self-esteem): A reevaluation of the Life Orientation Test. *Journal of Personality and Social Psychology*, 67, 1063-1078.
- 259 Schenk, L.A., Sprenger, C., Geuter, S., & Büchel, C. (2014). Expectation requires treatment to boost pain relief: An fMRI study. *PAIN*, 155, 150-157.
- 260 Schmelz, M. (2015). Itch and pain differences and commonalities. In: Schaible, H.-G. (Ed.). *Pain Control* (pp. 285-301). Springer Berlin Heidelberg.
- 261 Schmid, J., Langhorst, J., Gass, F., Theysohn, N., Benson, S., Engler, H., Gizewski, E.R., Forsting, M., & Elsenbruch, S. (2015). Placebo analgesia in patients with functional and organic abdominal pain: A fMRI study in IBS, UC and healthy volunteers. *Gut*, 64, 418-427.
- 262 Schmid, J., Theysohn, N., Gass, F., Benson, S., Gramsch, C., Forsting, M., Gizewski, E.R., & Elsenbruch, S. (2013). Neural mechanisms mediating positive and negative treatment expectations in visceral pain: A functional magnetic resonance imaging study on placebo and nocebo effects in healthy volunteers. *PAIN*, 154, 2372-2380.
- 263 Schmidt, N.B., Lerew, D.R., & Trakowski, J.H. (1997). Body vigilance in panic disorder: Evaluating attention to bodily perturbations. *Journal of Consulting and Clinical Psychology*, 65, 214-220.

- 264 Schulz, K.F., Altman, D.G., Moher, D., & Group, C. (2010). CONSORT 2010 statement: Updated guidelines for reporting parallel group randomised trials. *British Medical Journal*, 340, c332.
- 265 Schwartz, N.A., Turturro, M.A., Istvan, D.J., & Larkin, G.L. (2000). Patients' perceptions of route of nonsteroidal anti-inflammatory drug administration and its effect on analgesia. *Academic Emergency Medicine*, 7, 857-861.
- 266 Scott, D.J., Stohler, C.S., Egnatuk, C.M., Wang, H., Koeppe, R.A., & Zubieta, J.K. (2008). Placebo and nocebo effects are defined by opposite opioid and dopaminergic responses. *Archives of General Psychiatry*, 65, 220-231.
- 267 Severeijns, R., van den Hout, M.A., & Vlaeyen, J.W.S. (2005). The causal status of pain catastrophizing: An experimental test with healthy participants. *European Journal of Pain*, 9, 257-265.
- 268 Sheehan, P.W. (1967). A shortened form of Betts Questionnaire upon Mental Imagery. *Journal of Clinical Psychology*, 23, 386-389.
- 269 Sheldon, K.M., & Lyubomirsky, S. (2006). How to increase and sustain positive emotion: The effects of expressing gratitude and visualizing best possible selves. *The Journal of Positive Psychology*, 1, 73-82.
- 270 Shepperd, J.A., Klein, W.M.P., Waters, E.A., & Weinstein, N.D. (2013). Taking stock of unrealistic optimism. *Perspectives on Psychological Science*, 8, 395-411.
- 271 Shepperd, J.A., Waters, E.A., Weinstein, N.D., & Klein, W.M.P. (2015). A primer on unrealistic optimism. *Current Directions in Psychological Science*, 24, 232-237.
- 272 Smeets, R.J., & Soest, M.V. (2009). The usability of a modified Astrand bicycle test to assess the aerobic capacity in patients with musculoskeletal pain and healthy controls. *Disability and Rehabilitation*, 31, 1988-1995.
- 273 Snyder, C.R. (2002). Hope theory: Rainbows in the mind. *Psychological Inquiry*, 13, 249-275.
- 274 Snyder, C.R., Berg, C., Woodward, J.T., Gum, A., Rand, K.L., Wrobleksi, K.K., Brown, J., & Hackman, A. (2005). Hope against the cold: Individual differences in trait hope and acute pain tolerance on the cold pressor task. *Journal of Personality*, 73, 287-312.
- 275 Snyder, C.R., Harris, C., Anderson, J.R., Holleran, S.A., Irving, L.M., Sigmon, S.T., Yoshinobu, L., Gibb, J., Langelle, C., & Harney, P. (1991). The will and the ways: Development and validation of an individual-differences measure of hope. *Journal of Personality and Social Psychology*, 60, 570-585.
- 276 Sohl, S.J., Schnur, J.B., & Montgomery, G.H. (2009). A meta-analysis of the relationship between response expectancies and cancer treatment-related side effects. *Journal of Pain and Symptom Management*, 38, 775-784.
- 277 Spanos, N.P., Perlini, A.H., & Robertson, L.A. (1989). Hypnosis, suggestion, and placebo in the reduction of experimental pain. *Journal of Abnormal Psychology*, 98, 285-293.
- 278 Staats, P., Hekmat, H., & Staats, A. (1998). Suggestion/placebo effects on pain: Negative as well as positive. *Journal of Pain and Symptom Management*, 15, 235-243.
- 279 Ständer, S., & Schmelz, M. (2006). Chronic itch and pain-similarities and differences. *European Journal of Pain* 10, 473-478.
- 280 Stewart-Williams, S., & Podd, J. (2004). The placebo effect: Dissolving the expectancy versus conditioning debate. *Psychological Bulletin*, 130, 324-340.
- 281 Stockhorst, U., Enck, P., & Klosterhalfen, S. (2007). Role of classical conditioning in learning gastrointestinal symptoms. *World Journal of Gastroenterology*, 13, 3430-3437.
- 282 Sullivan, M.J.L., Bishop, S.R., & Pivik, J. (1995). The Pain Catastrophizing Scale: Development and validation. *Psychological Assessment*, 7, 524-532.
- 283 Terry, E.L., Thompson, K.A., & Rhudy, J.L. (2015). Experimental reduction of pain catastrophizing modulates pain report

- but not spinal nociception as verified by mediation analyses. *PAIN*, 156, 1477-1488.
- 284 Thompson, A.G.H., & Sunol, R. (1995). Expectations as determinants of patient satisfaction: Concepts, theory and evidence. *International Journal for Quality in Health Care*, 7, 127-141.
- 285 Treister, R., Kliger, M., Zuckerman, G., Aryeh, I.G., & Eisenberg, E. (2012). Differentiating between heat pain intensities: The combined effect of multiple autonomic parameters. *PAIN*, 153, 1807-1814.
- 286 Turk, D.C., Dworkin, R.H., McDermott, M.P., Bellamy, N., Burke, L.B., Chandler, J.M., Cleeland, C.S., Cowan, P., Dimitrova, R., Farrar, J.T., Hertz, S., Heyse, J.F., Iyengar, S., Jadad, A.R., Jay, G.W., Jermano, J.A., Katz, N.P., Manning, D.C., Martin, S., Max, M.B., McGrath, P., McQuay, H.J., Quessy, S., Rappaport, B.A., Revicki, D.A., Rothman, M., Stauffer, J.W., Svensson, O., White, R.E., & Witter, J. (2008). Analyzing multiple endpoints in clinical trials of pain treatments: IMMPACT recommendations. *PAIN*, 139, 485-493.
- 287 Tversky, A., & Kahneman, D. (1973). Availability: A heuristic for judging frequency and probability. *Cognitive Psychology*, 4, 207-232.
- 288 van Beugen, S., Ferwerda, M., Hoeve, D., Rovers, M.M., Spillekom-van Kouil, S., van Middendorp, H., & Evers, A.W.M. (2014). Internet-based cognitive behavioral therapy for patients with chronic somatic conditions: A meta-analytic review. *Journal of Medical Internet Research*, 16, e88.
- 289 van Breukelen, G.J.P. (2006). ANCOVA versus change from baseline had more power in randomized studies and more bias in nonrandomized studies. *Journal of Clinical Epidemiology*, 59, 920-925.
- 290 van der Ploeg, H.M. (1982). De zelf-beoordelings vragenlijst (STAI-DY). *Tijdschrift voor Psychiatrie*, 24, 576-588.
- 291 van Kuiken, D. (2004). A meta-analysis of the effect of guided imagery practice on outcomes. *Journal of Holistic Nursing*, 22, 164-179.
- 292 van Laarhoven, A.I.M., Kraaimaat, F.W., Wilder-Smith, O.H., & Evers, A.W.M. (2010). Role of attentional focus on bodily sensations in sensitivity to itch and pain. *Acta Dermato-Venereologica*, 90, 46-51.
- 293 van Laarhoven, A.I.M., Kraaimaat, F.W., Wilder-Smith, O.H., van de Kerkhof, P.C.M., & Evers, A.W.M. (2010). Heterotopic pruritic conditioning and itch - Analogous to DNIC in pain? *PAIN*, 149, 332-337.
- 294 van Laarhoven, A.I.M., van der Sman-Mauriks, I.M., Donders, A.R.T., Pronk, M.C., van de Kerkhof, P.C.M., & Evers, A.W.M. (2015). Placebo effects on itch: A meta-analysis of clinical trials of patients with dermatological conditions. *Journal of Investigative Dermatology*, 135, 1234-1243.
- 295 van Laarhoven, A.I.M., Vogelaar, M.L., Wilder-Smith, O.H., van Riel, P.L.C.M., van de Kerkhof, P.C.M., Kraaimaat, F.W., & Evers, A.W.M. (2011). Induction of nocebo and placebo effects on itch and pain by verbal suggestions. *PAIN*, 152, 1486-1494.
- 296 van Laarhoven, A.I.M., Walker, A.L., Wilder-Smith, O.H., Kroese, S., van Riel, P.L.C.M., van de Kerkhof, P.C.M., Kraaimaat, F.W., & Evers, A.W.M. (2012). Role of induced negative and positive emotions in sensitivity to itch and pain in women. *British Journal of Dermatology*, 167, 262-269.
- 297 Vancleef, L.M.G., & Peters, M.L. (2011). The influence of perceived control and self-efficacy on the sensory evaluation of experimentally induced pain. *Journal of Behavior Therapy and Experimental Psychiatry*, 42, 511-517.
- 298 Vase, L., Petersen, G.L., Riley, J.L., 3rd, & Price, D.D. (2009). Factors contributing to large analgesic effects in placebo mechanism studies conducted between 2002 and 2007. *PAIN*, 145, 36-44.
- 299 Vase, L., Riley, J.L., & Price, D.D. (2002). A comparison of placebo effects in clinical analgesic trials versus studies of placebo

- analgesia. *PAIN*, 99, 443-452.
- 300 Vase, L., Robinson, M.E., Verne, G.N., & Price, D.D. (2003). The contributions of suggestion, desire, and expectation to placebo effects in irritable bowel syndrome patients: An empirical investigation. *PAIN*, 105, 17-25.
- 301 Vase, L., Robinson, M.E., Verne, G.N., & Price, D.D. (2005). Increased placebo analgesia over time in irritable bowel syndrome (IBS) patients is associated with desire and expectation but not endogenous opioid mechanisms. *PAIN*, 115, 338-347.
- 302 Vassend, O., Roysamb, E., & Nielsen, C.S. (2013). Five-factor personality traits and pain sensitivity: A twin study. *PAIN*, 154, 722-728.
- 303 Verheul, W., Sanders, A., & Bensing, J. (2010). The effects of physicians' affect-oriented communication style and raising expectations on analogue patients' anxiety, affect and expectancies. *Patient Education and Counseling*, 80, 300-306.
- 304 Verhoeven, E.W.M., Kraaimaat, F.W., van de Kerkhof, P.C.M., van Weel, C., Duller, P., van der Valk, P.G.M., van den Hoogen, H.J.M., Bor, J.H.J., Schers, H.J., & Evers, A.W.M. (2007). Prevalence of physical symptoms of itch, pain and fatigue in patients with skin diseases in general practice. *British Journal of Dermatology*, 156, 1346-1349.
- 305 Verhoeven, E.W.M., Kraaimaat, F.W., van de Kerkhof, P.C.M., van Weel, C., Duller, P., van der Valk, P.G.M., van den Hoogen, H.J.M., Bor, J.H.J., Schers, H.J., & Evers, A.W.M. (2007). Psychosocial well-being of patients with skin diseases in general practice. *Journal of the European Academy of Dermatology and Venereology*, 21, 662-668.
- 306 Verkuil, B., Brosschot, J.F., Meerman, E.E., & Thayer, J.F. (2012). Effects of momentary assessed stressful events and worry episodes on somatic health complaints. *Psychology & Health*, 27, 141-158.
- 307 Vögtle, E., Barke, A., & Kröner-Herwig, B. (2013). Nocebo hyperalgesia induced by social observational learning. *PAIN*, 154, 1427-1433.
- 308 Waber, R.L., Shiv, B., Carmon, Z., & Ariely, D. (2008). Commercial features of placebo and therapeutic efficacy. *Jama-Journal of the American Medical Association*, 299, 1016-1017.
- 309 Wager, T.D., & Atlas, L.Y. (2015). The neuroscience of placebo effects: Connecting context, learning and health. *Nature Reviews Neuroscience*, 16, 403-418.
- 310 Walach, H. (2001). The efficacy paradox in randomized controlled trials of CAM and elsewhere: Beware of the placebo trap. *Journal of Alternative and Complementary Medicine*, 7, 213-218.
- 311 Weimer, K., Colloca, L., & Enck, P. (2015). Age and sex as moderators of the placebo response - An evaluation of systematic reviews and meta-analyses across medicine. *Gerontology*, 61, 97-108.
- 312 Weisshaar, E., & Dalgard, F. (2009). Epidemiology of itch: Adding to the burden of skin morbidity. *Acta Dermato-Venereologica*, 89, 339-350.
- 313 Wells, N. (1989). Management of pain during abortion. *Journal of Advanced Nursing*, 14, 56-62.
- 314 Wertli, M.M., Burgstaller, J.M., Weiser, S., Steurer, J., Kofmehl, R., & Held, U. (2014). Influence of catastrophizing on treatment outcome in patients with nonspecific low back pain. *Spine*, 39, 263-273.
- 315 Wessely, S., Chalder, T., Hirsch, S., Wallace, P., & Wright, D. (1997). The prevalence and morbidity of chronic fatigue and chronic fatigue syndrome: A prospective primary care study. *American Journal of Public Health*, 87, 1449-1455.
- 316 Whaley, M.H., Brubaker, P.H., & Otto, R.M.(Eds.) (2006). ACSM's guidelines for exercise testing and prescription. 7th edition. *Lippincott Williams & Wilkins*.
- 317 Wilner, J.G., Vranceanu, A.M., & Blashill, A.J. (2014). Neuroticism prospectively predicts pain among adolescents: Results from a nationally representative sample. *Journal of Psychosomatic Research*, 77, 474-476.

- 318 Wilson, T.D., Lisle, D.J., Kraft, D., & Wetzel, C.G. (1989). Preferences as expectation-driven inferences: Effects of affective expectations on affective experience. *Journal of Personality and Social Psychology, 56*, 519-530.
- 319 Yosipovitch, G., Fast, K., & Bernhard, J.D. (2005). Noxious heat and scratching decrease histamine-induced itch and skin blood flow. *Journal of Investigative Dermatology, 125*, 1268-1272.
- 320 Young Casey, C., Greenberg, M.A., Nicassio, P.M., Harpin, R.E., & Hubbard, D. (2008). Transition from acute to chronic pain and disability: A model including cognitive, affective, and trauma factors. *PAIN, 134*, 69-79.
- 321 Zale, E.L., Lange, K.L., Fields, S.A., & Ditre, J.W. (2013). The relation between pain-related fear and disability: A meta-analysis. *The Journal of Pain, 14*, 1019-1030.
- 322 Zeidan, F., Lobanov, O.V., Kraft, R.A., & Coghill, R.C. (2015). Brain mechanisms supporting violated expectations of pain. *PAIN, 156*, 1772-1785.
- 323 Zhang, W., Robertson, J., Jones, A.C., Dieppe, P.A., & Doherty, M. (2008). The placebo effect and its determinants in osteoarthritis: Meta-analysis of randomised controlled trials. *Annals of the Rheumatic Diseases, 67*, 1716-1723.
- 324 Zigmond, A.S., & Snaith, R.P. (1983). The Hospital Anxiety and Depression Scale. *Acta Psychiatrica Scandinavica, 67*, 361-370.
- 325 Zunhammer, M., Ploner, M., Engelbrecht, C., Bock, J., Kessner, S.S., & Bingel, U. (2017). The effects of treatment failure generalize across different routes of drug administration. *Science Translational Medicine, 9*, eaal2999.

SAMENVATTING (DUTCH SUMMARY)

Placebo-effecten zijn gezondheidsverbeteringen die optreden na toediening van een inactieve behandeling (i.e., placebo). Deze effecten worden doorgaans toegeschreven aan iemands verwachtingen over de heilzame werking van een placebo. Placebo-effecten zijn veelvuldig gevonden op pijn. Pijn kan ook beïnvloed worden door placebo-achtige effecten, dat wil zeggen, effecten die veroorzaakt worden door verwachtingen over een actieve behandeling of over de ervaring van pijn zelf. Ook andere lichamelijke klachten, zoals jeuk en vermoeidheid, kunnen beïnvloed worden door placebo- en placebo-achtige effecten, hoewel dit minder vaak onderzocht is. De behandeling van lichamelijke klachten kan mogelijk verbeterd worden door het benutten van deze effecten in de klinische praktijk. Om dat op een effectieve manier te doen is een beter begrip van placebo- en placebo-achtige effecten en van de rol van verwachtingen hierin van groot belang voor zowel onderzoekers als artsen.

Het primaire doel van het huidige proefschrift was om te onderzoeken hoe placebo-effecten benut kunnen worden om pijn en andere lichamelijke klachten te verlichten. Hiervoor richtten we ons op verwachtingen. We onderzochten verschillende manieren om verwachtingen te beïnvloeden (i.e., verwachtingsinducties: verbale suggestie, conditionering en mentale verbeelding) om de effectiviteit voor het verlichten van lichamelijke klachten, met name pijn, te bepalen. Daarnaast onderzochten we de rol van behandelkenmerken (i.e., de toedieningsvorm van medicijnen) en individuele kenmerken (bijv. persoonlijkheidskenmerken) in placebo- en placebo-achtige effecten.

In **Hoofdstuk 2** vatten we de theoretische en empirische literatuur over de invloed van verwachtingen op pijn samen. In de meest invloedrijke psychologische leertheorieën spelen verwachtingen een centrale rol. Er kan onderscheid gemaakt worden tussen drie soorten verwachtingen: stimulus verwachtingen (met betrekking tot externe stimuli en gebeurtenissen, zoals het ontvangen van een recept voor medicatie), responsverwachtingen (met betrekking tot interne, onvrijwillige ervaringen, zoals pijn) en verwachtingen over zelfeffectiviteit (*self-efficacy*, met betrekking tot het vermogen om gedrag uit te voeren, zoals het ondernemen van lichamelijke activiteiten ondanks pijn). Van deze drie soorten verwachtingen worden responsverwachtingen over het algemeen gezien als het kernmechanisme van placebo- en placebo-achtige effecten. Ook wordt gedacht dat zij de grootste invloed op pijn hebben, gezien ze direct betrekking hebben op de ervaring zelf. Doorgaans worden drie leerprocessen van verwachtingen omschreven: leren via instructies (bijv. verbale suggestie), leren via conditionering

(directe ervaring van de samenhang tussen stimuli en/of gebeurtenissen) en observationeel leren. Daarnaast kunnen verwachtingen mogelijk ook geleerd worden door mentale verbeelding. We beschreven ook complexere verwachtingsconcepten (bijv. optimisme) waarin de samenhang van verwachtingen met gerelateerde emoties en gedachten gevat is. Met name optimisme en het catastroferen over pijn bleken geassocieerd te zijn met pijn, maar ook vertrouwen, piekeren en neuroticisme bleken invloedrijk, hoewel het onderzoek hiernaar beperkter is. Alles bij elkaar genomen onderstreept ons literatuuronderzoek de belangrijke invloed van verwachtingen op pijn en vergroot het ons begrip van de complexiteit van verwachtingen. Het beïnvloeden van verwachtingen via de verschillende leerprocessen lijkt een veelbelovende manier om placebo- en placebo-achtige effecten te benutten.

In **Hoofdstuk 3** bestudeerden we in een meta-analyse systematisch de beschikbare empirische literatuur om de grootte van de effecten van korte verwachtingsinducties op de pijn van patiënten te bepalen. We vonden dat verbale suggestie, conditionering en mentale verbeelding de pijn van patiënten kunnen verlichten. Er was vooral sterk bewijs dat verbale suggestie over de pijnstillende eigenschappen van een (placebo of actieve) behandeling placebo- en placebo-achtige effecten op de pijn van patiënten kunnen veroorzaken; een substantieel aantal studies vond effecten die gemiddeld statistisch matig tot groot waren. Slechts enkele studies onderzochten conditioneringsprocedures, welke altijd versterkt werden door verbale suggestie. Verrassend was dat de effecten daarvan niet groter bleken dan die van enkel verbale suggestie. Korte verbeeldingsoefeningen (bijv. gebruik makend van beelden van pijnvermindering door verdoving) hadden relatief kleine, hoewel veelbelovende, effecten op de pijn van patiënten. We bekeken tevens verschillende factoren die de effecten van de verwachtingsinducties mogelijk beïnvloedden. Opmerkelijk was dat de effecten van verbale suggestie op experimenteel opgewekte pijn en met name op acute procedurele pijn (bijv. pijn na een operatie) substantieel groter waren dan de effecten op chronische pijn (bijv. voortdurende zenuwpijn). Verder vonden we indicaties dat verbale suggestie effectiever was wanneer deze naar geïnjecteerde placebo's refereerde, dan wanneer deze naar orale of lokaal op de huid toegediende placebo's refereerde. Samenvattend suggereert onze meta-analyse dat de bevindingen van experimenteel onderzoek naar klinische situaties gegeneraliseerd kunnen worden in het geval van acute procedurele pijn, hoewel in mindere mate in het geval van chronische pijn. Verwachtingsinterventies, vooral verbale suggestie, zijn hiermee veelbelovende methoden voor het optimaliseren van reguliere pijnbehandelingen in de klinische praktijk, in ieder geval in acute gevallen.

In **Hoofdstuk 4** onderzochten we de effecten van zowel verbale suggestie als mentale verbeelding op pijn, jeuk en vermoeidheid als indicatoren van lichamelijke

gevoeligheid. In deze experimentele studie vertelden we een gezonde groep deelnemers dat een (placebo) capsule de gevoeligheid voor lichamelijke sensaties (zoals pijn, jeuk en vermoeidheid) kan verminderen. We vonden dat deze suggestie de verwachtingen van de deelnemers over de effecten van de capsule sterk beïnvloedde. Ook een nieuw ontwikkelde mentale verbeeldingsoefening waarin deelnemers zich hun best mogelijke gezondheid voorstelden, beïnvloedde de positieve en negatieve toekomstverwachtingen van de deelnemers. Echter, noch de verbale suggestie, noch de verbeeldingsoefening, noch de combinatie van beide beïnvloedde de lichamelijke gevoeligheid van de deelnemers, zoals bleek uit hun zelf-gerapporteerde en fysiologische reacties op experimenteel opgewekte pijn, jeuk en vermoeidheid. We vonden evenmin bewijs dat individuele verschillen, zoals de neiging van deelnemers om meer of minder optimistisch te zijn, hun reacties beïnvloedden. Deze bevindingen suggereren dat verwachtingseffecten niet altijd optreden. Mogelijk hangen ze, onder andere, af van de mate van specificiteit van de interventies, waarbij een focus op meerdere sensaties tegelijk of gezondheid in het algemeen minder effectief is dan een focus op een specifieke ervaring.

In **Hoofdstuk 5** onderzochten we of een nieuw ontwikkelde verbeeldingsoefening die specifiek gericht is op pijn placebo-achtige effecten kan opwekken. In de eerste van twee experimentele studies verbeeldden gezonde deelnemers zich dat ze minder pijn zouden ervaren tijdens een daaropvolgende pijnlijke koudwatertaak. Dit deden ze door zich een warme, waterdichte handschoen voor te stellen. De resultaten toonden dat de verbeelding van pijnvermindering (i.e., responsverbeelding) latere pijn kan verminderen. Belangrijk is dat deze effecten verklaard konden worden door de verwachtingen van de deelnemers over de latere pijn (i.e., responsverwachtingen). De effecten op pijn gingen echter niet gepaard met corresponderende fysiologische reacties (bijv. lagere hartslag). De tweede studie repliceerde deze bevindingen. In deze studie vonden we verder dat een aanvullende verbale suggestie over de effectiviteit van de verbeeldingsoefening de pijnstillende effecten niet of nauwelijks versterkte. Bovendien zagen we dat individuele kenmerken ook in deze studies de effecten niet voorspelden. Beide studies tonen dat placebo-achtige effecten op pijn opgewekt kunnen worden met responsverbeelding. Responsverbeelding lijkt daarmee een veelbelovende methode voor de behandeling van pijn, zelfs nog voordat de pijn daadwerkelijk optreedt.

In **Hoofdstuk 6** bekeken we verschillen in placebo-effecten van diverse toedieningsvormen van medicijnen (wat we ook in Hoofdstuk 3 zagen) door in een online vragenlijsonderzoek de onderliggende verwachtingen te meten. Een grote steekproef, representatief voor de Nederlandse bevolking, scoorde de verwachte

effectiviteit van zowel pijn- als jeuk-verlichtende medicijnen in verschillende toedieningsvormen: oraal, via injectie of lokaal op de huid. Overeenkomstig met onze eerdere bevindingen verwachtten respondenten dat injecties het meest effectief zouden zijn voor het verlichten van pijn. Voor het verlichten van jeuk daarentegen verwachtten respondenten dat lokaal toegediende medicijnen het meest effectief zouden zijn. Deze bevindingen geven aan dat de verwachte effectiviteit van medicijnen, en daarmee placebo- en placebo-achtige effecten, afhangen van zowel de toedieningsvorm als van de behandelde klacht. Aanvullende analyses toonden dat een hogere verwachte effectiviteit samenhangt met verwachtingen dat de medicijnen langer aanhoudende effecten, een snellere werking, een grotere veiligheid en groter gebruiksgemak hebben. De verwachte effectiviteit was niet of slechts zwak geassocieerd met verwachte bijwerkingen, prijs en mate waarin de toedieningsvorm als beangstigend werd gezien. Ook individuele verschillen in demografische kenmerken, gezondheid, frequentie van medicijngebruik en persoonlijkheidskenmerken hingen niet of slechts zwak samen met de verwachte effectiviteit. Alles bij elkaar genomen suggereren deze bevindingen dat invasieve behandelingen niet per se krachtiger zijn dan minder invasieve behandelingen. In plaats daarvan spelen ook andere factoren een rol, zoals het soort klacht dat behandeld wordt en mogelijk ook de locatie van de klacht en de gangbaarheid van een specifieke toedieningsvorm voor de klacht.

Tot besluit onderstrepen de bevindingen van het onderzoek in dit proefschrift de invloed van verwachtingen op pijn en het potentieel van verwachtingsinterventies voor het verbeteren van de behandeling van pijn en andere lichamelijke klachten. We vonden dat placebo- en placebo-achtige effecten opgewekt kunnen worden via verbale suggestie, conditionering en mentale verbeelding. Vooral verbale suggestie lijkt de korte-termijneffecten van pijnbehandelingen te verbeteren bij patiënten. We vonden bovendien, voor het eerst, dat mentale verbeelding van verminderde pijn (i.e., responsverbeelding) pijnvermindering kan veroorzaken via de effecten op responsverwachtingen. Daarnaast zagen we dat verwachtingen over de effectiviteit van medicijnen ook afhangen van de toedieningsvorm en de behandelde klacht. Concluderend kunnen we stellen dat het benutten van placebo-effecten door ons te richten op verwachtingen veelbelovend is voor het verbeteren van de reguliere behandeling van lichamelijke klachten zoals pijn.

PUBLICATIONS

Articles in international peer reviewed journals

Peerdeman, K.J.*, Tekampe, J.*., van Laarhoven, A.I.M., van Middendorp, H., Rippe, R.C.A., Peters, M.L., & Evers, A.W.M. (in press). Expectations about the effectiveness of pain- and itch-relieving medication administered via different routes. *European Journal of Pain*. doi: 10.1002/ejp.1163. *joint first authorship.

OPEN  ACCESS

Bartels, D.J.P., van Laarhoven, A.I.M., Stroo, M., Hijne, K., **Peerdeman, K.J.**, Donders, A.R.T., van de Kerkhof, P.C.M., & Evers, A.W.M (2017). Minimizing nocebo effects by conditioning with verbal suggestion: A randomized clinical trial in healthy humans. *PLOS ONE*, 12, e0182959. doi: 10.1371/journal.pone.0182959. OPEN  ACCESS

Peerdeman, K.J., van Laarhoven, A.I.M., Bartels, D.J.P., Peters, M.L., & Evers, A.W.M. (2017). Placebo-like analgesia via response imagery. *European Journal of Pain*, 21, 1366–1377. doi: 10.1002/ejp.1035. OPEN  ACCESS

Peerdeman, K.J., van Laarhoven, A.I.M., Peters, M.L., & Evers, A.W.M. (2016). An integrative review of the influence of expectancies on pain. *Frontiers in Psychology*, 7, 1270. doi: 10.3389/fpsyg.2016.01270. OPEN  ACCESS

Peerdeman, K.J., van Laarhoven, A.I.M., Keij, S.M., Vase, L., Rovers, M.M., Peters, M.L., & Evers, A.W.M. (2016). Relieving patients' pain with expectation interventions: A meta-analysis. *PAIN*, 157, 1179-1191. doi: 10.1097/j.pain.0000000000000540.

Peerdeman, K.J., van Laarhoven, A.I.M., Donders, A.R.T., Hopman, M.T.E., Peters, M.L., & Evers, A.W.M. (2015). Inducing expectations for health: Effects of verbal suggestion and imagery on pain, itch, and fatigue as indicators of physical sensitivity. *PLOS ONE*, 10, e0139563. doi: 10.1371/journal.pone.0139563. OPEN  ACCESS

Book chapter

Evers, A.W.M., **Peerde man, K.J.**, Bartels, D.J.P., & van Laarhoven, A.I.M. (2016). Placebo and nocebo effects on itch: Methodological and clinical implications. In L. Misery & S. Ständer (Eds.). *Pruritus. 2nd edition* (pp. 103-110). Springer International Publishing.

National (non refereed) article

Evers, A.W.M., & **Peerde man, K.J.** (2016). Hoe het placebo-effect kan bijdragen aan een betere gezondheidszorg. *MFM Praktijkgerichte nascholing over farmacotherapie*, 6, 46.

CURRICULUM VITAE

Kaya Peerdeman was born on September 26, 1986 in Hoorn, the Netherlands. After obtaining her Gymnasium diploma at the OSG West-Friesland (with merit) in 2004, she completed her bachelor in Clinical Psychology at the University of Amsterdam (UvA) (with merit). In 2011, she completed the Research Master's programme in Psychology (major Clinical Psychology, minor Cognitive Neuropsychology; cum laude) and the master in Clinical Psychology at the UvA. Her main research project focused on the modes of thinking that determine the dysfunctionality of rumination. She obtained practical experience in psychodiagnostics and psychotherapy at the Universitair Psychiatrisch Centrum KU Leuven, campus Kortenberg, in Belgium. During her studies, she worked as a research assistant on various projects in Developmental Psychology and Religion Studies and organized lectures and an international conference on the Psychology of Religion for the psychology study association (VSPA).

She started her PhD research in 2011 at the Medical Psychology department of the Radboud university medical center in Nijmegen. In 2014, she moved with the whole research group to continue her work at the newly formed Health, Medical and Neuropsychology unit of Leiden University. Her research was funded by a NWO Vidi grant and later also an ERC consolidator grant awarded to prof. dr. Andrea Evers. During her PhD, in early 2015, she was a visiting scholar at Aarhus University in Denmark with prof. dr. Lene Vase. For her paper on the placebo-like analgesic effects of response imagery (Chapter 5), she received the EPP article award 2015/2016. During her PhD and as a lecturer at the department, she supervised a multitude of bachelor projects and master theses, taught workgroups, and gave several lectures. She was a member of the local and international organizing committee of the 1st official SIPS conference on Placebo Studies.

Currently, she is working as a post-doctoral researcher on prof. dr. Andrea Evers' Vici project to study the role of nocebo effects in the sensitization of somatic symptoms. In parallel, she continues her work as a lecturer.

DANKWOORD (ACKNOWLEDGEMENTS)

Dit proefschrift schreef ik niet alleen, velen hebben bijgedragen. Met slechts weinig woorden beschikbaar bedank ik hier graag enkele van hen in het bijzonder.

Allereerst mijn promotoren, ik had geen beter promotieteam kunnen verwachten. Andrea, dank voor je vertrouwen, de vele kansen die je me gaf, je onuitputbare en aanstekelijke enthousiasme, je steeds weer nieuwe ideeën en kritische geest en dat je altijd bereikbaar was. Dit samen vormde de drijvende kracht voor mijn promotieonderzoek.

Antoinette, jouw enthousiasme en gedrevenheid hebben me steeds weer geïnspireerd en energie gegeven. Jouw oog voor detail is zichtbaar in alle stukken en je feedback was altijd raak.

Madelon, vanuit Maastricht en Frankrijk was jij net zo bereikbaar en betrokken. Je altijd optimistische en kritische blik was onmisbaar.

De coauteurs van de hoofdstukken - Judith, Danielle, Henriët, Lene, Ralph, Sascha, Rogier, Maroeska en Maria - dank voor jullie inzichten, inzet en inspirerende gesprekken.

De scriptiestudenten en onderzoeksassistenten, dank voor de vele uren in en rond het lab. Bovendien, het plezier, de kennis en skills die jullie me gaven had ik niet willen missen.

De vele onderzoeksdeelnemers, zonder hen waren de studies niet mogelijk geweest.

Freya, dank voor het ontwerp van de omslag van dit boekje.

De leden van de promotiecommissie, dank voor jullie essentiële bijdragen.

Dank aan alle collega's van het Radboudumc en de Universiteit Leiden. Vooral fellow-PhDs José, Simone, Sanne, Emiel, Marloes en Kim (Nijmegen), Sylvia, Maaike en Lieke (Nijmegen en Leiden), Melanie, Anke, Eline, Lemmy, Meriem, Aleksandrina, Stefanie, Jelle, Nathal, Janice, Dana, Charlotte, Angelos en Andreas (Leiden). Dank aan de senior onderzoekers (vooral Judy, Henriët, Rebecca, Roos en Esther), Lene and your team for your warm welcome in Aarhus, de collega's van het secretariaat (Atie, Jaap-Willem en anderen), lab support (Maureen en collega's) en collega's in andere ondersteunende rollen. De vele meetings en spontane gesprekjes op de gang, borrel en elders waren precies datgene wat het werk extra plezierig maakte en waar ik op allerlei vlakken van heb geleerd. Door jullie voelde ik me altijd thuis op mijn werk.

Mijn paranimfen, langstzittende roomie en Vidi-buddy Danielle en buurroomie Judith, van begin tot eind waren we samen. Vooral jullie zorgden voor een lach en maakten het werk vele malen leuker, en dragelijker wanneer iets niet meezaat.

De resmas van de UvA, dank voor de kennis, vaardigheden en het zelfvertrouwen die ik hier leerde, dit vormde de basis voor mijn promotieonderzoek. Vooral dank aan Thomas Ehring, voor zijn altijd betrokken en positieve scriptiebegeleiding.

Resmas friends - Özüm, Alba, Adam, Evin, Kathrin, Hagar, Wouter, Li-yang, Frieda, Hillie, Yasemin, Eftychia, Tamara, Adina, Tim, Roderik, WeiYi et al. - I'm so happy to have met you in 3.12, Kriterion and around, and so glad that we stayed in contact.

Iris, Freya, Kristina, Roselien, Gwyn, Haiyun, Taketo en Suzanne, jullie zijn al jaren zeer dierbare, onmisbare vrienden. Jullie herinneren me eraan hoeveel meer er in het leven is.

Papa en mama - Hillebrand en Karin - jullie lieten me vrij om mijn weg te vinden, steunden me onvoorwaardelijk en zijn er altijd voor me. Hylke, liefste, boekenverslindende, slimme grote zus. Ik ben trots op jullie.

Mijn schoonfamilie - Vassilis and Evrenio; Theodora, Areti, and Renia; Odysseas, Renia, and little Calypso - I am grateful that you welcomed me into your wonderful loving family. Ευχαριστώ πάρα πολύ!

Angelos, you were nearest to me during these PhD years. You are my biggest support, inspiration, and love. You showed me that dedication is the key in work and life. We are connected and will always be.