



Universiteit  
Leiden  
The Netherlands

## **The ornithology of the Baudin expedition (1800-1804)**

Jansen, J.J.F.J.

### **Citation**

Jansen, J. J. F. J. (2018, May 22). *The ornithology of the Baudin expedition (1800-1804)*. Retrieved from <https://hdl.handle.net/1887/62332>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/62332>

**Note:** To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/62332> holds various files of this Leiden University dissertation

**Author:** Jansen, Justin J.F.J.

**Title:** The ornithology of the Baudin expedition (1800-1804)

**Date:** 2018-05-22

## Chapter 3.11

### New light on the ornithological notes made on the Baudin expedition (1800-1804)

Justin J.F.J. Jansen

**Abstract:** The 1985 publication by Jacqueline Bonnemains and Claude Chappuis is the prime source of ornithological notes written by François Péron (1775-1810) and is housed in the archives in the Muséum d'histoire naturelle, Le Havre, France. This paper is reviewed here, along with previously unpublished material. Péron brought back 140 sheets of paper to France containing various catalogues filled with ornithological findings from the French expedition to Tenerife (Spain), Mauritius, Australia, Timor and South Africa commanded by Nicolas Thomas Baudin (1754-1803) between 1800 and 1804. The notes made by Péron document part of the events which took place after the death of the expedition's main bird-collector René Maugé (1757-1802) on Maria Island in February 1802.

**Key words:** Nicolas Baudin; Australia; Timor

#### INTRODUCTION

---

On 19 October 1800, the French government-funded expedition commanded by Nicolas Thomas Baudin left Le Havre harbour for a long and hazardous expedition to Tenerife, Mauritius, Australia, Timor and South Africa. Of the two ships that left Le Havre, *Le Naturaliste* arrived back in France on 7 June 1803 and *Le Géographe* (Jansen 2014c) returned on 24 March 1804. The instructions given to the crew were brief 'Which bird species dominate?' (Bonnemains 2000) and no ornithological catalogue or lists were made. However, François Péron made several notes on birds while on the expedition. Péron took over when the chief zoologist on the expedition, René Maugé (1757-1802), passed away on Maria Island. The collector for the specimens found in Péron's notes of birds was Charles-Alexandre Lesueur (1778-1846).

The 140 sheets of ornithological notes drafted by François Péron are housed in Museum d'histoire naturelle, Le Havre, Normandy, Seine-Maritime, France (hereafter MHNH). The same applies for the 50 drawings made by Charles-Alexandre Lesueur which have been included in numerous publications (e.g. Baglione & Crémère 2009). These documents were researched by the author in Le Havre on 27 June 2013 and 21 May 2015.

When Péron and Lesueur arrived back in France, both worked on the expeditions narrative and published it in parts between 1807 and 1816. When Péron died, his manuscripts came into the possession of Lesueur. Lesueur took part of these manuscripts to the USA and part remained with his relatives. Between 1883 and 1918, these documents and drawings were sold or donated, particularly to the museum in Le Havre and a few ended up in Paris. Things took a turn for the worse when German forces occupied Le Havre during the Second World War and the allies virtually destroyed the city on 5 September 1944. Le Havre's Museum of Natural History was flattened and most of the collections incinerated. The curator of the Lesueur Collection, André Maury (1892-1983), had the foresight, however, to shift this inflammable paper material to a more secure location. The Lesueur-Péron collection is now in Fort Tourneville, a mid-19th century fortification perched on a hill overlooking the port city of Le Havre.

Péron penned his ornithological material sometimes neatly, sometimes written in a frantic, barely legible scrawl that covered every inch of paper, they were extremely hard to deci-




Fig. 3-076 | RED-NECKED AVOCET *Recurvirostra novaehollandiae*  
 (© Muséum d'histoire Naturelle, Le Havre, N° 79085).

pher and interpret. The documents Collection Lesueur, MHNH 79054 – 79127 were, for the most part, written in Latin, but were also often mixed with French text.

The aim of this paper is to add information to the Bonnemains and Chappuis (1985) paper and discuss two extra documents. Due to taxonomic changes over the years, and revised ideas on the identification on some birds, a review of the paper was needed.

### THE 1985 PAPER

The paper by Jacqueline Bonnemains and Claude Chappuis provided readers with archival ornithological documents housed in Le Havre. After a short introduction, the article described the 50 drawings by Lesueur housed in Le Havre and 140 ornithological documents drafted by Péron. These chapters were followed by appendices, discussing the origin of the bird families in the notes (appendix 1), alphabetical list of birds (appendix 2), location of the origin of the birds (appendix 3) and the Le Havre numbering as opposed to Péron and Lesueur, who numbered the documents in their own order (appendix 4).

In their paper, *Les Oiseaux de la collection C.-A. Lesueur du Muséum d'histoire naturelle du Havre*, the two main chapters, which are not tabled, are bundled documents. Chapter 3 is a *Catalogue des dessins* (Collection Lesueur, MHNH 79001 à 79052) and chapter 4, *Catalogue des manuscrits* (Collection Lesueur, MHNH 79053 à 79127). In chapter 3 they added extra information to the drawings and in chapter 4 they transferred some text into the entries.

Two important documents Collection Lesueur, MHNH 21002 and 21003 are not discussed




Fig. 3-077 | SATIN FLYCATCHER *Myiagra cyanoleuca*  
 (© Muséum d'histoire Naturelle, Le Havre N° 79097).






Fig. 3-078 | TURDUS EPIRUFUS

(© Muséum d'histoire Naturelle, Le Havre N° 79109).

by them and have been included here. As both documents can be matched with the documents as discussed by Bonnemains and Chappuis (1985).

## THE ORNITHOLOGICAL DOCUMENTS

---

### Collection Lesueur, MHNH 21002

This is a combined catalogue executed by François Péron titled *Descriptions Zoologiques*. It combines 12 catalogues written by Péron about objects in his care, or possibly from his own observations, ranging from insects to mammals and with birds only being a minor feature.<sup>1</sup>

It is clear that continuous documentation of the activities only took place from Port Jackson onwards (from November 1802) with few entries dated from Tasmania. Only a few specimens obtained in Port Jackson were catalogued here, which is not surprising as the majority of specimens were taken home on *Le Naturaliste* and Péron was based on *Le Géographe*. The random order shows that mistakes can easily be made in noting the origin of the specimens, as entries from one location are mapped into several catalogues. The 89 bird entries, as noted in this document, are listed in table 3-008. These birds were all collected by Lesueur.

### Collection Lesueur, MHNH 21003

This *Tableau General*, was part of a catalogue that lists new species, it discusses *Mammifères, Oiseaux, Quadrupèdes ovipares, Poissons, Insectes, Vers et Molusques, Testacés, Zoophytes, Fucus, Mousses, Fungus and Lichens* in 17 pages. For birds, information can be found on 3 pages (pp. 3-5), it has a table with 37 alleged new species covering two pages (*Deuxième classe, Oiseaux*) (Péron number 3533). There is a general description on birds and the locations where they were encountered (*Observations sur les Oiseaux*) (Péron number 3534). In regard to the new species, Péron consulted the expeditions library containing all works known up to 1800 when they departed, and thought they were new as they were not included in the publications available to him. In table 3-009, the current names of the species are also given. Not a single one of the new bird species was published by Péron or other crew members.

### Collection Lesueur, MHNH 79001-79052

The 50 bird drawings by Charles-Alexandre Lesueur are listed in table 3-010. Most of the birds displayed are still present today (Jansen 2017b). These documents include rough sketches and full-colour drawings. Few identifications have been altered by the author compared to Bonnemains and Chappuis (1985).

### Collection Lesueur, MHNH 79054-79127

These 69 documents (140 pages) show descriptions of birds encountered or collected. Most descriptions are brief and are limited to one sheet of paper. However, some occupy a few pages. Descriptions are subject to interpretation regarding features mentioned by Péron. The descriptions also contained information on where they were found. Among these notes are two extensive descriptions of birds from Geographe Bay<sup>2</sup> and from South Africa. The description of albatrosses in general covers 23 pages. This list has been discussed previously, but no translations were made (Bonnemains & Chappuis 1985). Translations into modern names are made in table 3-011.<sup>3</sup> The author worked through all the descriptions while deciphering them and comparing them to specimens in existence and with modern field guides.

### The importance of these documents

Although Péron is commemorated in the Latin name of the Malaysian Plover *Charadrius peronii* (Schlegel 1865) and Orange-sided Thrush *Geokichla peronii* (Vieillot 1818), he did not publish a single paper on birds, despite the extensive notes he made during the journey. The number of birds in the narratives of the expedition is low, compared to the material available to Péron (Péron 1809). Many species noted as 'new' by Péron were later described by men such as Coenraad Jacob Temminck (1778-1858) and Louis-Jean Vieillot (1748-1831) without consulting Péron's original documents.

Many specimens mentioned by both Péron and drawn by Lesueur are still in existence. However, some specimens have disappeared over the years, such as Australian Raven *Corvus coroides*, Brown Booby *Sula leucogaster plotus*, Red-footed Booby *Sula sula rubripes*, Australian Gan-




Fig. 3-079 | BRIDLED TERN *Onychoprion anaethetus*  
(© Muséum d'histoire Naturelle, Le Havre N° 79118).



net *Morus serrator* and Wilson's Storm-petrel *Oceanites oceanicus* ssp. The specimen of the King Island Emu *Dromaius minor* preserved in spirits has vanished, as have the eggs from both the Little Penguin *Eudyptula minor novaehollandiae* and Short-tailed Shearwater *Ardenna tenuirostris*. It is clearly shown that many specimens vanished, as noted in document 21002. For example, only one Little Black Cormorant *Phalacrocorax sulcirostris* survives, none of the 12 Red-billed Tropicbirds *Phaethon aethereus* have survived and only one of the 11 Silver Gulls *Chroicocephalus novaehollandiae* survives today. The hordes of cockroaches and rats on the ships may have had a lot to do with their demise (Laurent 1997).

The information provided by Péron has helped to designate the collecting locality of many birds, as the 396 specimens still existence to date do not bear original notes (Jansen 2017b). This was necessary as both Péron and Lesueur subsequently altered the notes on many specimens, saying they had been collected by them, when the original collector was most certainly someone else. These documents also help us to understand what was collected by *Le Géographe* between Port Jackson and her homecoming in 1804.

It is interesting to note that the visit made to Port Jackson (= Sydney) between June and November 1802 is missing from Péron's notes.

**Table 3-008** | Collection Lesueur, MHNH 21002. This table shows the registration numbers by François Péron in the first column, the second column notes the other documents in MHNH that can be linked with the specimens followed by the modern name of the species and the location as given by Péron.

| Number Catalogue 21002 | Other MHNH Documents | Species   | Location                   |
|------------------------|----------------------|---|----------------------------|
| 2                      |                      | <b>Short-tailed Shearwater</b> <i>Ardenna tenuirostris</i>                  | King Island                |
| 3                      |                      | <b>Pied Oystercatcher</b> <i>Haematopus longirostris</i>                    | King Island                |
| 4                      |                      | <b>Silver Gull</b> <i>Chroicocephalus novaehollandiae</i>                   | King Island                |
| 5                      |                      | <b>Pacific Gull</b> <i>Larus pacificus</i>                                  | King Island                |
| 6                      |                      | <b>Little Penguin</b> <i>Eudyptula minor novaehollandiae</i>                | King Island                |
| 19                     |                      | <b>Pied Oystercatcher</b> <i>Haematopus longirostris</i> (flesh in spirit)  | King Island                |
| 25                     |                      | <b>Superb Fairy-wren</b> <i>Malurus cyaneus</i>                             | D'Entrecasteaux Channel    |
| 31                     |                      | <b>Little Penguin</b> <i>Eudyptula minor novaehollandiae</i> (egg)          | King Island                |
| 32                     |                      | <b>New species from the expedition Flinders</b>                             | Unknown species / location |
| 51                     | 79055b               | <b>King Island Emu</b> <i>Dromaius minor</i>                                | King Island                |
| 52                     |                      | <b>Short-tailed Shearwater</b> <i>Ardenna tenuirostris</i> (egg)            | King Island                |
| 93                     |                      | <b>Sulphur-crested Cockatoo</b> <i>Cacatua galerita</i>                     | King Island                |
| 97                     |                      | <b>Superb Fairy-wren</b> <i>Malurus cyaneus</i>                             | King Island                |
| 98                     |                      | <b>King Island Emu</b> <i>Dromaius minor</i>                                | King Island                |
| 99                     |                      | <b>Little Black Cormorant</b> <i>Phalacrocorax sulcirostris</i>             | King Island                |
| 100                    |                      | <b>Little Black Cormorant</b> <i>Phalacrocorax sulcirostris</i>             | King Island                |
| 104                    |                      | <b>Australian Raven</b> <i>Corvus coroides</i>                              | King Island                |
| 105                    |                      | <b>Australian Gannet</b> <i>Morus serrator</i>                              | King Island                |
| 106                    |                      | <b>Dusky Robin</b> <i>Melanodryas vittata</i>                               | King Island                |
| 107                    |                      | <b>Satin Flycatcher</b> <i>Myiagra cyanoleuca</i>                           | King Island                |
| 109                    | 79057                | <b>King Island Emu</b> <i>Dromaius minor</i> (flesh in spirit from bird 98) | King Island                |
| 117                    |                      | <b>Australian Ibis</b> <i>Threskiornis moluccus</i>                         | King Island                |
| 137                    |                      | <b>Brown Falcon</b> <i>Falco berigora</i>                                   | King Island                |
| 137                    |                      | <b>Gray Goshawk</b> <i>Accipiter novaehollandiae</i>                        | King Island                |
| 139                    |                      | <b>Laughing Kookaburra</b> <i>Dacelo novaeguinea</i>                        | King Island                |

| Number Catalogue 21002 | Other MHNH Documents | Species  | Location          |
|------------------------|----------------------|--|-------------------|
| 139                    |                      | <b>Sacred Kingfisher</b> <i>Todiramphus sanctus</i>              | King Island       |
| 153                    |                      | <b>Tern</b> <i>ssp.</i>  | King Island       |
| 154                    |                      | <b>Robin</b> <i>ssp.</i>   | King Island       |
| 161                    |                      | <b>Tern</b> <i>ssp.</i>  | King Island       |
| 335                    |                      | <b>Australian Pelican</b> <i>Pelecanus conspicillatus</i>        | Kangaroo Island   |
| 336                    |                      | <b>Black-faced Cormorant</b> <i>Phalacrocorax fuscescens</i>     | Kangaroo Island   |
| 366                    | 79075                | <b>Kangaroo Island Emu</b> <i>Dromaius baudinianus</i>           | Kangaroo Island   |
| 373                    |                      | <b>Pied Oystercatcher</b> <i>Haematopus longirostris</i>         | Kangaroo Island   |
| 376                    |                      | <b>Superb Fairy-wren</b> <i>Malurus cyaneus</i>                  | Kangaroo Island   |
| 396                    |                      | <b>Australian Raven</b> <i>Corvus coroides</i>                   | Kangaroo Island   |
| 401                    |                      | <b>Silver Gull</b> <i>Chroicocephalus novaehollandiae</i>        | Kangaroo Island   |
| 413                    |                      | <b>Beautiful Firetail</b> <i>Stagonopleura bella</i>             | Kangaroo Island   |
| 449                    |                      | <b>Gang-gang Cockatoo</b> <i>Callocephalon fimbriatum</i>        | Kangaroo Island   |
| 452                    | 79081                | <b>Brush Bronzewing</b> <i>Phaps elegans</i>                     | Kangaroo Island   |
| 503                    | 79059                | <b>Australian Masked Owl</b> <i>Tyto novaehollandiae</i>         | Kangaroo Island   |
| 579                    |                      | <b>Beautiful Firetail</b> <i>Stagonopleura bella</i>             | Kangaroo Island   |
| 580                    |                      | <b>Yellow-tailed Black Cockatoo</b> <i>Zanda funerea whiteae</i> | Kangaroo Island   |
| 849                    |                      | <b>Little Penguin</b> <i>Eudyptula minor novaehollandiae</i>     | Nuyts Archipelago |
| 850                    |                      | <b>Little Pied Cormorant</b> <i>Microcarbo melanoleucos</i>      | Nuyts Archipelago |
| 851                    |                      | <b>Australian Pelican</b> <i>Pelecanus conspicillatus</i>        | Nuyts Archipelago |
| 852                    |                      | <b>Silver Gull</b> <i>Chroicocephalus novaehollandiae</i>        | Nuyts Archipelago |
| 853                    |                      | <b>Silver Gull</b> <i>Chroicocephalus novaehollandiae</i>        | Nuyts Archipelago |
| 854                    |                      | <b>Silver Gull</b> <i>Chroicocephalus novaehollandiae</i>        | Nuyts Archipelago |
| 855                    |                      | <b>Pacific Gull</b> <i>Larus pacificus</i>                       | Nuyts Archipelago |
| 856                    |                      | <b>Silver Gull</b> <i>Chroicocephalus novaehollandiae</i>        | Nuyts Archipelago |

| Number Catalogue 21002 | Other MHNH Documents | Species   | Location                          |
|------------------------|----------------------|---|-----------------------------------|
| 857                    |                      | <b>Pied Oystercatcher</b> <i>Haematopus longirostris</i>        | Nuyts Archipelago                 |
| 997                    |                      | <b>Large raptor</b> <i>ssp.</i>                                 | King George Sound                 |
| 1236                   |                      | <b>Little Black Cormorant</b> <i>Phalacrocorax sulcirostris</i> | Geographe Bay                     |
| 1429                   |                      | <b>Little Black Cormorant</b> <i>Phalacrocorax sulcirostris</i> | King George Sound                 |
| 1430                   |                      | <b>Hardhead</b> <i>Aythya australis</i>                         | King George Sound                 |
| 1448                   | 79121                | <b>Brown Booby</b> <i>Sula leucogaster plotus</i>               | Between King George Sound - Timor |
| 1451                   | 79121                | <b>Brown Booby</b> <i>Sula leucogaster plotus</i>               | Between King George Sound - Timor |
| 2013                   |                      | <b>Silver Gull</b> <i>Chroicocephalus novaehollandiae</i>       | Timor - Darwin                    |
| 2025                   |                      | <b>Falco</b> <i>ssp.</i>  | Gulf of Carpentaria               |
| 2035                   |                      | <b>Silver Gull</b> <i>Chroicocephalus novaehollandiae</i>       | Gulf of Carpentaria               |
| 2036                   | 79093                | <b>Azure Kingfisher</b> <i>Ceyx azureus</i>                     | Gulf of Carpentaria               |
| 2042                   | 79072Br, Bv, Cr, Cv  | <b>Booby</b> <i>ssp.</i>  | Gulf of Carpentaria               |
| 2043                   |                      | <b>Silver Gull</b> <i>Chroicocephalus novaehollandiae</i>       | Gulf of Carpentaria               |
| 2060                   | 79072Br, Bv, Cr, Cv  | <b>Booby</b> <i>ssp.</i>  | Gulf of Carpentaria               |
| 2062                   | 79069R, V            | <b>Glossy Swiftlet</b> <i>Collocalia esculenta neglecta</i>     | Gulf of Carpentaria               |
| 2066                   | 79072Br, Bv, Cr, Cv  | <b>Booby</b> <i>ssp.</i>  | Gulf of Carpentaria               |
| 2083                   |                      | <b>Silver Gull</b> <i>Chroicocephalus novaehollandiae</i>       | Gulf of Carpentaria               |
| 2084                   |                      | <b>Kingfisher</b> <i>ssp.</i>                                   | Gulf of Carpentaria               |
| 2086                   |                      | <b>Kingfisher</b> <i>ssp.</i>                                   | Gulf of Carpentaria               |
| 2087                   |                      | <b>Tern</b> <i>ssp.</i>   | Gulf of Carpentaria               |
| 2096                   |                      | <b>Silver Gull</b> <i>Chroicocephalus novaehollandiae</i>       | Gulf of Carpentaria               |
| 2097                   | 79071                | <b>Red-billed Tropicbird</b> <i>Phaethon aethereus</i>          | Gulf of Carpentaria               |
| 2098                   |                      | <b>Great Frigatebird</b> <i>Fregata minor</i>                   | Gulf of Carpentaria               |
| 2103                   | 79071                | <b>Red-billed Tropicbird</b> <i>Phaethon aethereus</i>          | Gulf of Carpentaria               |
| 2135                   | 79071                | <b>Red-billed Tropicbird</b> <i>Phaethon aethereus</i>          | Australia - Mauritius             |
| 2138                   | 79071                | <b>Red-billed Tropicbird</b> <i>Phaethon aethereus</i>          | Australia - Mauritius             |
| 2145                   | 79071                | <b>Red-billed Tropicbird</b> <i>Phaethon aethereus</i>          | Australia - Mauritius             |
| 2149                   | 79071                | <b>Red-billed Tropicbird</b> <i>Phaethon aethereus</i>          | Australia - Mauritius             |

| Number<br>Catalogue<br>21002 | Other<br>MHNH<br>Documents | Species   | Location              |
|------------------------------|----------------------------|---|-----------------------|
| 2150                         |                            | <b>Great Frigatebird</b> <i>Fregata minor</i>                                 | Australia - Mauritius |
| 2155                         | 79071                      | <b>Red-billed Tropicbird</b> <i>Phaethon aethereus</i>                        | Australia - Mauritius |
| 2157                         | 79071                      | <b>Red-billed Tropicbird</b> <i>Phaethon aethereus</i>                        | Australia - Mauritius |
| 2165                         | 79071                      | <b>Red-billed Tropicbird</b> <i>Phaethon aethereus</i>                        | Australia - Mauritius |
| 2166                         |                            | <b>Wilson's Storm-petrel</b> <i>Oceanites oceanicus ssp.</i>                  | Australia - Mauritius |
| 2167                         | 79072Bv, 79072Cr           | <b>Red-footed Booby</b> <i>Sula sula rubripes</i>                             | Australia - Mauritius |
| 2168                         | 79072Bv, 79072Cr           | <b>Red-footed Booby</b> <i>Sula sula rubripes</i>                             | Australia - Mauritius |
| 2173                         | 79071                      | <b>Red-billed Tropicbird</b> <i>Phaethon aethereus</i>                        | Australia - Mauritius |
| 2179                         | 79071                      | <b>Red-billed Tropicbird</b> <i>Phaethon aethereus</i>                        | Australia - Mauritius |
| 2179                         | 79071                      | <b>Red-billed Tropicbird</b> <i>Phaethon aethereus</i>                        | Australia - Mauritius |
| 2190                         |                            | <b>King Island Emu</b> <i>Dromaius minor</i> (King Island bird died on-board) | Australia - Mauritius |



**Table 3-009** | Collection Lesueur, MHNH 21003. The first five columns are an exact copy of the Péron Ms, the last column is the author's identification. The first column shows Péron's numbers of specimens, the second column the genre, the third the species, the fourth column notes if it was a new species (S.N. = Species Nouvelle) or was described by Linnaeus (S.p. Lin.) and the fifth is the place where the specimen was found.

| No des especes | Genres           | Especes                         | Connues ou nouvelles | Lieux ou elle se trouvent | Modern name  |
|----------------|------------------|---------------------------------|----------------------|---------------------------|--|
| 6              | <i>Psittacus</i> | <i>lacepedii mas</i>            | S.N.                 | Détroit d'Entrécasteaux   | Swift Parrot<br><i>Lathamus discolor</i>                             |
| 7              | <i>Psittacus</i> | <i>lacepedii famin</i>          | S.N.                 | Détroit d'Entrécasteaux   | Swift Parrot<br><i>Lathamus discolor</i>                             |
| 8              | <i>Psittacus</i> | <i>Lamanon</i>                  | S.N.                 | Détroit d'Entrécasteaux   | ?  |
| 9              | <i>Psittacus</i> | <i>insulae Maria</i>            | S.N.                 | Île de Maria              | Blue-winged Parrot<br><i>Neophema chrysostoma</i>                    |
| 10             | <i>Cuculus</i>   | <i>casteroxanthus</i>           | S.N.                 | Détroit d'Entrécasteaux   | Fan-tailed Cuckoo<br><i>Cacomantis flabelliformis</i>                |
| 11             | <i>Cuculus</i>   | <i>diemenensis</i>              | S.N.                 | Détroit d'Entrécasteaux   | Pallid Cuckoo<br><i>Heteroscenes pallidus</i>                        |
| 12             | <i>Lanius</i>    | <i>rostro oculo pedi-flavus</i> | S.N.                 | Détroit d'Entrécasteaux   | Noisy Miner<br><i>Manorina melanocephala</i>                         |
| 13             | <i>Muscicapa</i> | <i>bittatorufa</i>              | S.N.                 | Côte S.O. de la. N. Hol.  | Australian Pipit<br><i>Anthus australis</i>                          |
| 14             | <i>Muscicapa</i> | <i>grisea</i>                   | S.N.                 | Détroit d'Entrécasteaux   | Dusky Robin<br><i>Melanodryas vittata</i>                            |
| 15             | <i>Muscicapa</i> | <i>undulosa</i>                 | S.N.                 | Détroit d'Entrécasteaux   | Black-faced Cuckooshrike<br><i>Coracina novaehollandiae melanops</i> |
| 16             | <i>Muscicapa</i> | <i>gasteroxantha</i>            | S.N.                 | Côte S.O. de la. N. Hol.  | Rufous Whistler<br><i>Pachycephala rufiventris</i>                   |
| 17             | <i>Muscivora</i> | <i>gutturifulva</i>             | S.N.                 | Détroit d'Entrécasteaux   | Satin Flycatcher<br><i>Myiagra cyanoleuca</i>                        |
| 18             | <i>Muscivora</i> | <i>bitoeniofulvoptera</i>       | S.N.                 | Détroit d'Entrécasteaux   | Southern Emu-wren<br><i>Stripiterus malacherus</i>                   |
| 19             | <i>Turdus</i>    | <i>epirufus</i>                 | S.N.                 | Détroit d'Entrécasteaux   | Possibly Bristlebird or Scrubbird<br><i>Dasyornis / Atrichornis</i>  |
| 20             | <i>Turdus</i>    | <i>guloflavus</i>               | S.N.                 | Détroit d'Entrécasteaux   | Yellow-throated Honeyeater<br><i>Nesoptilotis flavicollis</i>        |
| 21             | <i>Tanagra</i>   | <i>lilacolor</i>                | S.N.                 | Détroit d'Entrécasteaux   | Little Wattlebird<br><i>Anthochoera chrysoptera tasmanica</i>        |
| 22             | <i>Loxia</i>     | <i>bas-our-erythra</i>          | S.N.                 | Île de Maria              | Beautiful Firetail<br><i>Stagonopleura bella</i>                     |

| No des especes | Genres            | Especes                  | Connues ou nouvelles | Lieux ou elle se trouvent | Modern name  |
|----------------|-------------------|--------------------------|----------------------|---------------------------|--|
| 23             | <i>Corvus</i>     | <i>Australis</i>         | S.p. Lin.            | Détroit d'Entrécasteaux   | Australian Raven<br><i>Corvus coroides</i>                 |
| 24             | <i>Parus</i>      | <i>chlorotephronotus</i> | S.N.                 | Détroit d'Entrécasteaux   | Grey Fantail<br><i>Rhipidura a albiscapa</i>               |
| 25             | <i>Parus</i>      | <i>sophia</i>            | S.N.                 | Détroit d'Entrécasteaux   | Superb Fairy-wren<br><i>Malurus cyaneus</i>                |
| 26             | <i>Glaucoptis</i> | <i>cinerea</i>           | S.p. Lin.            | Détroit d'Entrécasteaux   | Yellow Wattlebird<br><i>Anthochaera paradoxa</i>           |
| 27             | <i>Certhia</i>    | <i>flavopectera</i>      | S.N.                 | Détroit d'Entrécasteaux   | Crescent Honeyeater<br><i>Phylodonyris pyrrhopterus</i>    |
| 28             | <i>Alcedo</i>     | <i>cristata</i>          | S.N.                 | Détroit d'Entrécasteaux   | Laughing Kookaburra<br><i>Dacelo novaeguinea</i>           |
| 29             | <i>Sterna</i>     | <i>melasoma</i>          | S.p. Lin.            | Mers Australes 44°        | Bridled Tern<br><i>Onychoprion antarctica</i>              |
| 30             | <i>Sterna</i>     | <i>caspioides</i>        | S.N.                 | Mers Australes 44°        | Caspian Tern<br><i>Hydroprogne caspia</i>                  |
| 31             | <i>Larus</i>      | <i>melapterus</i>        | S.N.                 | Mers Australes 43°        | Silver Gull<br><i>Chroicocephalus novaehollandiae</i>      |
| 32             | <i>Sula</i>       | <i>whyensis</i>          | S.N.                 | Terre de Whyte            | Brown Booby<br><i>Sula leucogaster plotus</i>              |
| 33             | <i>Sula</i>       | <i>suawensis</i>         | S.N.                 | Île Sawaii                | Australian Gannet<br><i>Morus serrator</i>                 |
| 34             | <i>Sula</i>       | <i>diemensis</i>         | S.N.                 | Terre de Diemen           | Australian Gannet<br><i>Morus serrator</i>                 |
| 35             | <i>Ardea</i>      | <i>Banksiana</i>         | S.N.                 | Détroit de Banks          | White-faced Heron<br><i>Egretta novaehollandiae</i>        |
| 36             | <i>Tantatus</i>   | <i>melalophus</i>        | S.N.                 | Îles Furneaux             | Greater Crested Tern<br><i>Thalasseus bergii cristatus</i> |
| 37             | <i>Tringa</i>     | <i>Nivea</i>             | S.N.                 | Détroit d'Entrécasteaux   | Ruddy Turnstone<br><i>Arrenaria interpres</i>              |

**Table 3-010** | Collection Lesueur, MHNH 79001- 79052. This table shows the known drawings and watercolours housed in Le Havre made during the Baudin expedition by Charles-Alexandre Lesueur. The first column gives the current identification of the species, the second the identification as made by Bonnemains & Chappuis (1985) and is followed by the registration number in Le Havre. No pages are included without any description (e.g. front-pages such as 79115).

| Species  | B & C 1985                          | MHNH reg. No. |
|--|-------------------------------------|---------------|
| <b>Emu</b> <i>ssp.</i>   | <i>Dromaius ssp.</i>                | 79001-1       |
| <b>Emu</b> <i>ssp.</i>   | <i>Dromaius ssp.</i>                | 79001-2       |
| <b>Emu</b> <i>ssp.</i>   | <i>Dromaius ssp.</i>                | 79001-3       |
| <b>Emu</b> <i>ssp.</i>   | <i>Dromaius ssp.</i>                | 79002         |
| <b>Emu</b> <i>ssp.</i>   | <i>Dromaius ssp.</i>                | 79003         |
| <b>Emu</b> <i>ssp.</i>   | <i>Dromaius ssp.</i>                | 79004-1       |
| <b>Emu</b> <i>ssp.</i>   | <i>Dromaius ssp.</i>                | 79004-2       |
| <b>Scarlet Robin</b> <i>Petroica boodang</i>                                   | <i>Petroica multicolor</i>          | 79005         |
| <b>Scarlet Robin</b> <i>Petroica boodang</i>                                   | <i>Petroica multicolor</i>          | 79006         |
| <b>Honeyeater</b> <i>ssp.</i>  | <i>Meliphaga virescens</i>          | 79007         |
| <b>Yellow-throated Honeyeater</b> <i>Nesoptilotis flavicollis</i>              | <i>Meliphaga flavicollis</i>        | 79008         |
| <b>Five-coloured Munia</b> <i>Lonchura quinticolor</i>                         | <i>Lonchura striata</i>             | 79009         |
| <b>Noisy Miner</b> <i>Manorina melanocephala</i>                               | <i>Manorina melanocephala</i>       | 79010         |
| <b>Beautiful Firetail</b> <i>Stagonopleura bella</i>                           | <i>Emblema bella</i>                | 79011         |
| <b>Cape Canary</b> <i>Serinus canicollis</i>                                   | <i>Serinus canicollis</i>           | 79012         |
| <b>Mascarene Paradise-flycatcher</b> <i>Terpsiphone bourbonnensis desolata</i> | <i>Terpsiphone bourbonnensis</i>    | 79013         |
| <b>Mauritius Grey White-eye</b> <i>Zosterops mauritianus</i>                   | <i>Zosterops mauritianus</i>        | 79014         |
| <b>New-Holland Honeyeater</b> <i>Phylidonyris canescens</i>                    | <i>Phylidonyris novaehollandiae</i> | 79015         |
| <b>Mascarene Martin</b> <i>Phedina borbonica</i>                               | <i>Phedina borbonica</i>            | 79016         |
| <b>White-breasted Woodswallow</b> <i>Artamus leucorhynchus</i>                 | <i>Artamus leucorhynchus</i>        | 79017         |
| <b>Superb Fairy-wren</b> <i>Malurus cyaneus</i>                                | <i>Malurus lamberti</i>             | 79018         |
| <b>Southern Emu-wren</b> <i>Stripiterus malacherus</i>                         | <i>Stripiterus malacherus</i>       | 79019         |
| <b>Red Fody</b> <i>Foudia madagascariensis</i>                                 | <i>Foudia madagascariensis</i>      | 79020         |
| <b>Forest Kingfisher</b> <i>Todiramphus macleayii</i>                          | <i>Halcyon chloris</i>              | 79021         |
| <b>Grey-headed Kingfisher</b> <i>Halcyon leucocephala</i>                      | <i>Halcyon leucocephala</i>         | 79022         |
| <b>Fan-tailed Cuckoo</b> <i>Cacomantis flabelliformis</i>                      | <i>Cacomantis castaneiventris</i>   | 79023         |
| <b>Blue-throated Roller</b> <i>Eurystomus gularis</i>                          | <i>Eurystomus gularis</i>           | 79024         |
| <b>Zebra Dove</b> <i>Geopelia striata</i>                                      | <i>Geopelia striata</i>             | 79025         |

| Species  | B & C 1985  | MHNH reg. No. |
|--|---|---------------|
| <b>Timor Green Pigeon</b> <i>Treron psittaceus</i>   | <i>Treron calva</i>   | 79026         |
| <b>Common Myna</b> <i>Acridotheres tristis</i>   | <i>Acridotheres tristis</i>                                     | 79027         |
| <b>Yellow-throated Hanging Parrot</b> <i>Loriculus pusillus</i>  | <i>Loriculus pusillus</i>                                       | 79028         |
| <b>Blue-winged Parrot</b> <i>Neophema chrysostoma</i>  | <i>Neophema chrysostoma</i>                                     | 79029         |
| <b>Green Rosella</b> <i>Platycercus caledonicus brownii</i>  | <i>Platycercus caledonicus</i>                                  | 79030         |
| <b>Parrot ssp.</b>   | <i>Perroquets divers indéterminables</i>                        | 79031R        |
| <b>Parrot ssp.</b>   | <i>Perroquets divers indéterminables</i>                        | 79031V        |
| <b>Eastern Rosella</b> <i>Platycercus eximius ssp</i> &<br><b>Gang-gang Cockatoo</b> <i>Callocephalon fimbriatum</i> | <i>Perroquets divers indéterminables</i>                        | 79032         |
| <b>Australian King-parrot</b> <i>Alisterus scapularis</i>  | <i>Perroquets divers indéterminables</i>                        | 79033         |
| <b>Ground Parrot</b> <i>Pezoporus wallicus</i>   | <i>Perroquets indéterminables</i>                               | 79034         |
| <b>Parrot ssp.</b>   | -   | 79034V        |
| <b>Unknown</b>   | <i>Indéterminable</i>   | 79035         |
| <b>Asian Blue Quail</b> <i>Synoicus c chinensis</i>  | <i>Gallinacae</i>   | 79036         |
| <b>Scarlet Robin</b> <i>Petroica boodang</i> &<br><b>Eastern Spinebill</b> <i>Acanthorhynchus tenuirostris</i>       | <i>Petroica multicolor</i> &<br><i>Rhinopomastus cyanomelas</i> | 79037         |
| <b>Barbary Partridge</b> <i>Alectoris barbara koenigi</i>  | <i>Perdis ssp.</i>  | 79038         |
| <b>Honeyeater ssp.</b>   | <i>Indéterminable</i>   | 79039         |
| <b>Honeyeater ssp.</b>   | <i>Indéterminable</i>   | 79040         |
| <b>Bristlebird</b> <i>Dasyornis</i> / <b>Scrubbird</b> <i>Atrichornis</i>  | <i>Lalage suerii</i>  | 79041         |
| <b>Barbary Partridge</b> <i>Alectoris barbara koenigi</i>  | <i>Indéterminable</i>   | 79042         |
| <b>Western Crested Guineafowl</b> <i>Guttera verreauxi</i>   | <i>Guttura edouardi barbata</i>                                 | 79043         |
| <b>Grey Heron</b> <i>Ardea cinerea</i>   | <i>Ardea cinerea</i>  | 79044         |
| <b>Wandering Albatros</b> <i>Diomedea exulans / dabbena</i>  | <i>Diomedea exulans (jeune)</i>                                 | 79045         |
| <b>Wandering Albatros</b> <i>Diomedea exulans / dabbena</i>  | <i>Diomedea exulans (adulte)</i>                                | 79046         |
| <b>Cape Petrel</b> <i>Daption capense australe</i>   | <i>Daption capense</i>  | 79047         |
| <b>Quails and snake</b>  | <i>Indéterminable</i>   | 79052         |

**Table 3-011** | Collection Lesueur, MHNH 79053 – 79127. These are the known Péron descriptions of birds collected on the Baudin expedition. The first column gives the current identification of the species, the second the identification as made by Bonnemains & Chappuis (1985) and is followed by the registration number in Le Havre.

| Species   | B & C 1985  | MHNH reg. No. |
|---|---|---------------|
| <b>Cape Petrel</b> <i>Daption capense australe</i> (22 pages)   | <i>Daption capense</i>                            | 79053         |
| <b>Interview Peron vs Cooper, King Island Emu</b> (5 pages)   | <i>Dromaius ssp.</i>                              | 79054         |
| <b>Emu ssp.</b>   | <i>Dromaius ssp.</i>                              | 79055         |
| <b>Kangaroo Island Emu</b> <i>Dromaius baudinianus</i>  | <i>Dromaius ssp.</i>                              | 79056         |
| <b>Emu ssp.</b>   | <i>Dromaius ssp.</i>                              | 79057         |
| <b>Description birds Geographe Bay</b> (5 pages)  | Oiseaux de la Baie du Geographe                   | 79058         |
| <b>Southern Boobook</b> <i>Ninox boobook</i>  | <i>Strix hollandiae-novae</i>                     | 79059         |
| <b>Wilson's Storm-petrel</b> <i>Oceanites oceanicus ssp.</i> ,<br><b>White-bellied Storm-petrel</b> <i>Fregetta grallaria</i> ,<br><b>Cape Petrel</b> <i>Daption capense australe</i> ,<br><b>White-chinned Petrel</b> <i>Procellaria aequinoctialis</i> &<br><b>Sooty Shearwater</b> <i>Ardenna grisea</i> | Différentes espèces de Procellaria                | 79060         |
| <b>Great Frigatebird</b> <i>Fregata minor</i> (Timor, 2 individuals)<br><b>Black-faced Cormorant</b> <i>Phalacrocorax fuscescens</i> (King Island)<br><b>Little Black Cormorant</b> <i>Phalacrocorax sulcirostris</i> (Tasmania)  | Différentes espèces de Pelecanus                  | 79061         |
| <b>Little Black Cormorant</b> <i>Phalacrocorax sulcirostris</i>   | Cormoran  | 79062         |
| <b>Sacred Kingfisher</b> <i>Todiramphus sanctus</i>   | <i>Ceyx mesorhynchmelanus</i>                     | 79063         |
| <b>Comb-crested Jacana</b> <i>Irediparra gallinacea</i>   | <i>Gralla</i>                                     | 79064         |
| <b>Black-shouldered Kite</b> <i>Elanus axillaris</i>  | <i>Falco</i>                                      | 79065         |
| <b>Silver Gull</b> <i>Chroicocephalus novaehollandiae</i> ,<br><b>Pacific Gull</b> <i>Larus pacificus</i> &<br><b>Brown Skua</b> <i>Stercorarius antarctica lonnbergi</i> (4 pages)   | <i>Larus-goéland, mauves</i>                      | 79066         |
| <b>Bridled Tern</b> <i>Onychoprion anaethetus</i> &<br><b>Caspian Tern</b> <i>Hydroprogne caspia</i> (2 pages)  | <i>Sterna melasoma et Sterna caspioides</i>       | 79067         |
| <b>Kingfisher ssp</b>   | <i>Alcedo indeterminatida</i>                     | 79068         |
| <b>Glossy Swiftlet</b> <i>Collocalia esculenta neglecta</i> &<br><b>Forest Kingfisher</b> <i>Todiramphus macleayi</i>   | <i>Hirunda francia et Hirundo indeterminatuda</i> | 79069         |
| <b>Wandering Albatros</b> <i>Diomedea exulans / dabbena</i>   | <i>Diomedea spadicea</i>                          | 79070         |
| <b>Red-billed Tropicbird</b> <i>Phaethon aethereus</i> (2 pages, 13 individuals)  | <i>Phaeton oethereus</i>                          | 79071         |
| <b>Australian Pelican</b> <i>Pelecanus conspicillatus</i> ,<br><b>Australian Gannet</b> <i>Morus serrator</i> ,<br><b>Brown Booby</b> <i>Sula leucogaster plotus</i> ,<br><b>Red-footed Booby</b> <i>Sula sula rubripes</i> &<br><b>Booby</b> <i>Sula ssp.</i> (8 pages)                                    | <i>Sula</i>                                       | 79072         |
| <b>Australian Pelican</b> <i>Pelecanus conspicillatus</i> (2 pages)   | <i>Pelecanus onicrotalus</i>                      | 79073         |
| <b>Black-faced Cormorant</b> <i>Phalacrocorax fuscescens</i>  | <i>Pelecanus carbo</i>                            | 79074         |
| <b>Kangaroo Island Emu</b> <i>Dromaius baudinianus</i>  | <i>Struthio casuarius</i>                         | 79075         |



| Species  | B & C 1985                               | MHNH reg. No. |
|--|--|---------------|
| <b>Pacific Gull</b> <i>Larus pacificus</i> (2 pages)   | -  | 79076         |
| <b>Australian Pipit</b> <i>Anthus australis</i>  | <i>Alauda - alouette</i>                 | 79077         |
| <b>Glossy Black Cockatoo</b> <i>Calyptorhynchus lathami</i> &<br><b>Sulphur-crested Cockatoo</b> <i>Cacatua galerita</i> | <i>Ara niger</i> & <i>Ara sulphureus</i> | 79078         |
| <b>Superb Fairy-wren</b> <i>Malurus cyaneus</i>  | <i>Parus soph.</i>                       | 79079         |
| <b>Australian Raven</b> <i>Corvus coroides</i>   | <i>Corvus australis</i>                  | 79080         |
| <b>Brush Bronzewing</b> <i>Phaps elegans</i>   | Pigeon dore                              | 79081         |
| <b>Black Swan</b> <i>Cygnus atratus</i>  | <i>Cygne noir (cygnus astratus)</i>      | 79082         |
| <b>Beautiful Firetail</b> <i>Stagonopleura bella</i>   | <i>Loxia basouererythra</i>              | 79083         |
| <b>Beautiful Firetail</b> <i>Stagonopleura bella</i>   | <i>Loxia basouererythra</i>              | 79084         |
| <b>Red-necked Avocet</b> <i>Recurvirostra novaehollandiae</i>  | <i>Recurvirostra - avocetta</i>          | 79085         |
| <b>Notes on birds voyage Billings</b>  |  | 79086         |
| <b>Notes on birds voyage Billings</b>  |  | 79087         |
| <b>Notes on birds</b>  |  | 79088         |
| <b>Albatross description in general</b> (20 pages)   | <i>Diomedea exulans alba</i>             | 79089         |
| <b>Albatross description in general</b> (3 pages)  | <i>Diomedea</i>                          | 79090         |
| <b>Frontpage</b> <i>Muscivora</i>  |  | 79091         |
| <b>Southern Emu-wren</b> <i>Stripiterus malacherus</i>   | <i>Muscivora</i>                         | 79092         |
| <b>Azure Kingfisher</b> <i>Ceyx azureus affinis</i>  | <i>Alcedo cristata</i>                   | 79093         |
| <b>Yellow-throated Honeyeater</b> <i>Nesoptilotis flavicollis</i>  | <i>Turdus guloflavus</i>                 | 79094         |
| <b>Crescent Honeyeater</b> <i>Phylodonyris pyrrhopterus</i>  | <i>Certhia flavoptera</i>                | 79095         |
| <b>Beautiful Firetail</b> <i>Stagonopleura bella</i>   | <i>Loxia basouererythra</i>              | 79096         |
| <b>Satin Flycatcher</b> <i>Myiagra cyanoleuca</i>  | <i>Muscivora gutturifulva</i>            | 79097         |
| <b>Dusky Robin</b> <i>Melanodryas vittata</i>  | <i>Muscivora grisea</i>                  | 79098         |
| <b>Ruddy Turnstone</b> <i>Areneria interpres</i>   | <i>Tringa nivea</i>                      | 79099         |
| <b>Yellow Wattlebird</b> <i>Anthochaera paradoxa</i>   | <i>Glaucopteryx cinerea</i>              | 79100         |
| <b>Grey Fantail</b> <i>Rhipidura a albiscapa</i>   | <i>Parus chlorotephronotus</i>           | 79101         |
| <b>Dusky Robin</b> <i>Melanodryas vittata</i>  | <i>Muscivora bitoeniofulvoptera</i>      | 79102         |
| <b>Fan-tailed Cuckoo</b> <i>Cacomantis flabelliformis</i>  | <i>Cuculus gasteroxantus</i>             | 79103         |
| <b>Australian Raven</b> <i>Corvus coroides</i>   | <i>Corvus australis</i>                  | 79104         |

| Species   | B & C 1985                           | MHNN reg. No. |
|---|--------------------------------------|---------------|
| <b>Pallid Cuckoo</b> <i>Heteroscenes pallidus</i>   | <i>Cuculus diemenensis</i>           | 79105         |
| <b>Little Wattlebird</b> <i>Anthochoera chrysoptera tasmanica</i>   | <i>Tanagra lilicaecolor</i>          | 79106         |
| <b>Greater Crested Tern</b> <i>Thalasseus bergii cristatus</i>  | <i>Tantalus? Melalophus</i>          | 79107         |
| <b>Black-faced Cuckooshrike</b> <i>Coracina novaehollandiae melanops</i>  | <i>Muscicapa undulosa</i>            | 79108         |
| <b>Bristlebird</b> <i>Dasyornis</i> / <b>Scrubbird</b> <i>Atrichornis</i>   | <i>Turdus epirufus</i>               | 79109         |
| <b>Swift Parrot</b> <i>Lathamus discolor</i>  | <i>Psittacus Lacedidii</i> (Mas)     | 79110         |
| <b>Noisy Miner</b> <i>Manorina melanocephala</i>  | <i>Lanius rostrulopediiflavus</i>    | 79111         |
| <b>Swift Parrot</b> <i>Lathamus discolor</i>  | <i>Psittacus Lacedidii</i> (foemina) | 79112         |
| <b>Blue-winged Parrot</b> <i>Neophema chrysostoma</i>   | <i>Psittacus insula Maria</i>        | 79113         |
| <b>Superb Fairy-wren</b> <i>Malurus cyaneus</i>   | <i>Parus sophia</i>                  | 79114         |
| <b>Frontpage</b> <i>Muscivora</i>   |                                      | 79091         |
| <b>Silver Gull</b> <i>Chroicocephalus novaehollandiae</i>   | <i>Larus melapterus</i>              | 79116         |
| <b>Rufous Whistler</b> <i>Pachycephala rufiventris</i>  | <i>Muscicapa gasteroxanta</i>        | 79117         |
| <b>Bridled Tern</b> <i>Onychoprion antarctica</i>   | <i>Sterna melasoma</i>               | 79118         |
| <b>Caspian Tern</b> <i>Hydroprogne caspia</i>   | <i>Sterna caspioides</i>             | 79119         |
| <b>Australian Gannet</b> <i>Morus serrator</i>  | <i>Sula diemenensis</i>              | 79120         |
| <b>Brown Booby</b> <i>Sula leucogaster plotus</i> (2 pages)   | <i>Sula Whytensis</i>                | 79121         |
| <b>Australian Gannet</b> <i>Morus serrator</i>  | <i>Sula Sawüensis</i>                | 79122         |
| <b>White-faced Heron</b> <i>Egretta novaehollandiae</i> (2 pages)   | <i>Ardea Banksiana</i>               | 79123         |
| <b>Chestnut Teal</b> <i>Anas castanea</i>   | Canard et colin                      | 79124         |
| <b>Grey-tailed Tattler</b> <i>Tringa brevipes</i> ,<br><b>Australian Pratincole</b> <i>Stiltia isabella</i> ,<br><b>Rainbow Bee-eater</b> <i>Merops ornatus</i> ,<br><b>Common Kingfisher</b> <i>Alcedo atthis bengalensis</i> ,<br><b>Collared Kingfisher</b> <i>Todiramphus chloris</i> &<br><b>Cinnamon-banded Kingfisher</b> <i>Todiramphus australasia</i> (7 pages) | -                                    | 79125         |
| <b>Birds from the Cape</b> (2 pages)  | Oiseaux du Cap                       | 79126         |
| <b>List of drawings by Lesueur</b> (including those from the Americas) 129 are mentioned (7 pages)  | -                                    | 79127         |