



Universiteit
Leiden
The Netherlands

The ornithology of the Baudin expedition (1800-1804)

Jansen, J.J.F.J.

Citation

Jansen, J. J. F. J. (2018, May 22). *The ornithology of the Baudin expedition (1800-1804)*. Retrieved from <https://hdl.handle.net/1887/62332>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/62332>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/62332> holds various files of this Leiden University dissertation

Author: Jansen, Justin J.F.J.

Title: The ornithology of the Baudin expedition (1800-1804)

Date: 2018-05-22

Appendix 2

Catalogue of birds in NMW that could have a Baudin expedition (1800-1804) origin

In this Appendix, the specimens are described and depicted that have a possible Baudin origin. The Baudin origin is possible due to the presence of a Baudin Timor Figbird (NMW 52.648) that can be retraced in the first inventory made of the NMW in 1806. Bauernfeind (2004) shows that specimens from the Lever Museum auction were mingled. Specimens from the Lever auction could also have a Baudin origin. In the table the specimens that entered in 1806 and 1809 the NMW are displayed. Number 16 and 17 may be the same owl, and the same applies for 64 and 73.

Table 5-001 | This table shows specimens that have a possible Baudin origin in NMW that arrived before 1815.

	Species	New No.	Old No.
1	Emu <i>Dromaius novaehollandiae</i>	NMW 48.097	1806.II.53
2	Pacific Black Duck <i>Anas superciliosa</i>	-	1806.II.50
3	Australian Owlet Nightjar <i>Aegotheles cristatus</i>	NMW 50.472	1806.III.61
4	Tawny Frogmouth <i>Podargus strigoides</i>	NMW 50.453	-
5	Channel-billed Cuckoo <i>Scythrops novaehollandiae</i>	NMW 50.453	1806.III.31
6	Brush Cuckoo <i>Cacomantis variolosus</i>	NMW 50.981	1806.II.20
7	Fan-tailed Cuckoo <i>Cacomantis flabelliformis</i>	NMW 50.890	1806.III.109
8	Pallid Cuckoo <i>Heteroscenes pallidus</i>	NMW 50.876	1806.III.10
9	Pallid Cuckoo <i>Heteroscenes pallidus</i>	NMW 50.880	1806.III.111
10	Tasman Native Hen <i>Tribonyx mortierii</i>	NMW 48.681	1806.III.102
11	White-faced Heron <i>Egretta novaehollandiae</i>	-	1806.II.44
12	Little Pied Cormorant <i>Microcarbo melanoleucos</i>	NMW 49.551	1806.II.36
13	Little Black Cormorant <i>Phalacrocorax sulcirostris</i>	NMW 13.504	1806.II.33
14	Red-necked Avocet <i>Recurvirostra novaehollandiae</i>	-	1806.II.24
15	Sooty Tern <i>Onychoprion fuscatus</i>	NMW 48.937	1806.III.114
16	Australian Masked Owl <i>Tyto novaehollandiae</i>	NMW 49.754	-
17	Owl ssp.	-	1806.I.85c
18	Gray Goshawk <i>Accipiter novaehollandiae</i>	NMW 49.602	1806.II.45
19	Collared Sparrowhawk <i>Accipiter cirrocephalus</i>	NMW 49.638	1801.I.67d
20	Brahimy Kite <i>Haliastur indus</i>	-	1806.I.77
21	Rainbow Bee-eater <i>Merops ornatus</i>	NMW 50.826	1806.III.113
22	Red-tailed Black Cockatoo <i>Calyptorhynchus banksii</i>	NMW 50.022	1806.III.180
23	Glossy Black Cockatoo <i>Calyptorhynchus lathami</i>	NMW 50.025	1806.III.75
24	Glossy Black Cockatoo <i>Calyptorhynchus lathami</i>	NMW 50.027	1806.III.75a
25	Glossy Black Cockatoo <i>Calyptorhynchus lathami</i>	-	1806.I.406
26	Sulphur-crested Cockatoo <i>Cacatua galerita</i>	NMW 50.041	1806.I.404
27	Green Rosella <i>Platycercus caledonicus</i>	NMW 50.288	1806.III.115
28	Eastern Rosella <i>Platycercus eximius</i>	NMW 50.309	1806.I.96 (appendix)
29	Swift Parrot <i>Lathamus discolor</i>	NMW 50.392	1806.III.87
30	Turquoise Parrot <i>Neophema pulchella</i>	NMW 50.707	1806.I.397
31	Musk Loriekeet <i>Glossopsitta concinna</i>	NMW 49.927	1806.I.394
32	Musk Loriekeet <i>Glossopsitta concinna</i>	NMW 49.947	1806.III.178
33	Little Loriekeet <i>Glossopsitta pusilla</i>	NMW 49.969	1806.III.821
34	Parrot ssp..	-	1806.I.390
35	Parrot ssp..	-	1806.I.398
36	Parrot ssp..	-	1806.I.409
37	Parrot ssp..	-	1806.I.409a
38	Superb Lyrebird <i>Menura novaehollandiae</i>	-	1806.I.624

	Species	New No.	Old No.
39	Superb Lyrebird <i>Menura novaehollandiae</i>	-	1806.I.624a
40	Superb Lyrebird <i>Menura novaehollandiae</i>	NMW 51.018	1806.III.161
41	Satin Bowerbird <i>Ptilonorhynchus violaceus</i>	NMW 36.088	1806.III.119
42	Brown Treecreeper <i>Climacteris picumnus</i>	NMW 51.904	1806.1.113 (appendix)
43	Varied Sitella <i>Daphoenositta chrysotera</i>	-	1806.II.35
44	Variegated Fairywren <i>Malurus lamberti</i>	NMW 43.672	1806.III.85
45	Superb Fairy-wren <i>Malurus cyaneus</i>	NMW 51.556	1806.II.16
46	Fairy-wren ssp. <i>Malurus ssp.</i>	-	1806.I.124
47	Fairy-wren ssp. <i>Malurus ssp.</i>	-	1806.I.125
48	New-Holland Honeyeater <i>Phylidonyris canescens</i>	-	1806.II.37
49	Blue-faced Honeyeater <i>Entomyzon cyanotis</i>	NMW 52.317	1806.1.394
50	White-naped Honeyeater <i>Melithreptus lunulatus</i>	NMW 52.016	1809.XVII.71
51	White-naped Honeyeater <i>Melithreptus lunulatus</i>	NMW 52.032	1806.II.240
52	Yellow-throated Honeyeater <i>Nesoptilotis flavigularis</i>	NMW 52.170	1806.III.120
53	Noisy Friarbird <i>Philemon corniculatus monachus</i>	NMW 52.345	1806.II.30
54	Eastern Spinebill <i>Acanthorhynchus tenuirostris</i>	NMW 52.075	1806.III.77
55	Scarlet Myzomela <i>Myzomela sanguinolenta</i>	NMW 52.059	1806.III.117
56	Red Wattlebird <i>Anthochaera carunculata</i>	-	1806.II.38
57	Yellow Wattlebird <i>Anthochaera paradoxa</i>	NMW 35.335	1806.III.79
58	Bell Miner <i>Manorina melanophrys</i>	NMW 43.833	1806.II.129
59	Honeyeater ssp.	-	1806.I.538
60	Honeyeater ssp.	-	1806.I.540
61	Olive-backed Oriole <i>Oriolus sagittatus</i>	-	1806.II.43
62	Spotted Quail-thrush <i>Cinclosoma punctatum</i>	NMW 51.420	1806.III.112a
63	Spotted Quail-thrush <i>Cinclosoma punctatum</i>	NMW 51.419	1806.III.112
64	Eastern Shrike-tit <i>Falcunculus frontalis</i>	NMW 51.789	-
65	Grey Shrike-thrush <i>Colluricinclla harmonica</i>	NMW 51.683	1806.II.116
66	Grey Shrike-thrush <i>Colluricinclla harmonica</i>	NMW 51.684	1806.III.116
67	Pied Currawong <i>Strepera graculina</i>	NMW 51.769	1806.I.590
68	Grey Butcherbird <i>Cracticus torquatus</i>	NMW 51.753	-
69	Dusky Woodswallow <i>Artamus cyanopterus</i>	NMW 51.644	1806.I.152
70	Dusky Woodswallow <i>Artamus cyanopterus</i>	NMW 51.645	-
71	Willie Wagtail <i>Rhipidura leucophrys</i>	NMW 51.231	1806.II.13
72	White-winged Chough <i>Corcorax melanorhamphos</i>	NMW 52.707	1806.I.595a
73	Thrush ssp.	-	1806.1.156
74	Red Fody <i>Foudia madagascariensis</i>	NMW 34.034	1806.I.235
75	Red-browed Finch <i>Neochmia temporalis</i>	NMW 52.420	1806.II.15
76	Diamond Firetail <i>Stagonopleura guttata</i>	NMW 52.390	1806.III.76



Fig. 5-370 | EMU *Dromaius novaehollandiae*, 28 February 2017, NMW 48.097 (Alex Bos / © NMW).



Fig. 5-371 | AUSTRALIAN OWLET NIGHTJAR *Aegotheles cristatus*,
28 February 2017, NMW 50.472 (Alex Bos / © NMW).



Fig. 5-372 | TAWNY FROGMOUTH *Podargus strigoides*,
28 February 2017, NMW 50.453 (Alex Bos / © NMW).



Fig. 5-373 | CHANNEL-BILLED CUCKOO *Scythrops novaehollandiae*,
28 February 2017, NMW 50.453 (Alex Bos / © NMW).



Fig. 5-374 | BRUSH CUCKOO *Cacomantis variolosus*, NMW 50.981,
FAN-TAILED CUCKOO *Cacomantis flabelliformis*, NMW 50.890,
PALLID CUCKOO *Heteroscenes pallidus*, NMW 50.876 & NMW 50.880
(Alex Bos / © NMW).



Fig. 5-375 | TASMAN NATIVE HEN *Tribonyx mortierii*,
28 February 2017, NMW 48.681 (Alex Bos / © NMW).



Fig. 5-376 | LITTLE PIED CORMORANT *Microcarbo melanoleucus*,
28 February 2017, NMW 49.551 (Alex Bos / © NMW).



Fig. 5-377 | LITTLE BLACK CORMORANT *Phalacrocorax sulcirostris*,
28 February 2017, NMW 13.504 (Alex Bos / © NMW).



Fig. 5-378 | SOOTY TERN *Onychoprion fuscatus*,
28 February 2017, NMW 48.937 (Alex Bos / © NMW).



Fig. 5-379 | AUSTRALIAN MASKED OWL *Tyto novaehollandiae*,
28 February 2017, NMW 49.754 (Alex Bos / © NMW).



Fig. 5-380 | GRAY GOSHAWK *Accipiter novaehollandiae*,
28 February 2017, NMW 49.602 (Alex Bos / © NMW).



Fig. 5-381 | COLLARED SPARROWHAWK *Accipiter cirrocephalus*,
28 February 2017, NMW 49.638 (Alex Bos / © NMW).



Fig. 5-382 | RAINBOW BEE-EATER *Merops ornatus*,
28 February 2017, NMW 50.826 (Alex Bos / © NMW).



Fig. 5-383 | RED-TAILED BLACK COCKATOO *Calyptorhynchus banksii*,
28 February 2017, NMW 50.022 (Alex Bos / © NMW).



Fig. 5-384 | GLOSSY BLACK COCKATOO *Calyptorhynchus lathami*,
28 February 2017, NMW 50.025 (Alex Bos / © NMW).



Fig. 5-385 | GLOSSY BLACK COCKATOO *Calyptorhynchus lathami*,
28 February 2017, NMW 50.027 (Alex Bos / © NMW).



Fig. 5-386 | SULPHUR-CRESTED COCKATOO *Cacatua galerita*,
28 February 2017, NMW 50.041 (Alex Bos / © NMW).

Fig. 5-387 | GREEN ROSELLA *Platycercus caledonicus*,
28 February 2017, NMW 50.288 (Alex Bos / © NMW).

Fig. 5-388 | EASTERN ROSELLA *Platycercus eximius*,
28 February 2017, NMW 50.309 (Alex Bos / © NMW).



Fig. 5-389 | SWIFT PARROT *Lathamus discolor*,
28 February 2017, NMW 50.392 (Alex Bos / © NMW).



Fig. 5-390 | TURQUOISE PARROT
Neophema pulchella,
9 May 2017, NMW 50.707
(Alice Schumacher / © NMW).



Fig. 5-391 | MUSK LORIKEET *Glossopsitta concinna*,
28 February 2017, NMW 49.927 (Alex Bos / © NMW).



Fig. 5-392 | MUSK LORIKEET
Glossopsitta concinna,
28 February 2017, NMW 49.947
(Alex Bos / © NMW).



Fig. 5-393 | LITTLE LORIKEET *Glossopsitta pusilla*,
28 February 2017, NMW 49.969 (Alex Bos / © NMW).



Fig. 5-394 | SUPERB LYREBIRD
Menura novaehollandiae,
28 February 2017, NMW 51.018
(Alex Bos / © NMW).



Fig. 5-395 | SATIN BOWERBIRD *Ptilonorhynchus violaceus*,
28 February 2017, NMW 36.088 (Alex Bos / © NMW).



Fig. 5-396 | BROWN TREE CREEPER *Climacteris picumnus*,
28 February 2017, NMW 51.904 (Alex Bos / © NMW).



Malurus lamberti ♂
Vielfarbenstaffelschwanz
Australien

Fig. 5-397 | VARIEGATED FAIRYWREN *Malurus lamberti*,
28 February 2017, NMW 43.672 (Alex Bos / © NMW).



Fig. 5-398 | SUPERB FAIRY-WREN *Malurus cyaneus*,
9 May 2017, NMW 51.556 (Alice Schumacher / © NMW).



Fig. 5-399 | BLUE-FACED HONEYEATER *Entomyzon cyanotis*, NMW 52.317,
NOISY FRIARBIRD *Philemon corniculatus*, NMW 52.345,
BELL MINER *Manorina melanophrys*, NMW 43.833,
WHITE-NAPED HONEYEATER *Melithreptus lunulatus*, NMW 52.032,
EASTERN SPINEBILL *Acanthorhynchus tenuirostris*, NMW 52.075,
28 February 2017 (Alex Bos / © NMW).



Fig. 5-400 | WHITE-NAPED HONEYEATER *Melithreptus lunulatus*,
9 May 2017, NMW 52.016 (Alice Schumacher / © NMW).



Fig. 5-401 | YELLOW-THROATED HONEYEATER *Nesoptilotis flavigula*,
28 February 2017, NMW 52.170 (Alex Bos / © NMW).



Fig. 5-402 | SCARLET MYZOMELA *Myzomela sanguinolenta*,
28 February 2017, NMW 52.059 (Alex Bos / © NMW).



Fig. 5-403 | YELLOW WATTLEBIRD *Anthochaera paradoxa*,
28 February 2017, NMW 35.335 (Alex Bos / © NMW).



Fig. 5-404 | SPOTTED QUAIL-THRUSH *Cinclosoma punctatum*,
NMW 51.420 & NMW 51.419, 28 February 2017 (Alex Bos / © NMW).



Fig. 5-405 | GREY SHRIKE-TRUSH *Colluricincla harmonica*, NMW 51.683 & NMW 51.684,
EASTERN SHRIKE-TIT *Falcunculus frontalis*, NMW 51.789,
28 February 2017, (Alex Bos / © NMW).



Fig. 5-406 | PIED CURRAWONG *Strepera graculina*,
9 May 2017, NMW 51.769 (Alice Schumacher / © NMW).



Fig. 5-407 | GREY BUTCHERBIRD *Cracticus torquatus*,
28 February 2017, NMW 51.753 (Alex Bos / © NMW).



Fig. 5-408 | DUSKY WOODSWALLOW
Artamus cyanopterus,
28 February 2017, NMW 51.644
(Alex Bos / © NMW).



Fig. 5-409 | DUSKY WOODSWALLOW *Artamus cyanopterus*,
28 February 2017, NMW 51.645 (Alex Bos / © NMW).



Fig. 5-410 | WILLIE WAGTAIL *Rhipidura leucophrys*,
28 February 2017, NMW 51.231 (Alex Bos / © NMW).



Fig. 5-411 | WHITE-WINGED CHOUGH *Corcorax melanorhamphos*,
28 February 2017, NMW 52.707 (Alex Bos / © NMW).



Fig. 5-412 | RED FODY *Foudia madagascariensis*,
28 February 2017, NMW 34.034 (Alex Bos / © NMW).



Fig. 5-413 | RED-BROWED FINCH
Neochmia temporalis,
28 February 2017, NMW 52.420
(Alex Bos / © NMW).



Fig. 5-414 | DIAMOND FIRETAIL *Stagonopleura guttata*,
28 February 2017, NMW 52.390 (Alex Bos / © NMW).