



Universiteit  
Leiden  
The Netherlands

## Optical coherence tomography for coronary artery disease : analysis and applications

Liu, S.

### Citation

Liu, S. (2018, September 4). *Optical coherence tomography for coronary artery disease : analysis and applications*. Retrieved from <https://hdl.handle.net/1887/64938>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/64938>

**Note:** To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/64938> holds various files of this Leiden University dissertation.

**Author:** Liu, S.

**Title:** Optical coherence tomography for coronary artery disease : analysis and applications

**Issue Date:** 2018-09-04

*Optical Coherence Tomography for  
Coronary Artery Disease: Analysis and  
Applications*

Optical coherence Tomography for Coronary Artery Disease:  
Analysis and Applications  
Shengnan Liu

ISBN: 978-94-93019-16-4  
Printed by: Proefschriftmaken || [www.proefschriftmaken.nl](http://www.proefschriftmaken.nl)

This book was typeset by the author using L<sup>A</sup>T<sub>E</sub>X. The main body of the text was set using a 10-points New Century Schoolbook font. References were organized to follow standard American Medical Association (AMA) style.

About the cover: An OCT image is shown in a wall plate in Deft Blue color scheme. It was mached using exact histogram specification technique in Matlab2017 (The MathWork, Inc). The Dutch elements would remind me of all the good moments during my PhD period.

© 2018, Shengnan Liu, Leiden, The Netherlands. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information storage and retrieval system, without permission in writing from the copyright owner.

# **Optical coherence Tomography for Coronary Artery Disease: Analysis and Applications**

## **Proefschrift**

ter verkrijging van de graad van doctor aan de  
Universiteit Leiden  
op gezag van  
rector magnificus

prof. mr. C.J.J.M. Stolker

volgens besluit van het College voor Promoties.

te verdedigen op  
donderdag 4 september 2018 om 16:15 uur

door

**Shengnan Liu**

geboren te Dunhua, China

Promotor:

**Prof.dr.ir. B.P.F. Lelieveldt**

Copromotor:

**Dr.ir. J. Dijkstra**

Leden promotiecommissie:


**Prof.dr. A.G.J.M. van Leeuwen**

*University of Amsterdam*

**Dr. J.J. Wentzel**

*Erasmus Medical Center*

**Prof.dr. P.H.A. Quax**



The research in this thesis was conducted at Division of Medical Image Processing (LKEB), Department of Radiology of the Leiden University Medical Center, Leiden, The Netherlands. This work was carried out in the ASCI graduate school. ASCI dissertation series number 393.

Financial support by the Dutch Heart Foundation for the publication of this thesis is gratefully acknowledged.

Financial support for the publication of this thesis was kindly provided by:  
the Dutch Heart Foundation  
ASCI research school  
Library of the University of Leiden

*To remember my beloved Grandma G. Yao and Grandpa  
D. Hao...*

— LEIDEN, NOVEMBER 2017



---

---

# Contents

---

<b>Colophon</b>	<b>ii</b>
<b>Preface</b>	<b>v</b>
<b>1 Introduction</b>	<b>1</b>
1.1 Coronary artery disease . . . . .	1
1.2 Intravascular optical coherence tomography . . . . .	3
1.3 Intravascular optical coherence tomography in clinical studies . . . . .	4
1.4 Tissue Characterization . . . . .	7
1.4.1 Optical properties . . . . .	8
1.5 Outline of the thesis . . . . .	9
<b>2 Analysis and Compensation for the Effect of the Catheter Position on Image Intensities in Intravascular Optical Coherence Tomography</b>	<b>11</b>
2.1 Introduction . . . . .	12
2.2 Materials and Methodology . . . . .	14
2.2.1 Distance and Incident Angle Extended Light Transmission Model . . . . .	14
2.2.2 Parameter estimation of the linear model with Hierarchical linear regression . . . . .	16
2.2.3 Compensation . . . . .	17
2.3 Results . . . . .	18
2.3.1 Hierarchical linear regression . . . . .	18
2.3.2 Compensation . . . . .	19
2.4 Application of the compensated images . . . . .	20
2.4.1 Pathological images with foam cells . . . . .	20
2.4.2 BVS strut detection . . . . .	20
2.5 Discussions . . . . .	21
2.5.1 Hierarchical linear regression . . . . .	22
2.5.2 Compensation . . . . .	23
2.5.3 Limitations . . . . .	24
2.5.4 Future work . . . . .	25
2.6 Conclusions . . . . .	25

<b>3 Tissue characterization with depth-resolved attenuation coefficient and backscatter term in intravascular optical coherence tomography images</b>	<b>27</b>
3.1 Introduction . . . . .	28
3.2 Depth-resolved model analysis . . . . .	29
3.2.1 Depth-resolved attenuation . . . . .	30
3.2.2 Backscatter term estimation . . . . .	30
3.2.3 DR-CF cut-off algorithm . . . . .	31
3.3 Experiment and Implementation . . . . .	32
3.3.1 Data description . . . . .	32
3.3.2 Implementation . . . . .	34
3.3.3 Statistical analysis . . . . .	35
3.4 Results . . . . .	35
3.5 Discussion . . . . .	39
3.5.1 Attenuation coefficient . . . . .	45
3.5.2 Backscatter term . . . . .	48
3.5.3 IVOCT intensity . . . . .	49
3.5.4 Limitations . . . . .	50
3.5.5 Future directions . . . . .	51
3.6 Conclusion . . . . .	51
<b>4 Histogram-Based Standardization of Intravascular Optical Coherence Tomography Images Acquired from Different Imaging Systems</b>	<b>53</b>
4.1 Introduction . . . . .	54
4.2 Theory and terminology . . . . .	56
4.3 Materials and methodology . . . . .	58
4.3.1 Global and Local matching schemes . . . . .	58
4.3.2 Data description and alignment . . . . .	59
4.3.3 Dissimilarity between histograms . . . . .	61
4.3.4 Validation . . . . .	61
4.4 Results . . . . .	63
4.5 Comparing attenuation coefficient values . . . . .	67
4.6 Discussion . . . . .	68
4.6.1 Limitation . . . . .	69
4.6.2 Future work . . . . .	69
4.7 Conclusion . . . . .	70
<b>5 Neointimal quality assessment of BVS and CoCr-EES</b>	<b>71</b>
5.1 Introduction . . . . .	72
5.2 Methods . . . . .	73
5.2.1 Study design and population . . . . .	73
5.2.2 PCI procedure . . . . .	73
5.2.3 Optical frequency domain imaging analysis . . . . .	73
5.2.4 Statistical analysis . . . . .	76
5.3 Result . . . . .	76

5.3.1 Study subjects . . . . .	76
5.4 Discussion . . . . .	80
5.4.1 Head-to-head comparison of neointimal quality in previous publication . . . . .	81
5.4.2 Light property analysis . . . . .	82
5.4.3 Clinical implication . . . . .	83
5.4.4 Strength and limitations . . . . .	83
5.5 Conclusion . . . . .	84
5.5.1 Impact on daily practice . . . . .	84
<b>6 Comparison of Visual Assessment and Computer Image Analysis of Intracoronary Thrombus Type by Optical Coherence Tomography in Clinical Patients</b>	<b>85</b>
6.1 Introduction . . . . .	86
6.2 Materials and Methods . . . . .	86
6.2.1 Patients . . . . .	86
6.2.2 OCT Imaging . . . . .	87
6.2.3 Optical coherence tomography image analysis . . . . .	88
6.2.4 Visual assessment of thrombus type . . . . .	88
6.2.5 Computer image analysis of thrombus . . . . .	88
6.2.6 Statistical analysis . . . . .	89
6.3 Results . . . . .	90
6.3.1 Qualitative thrombus classification by two observers . . . . .	91
6.3.2 Reproducibility of quantitative measurements using QCU-CMS software . . . . .	92
6.3.3 Comparison of visual TAS and measurements by QCU-CMS software . . . . .	93
6.3.4 ROC analysis . . . . .	100
6.4 Discussion . . . . .	100
6.4.1 Limitations . . . . .	103
6.5 Conclusions . . . . .	104
<b>7 Summary and Discussion</b>	<b>105</b>
7.1 Summary . . . . .	105
7.2 Discussion . . . . .	107
7.3 Future work . . . . .	109
<b>Samenvatting</b>	<b>111</b>
7.4 Discussie . . . . .	113
7.5 Toekomstig werk . . . . .	115
<b>Bibliography</b>	<b>117</b>
<b>Publications</b>	<b>131</b>
<b>Acknowledgment</b>	<b>135</b>

