



Universiteit
Leiden
The Netherlands

Modelling long term survival with non-proportional hazards

Perperoglou, A.

Citation

Perperoglou, A. (2006, October 18). *Modelling long term survival with non-proportional hazards*. Retrieved from <https://hdl.handle.net/1887/4918>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/4918>

Note: To cite this publication please use the final published version (if applicable).

Bibliography

- [1] O. O. AALEN, *Heterogeneity in survival data analysis*, *Statistics in Medicine*, 7 (1988), pp. 1121–1137.
- [2] ———, *A linear regression model for the analysis of lifetimes*, *Statistics in Medicine*, (1989), pp. 907–925.
- [3] ———, *Effects of frailty in survival analysis*, *Statistical Methods in Medical Research*, 3 (1994), pp. 227–243.
- [4] H. O. ADAMI, B. MALKER, L. HOLMBERG, I. PERSSON, AND B. STONE, *The relation between survival and age at diagnosis in breast cancer*, *New England Journal of Medicine*, 315 (1986), pp. 559–563.
- [5] A. AGRESTIE, *An introduction to categorical data analysis*, John Wiley and Sons, New York, 1996.
- [6] H. AKAIKE, *A new look at the statistical model identification*, *IEEE Transaction and automatic control*, AC-19 (1974), pp. 716–723.
- [7] P. K. ANDERSEN, Ø. BORGAN, R. D. GILL, AND N. KEIDING, *Statistical models based on Counting Processes*, Springer, New York, 1993.
- [8] P. K. ANDERSEN, M. G. HANSEN, AND J. P. KLEIN, *Regression analysis of restricted mean survival time based on pseudo-observations*, *Lifetime data analysis*, (2004), pp. 335–350.
- [9] P. K. ANDERSEN, J. P. KLEIN, AND S. ROSTHØJ, *Generalised linear models for correlated pseudo-observations, with applications to multi-state models*, *Biometrika*, (2003), pp. 15–27.
- [10] T. ANDERSON, *Estimating linear restrictions on regression coefficients for multivariate normal distribution*, *Annals of Mathematical Statistics*, 22 (1951), pp. 327–351.
- [11] N. AUGUSTIN, W. SAUERBREI, AND M. SCHUMACHER, *The practical utility of incorporating model selection uncertainty into prognostic models for survival data*, *Statistical Modelling*, (2005), pp. 95–118.
- [12] P. BARKER AND R. HENDERSON, *Small sample bias in the gamma frailty model for univariate survival*, *Lifetime Data Analysis*, (2005), pp. 265–284.
- [13] U. BERGER, J. SCHÄFER, AND K. ULM, *Dynamic cox modelling based on fractional polynomials: time-variations in gastric cancer prognosis*, *Statistics in*

Bibliography

- Medicine, 22 (2003), pp. 1163–1180.
- [14] A. F. BISSELL, *A negative binomial model with varying elements sizes*, *Biometrika*, 59 (1972), pp. 435–441.
 - [15] G. E. P. BOX, *Robustness in Statistics*, Academic Press, New York, 1979.
 - [16] N. E. BRESLOW, *Analysis of survival data under the proportional hazards model*, *International statistics review*, (1975), pp. 45–58.
 - [17] N. E. BRESLOW AND D. G. CLAYTON, *Approximate inference in generalized linear mixed models*, *Journal of the American Statistical Association*, 88 (1993), pp. 9–25.
 - [18] R. G. BURKET, *A study of reduced rank models for multiple prediction*, *Psychometrica*, (1964). Psychometric Monograph No.12.
 - [19] I. W. BURR, *Cumulative frequency functions*, *Annals of Mathematical Statistics*, 13 (1942), pp. 215–232.
 - [20] D. G. CLAYTON AND J. CUZICK, *Multivariate generalizations of the proportional hazards model (with discussion)*, *Journal of the Royal Statistical Society A*, (1985), pp. 82–117.
 - [21] D. COLLET, *Modelling survival data in medical research*, Chapman and Hall, London, 1994.
 - [22] ———, *Modeling Binary Data*, Chapman and Hall/CRC, London, 2003.
 - [23] J. B. COPAS AND F. HEYDARI, *Estimating the risk of reoffending by using exponential mixture models*, *Journal of the Royal Statistical Society A*, 160 (1997), pp. 237–252.
 - [24] D. R. COX, *Regression models and life tables (with discussion)*, *Journal of Royal Statistical Society B*, 34 (1972), pp. 187–220.
 - [25] D. R. COX AND D. OAKES, *Analysis of survival data*, Chapman and Hall, London, 1984.
 - [26] M. CROWDER, *Beta-binomial anova for proportions*, *Applied Statistics*, 27 (1978), pp. 34–37.
 - [27] P. T. DAVIES AND M. K.-S. TSO, *Procedures for reduced-rank regression*, *Applied Statistician*, 31 (1982), pp. 244–255.
 - [28] B. EFRON, *Logistic regression, survival analysis, and the Kaplan Meier curve*, *Journal of the American Statistical Association*, 83 (1988), pp. 414–425.
 - [29] B. EFRON AND R. J. TIBSHIRANI, *An introduction to the bootstrap*, Chapman and Hall, New York, 1993.
 - [30] P. H. C. EILERS AND M. W. BORGDORFF, *Modeling and correction of digit preference in tuberculin surveys*, *The International Journal of Tuberculosis and*

BIBLIOGRAPHY

- Lung Disease, 8 (2004), pp. 232–239.
- [31] P. H. C. EILERS AND B. D. MARX, *Flexible smoothing with b-splines and penalties*, *Statistical Science*, 11 (1996), pp. 89–121.
- [32] V. T. FAREWELL, *The use of mixture models for the analysis of survival data with long term survivors*, *Biometrics*, (1982), pp. 1041–1046.
- [33] D. GAMMERMAN, *Dynamic bayesian models for survival data*, *Applied Statistics*, 40 (1991), pp. 63–79.
- [34] E. GARFIELD, *The most-cited paper of all time SCI 1945-1988*, *Journalology*, 13 (1990), pp. 3–13.
- [35] H. GJESSING, O. AALEN, AND N. HJORT, *Frailty models based on Lévy processes*, *Advances in applied probability*, 35 (2003), pp. 532–550.
- [36] H. GOLDSTEIN AND D. J. SPIEGELHALTER, *League tables and their limitations: Statistical issues in comparisons of institutional performance*, *Journal of the Royal Statistical Society A*, (1996), pp. 385–409.
- [37] E. GRAF, *Explained variation measures for survival data*, PhD thesis, University of Freiburg, 1998.
- [38] E. GRAF, C. SCHMOOR, W. SAUERBREI, AND M. SCHUMACHER, *Assessment and comparison of prognostic classification schemes for survival data*, *Statistics in Medicine*, (1999), pp. 2529–2545.
- [39] P. M. GRAMBSCH AND T. M. THERNEAU, *Proportional hazards tests and diagnostics based on weighted residuals*, *Biometrika*, 81 (1994), pp. 515–526.
- [40] R. GRAY, *Flexible methods for analyzing survival data using splines, with applications to breast cancer prognosis*, *Journal of the American Statistical Association*, 87 (1992), pp. 942–951.
- [41] P. GREEN AND B. SILVERMAN, *Nonparametric regression and generalized linear models: a roughness penalty approach.*, Chapman and Hall, 1993.
- [42] T. HASTIE AND R. TIBSHIRANI, *Generalized Additive Models*, Chapman and Hall, 1990.
- [43] ———, *Varying-coefficients models*, *Journal of Royal Statistical Society B*, 55 (1993), pp. 757–796.
- [44] R. HENDERSON, S. SHIMAKURA, AND D. GORST, *Modeling spatial variation in leukemia survival data*, *Journal of the American Statistical Association*, 97 (2002), pp. 965–972.
- [45] R. HENDERSON AND S. S. SHIMAKURA, *A serially correlated gamma frailty model for longitudinal count data*, *Biometrika*, 90 (2003), pp. 355–366.
- [46] J. HINDE AND C. G. B. DEMETRIO, *Overdispersion: Models and estimation*,

Bibliography

- Computational Statistics and Data Analysis, 27 (1998), pp. 151–170.
- [47] J. P. HINDE, *Compound poisson regression models*, Gilchrist R. (Ed), Glim82, Springer, New York, (1982), pp. 109–121.
- [48] P. HOUGAARD, *Survival models for heterogeneous populations derived from stable distributions*, Biometrika, (1986), pp. 387–396.
- [49] ———, *Modelling multivariate survival*, Scandinavian Journal of Statistics, (1987), pp. 291–304.
- [50] P. HOUGAARD, *Analysis of multivariate survival data*, Springer, New York, 2000.
- [51] INSIGHTFUL CORPORATION, *S-plus (version 6)*, Seattle, WA, 2002.
- [52] A. J. IZENMAN, *Reduced-rank regression for the multivariate linear model*, Journal of Multivariate Analysis, (1975), pp. 248–264.
- [53] J. D. KALBFLEISCH AND R. L. PRENTICE, *Marginal likelihoods based on Cox's regression and life model*, Biometrika, (1973), pp. 267–278.
- [54] ———, *The statistical analysis of failure time data*, Wiley, New York, 1980.
- [55] E. L. KAPLAN AND P. MEIER, *Nonparametric estimation from incomplete observations*, Journal of the American Statistical Association, (1958), pp. 457–481.
- [56] J. P. KLEIN, *Semiparametric estimation of random effects using the Cox model based on the EM algorithm*, Biometrics, (1992), pp. 795–806.
- [57] J. P. KLEIN AND M. L. MOESCHBERGER, *Survival analysis: Techniques for censored and truncated data*, Spinger, New York, 2nd ed., 2003.
- [58] C. KOOPERBERG, C. STONE, AND TRUONG, *Hazard regression*, Journal of the American Statistical Association, 90 (1995), pp. 78–94.
- [59] A. Y. C. KUK AND C. CHEN, *A mixture model combining logistic regression with proportional hazards regression*, Biometrika, (1992), pp. 531–541.
- [60] Y. LEE AND J. A. NELDER, *Hierarchical generalized linear models*, Journal of the Royal Statistical Society B, 58 (1996), pp. 619–678.
- [61] ———, *Hierarchical generalized linear models: A synthesis of generalized linear models, random effects models and structured dispersions*, Biometrika, 88 (2001), pp. 987–1006.
- [62] K. Y. LIANG AND S. L. ZEGER, *Longitudinal data analysis using general linear models*, Biometrika, 73 (1986), pp. 13–22.
- [63] X. LIN AND D. ZHANG, *Inference in generalized additive mixed models by using smoothing splines*, Journal of the Royal Statistical Society B, 61 (1999), pp. 381–400.

BIBLIOGRAPHY

- [64] T. LUMLEY, *Survival: survival analysis, including penalized likelihood. Ported from Survival library, original by T. Therneau*, R package version 2.15.
- [65] R. A. MALLER AND S. ZHOU, *Estimating the proportion of immunes in a censored sample*, *Biometrika*, 4 (1992), pp. 731–739.
- [66] S. MANDA AND R. MEYER, *Bayesian inference for recurrent events data using time-dependent frailty*, *Statistics in Medicine*, 24 (2005), pp. 1263–1274.
- [67] N. MANTEL AND W. HAENSZEL, *Statistical aspects of the analysis of data from retrospective studies of disease*, *Journal of National Cancer Institute*, (1959), pp. 719–748.
- [68] P. McCULLAGH AND J. A. NELDER, *Generalized linear models*, Chapman and Hall London, 1989.
- [69] B. J. T. MORGAN, *Analysis of quantal response data*, Chapman and Hall, London, 1992.
- [70] M. MUERS, P. SHEVLIN, AND J. BROWN, *Prognosis in lung cancer: Physicians' opinions compared with outcome and a predictive model*, *Thorax*, 51 (1996), pp. 894–902.
- [71] H.-G. MÜLLER, J.-L. WANG, AND W. B. CAPRA, *From lifetables to hazard rates: The transformation approach*, *Biometrika*, 84 (1997), pp. 881–892.
- [72] M. PAIK, W. TSAI, AND R. OTTMAN, *Multivariate survival analysis using piecewise gamma frailty.*, *Biometrics*, 50 (1994), pp. 975–988.
- [73] Y. PAWITAN, *In all likelihood: statistical modelling and inference using likelihood*, Oxford Science Publications, Oxford OX2 6DP, 2001.
- [74] Y. PENG, *Fitting semiparametric cure models*, *Computational statistics and data analysis*, (2003), pp. 481–490.
- [75] Y. PENG, K. B. G. DEAR, AND J. W. DENHAM, *A generalized F mixture model for cure rate estimation*, *Statistics in Medicine*, (1998), pp. 813–830.
- [76] A. PERPEROGLU, S. LE CESSIE, AND H. C. VAN HOUWELINGEN, *A fast routine for fitting cox models with time varying effects of the covariates*, *Computer methods and programs in biomedicine*, 81 (2006), pp. 154–161.
- [77] ———, *Reduced-rank hazard regression for modeling non-proportional hazards*, *Statistics in Medicine*, 25 (2006), pp. 2831–2845.
- [78] A. PERPEROGLU, H. C. VAN HOUWELINGEN, AND R. HENDERSON, *A relaxation of the gamma frailty (Burr) model*. To appear: *Statistics in Medicine*.
- [79] A. H. POLLARD, F. YUSUF, AND G. N. POLLARD, *Demographic techniques*, Pergamon Press, Sydney, 1990.
- [80] H. PUTTER, M. SASAKO, H. H. HARTGRINK, C. J. H. VAN DE VELDE,

Bibliography

- AND J. C. VAN HOUWELINGEN, *Long-term survival with non-proportional hazards: results from the dutch gastric cancer trial*, *Statistics in Medicine*, (2005), pp. 2807–2821.
- [81] R DEVELOPMENT CORE TEAM, *R: A language and environment for statistical computing*, R Foundation for Statistical Computing, Vienna, Austria, 2004. ISBN 3-900051-07-0.
- [82] G. C. REINSEL AND R. P. VELU, *Multivariate Reduced-Rank Regression: Theory and Applications*, *Lecture Notes in Statistics*, Springer, New York, 1998.
- [83] SAS INSTITUTE INC, *SAS system for Windows V8*, Cary, NC, USA, 2001.
- [84] R. SCHALL, *Estimation in generalized linear models with random effects*, *Biometrika*, 78 (1991), pp. 719–727.
- [85] P. SCHMIDT AND A. WITTE., *Predicting criminal recidivism using ‘split population’ survival time models*, *Journal of Econometrics*, (1989), pp. 141–159.
- [86] S. SENN, *Dicing with death : Chance, Risk and Health*, Cambridge University Press, November 2003.
- [87] J. S. SIMONOFF, *Three sides of smoothing: Categorical data smoothing, non-parametric regression, and density estimation*, *International Statistical Review*, 66 (1998).
- [88] D. J. SPIEGELHALTER, *Surgical audit: statistical lessons from nightingale and codman*, *Journal of the Royal Statistical Society A*, (1999), pp. 45–58.
- [89] P. SWAIM AND M. PODGURSKYL, *Female labor supply following displacement: A split-population model of labor force participation and job search*, *Journal of labor economics*, 12 (1994), pp. 640–656.
- [90] J. P. SY AND J. M. G. TAYLOR, *Estimation in a Cox proportional hazards cure model.*, *Biometrics*, (2000), pp. 227–236.
- [91] T. M. THERNEAU, *A package for survival analysis in S*, tech. report, Mayo Foundation, 1999.
- [92] T. M. THERNEAU AND P. M. GRAMBSCH, *Modeling Survival Data, Extending the Cox model*, Springer- Verlag: New York, 2000.
- [93] N. THOMAS, N. T. LONGFORD, AND J. E. ROLPH, *Empirical bayes methods for estimating hospital-specific mortality-rates*, *Statistics in Medicine*, (1994), pp. 889–903.
- [94] S. W. THURSTON, M. P. WAND, AND J. K. WIENCKE, *Negative binomial additive models*, *Biometrics*, 56 (2000), pp. 139–144.
- [95] M. E. TRUDEAU, K. I. PRITCHARD, J. A. CHAPMAN, W. M. HANNA, H. J. KAHN, D. MURRAY, C. A. SAWKA, B. G. MOBBS, I. ANDRULIS, D. R. MC-

BIBLIOGRAPHY

- CREADY, AND H. L. LICKLEY, *Prognostic factors affecting the natural history of node-negative breast cancer*, Breast Cancer Research and Treatment, 89 (2005), pp. 35–45.
- [96] M. K.-S. TSO, *Reduced-rank regression and canonical analysis*, Journal of the Royal Statistical Society B, (1981), pp. 183–189.
- [97] H. C. VAN HOUWELINGEN, *Modeling clinical long term survival data. can we tell the difference between 'cure models', 'frailty models' or 'time-dependent effects models'?*, in Proceedings of the XXth International Biometric Conference, vol. II, 2000, pp. 117–123.
- [98] H. C. VAN HOUWELINGEN, R. BRAND, AND T. A. LOUIS, *Empirical bayes methods for monitoring health care quality*, tech. report, Dept. Medical Statistics, LUMC, 2004.
- [99] H. C. VAN HOUWELINGEN AND P. H. C. EILERS, *Non-proportional hazards models in survival analysis*. Proceedings Compstat, 2000.
- [100] H. C. VAN HOUWELINGEN AND S. IACOBELLI, *Frailties and competing risks*. Time to Event Analysis in Biostatistics, Economics and Related Fields Workshop, 24- 26 June 2004.
- [101] J. W. VAUPEL, K. G. MANTON, AND E. STALLARD, *The impact of heterogeneity in individual frailty on the dynamics of mortality*, Demography, 16 (1979), pp. 439–454.
- [102] W. VENABLES AND B. RIPLEY, *Modern applied statistics in S*, Springer, New York, fourth edition ed., 2002.
- [103] P. VERWEIJ AND H. VAN HOUWELINGEN HC, *Time-dependent effects of fixed covariates in Cox regression*, Biometrics, 51 (1995), pp. 1550–1556.
- [104] P. J. M. VERWEIJ AND H. C. V. HOUWELINGEN, *Cross-validation in survival analysis*, Statistics in Medicine, (1993), pp. 2305–2314.
- [105] D. A. WILLIAMS, *Extra binomial variation in logistic linear models*, Applied Statistics, 31 (1982), pp. 144–148.
- [106] C. M. WINTREBERT, H. PUTTER, A. ZWINDERMAN, AND H. C. VAN HOUWELINGEN, *Centre-effect on survival after bone marrow transplantation: application of time-dependent frailty models*, Biometrical Journal, 46 (2004), pp. 512–525.
- [107] Q. XIONG, V. VALERO, V. KAU, S. W. KAU, S. TAYLOR, T. L. SMITH, A. U. BUZDAR, G. N. HORTOBAGYI, AND R. L. THERIAULT, *Female patients with breast carcinoma age 30 years and younger have a poor prognosis: the M.D. Anderson Cancer Center experience*, Cancer, 92 (2001), pp. 2523–2528.
- [108] A. YASHIN AND I. IACHINE, *Dependent hazards in multivariate survival prob-*

Bibliography

- lems.*, Journal of multivariate analysis, (1999), pp. 241–261.
- [109] K. YAU AND C. MCGILCHRIST, *ML and REML estimation in survival analysis with time dependent correlated frailty*, Statistics in Medicine, 17 (1998), pp. 1201–1213.
- [110] T. W. YEE AND T. J. HASTIE, *Reduced-rank vector generalized linear models*, Statistical Modelling, 3 (2003), pp. 15–41.