



Universiteit
Leiden
The Netherlands

Testing *Drosophila* life-history in the field: local adaptation in body size, development time and starvation resistance

Linde, Kim van der

Citation

Linde, K. van der. (2005, January 12). *Testing Drosophila life-history in the field: local adaptation in body size, development time and starvation resistance*. Retrieved from <https://hdl.handle.net/1887/572>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/572>

Note: To cite this publication please use the final published version (if applicable).

References

- Adams MD, Celniker SE, Holt RA, Evans CA, Gocayne JD, Amanatides PG, Scherer SE, Li PW, Hoskins RA, Galle RF, *et al.* (2000). The genome sequence of *Drosophila melanogaster*. *Science* **287**(5461): 2185-2195.
- Agrawal AA (2003). Community genetics: new insights into community ecology by integrating population genetics. *Ecology* **84**(3): 543-544.
- Alpatov WW & Pearl R (1929). Experimental studies on the duration of life. XXI. Influence of temperature during the larval period and adult life on the duration of life of the imago of *Drosophila melanogaster*. *American Naturalist* **63**: 33-67.
- Anderson WW (1966). Genetic divergence in M. Vetukhiv's experimental populations in *Drosophila pseudoobscura*. III. Divergence in body size. *Genetical Research* **7**: 255-266.
- Anderson WW (1973). Genetic divergence in body size among experimental populations of *Drosophila pseudoobscura* kept at different temperatures. *Evolution* **27**: 278-284.
- Antonovics J (1992). Towards community genetics. In: Frite RS & Simms EL, Eds. *Plant resistance to herbivores and pathogens: ecology, evolution and genetics*, 426-449. University of Chicago Press, Chicago, Illinois, USA.
- Atkinson D & Sibly RM (1997). Why are organisms usually bigger in colder environments? Making sense of a life history puzzle. *Trends in Ecology & Evolution* **12**(6): 235-239.
- Atkinson WD (1979). A field investigation of larval competition in domestic *Drosophila*. *Journal of Animal Ecology* **48**: 91-102.
- Azevedo RBR, French V & Partridge L (1996). Thermal evolution of egg size in *Drosophila melanogaster*. *Evolution* **50**(2): 2338-2345.
- Bächli G (1999). The database on Taxonomy of Drosophilidae. <http://taxodros.unizh.ch/>. Cited 2003
- Bakker K (1959). Feeding period, growth, and pupation in larvae of *Drosophila melanogaster*. *Entomologia Experimentalis et Applicata* **2**: 171-186.
- Bakker K (1961). An analysis of factors which determine success in competition for food among larvae of *Drosophila melanogaster*. *Archives Neerlandaises de Zoologie* **14**: 200-281.
- Bakker K & Nelissen FX (1963). On the relations between the duration of the larval and pupal period, weight and diurnal rhythm in emergence in *Drosophila melanogaster*. *Entomologia Experimentalis et Applicata* **6**: 37-52.
- Bakker K (1969). Selection for rate of growth and its influence on competitive ability of larvae of *Drosophila melanogaster*. *Netherlands Journal of Zoology* **19**: 541-595.
- Baldal EA, van der Linde K, van Alphen JJM, Brakefield PM & Zwaan BJ (in press). The effects of larval density on adult life-history traits in three species of *Drosophila*. *Mechanisms of ageing and development*.
- Baltazar C (1991). *An inventory of Philippine insects. Part 1: Diptera*. University of the Philippines Los Baños, University Publications Office, Manila, The Philippines.
- Begon M, Harper JL & Townsend CR (1996). *Ecology: individuals, populations and communities*. Third edition. Blackwell Sciences Ltd, Oxford, United Kingdom.
- Belcher KS & Brett WJ (1973). Relationship between a metabolic rhythm and emergence rhythm in *Drosophila melanogaster*. *Journal of Insect Physiology* **19**: 277-286.
- Beldade P, Koops K & Brakefield PM (2002). Developmental constraints versus flexibility in morphological evolution. *Nature* **416**(6883): 844-847.
- Bell G & Koufopanou V (1986). The cost of reproduction. *Oxford surveys in evolutionary biology* **3**: 83-131.

- Betran E, Santos M & Ruiz A (1998). Antagonistic pleiotropic effect of second-chromosome inversions on body size and early life-history traits in *Drosophila buzzatii*. *Evolution* **52**(1): 144-154.
- Beverly SM & Wilson AC (1984). Molecular evolution in *Drosophila* and the higher Diptera. II. A time scale for fly evolution. *Journal of Molecular Evolution* **21**: 1-13.
- Blanckenhorn WU (1998). Adaptive phenotypic plasticity in growth, development, and body size in the yellow dung fly. *Evolution* **52**(5): 1394-1407.
- Blows MW & Hoffmann AA (1993). The genetics of central and marginal populations of *Drosophila serrata*. 1. Genetic variation for stress resistance and species borders. *Evolution* **47**(4): 1255-1270.
- Blows MW, Chenoweth SF & Hine E (2004). Orientation of the genetic variance-covariance matrix and the fitness surface for multiple male sexually selected traits. *American Naturalist* **163**(3): E329-E340.
- Bock IR (1971). XIV. Taxonomy of the *Drosophila bipectinata* species Complex. *University of Texas Publications* **7103**: 273-280.
- Bock IR & Wheeler MR (1972). Studies in genetics VII. I. The *Drosophila melanogaster* species group. *University of Texas Publications* **7213**: 1-102.
- Bock IR (1980). Current status of the *Drosophila melanogaster* species-group (Diptera). *Systematic Entomology* **5**: 341-356.
- Bohonak AJ (2002). RMA: software for reduced major axis regression, version 1.14b. Website: <http://www.bio.sdsu.edu/pub/andy/rma.html>.
- Bohonak AJ & van der Linde K (2004). RMA: software for reduced major axis regression, Java version. Website: <http://www.kimvdlinde.com/professional/rma.html>.
- Borash DJ & Ho GT (2001). Patterns of selection: stress resistance and energy storage in density-dependent populations of *Drosophila melanogaster*. *Journal of Insect Physiology* **47**(12): 1349-1356.
- Burla H, da Cunha B, Cavalcanti AGL, Dobzhanski T & Pavan C (1950). Population density and dispersal rates in Brazilian *Drosophila willistoni*. *Ecology* **31**: 393-404.
- Capy P, David JR, Pla E & Stockel J (1987). Grape breeding *Drosophila* communities in Southern France: short range variation in ecological and genetical structure of natural populations. *Acta Oecologica - International Journal of Ecology* **8**(3): 435-440.
- Capy P, Pla E & David JR (1993). Phenotypic and genetic variability of morphometrical traits in natural populations of *Drosophila melanogaster* and *Drosophila simulans*. 1. Geographic variations. *Genetics Selection Evolution* **25**(6): 517-536.
- Cavicchi S, Guerra D, Giorgi G & Pezzoli C (1985). Temperature-related divergence in experimental populations of *Drosophila melanogaster*. I. Genetic and developmental basis of wing size and shape variation. *Genetics* **109**: 665-689.
- Chapman CA & Onderdonk DA (1998). Forests without primates: primate/plant codependency. *American Journal of Primatology* **45**(1): 127-141.
- Charnov EL & Berrigan D (1990). Dimensionless numbers and life history evolution: age of maturity versus adult lifespan. *Evolutionary Ecology* **4**: 273-275.
- Chesson PL (1985). Coexistence of competitors in spatially and temporally varying environments: a look at the combined effects of different sorts of variability. *Theoretical Population Biology* **28**: 263-287.
- Chesson PL (1986). Environmental variation and the coexistence of species. In: Diamond J & Case TJ, Eds. *Community ecology*, 240-256. Harper & Row, New York, United States.
- Chesson PL & Huntly N (1988). Community consequences of life-history traits in a variable environment. *Annales Zoologici Fennici* **25**: 5-16.
- Chesson PL & Huntly N (1989). Short-term instabilities and long-term community dynamics. *Trends in Ecology & Evolution* **4**(10): 293-298.

- Cheverud JM (1984). Quantitative genetics and developmental constraints on evolution by selection. *Journal of Theoretical Biology* **101**: 155-171.
- Cheverud JM (1988). A comparison of genetic and phenotypic correlations. *Evolution* **42**(5): 958-968.
- Cheverud JM (1995). Morphological integration in the Saddle-Back Tamarin (*Saguinus fuscicollis*) cranium. *American Naturalist* **145**(1): 63-89.
- Chiang HC & Hodson AC (1950). An analytical study of population growth in *Drosophila melanogaster*. *Ecological Monographs* **20**: 173-206.
- Chippindale AK, Chu TJF & Rose MR (1996). Complex trade-offs and the evolution of starvation resistance in *Drosophila melanogaster*. *Evolution* **50**(2): 753-766.
- Clark CJ, Poulsen JR & Parker VT (2001). The role of arboreal seed dispersal groups on the seed rain of a lowland tropical forest. *Biotropica* **33**(4): 606-620.
- Comins HN & Noble IR (1985). Dispersal, variability, and transient niches: species coexistence in a uniformly variable environment. *American Naturalist* **126**(5): 706-723.
- Conover DO & Schultz ET (1995). Phenotypic similarity and the evolutionary significance of countergradient variation. *Trends in Ecology and Evolution* **10**: 248-252.
- Cortese MD, Norry FM, Piccinali R & Hasson E (2002). Direct and correlated responses to artificial selection on developmental time and wing length in *Drosophila buzzatii*. *Evolution* **56**(12): 2541-2547.
- Courchamp F, Clutton-Brock T & Grenfell B (1999). Inverse density dependence and the Allee effect. *Trends in Ecology & Evolution* **14**(10): 405-410.
- Coyne JA & Beecham E (1987). Heritability of two morphological characters within and among natural populations of *Drosophila melanogaster*. *Genetics* **117**: 727-737.
- Da Lage JL, Capy P & David JR (1989). Starvation and desiccation tolerance in *Drosophila melanogaster* adults: effects of environmental temperature. *Journal of Insect Physiology* **35**(6): 453-457.
- Da Lage JL, Capy P & David JR (1990). Starvation and desiccation tolerance in *Drosophila melanogaster*: Differences between European, North African and Afrotropical populations. *Genetics Selection Evolution* **22**: 381-391.
- Dahlgaard J, Hasson E & Loeschcke V (2001). Behavioural differentiation in oviposition activity in *Drosophila buzzatii* from mountain and lowland populations in Argentina: plasticity or thermal adaptation? *Evolution* **55**(4): 738-747.
- Danielsen F, Balete DS, Christensen M, Heegaard M, Jakobsen OF, Jensen A, Lund T & Poulsen MK (1993). *Conservation of biological diversity in the Sierra Madre Mountains of Isabela and southern Cagayan province, the Philippines*. DENR-BirdLife International, Manila, The Philippines.
- David JR & Clavel MF (1967). Influence de la température subie au cours du développement sur divers caractères biométriques des adultes de *Drosophila melanogaster*. (In French). *Journal of Insect Physiology* **13**: 717-729.
- David JR & Bocquet C (1975a). Similarities and differences in latitudinal adaptation of two *Drosophila* sibling species. *Nature* **257**: 588-590.
- David JR & Bocquet C (1975b). Evolution in a cosmopolitan species: Genetic latitudinal clines in *Drosophila melanogaster* wild populations. *Experientia* **31**: 164-166.
- David JR, Cohet Y, Fouillet P & Arens MF (1980). Phenotypic variability of wild collected *Drosophila*: an approach towards understanding selective pressures in natural populations. *Egypt. J. Genet. Cytol.* **9**: 51-66.
- David JR & Kitagawa O (1982). Possible similarities in ethanol tolerance and latitudinal variations between *Drosophila virilis* and *D. melanogaster*. *Japanese Journal of Genetics* **57**: 89-95.

- David JR, Allemand R, van Herrewege J & Cohet Y (1983). Ecophysiology: Abiotic factors. In: Asburner M, Carson HL & Thompson JN, Eds. *The genetics and biology of Drosophila*. **3d**, 106-154. Academic press, London.
- David JR, Capy P & Gauthier JP (1990). Abdominal pigmentation and growth temperature in *Drosophila melanogaster*: Similarities and differences in the norms of reaction of successive segments. *Journal of Evolutionary Biology* **3**(5-6): 429-445.
- David JR, Moreteau B, Gauthier JP, Petavy G, Stockel A & Imasheva AG (1994). Reaction norms of size characters in relation to growth temperature in *Drosophila melanogaster*: An isofemale lines analysis. *Genetics Selection Evolution* **26**(3): 229-251.
- de Jong G & van Noordwijk AJ (1992). Acquisition and allocation of resources: genetic (co)variances, selection, and life histories. *American Naturalist* **139**(4): 749-770.
- de Moed GH, de Jong G & Scharloo W (1997a). The phenotypic plasticity of wing size in *Drosophila melanogaster*: the cellular basis of its genetic variation. *Heredity* **79**: 260-267.
- de Moed GH, de Jong G & Scharloo W (1997b). Environmental effects on body size variation in *Drosophila melanogaster* and its cellular basis. *Genetical Research* **70**(1): 35-43.
- Djawdan M, Chippindale AK, Rose MR & Bradley TJ (1998). Metabolic reserves and evolved stress resistance in *Drosophila melanogaster*. *Physiological Zoology* **71**(5): 584-594.
- Domazet-Lošo T & Tautz D (2003). An evolutionary analysis of orphan genes in *Drosophila*. *Genome Research* **13**(10): 2213-2219.
- Dutta R, Singh U, Li TB, Fornage M & Teng BB (2003). Hepatic gene expression profiling reveals perturbed calcium signaling in a mouse model lacking both LDL receptor and Apobec1 genes. *Atherosclerosis* **169**(1): 51-62.
- Eigenbrodt HJ (1930). The somatic effects of temperature on a homozygous race of *Drosophila*. *Physiological Zoology* **3**: 392-411.
- Eijs IEM & van Alphen JJM (1999). Life history correlations: why are hymenopteran parasitoids an exception? *Ecology Letters* **2**(1): 27-35.
- Ellers J, Van Alphen JJM & Sevenster JG (1998). A field study of size-fitness relationships in the parasitoid *Asobara tabida*. *Journal of Animal Ecology* **67**(2): 318-324.
- Etienne R, Wertheim B, Hemerik L, Schneider P & Powell J (2002). The interaction between dispersal, the Allee effect and scramble competition affects population dynamics. *Ecological Modelling* **148**(2): 153-168.
- Falconer DS & Mackay TFC (1996). *Introduction to quantitative genetics*. Fourth edition. Addison-Wesley Pub Co, Edinburgh Gate, Harlow, United States.
- Fischer K, Zwaan BJ & Brakefield PM (2002). How does egg size relate to body size in butterflies? *Oecologia* **131**(3): 375-379.
- Flury BK (1988). *Common Principal Components and Related Multivariate Methods*. Wiley, New York, USA.
- Garcia-Barros E (2000). Body size, egg size, and their interspecific relationships with ecological and life history traits in butterflies (Lepidoptera : Papilionoidea, Hesperioidea). *Biological Journal of the Linnean Society* **70**(2): 251-284.
- Gebhardt MD & Stearns SC (1988). Reaction norms for developmental time and weight at eclosion in *Drosophila mercatorum*. *Journal of Evolutionary Biology* **1**(4): 335-354.
- Gibert P, Moreteau B, Moreteau JC & David JR (1998). Genetic variability of quantitative traits in *Drosophila melanogaster* (fruit fly) natural populations: Analysis of wild-living flies and of several laboratory generations. *Heredity* **80**: 326-335.
- Gotelli NJ & Graves GR (1996). *Null models in ecology*. Smithsonian Institution Press, Washington, U.S.A.

- Graves JL, Toolson EC, Jeong C, Vu LN & Rose MR (1992). Desiccation, flight, glycogen, and postponed senescence in *Drosophila melanogaster*. *Physiological Zoology* **65**(2): 268-286.
- Grimaldi D & Jaenike J (1984). Competition in natural populations of mycophagous *Drosophila*. *Ecology* **65**: 1113-1120.
- Grimaldi DA (1990). A phylogenetic, revised classification of genera in the Drosophilidae (Diptera). *Bulletin of the American Museum of Natural History* **197**: 1-128.
- Gu HN & Barker JSF (1995). Genetic and phenotypic variation for flight ability in the cactophilic *Drosophila* species, *D. aldrichi* and *D. buzzatii*. *Entomologia Experimentalis et Applicata* **76**(1): 25-35.
- Hallas R, Schiffer M & Hoffmann AA (2002). Clinal variation in *Drosophila serrata* for stress resistance and body size. *Genetical Research* **79**(2): 141-148.
- Harry M, Rashkovetsky E, Pavlicek T, Baker S, Derzhavets EM, Capy P, Cariou ML, Lachaise D, Asada N & Nevo E (1999). Fine-scale biodiversity of Drosophilidae in "Evolution Canyon" at the Lower Nahal Oren microsite, Israel. *Biologia* **54**(6): 685-705.
- Harshman LG & Schmid JL (1998). Evolution of starvation resistance in *Drosophila melanogaster*: Aspects of metabolism and counter-impact selection. *Evolution* **52**(6): 1679-1685.
- Harshman LG, Hoffmann AA & Clark AG (1999). Selection for starvation resistance in *Drosophila melanogaster*: Physiological correlates, enzyme activities and multiple stress responses. *Journal of Evolutionary Biology* **12**(2): 370-379.
- Hebert D, Faure S & Olivieri I (1994). Genetic, phenotypic, and environmental correlations in Black Medic, *Medicago lupulina* L, grown in 3 different environments. *Theoretical and Applied Genetics* **88**(5): 604-613.
- Heydon MJ & Bulloh P (1997). Mousedeer densities in a tropical rainforest: the impact of selective logging. *Journal of Applied Ecology* **34**(2): 484-496.
- Hocking RR (1996). Methods and applications of linear models regression and the analysis of variance. Wiley, New York, USA.
- Hoffmann AA & Parsons PA (1989). An integrated approach to environmental stress tolerance and life-history variation: desiccation tolerance in *Drosophila*. *Biological Journal of the Linnean Society* **37**: 117-136.
- Hoffmann AA & Parsons PA (1993). Direct and correlated responses to selection for desiccation resistance: a comparison of *Drosophila melanogaster* and *D. simulans*. *Journal of Evolutionary Biology* **6**(5): 643-657.
- Hoffmann AA & Harshman LG (1999). Desiccation and starvation resistance in *Drosophila*: patterns of variation at the species, population and intrapopulation levels. *Heredity* **83**(6): 637-643.
- Hoffmann AA (2000). Laboratory and field heritabilities: Some lessons from *Drosophila*. In: Mousseau TA, Sinervo B & Endler JA, Eds. *Adaptive genetic variation in the wild*, 200-218. Oxford University Press, New York, USA.
- Hoffmann AA, Hallas R, Sinclair C & Mitrovski P (2001a). Levels of variation in stress resistance in *Drosophila* among strains, local populations, and geographic regions: patterns for desiccation, starvation, cold resistance, and associated traits. *Evolution* **55**(8): 1621-1630.
- Hoffmann AA, Hallas R, Sinclair C & Partridge L (2001b). Rapid loss of stress resistance in *Drosophila melanogaster* under adaptation to laboratory culture. *Evolution* **55**(2): 436-438.
- Hoffmann AA, Hallas RJ, Dean JA & Schiffer M (2003a). Low potential for climatic stress adaptation in a rainforest *Drosophila* species. *Science* **301**(5629): 100-102.

- Hoffmann AA, Scott M, Partridge L & Hallas R (2003b). Overwintering in *Drosophila melanogaster*: outdoor field cage experiments on clinal and laboratory selected populations help to elucidate traits under selection. *Journal of Evolutionary Biology* **16**(4): 614-623.
- Hoffmann AA, Sorensen JG & Loeschcke V (2003c). Adaptation of *Drosophila* to temperature extremes: bringing together quantitative and molecular approaches. *Journal of Thermal Biology* **28**(3): 175-216.
- Hoffmeister TS & Rohlf M (2001). Aggregative egg distributions may promote species co-existence - but why do they exist? *Evolutionary Ecology Research* **3**(1): 37-50.
- Houle D (1991). Genetic covariance of fitness correlates: what genetic correlations are made of and why it matters. *Evolution* **45**(3): 630-648.
- Hyytia P, Capy P, David JR & Singh RS (1985). Enzymatic and quantitative variation in European and African populations of *Drosophila simulans*. *Heredity* **54**: 209-217.
- Imai T (1937). Influence of temperature on the growth of *Drosophila melanogaster*. *Science Report Tohoku Imperial University* **11**: 403-417.
- Imasheva AG, Bubli OB & Lazebny OE (1994). Variation in wing length in Eurasian natural populations of *Drosophila melanogaster*. *Heredity* **72**: 508-514.
- IUCN, UNEP & WWF (1991). Caring for the Earth: A Strategy for Sustainable Living. IUCN,, Gland, Switzerland.
- James AC, Azevedo RBR & Partridge L (1995). Cellular basis and developmental timing in a size cline of *Drosophila melanogaster*. *Genetics* **140**(2): 659-666.
- James AC & Partridge L (1995). Thermal evolution of rate of larval development in *Drosophila melanogaster* in laboratory and field populations. *Journal of Evolutionary Biology* **8**(3): 315-330.
- James AC, Azevedo RBR & Partridge L (1997). Genetic and environmental responses to temperature of *Drosophila melanogaster* from a latitudinal cline. *Genetics* **146**(3): 881-890.
- James AC & Partridge L (1998). Geographic variation in competitive ability in *Drosophila melanogaster*. *American Naturalist* **151**(6): 530-537.
- Karan D, Dahiya N, Munjal AK, Gibert P, Moreteau B, Parkash R & David JR (1998a). Desiccation and starvation tolerance of adult *Drosophila*: Opposite latitudinal clines in natural populations of three different species. *Evolution* **52**(3): 825-831.
- Karan D, Morin JP, Moreteau B & David JR (1998b). Body size and developmental temperature in *Drosophila melanogaster*: Analysis of body weight reaction norm. *Journal of Thermal Biology* **23**(5): 301-309.
- Karan D, Munjal AK, Gibert P, Moreteau B, Parkash R & David JR (1998c). Latitudinal clines for morphometrical traits in *Drosophila kikkawai*: a study of natural populations from the Indian subcontinent. *Genetical Research* **71**(1): 31-38.
- Karan D & Parkash R (1998). Desiccation tolerance and starvation resistance exhibit opposite latitudinal clines in Indian geographical populations of *Drosophila kikkawai*. *Ecological Entomology* **23**(4): 391-396.
- Karan D, Parkash R & David JR (1999). Microspatial genetic differentiation for tolerance and utilization of various alcohols and acetic acid in *Drosophila* species from India. *Genetica* **105**(3): 249-258.
- Karan D & David JR (2000). Cold tolerance in *Drosophila*: adaptive variations revealed by the analysis of starvation survival reaction norms. *Journal of Thermal Biology* **25**(5): 345-351.
- Karan D, Dubey S, Moreteau B, Parkash R & David JR (2000). Geographical clines for quantitative traits in natural populations of a tropical Drosophilid: *Zaprionus indianus*. *Genetica* **108**(1): 91-100.
- Kermack KA & Haldane JBS (1950). Organic correlation and allometry. *Biometrika* **37**: 30-41.

- Krasnov BR, Khokhlova IS, Fielden LJ & Burdelova NV (2001). Development rates of two *Xenopsylla* flea species in relation to air temperature and humidity. *Medical and Veterinary Entomology* **15**(3): 249-258.
- Krijger CL (2000). Spatio-temporal heterogeneity and local insect diversity. Ph.D. thesis: Leiden University, The Netherlands.
- Krijger CL, Peters YC & Sevenster JG (2001). Competitive ability of neotropical *Drosophila* predicted from larval development times. *Oikos* **92**(2): 325-332.
- Krijger CL & Sevenster JG (2001). Higher species diversity explained by stronger spatial aggregation across six neotropical *Drosophila* communities. *Ecology Letters* **4**(2): 106-115.
- Lande R (1980). The genetic covariance between characters maintained by pleiotropic mutations. *Genetics* **94**: 203-215.
- Larribe M, Taha MK, Topilko A & Marchal C (1997). Control of *Neisseria gonorrhoeae* pilin gene expression by environmental factors: involvement of the pilA/pilB regulatory genes. *Microbiology-UK* **143**: 1757-1764.
- Lemeunier F, David JR, Tsacas L & Ashburner M (1986). The *melanogaster* species group. In: Ashburner M, Carson HL & Thompson JN, Eds. *The genetics and biology of Drosophila*. **3**. Academic Press, London.
- Lin SJ, Kaeberlein M, Andalis AA, Sturtz LA, Defossez PA, Culotta VC, Fink GR & Guarente L (2002). Calorie restriction extends *Saccharomyces cerevisiae* lifespan by increasing respiration. *Nature* **418**(6895): 344-348.
- Lindsley DL & Zimm GG (1992). *The genome of Drosophila melanogaster*. Academic Press, San Diego, CA, United States.
- Loiselle BA & Blake JG (1991). Temporal variation in birds and fruits along an elevational gradient in Costa-Rica. *Ecology* **72**(1): 180-193.
- Loiselle BA & Blake JG (1993). Spatial distribution of understory fruit-eating birds and fruiting plants in a neotropical lowland wet forest. *Vegetatio* **108**: 177-189.
- Long AD & Singh RS (1995). Molecules versus morphology: The detection of selection acting on morphological characters along a cline in *Drosophila melanogaster*. *Heredity* **74**: 569-581.
- Lounibos L (1979). Temporal and spatial distribution, growth, and predatory behavior of *Toxothynchites brevipalpis* (Diptera: Culicidae) on the Kenya coast. *Journal of Animal Ecology* **48**: 213-236.
- Lynch M & Walsh B (1998). *Genetics and analysis of quantitative traits*. Sinauser Associates, Inc., Sunderland, MA, United States.
- Ma LG, Li JM, Qu LJ, Hager J, Chen ZL, Zhao HY & Deng XW (2001). Light control of *Arabidopsis* development entails coordinated regulation of genome expression and cellular pathways. *Plant Cell* **13**(12): 2589-2607.
- Magurran AE (1988). *Ecological diversity and its measurement*. Croom Helm Limited, London, United Kingdom.
- Marron MT, Markow TA, Kain KJ & Gibbs AG (2003). Effects of starvation and desiccation on energy metabolism in desert and mesic *Drosophila*. *Journal of Insect Physiology* **49**(3): 261-270.
- Matos M, Rego C, Levy A, Teotonio H & Rose MR (2000a). An evolutionary no man's land. *Trends in Ecology & Evolution* **15**(5): 206-206.
- Matos M, Rose MR, Pite MTR, Rego C & Avelar T (2000b). Adaptation to the laboratory environment in *Drosophila subobscura*. *Journal of Evolutionary Biology* **13**(1): 9-19.
- Matos M, Avelar T & Rose MR (2002). Variation in the rate of convergent evolution: adaptation to a laboratory environment in *Drosophila subobscura*. *Journal of Evolutionary Biology* **15**(4): 673-682.
- Mayr E (1942). *Systematics and origin of the species*. Columbia, New York.

- McCarty JP, Levey DJ, Greenberg CH & Sargent S (2002). Spatial and temporal variation in fruit use by wildlife in a forested landscape. *Forest Ecology and Management* **164**(1-3): 277-291.
- Mezey JG & Houle D (2003). Comparing G matrices: Are common principal components informative? *Genetics* **165**(1): 411-425.
- Minois N (2001). Resistance to stress as a function of age in transgenic *Drosophila melanogaster* overexpressing Hsp70. *Journal of Insect Physiology* **47**(9): 1007-1012.
- Misra RK & Reeve ECR (1964). Clines in body dimensions in populations of *Drosophila subobscura*. *Genetical Research* **5**: 240-256.
- Mitrovski P & Hoffmann AA (2001). Postponed reproduction as an adaptation to winter conditions in *Drosophila melanogaster*: evidence for clinal variation under semi-natural conditions. *Proceedings of the Royal Society of London Series B-Biological Sciences* **268**(1481): 2163-2168.
- Moreteau B, Capy P, Alonsomoraga A, Munozserrano A, Stockel J & David JR (1995). Genetic characterization of geographic populations using morphometrical traits in *Drosophila melanogaster*: Isogroups versus isofemale lines. *Genetica* **96**(3): 207-215.
- Morin JP, Moreteau B, Petavy G, Imasheva AG & David JR (1996). Body size and developmental temperature in *Drosophila simulans*: Comparison of reaction norms with sympatric *Drosophila melanogaster*. *Genetics Selection Evolution* **28**(5): 415-436.
- Morin JP, Moreteau B, Petavy G, Parkash R & David JR (1997). Reaction norms of morphological traits in *Drosophila*: Adaptive shape changes in a stenotherm circumtropical species? *Evolution* **51**(4): 1140-1148.
- Mueller LD, Graves JL & Rose MR (1993). Interactions between density-dependent and age-specific selection in *Drosophila melanogaster*. *Functional Ecology* **7**(4): 469-479.
- Neat F, Fowler K, French V & Partridge L (1995). Thermal evolution of growth efficiency in *Drosophila melanogaster*. *Proceedings of the Royal Society of London Series B-Biological Sciences* **260**(1357): 73-78.
- Neuhauser C, Andow DA, Heimpel GE, May G, Shaw RG & Wagenius S (2003). Community genetics: expanding the synthesis of ecology and genetics. *Ecology* **84**(3): 545-558.
- Nevo E, Rashkovetsky E, Pavlicek T & Korol A (1998). A complex adaptive syndrome in *Drosophila* caused by microclimatic contrasts. *Heredity* **80**(1): 9-16.
- Noach EJK, deJong G & Scharloo W (1996). Phenotypic plasticity in morphological traits in two populations of *Drosophila melanogaster*. *Journal of Evolutionary Biology* **9**(6): 831-844.
- Nunney L (1996). The response to selection for fast larval development in *Drosophila melanogaster* and its effect on adult weight: An example of a fitness trade-off. *Evolution* **50**(3): 1193-1204.
- PAGASA (2001). Climate of the Philippines. <http://www.pagasa.dost.gov.ph>. Cited 1 July 2003
- Pagel M (1999a). Inferring the historical patterns of biological evolution. *Nature* **401**(6756): 877-884.
- Pagel M (1999b). Continuous, Website: <http://sapc34.rdg.ac.uk/meade/Mark/Continues.html>.
- Parkash R, Sharma S & Sharma M (1994). Patterns of starvation and desiccation tolerance in *Drosophila bipectinata* and *Drosophila malerkotliana*. *Biologisches Zentralblatt* **113**(3): 355-363.
- Parkash R & Vandna (1994). Latitudinal differentiation in alcoholic utilisation and desiccation-starvation tolerance in *Drosophila kikkawai* populations from India. *Korean Journal of Genetics* **16**: 217-224.
- Parkash R, Karan D & Munjal AK (1998). Geographical divergence for quantitative traits in colonising populations of *Drosophila kikkawai* from India. *Hereditas* **128**(3): 201-205.

- Parkash R & Munjal AK (1999). Climatic selection of starvation and desiccation resistance in populations of some tropical *Drosophilids*. *Journal of Zoological Systematics and Evolutionary Research* **37**(4): 195-202.
- Parsons PA (1983). *The evolutionary biology of colonizing species*. Cambridge University Press, Cambridge.
- Partridge L & Fowler K (1993). Responses and correlated responses to artificial selection on thorax length in *Drosophila melanogaster*. *Evolution* **47**(1): 213-226.
- Partridge L, Barrie B, Fowler K & French V (1994a). Evolution and development of body size and cell in *Drosophila melanogaster* in response to temperature. *Evolution* **48**(4): 1269-1276.
- Partridge L, Barrie B, Fowler K & French V (1994b). Thermal evolution of pre-adult life-history traits in *Drosophila melanogaster*. *Journal of Evolutionary Biology* **7**(6): 645-663.
- Partridge L, Barrie B, Barton NH, Fowler K & French V (1995). Rapid laboratory evolution of adult life-history traits in *Drosophila melanogaster* in response to temperature. *Evolution* **49**(3): 538-544.
- Partridge L, Langelan R, Fowler K, Zwaan B & French V (1999). Correlated responses to selection on body size in *Drosophila melanogaster*. *Genetical Research* **74**(1): 43-54.
- Pavan C, Dobzhansky T & Burla H (1950). Diurnal behaviour of some neotropical species of *Drosophila*. *Ecology* **31**(1): 36-43.
- Peres CA (1994). Primate responses to phenological changes in an Amazonian terra-firme forest. *Biotropica* **26**(1): 98-112.
- Perez A & Garcia C (2002). Evolutionary responses of *Drosophila melanogaster* to selection at different larval densities: changes in genetic variation, specialization and phenotypic plasticity. *Journal of Evolutionary Biology* **15**(4): 524-536.
- Phillips PC (1998). CPC - Common Principal Component Analysis, Website: <http://darkwing.uoregon.edu/~pphil/software.html>.
- Phillips ZEV & Strauch MA (2002). *Bacillus subtilis* sporulation and stationary phase gene expression. *Cellular and Molecular Life Sciences* **59**(3): 392-402.
- Pontes ARM (1997). Habitat partitioning among primates in Maraca island, Roraima, northern Brazilian Amazonia. *International Journal of Primatology* **18**(2): 131-157.
- Poulin B, Lefebvre G & McNeil R (1994). Characteristics of feeding guilds and variation in diets of bird species of 3 adjacent tropical sites. *Biotropica* **26**(2): 187-197.
- Powell JR (1974). Temperature related genetic divergence in *Drosophila* body size. *Journal of Heredity* **65**: 257-258.
- Prevosti A (1955). Geographic variability in quantitative traits in populations of *Drosophila subobscura*. *Cold spring Harbour Symposia on Quantitative Biology* **20**: 294-299.
- Prout T & Barker JSF (1989). Ecological aspects of the heritability of body size in *Drosophila buzzatii*. *Genetics* **123**(4): 803-813.
- Ray C (1960). The application of Bergman's and Allen's rules to poikilotherms. *Journal Morphology* **106**: 85-108.
- Reeve ECR (1954). Natural selection for body size in *Drosophila* (abstract). Proceedings of the 9th International Congress of Genetics. **Caryologica Supplementary Volume**: 854-855.
- Renkonen O (1938). Statistisch-ökologische Untersuchungen über die terrestrische Käferwelt der finnischen Bruchmoore. *An. Zool. Soc. Zool-Bot.* **6**: 1-231.
- Ricker WE (1973). Linear regressions in Fishery Research. *Journal of the Fisheries Research Board of Canada* **30**: 409-434.
- Riera B (1995). Role of past and present disturbances in forest dynamics and structure. *Revue d'écologie, La Terre et la Vie* **50**(3): 209-222.

- Robertson FW (1957). Studies in quantitative inheritance. XI. Genetics and environmental correlation between body size and egg-production in *Drosophila melanogaster*. *Journal of Genetics* **55**: 428-443.
- Robertson FW (1960a). The ecological genetics of growth in *Drosophila*. 1. Body size and development time on different diets. *Genetical Research* **1**: 288-304.
- Robertson FW (1960b). The ecological genetics of growth in *Drosophila*. 3. Growth and competitive ability of strains selected on different diets. *Genetical Research* **1**: 333-350.
- Robertson FW (1963). The ecological genetics of growth in *Drosophila*. 6. The genetic correlation between the duration of the larval period and body size in relation to larval diet. *Genetical Research* **4**: 74-92.
- Robertson FW (1987). Variation of body size within and between wild populations of *Drosophila buzzatii*. *Genetica* **72**(111-125).
- Robinson SJW, Zwaan B & Partridge L (2000). Starvation resistance and adult body composition in a latitudinal cline of *Drosophila melanogaster*. *Evolution* **54**(5): 1819-1824.
- Rodriguez-Trelles F, Tarrío R & Ayala FJ (2000). Fluctuating mutation bias and the evolution of base composition in *Drosophila*. *Journal of Molecular Evolution* **50**(1): 1-10.
- Roff DA & Mousseau TA (1987). Quantitative genetics and fitness: lessons from *Drosophila*. *Heredity* **73**: 103-118.
- Roff DA & Preziosi R (1994). The Estimation of the Genetic Correlation - the Use of the Jackknife. *Heredity* **73**: 544-548.
- Roff DA (1995). The estimation of genetic correlations from phenotypic correlations: A test of Cheveruds conjecture. *Heredity* **74**: 481-490.
- Roff DA (1996). The evolution of genetic correlations: An analysis of patterns. *Evolution* **50**(4): 1392-1403.
- Roff DA (1997). *Evolutionary quantitative genetics*. Chapman & Hall, New York.
- Roff DA (2000). Trade-offs between growth and reproduction: an analysis of the quantitative genetic evidence. *Journal of Evolutionary Biology* **13**(3): 434-445.
- Roff DA (2003). Evolutionary danger for rainforest species. *Science* **301**(5629): 58-59.
- Rohlf M & Hoffmeister TS (2003). An evolutionary explanation of the aggregation model of species coexistence. *Proceedings of the Royal Society of London Series B-Biological Sciences* **270**: S33-S35.
- Roper C, Pignatelli P & Partridge L (1996). Evolutionary responses of *Drosophila melanogaster* life history to differences in larval density. *Journal of Evolutionary Biology* **9**(5): 609-622.
- Rose MR (1984). Genetic covariation in *Drosophila* life history: untangling the data. *American Naturalist* **123**: 565-569.
- Santos M, Fowler K & Partridge L (1992). On the use of tester stocks to predict the competitive ability of genotypes. *Heredity* **69**: 489-495.
- Santos M, Fowler K & Partridge L (1994). Gene-environment interaction for body size and larval density in *Drosophila melanogaster*: An investigation of effects on development time, thorax length and adult sex ratio. *Heredity* **72**: 515-521.
- Santos M (1996). Apparent directional selection of body size in *Drosophila buzzatii*: Larval crowding and male mating success. *Evolution* **50**(6): 2530-2535.
- Schenk PM, Kazan K, Wilson I, Anderson JP, Richmond T, Somerville SC & Manners JM (2000). Coordinated plant defense responses in *Arabidopsis* revealed by microarray analysis. *Proceedings of the National Academy of Sciences of the United States of America* **97**(21): 11655-11660.
- Schlichting CD & Smith H (2002). Phenotypic plasticity: linking molecular mechanisms with evolutionary outcomes. *Evolutionary Ecology* **16**(3): 189-211.

- Schmid KJ & Aquadro CF (2001). The evolutionary analysis of "orphans" from the *Drosophila* genome identifies rapidly diverging and incorrectly annotated genes. *Genetics* **159**(2): 589-598.
- Seki M, Narusaka M, Abe H, Kasuga M, Yamaguchi-Shinozaki K, Carninci P, Hayashizaki Y & Shinozaki K (2001). Monitoring the expression pattern of 1300 *Arabidopsis* genes under drought and cold stresses by using a full-length cDNA microarray. *Plant Cell* **13**(1): 61-72.
- Service PM, Hutchinson EW, MacKinley MD & Rose MR (1985). Resistance to environmental stress in *Drosophila melanogaster* selected for postponed senescence. *Physiological Zoology* **58**: 380-389.
- Service PM & Rose MR (1985). Genetic covariation among life-history components: the effect of novel environments. *Evolution* **39**: 943-945.
- Service PM (1987). Physiological mechanisms of increased stress resistance in *Drosophila melanogaster* selected for postponed senescence. *Physiological Zoology* **60**(3): 321-326.
- Service PM, Hutchinson EW & Rose MR (1988). Multiple genetic mechanisms for the evolution of senescence in *Drosophila melanogaster*. *Evolution* **42**(4): 708-716.
- Sevenster JG (1992). The community ecology of frugivorous *Drosophila* in a neotropical forest. Ph.D. thesis: Leiden University, Leiden.
- Sevenster JG & van Alphen JJM (1993a). A life-history trade-off in *Drosophila* species and community structure in variable environments. *Journal of Animal Ecology* **62**(4): 720-736.
- Sevenster JG & van Alphen JJM (1993b). Coexistence in stochastic environments through a life-history trade-off in *Drosophila*. *Lecture notes in Biomathematics* **98**: 155-172.
- Sevenster JG & van Alphen JJM (1996). Aggregation and coexistence. 2. A neotropical *Drosophila* community. *Journal of Animal Ecology* **65**(3): 308-324.
- Sgro CM & Hoffmann AA (1998). Heritable variation for fecundity in field-collected *Drosophila melanogaster* and their offspring reared under different environmental temperatures. *Evolution* **52**(1): 134-143.
- Sgro CM & Partridge L (2000). Evolutionary responses of the life history of wild-caught *Drosophila melanogaster* to two standard methods of laboratory culture. *American Naturalist* **156**(4): 341-353.
- Shamina, Parkash R & Neena (1993). Starvation and desiccation tolerance in Indian populations of *Drosophila melanogaster*. *Korean Journal of Genetics* **15**(3): 203-212.
- Shigesada N, Kawasaki K & Teramoto E (1979). Spatial segregation of interacting species. *Journal of Theoretical Biology* **79**: 83-99.
- Shigesada N (1984). Spatial distribution of rapid dispersing animals in heterogeneous environments. *Lecture notes in Biomathematics* **54**: 478-491.
- Shorrocks B, Rosewell J, Edwards K & Atkinsons W (1984). Interspecific competition is not a major organizing force in many insect communities. *Nature* **310**: 310-312.
- Smith L (1993). Effect of humidity on life-history characteristics of *Anisopteromalus calandrae* (Hymenoptera, Pteromalidae) parasitizing maize weevil (Coleoptera, Curculionidae) larvae in shelled corn. *Environmental Entomology* **22**(3): 618-624.
- Sokal RR & Rohlf FJ (1981). *Biometry*. 2nd. Freeman & Co, New York, USA.
- Stalker HD & Carson HL (1947). Morphological variation in natural populations of *Drosophila robusta* Sturtevant. *Evolution* **1**: 237-248.
- StatSoft I (1999). STATISTICA for Windows [Computer program manual]. 5.5. StatSoft, Inc. Website: <http://www.statsoft.com>.
- StatSoft I (2004). STATISTICA (data analysis software system), version 7.0. StatSoft, Inc. Website: <http://www.statsoft.com>.
- Stearns CS (1992). *The evolution of life histories*. Oxford University Press, Oxford.

- Stephens PA & Sutherland WJ (1999). Consequences of the Allee effect for behaviour, ecology and conservation. *Trends in Ecology & Evolution* **14**(10): 401-405.
- Tabarelli M, Mantovani W & Peres CA (1999). Effects of habitat fragmentation on plant guild structure in the montane Atlantic forest of south-eastern Brazil. *Biological Conservation* **91**(2-3): 119-127.
- Tantawy AO & Mallah GS (1961). Studies on natural populations of *Drosophila*. I. Heat resistance and geographic variation in *Drosophila melanogaster* and *D. simulans*. *Evolution* **15**: 1-14.
- Tantawy AO & El-Helw MR (1970). Studies on natural populations of *Drosophila*. IX. Some fitness components and their heritabilities and mutant populations of *Drosophila melanogaster*. *Genetics* **64**: 79-91.
- Taylor CE, Powell JR, Kekic V, Andjelkovic M & Burla H (1984). Dispersal rates of species of the *Drosophila obscura* group: implications for population structure. *Evolution* **38**: 1397-1401.
- Tepperman JM, Zhu T, Chang HS, Wang X & Quail PH (2001). Multiple transcription-factor genes are early targets of phytochrome A signaling. *Proceedings of the National Academy of Sciences of the United States of America* **98**(16): 9437-9442.
- Thomas RH (1993). Ecology of body size in *Drosophila buzzatii*: Untangling the effects of temperature and nutrition. *Ecological Entomology* **18**(1): 84-90.
- Toda MJ & Kimura MT (1997). Life-history traits related to host selection in mycophagous Drosophilids. *Journal of Animal Ecology* **66**(2): 154-166.
- Toda MJ, Kimura MT & Tuno N (1999). Coexistence mechanisms of mycophagous drosophilids on multispecies fungal hosts: aggregation and resource partitioning. *Journal of Animal Ecology* **68**(4): 794-803.
- Val FC, Vilela CR & Marques MD (1981). Drosophilidae of the neotropical region. In: Ashburner M, Carson HL & Thompson JN, Eds. *The genetics and biology of Drosophila*. **3E**, 123-168. Academic Press, London.
- Val FC (1982). The male genitalia of some neotropical Drosophila: notes and illustrations. *Papeis avulsos zool, S Paulo* **34**: 309-347.
- van der Linde K (1997). Exploring the use of the *Drosophila* genus as biodiversity indicator. Research for the Sierra Madre Forest. In: Guzman RS & de Groot WT, Eds. *Proceedings of the second CVPED conference*, 49-54. CVPED, Cabagan, The Philippines.
- van der Linde K & Sevenster JG (2002). *Drosophila* diversity over a disturbance gradient. *Proceedings Experimental and Applied Entomology* **13**: 51-56.
- van der Linde K & Sevenster JG (in press). Local adaptation of development time and starvation resistance in eight *Drosophila* species of the Philippines. *Biological Journal of the Linnean Society*.
- van Konijnenburg B (1999). Coexistentie van neotropische *Drosophila* soorten door verschillende dispersie capaciteiten (In Dutch). Unpublished M.Sc. thesis: Leiden University, The Netherlands.
- van 't Land J (1997). Latitudinal variation in *Drosophila melanogaster*. Ph.D thesis thesis: Rijksuniversiteit Groningen, The Netherlands.
- van 't Land J, van Putten P, Zwaan B, Kamping A & van Delden W (1999). Latitudinal variation in wild populations of *Drosophila melanogaster*: heritabilities and reaction norms. *Journal of Evolutionary Biology* **12**(2): 222-232.
- Via S (1984). The quantitative genetics of polyphagy in an insect herbivore. II. Genetic correlations in larval performance within and among host plants. *Evolution* **38**: 896-905.
- Via S & Lande R (1985). Genotype-environment interaction and the evolution of phenotypic plasticity. *Evolution* **39**: 505-522.

- Via S (1987). Genetic constraints on the evolution of phenotypic plasticity. In: Loeschcke V, Ed. *Genetic constraints on adaptive evolution*, 47-71. Springer-Verlag, Berlin, Germany.
- Vilela CR (1983). A revision of the *Drosophila repleta* species group (Diptera, Drosophilidae). *Revista Brasileira de Entomologia* **27**: 1-113.
- Voudibio J, Capy P, Defaye D, Pla E, Sandrin J, Csink A & David JR (1989). Short range genetic structure of *Drosophila melanogaster* populations in an Afrotropical urban area and its significance. *Proceedings of the National Academy of Sciences of the United States of America* **86**: 8442-8446.
- Wagner GP (1984). On the eigenvalue distribution of genetic and phenotypic dispersion matrices: evidence for a non-random organization of quantitative genetic variation. *Journal of Mathematical Biology* **21**: 77-95.
- Wagner GP (1989). Multivariate mutation-selection balance with constrained pleiotropic effects. *Genetics* **122**(1): 223-234.
- Wagner GP & Altenberg L (1996). Complex adaptations and the evolution of evolvability. *Evolution* **50**(3): 967-976.
- Walter H (1984). *Vegetation und Klimazonen: Grundriß der globalen Ökologie* (in German). 4. Verlag Eugen Ulmer, Stuttgart, Germany.
- Watada M, Ohba S & Tobari TN (1986). Genetic differentiation in Japanese populations of *Drosophila simulans* and *Drosophila melanogaster*. II. Morphological variation. *Japanese Journal of Genetics* **61**: 469-480.
- Wertheim B, Marchais J, Vet LEM & Dicke M (2002). Allee effect in larval resource exploitation in *Drosophila*: an interaction among density of adults, larvae, and micro-organisms. *Ecological Entomology* **27**(5): 608-617.
- Wheeler MR (1981). The Drosophilidae: a taxonomic overview. In: Ashburner M, Carson HL & Thompson JN, Eds. *The genetics and biology of Drosophila*. **3E**, 1-97. Academic Press, London.
- Whitham TG, Young WP, Martinsen GD, Gehring CA, Schweitzer JA, Shuster SM, Wimp GM, Fischer DG, Bailey JK, Lindroth RL, *et al.* (2003). Community and ecosystem genetics: a consequence of the extended phenotype. *Ecology* **84**(3): 559-573.
- Wilkinson GS (1987). Equilibrium analysis of sexual selection in *Drosophila melanogaster*. *Evolution* **41**: 11-21.
- Zdarek J (1983). Regulation of pupariation in flies. In: Kerkut GA & Gilbert LI, Eds. *Comprehensive insect physiology, biochemistry and pharmacology*. **8**, 301-333. Pergamon Press, Oxford, United Kingdom.
- Zijlstra WG, Steigenga MJ, Brakefield PM & Zwaan BJ (2003). Simultaneous selection on two fitness-related traits in the butterfly *Bicyclus anynana*. *Evolution* **57**(8): 1852-1862.
- Zijlstra WG, Steigenga MJ, Koch PB, Zwaan BJ & Brakefield PM (2004). Butterfly selected lines explore the hormonal basis of interactions between life histories and morphology. *American Naturalist* **163**(5).
- Zwaan BJ, Bijlsma R & Hoekstra RF (1991). On the developmental theory of aging .1. Starvation resistance and longevity in *Drosophila melanogaster* in relation to pre-adult breeding conditions. *Heredity* **66**: 29-39.
- Zwaan BJ, Bijlsma R & Hoekstra RF (1992). On the developmental theory of aging. 2. The effect of developmental temperature on longevity in relation to adult body size in *Drosophila melanogaster*. *Heredity* **68**: 123-130.
- Zwaan BJ, Bijlsma R & Hoekstra RF (1995a). Artificial selection for developmental time in *Drosophila melanogaster* in relation to the evolution of aging: Direct and correlated responses. *Evolution* **49**(4): 635-648.
- Zwaan BJ, Bijlsma R & Hoekstra RF (1995b). Direct selection on life-span in *Drosophila melanogaster*. *Evolution* **49**(4): 649-659.