

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/29585> holds various files of this Leiden University dissertation.

**Author:** Niesters, Marieke

**Title:** Evolution of endogenous analgesia

**Issue Date:** 2014-10-30

# Addenda

---



## Curriculum Vitae

Marieke Niesters was born on the 29<sup>th</sup> of September 1984 in Wijk bij Duurstede, the Netherlands. She obtained her VWO degree at the Caland Lyceum in Rotterdam in June 2002 and immediately started her study Biomedical Sciences at the Leiden University. Her Bachelor internship focused on differences in telomerase expression in Langerhans cell hystiocytosis at the department of Pediatrics at the Leiden University Medical Center (LUMC). She obtained her Bachelor's degree in June 2005. In September 2005 she was accepted for Medical School at Leiden University and combined this study with a Master's in Biomedical Sciences. During her first Master internship she studied the immunologic effects of blood transfusion in premature born children at the Sanquin blood bank in Leiden. Her second Master internship was performed at the department of Anesthesiology at the LUMC where she started the research described in this thesis. During this internship she was appointed as PhD student at the same department under supervision of prof. dr. A. Dahan. This appointment was financially supported by the excellent MSc-PhD grant from the board of directors of the LUMC. In June 2010 she graduated from Medical School and her Master's in Biomedical Sciences (with honor). Currently she is a resident at the department of Anesthesiology at the LUMC under supervision of prof. dr. L.P.H.J. Aarts (start date: 1 July 2013).



## List of publications

1. Da Costa CE, Egeler RM, Hoogeboom M, Szuhai K, Forsyth RG, Niesters M, de Krijger RR, Tazi A, Hoogendoorn PC, Annels NE. Differences in telomerase expression by the CD1a+ cells in Langerhans cell histiocytosis reflect the diverse clinical presentation of the disease. *Journal of Pathology* 2007; 212: 188-97
2. Niesters M, Dahan A, Kest B, Zacny J, Stijnen T, Aarts L, Sarton EY. Do sex differences exist in opioid analgesia? A systematic review of human experimental and clinical studies. *Pain* 2010; 151: 61-8
3. Noppers I, Niesters M, Smith T, Aarts L, Dahan A. Ketamine for the treatment of chronic non-cancer pain. *Expert Opinion on Pharmacotherapy* 2010; 11: 2417-29
4. Niesters M, Dahan A, Swartjes M, Noppers I, Fillingim RB, Aarts L, Sarton EY. Effect of ketamine endogenous pain modulation in healthy volunteers. *Pain* 2011; 152: 656-63
5. Dahan A, Olofsen E, Sigtermans M, Noppers I, Niesters M, Aarts L, Bauer M, Sarton E. Population pharmacokinetic-pharmacodynamic modeling of ketamine-induced pain relief of chronic pain. *Eur J Pain* 2011; 15: 258-67
6. Nopper I, Olofsen E, Niesters M, Aarts L, Mooren R, Dahan A, Kharasch E, Sarton E. Effect of rifampicin on S-ketamine and S-norketamine plasma concentrations in healthy volunteers after intravenous S-ketamine administration. *Anesthesiology* 2011; 114: 1435-45
7. Swartjes M, Morariu M, Niesters M, Aarts L, Dahan A. Nonselective and NR2B-selective N-methyl-D-aspartic acid receptor antagonists produce antinociception and long-term relief of allodynia in acute and neuropathic pain. *Anesthesiology* 2011; 115: 165-74
8. Noppers I, Niesters M, Aarts L, Bauer M, Drewes A, Dahan A, Sarton E. Drug-induced liver injury following a repeated course of ketamine treatment for chronic pain in CRPS type 1 patients: a case report of 3 cases. *Pain* 2011; 152: 2173-8
9. Noppers I, Niesters M, Swartjes M, Bauer M, Aarts L, Geleijnse N, Mooren R, Dahan A, Sarton E. Absence of long-term analgesic effect from a short-term S-ketamine infusion on fibromyalgia pain: a randomized, prospective, double blind, active placebo-controlled trial. *Eur J Pain* 2011; 15: 942-9
10. Swartjes M, Morariu A, Niesters M, Brines M, Cerami A, Aarts L, Dahan A. ARA-290, a peptide derived from the tertiary structure of erythropoietin,

- produces long-term relief of neuropathic pain: an experimental study in rats and  $\beta$ -common receptor knockout mice. *Anesthesiology* 2011; 115: 1084-92
11. Niesters M, Hoitsma E, Sarton E, Aarts L, Dahan A. Offset analgesia in neuropathic pain patients and effect of treatment with morphine and ketamine. *Anesthesiology* 2011; 115: 1063-71
  12. Boom M, Niesters M, Sarton E, Aarts L, Smith T, Dahan A. Non-analgesic effects of opioids: opioid-induced respiratory depression. *Curr Pharm Des* 2012; 18: 5994-6004
  13. Dahan A, Niesters M, Sarton E. Endogenous modulation of pain is visible in the brain. *Clin Neurophysiol* 2012; 123: 642-3
  14. Olofsen E, Noppers I, Niesters M, Kharasch E, Aarts L, Sarton E, Dahan A. Estimation of the contribution of norketamine to ketamine-induced acute pain relief and neurocognitive impairment in healthy volunteers. *Anesthesiology* 2012; 117: 353-64
  15. Olofsen E, Sigtermans M, Noppers I, Niesters M, Mooren R, Bauer M, Aarts L, Sarton E, Dahan A. The dose-dependent effect of S(+)-ketamine on cardiac output in healthy volunteers and complex regional pain syndrome type I chronic pain patients. *Anesth Analg* 2012; 115: 536-46
  16. Niesters M, Khalili-Mahani N, Martini C, Aarts L, van Gerven J, van Buchem M, Dahan A, Rombouts S. Effects of subanesthetic ketamine on intrinsic functional brain connectivity: a placebo-controlled functional magnetic resonance imaging study in healthy male volunteers. *Anesthesiology* 2012; 117: 868-77
  17. Niesters M, Dahan A. Pharmacokinetic and pharmacodynamic considerations for NMDA receptor antagonists in the treatment of chronic neuropathic pain. *Expert Opin Drug Metab Toxicol* 2012; 8: 1409-17
  18. Niesters M, Mahajan R, Olofsen E, Boom M, Garcia del Valle S, Aarts L, Dahan A. Validation of a novel respiratory rate monitor based on exhaled humidity. *Br J Anaesth* 2012; 109: 981-9
  19. Niesters M. Farmacologische behandeling van pijnlijke diabetische neuropathie. *MFM* 2012; 3: 6-10
  20. Swartjes M, Niesters M, Dahan A. Assessment of allodynia relief by tissue-protective molecules in a rat model of nerve injury-induced neuropathic pain. *Methods Mol Biol* 2013; 982: 187-95
  21. Heij L, Niesters M, Swartjes M, Hoitsma E, Drent M, Dunne A, Grutters J, Vogels O, Brines M, Cerami A, Dahan A. Safety and efficacy of ARA290 in

- sarcoidosis patients with symptoms of small fiber neuropathy: a randomized, double-blind pilot study. *Mol Med* 2013; 18: 1430-6
22. Niesters M, Overdyk F, Smith T, Aarts L, Dahan A. Opioid-induced respiratory depression in paediatrics: a review of case reports. *Br J Anaesth* 2013; 110: 175-82
  23. Dahan A, Overdyk F, Smith T, Aarts L, Niesters M. Pharmacovigilance: a review of opioid-induced respiratory depression in chronic pain patients. *Pain Physician* 2013; 16: E85-94
  24. Niesters M, Mahajan R, Aarts L, Dahan A. High-inspired oxygen concentration further impairs opioid-induced respiratory depression. *Br J Anaesth* 2013; 110: 837-41
  25. Niesters M, Overdyk F, Smith T, Aarts L, Dahan A. Buprenorphine-induced respiratory depression and involvement of ABCB1 SNPs in opioid-induced respiratory depression in paediatrics. *Br J Anaesth* 2013; 110: 842-3
  26. Niesters M, Aarts L, Sarton E, Dahan A. Influence of ketamine and morphine on descending pain modulation in chronic pain patients: a randomized placebo-controlled cross-over proof-of-concept study. *Br J Anaesth* 2013; 110: 1010-6
  27. Swartjes M, Niesters M, Heij L, Dunne A, Aarts L, Hand CC, Kim HS, Brines M, Cerami A, Dahan A. Ketamine does not produce relief of neuropathic pain in mice lacking the  $\beta$ -common receptor (CD131). *PLoS One* 2013; 8 :e71326
  28. Dahan A, Dunne A, Swartjes M, Proto P, Heij L, Vogels O, Van Velzen M, Sarton E, Niesters M, Tannemaat M, Cerami A, Brines M. ARA290 improves symptoms in patients with sarcoidosis-associated small nerve fiber loss and increases corneal nerve fiber density. *Mol Med* 2013; 19: 334-45
  29. Niesters M, Martini C, Dahan A. Ketamine for chronic pain: risks and benefits. *Br J Clin Pharmacol* 2014; 16: E85-94
  30. Swartjes M, van Velzen M, Niesters M, Aarts L, Brines M, Dunne A, Cerami A, Dahan A. ARA290, a peptide derived from the tertiary structure of erythropoietin, produces long-term relief of neuropathic pain couples with suppression of the spinal microglial response. *Mol Pain* 2014; 10: 13-25
  31. van Velzen M, Heij L, Niesters M, Cerami A, Dunne A, Dahan A, Brines M. ARA290 for treatment of small fiber neuropathy in sarcoidosis. *Expert Opin Investig Drugs* 2014; 23: 541-50



32. Niesters M, Proto PL, Aarts L, Sarton EY, Drewes AM, Dahan A. Tapentadol potentiates descending pain inhibition in chronic pain patients with diabetic neuropathy. *Br J Anaesth* 2014; 113: 148-56
33. Niesters M, Sitsen E, Oudejans L, Vuyk J, Aarts L, Rombouts SA, de Rover M, Khalili-Mahani N, Dahan A. Effect of deafferentation from spinal anesthesia on pain sensitivity and resting-state functional brain connectivity in healthy male volunteers. *Brain Connectivity* 2014 (epub ahead of print)
34. Martini CH, Proto P, Olofsen E, van Velzen M, Aarts L, Dahan A, Niesters M. A randomized controlled trial and novel mathematical analysis of the analgesic effect of oxycodone versus paracetamol orodispersible tablets. *Eur J Pain* 2014 (epub ahead of print)



