



Universiteit
Leiden
The Netherlands

Hormonal contraceptives and venous thrombosis

Stegeman, B.H.

Citation

Stegeman, B. H. (2013, May 8). *Hormonal contraceptives and venous thrombosis*. Retrieved from <https://hdl.handle.net/1887/20865>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/20865>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/20865> holds various files of this Leiden University dissertation.

Author: Stegeman, Berendina Hendrika (Bernardine)

Title: Hormonal contraceptives and venous thrombosis

Issue Date: 2013-05-08

VENOUS THROMBOSIS

1ST



In 1961 a case of venous thrombosis was reported in a nursing sister taking the first developed contraceptive.



1961

Hormonal contraceptive use after venous thrombosis

75%

stopped using combined oral contraceptives

5%

switched to a progestagen-only contraceptive

20%

continued to use or switched to another combined oral contraceptive

12%

of women who received advice to stop their contraceptive, either continued or switched to a combined oral contraceptive

Physician's advice

Recurrent venous thrombosis

Hormonal contraceptive use, in particular combined oral contraceptives, after a first event increased the risk of a recurrence about three-fold.

The use of a levonorgestrel-releasing IUD may be a safe option after a first event.

HORMONAL CONTRACEPTIVES AND VENOUS THROMBOSIS

BERNARDINE H. STEGEMAN

HORMONAL CONTRACEPTIVES AND VENOUS THROMBOSIS

THESIS




START

Application of steroid hormones

Use of hormones

BIRTH CONTROL



YES / NO

GROWTH inhibitors



Hormones for SEX CHANGE




Hormones for PERIMENOPAUSE



Hormones

Estrogen Progestagen

Hormonal Contraceptives



BERNARDINE H. STEGEMAN