



Universiteit
Leiden
The Netherlands

Facioscapulohumeral disease

Padberg, G.W.A.M.

Citation

Padberg, G. W. A. M. (1982, October 13). *Facioscapulohumeral disease*. Retrieved from <https://hdl.handle.net/1887/25818>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/25818>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/25818> holds various files of this Leiden University dissertation.

Author: Padberg, George Waltherus Adrianus Maria

Title: Facioscapulohumeral disease

Issue Date: 1982-10-13

Curriculum vitae

The author of this study was born September 16th, 1948 in Wassenaar, The Netherlands. After secondary schooling (Gymnasium B), he started the study of medicine at the State University of Leiden in 1966. The Dutch medical licence examination (arts-examen) was passed in January, 1974. He was introduced to Neurology by his father during several months of residency at the "St. Annadal" Hospital in Maastricht. From July 1974 till July 1975 the author was a rotating intern at Baylor College of Medicine, Houston, Texas, USA, and obtained the Texas Medical Licence in August 1975. Subsequently he fulfilled his military service of which 12 months were spent as resident in Neurology at the Central Military Hospital, "Dr. A. Mathijsen" in Utrecht. The residency in Neurology was continued at the Department of Neurology of the "Wilhelmina Gasthuis" in Amsterdam. In his last year of training he was a resident in Psychiatry at the Psychiatric Hospital "Endegeest" in Oegstgeest. In May 1980 he was licenced to practice Neurology. At present he is a staff-neurologist at the University Hospital in Leiden.

Acknowledgements

I am indebted to many for their help and support in completing this study. I hope that I have expressed my gratitude properly in personal encounters. Without intentions to neglect somebody, I would like to thank several persons in particular:

Dr. A.R. Wintzen, for his interest in this study, for his stimulating critical remarks, and for offering the opportunity to study several of his patients,

Mr. W.S. Volkers, for the statistical analyses of this study and his stimulating ideas on mathematical genetics,

Mr. L.P. Kuyt, for his meticulous work in completing the genealogical data,

Mrs. Betty Robertson, who patiently and friendly suggested to change some of my double-Dutch English,

Miss A. van Zuiden, who retrieved a great deal of the literature,

Miss M.E. van Hoogevest, Miss D.J. Miedema, Mrs. K.N. Wagenveld-Hansen and particularly Mrs. I. Harlaar-Kiela, Miss H.J. van Egmond and Miss N.N. van der Voorst for their secretarial assistance,

Mr. A.J. Rhijnsburger, for the preparation of the figures and some of the pedigrees,

Mr. G.J. Giessen, for his support in the art of photography,

All technicians and staff members of the laboratories that have been involved in this study: they are

the laboratories of blood group genetics (Head: Prof. Dr. L.E. Nijenhuis) and of immunogenetics (Head: Dr. E. van Loghem) of the Central Laboratory of the Bloodtransfusion Service of the Dutch Red Cross,

the laboratories of biochemical genetics (Head: Prof. Dr. L. Bernini) and of enzyme genetics (Head: Dr. P. Meera Khan) of the Department of Human Genetics of the University of Leiden,

the HLA-typing laboratory (Head: Ir. G.M.Th. Schreuder) of the Department of Immunohaematology and Blood Bank of the University of Leiden,

the laboratory (Head: Dr. Ir. J.C. Pronk) of the Department of Human Genetics of the Free University in Amsterdam.

the Central Laboratory of Clinical Chemistry (Head: Dr. J.H.M. Souverijn) of the University Hospital in Leiden,

the laboratory (Head: Prof. Dr. H.J. van der Helm) of the Department of Neurology of the University of Amsterdam,

the neurophysiological laboratories of the University of Amsterdam (Head: Dr. W.J.M. Hootsmans) and the University of Leiden (Head: Prof. Dr. H.A.C. Kamphuisen),

the "Muscle Research Center" (Head: Prof. Dr. J. Bethlem) of the University of Amsterdam,

the laboratory of neuro-pathology of the University of Leiden (Head: Prof. Dr. G.Th.A.M. Bots).

Prof. Dr. J. Bethlem suggested this study, and kindly made available the records of several probands.

The "Ariëns Kappers Fonds" has supported the publication of this study.

References

Achari, A.N., Anderson, M.S. Myopathic changes in amyotrophic lateral sclerosis.

Pathological analysis of muscle biopsy changes in 111 cases. *Neurology (Minneap.)* 1974, 24: 477-481.

Alberts, M.C., Samaha, F.J. Serum pyruvate kinase in muscle disease and carrier state. *Neurology (Minneap.)* 1974, 24: 462-464.

Allensworth, D.C., Rice, D.J., Lowe, G.W. Persistent atrial standstill in a family with myocardial disease. *Amer. J. Med.* 1969, 47: 775-784.

André, J.M., André, M., Floquet, J., Tridon, P., Arnould, G. Les amyotrophies scapulo-péronéales. *Ann. Méd. Nancy* 1972, 11:925-938.

Arts, W.F. Nemaline Myopathie. Thesis 1976.

Arts, W.F., Bethlem, J., Dingemans, K.P., Eriksson, A.W. Investigations on the inheritance of nemaline myopathy. *Arch. Neurol. (Chic.)* 1978, 35: 72-77.

Baldwin, B.J., Talley, R.C., Johnson, C., Nutter, D.O. Permanent paralysis of the atrium in a patient with facioscapulohumeral muscular dystrophy. *Amer. J. Cardiol.* 1973, 31: 649-653.

Ballantyne, J.P., Hansen, S. A new method for the estimation of the number of motor units in a muscle. Control subjects and patients with myasthenia gravis. *J. Neurol. Neurosurg. Psychiat.* 1974, 37: 907-915.

Ballantyne, J.P., Hansen, S. A new method for the estimation of

the number of motor units in a muscle. Duchenne, limb-girdle, facioscapulohumeral and myotonic muscular dystrophies. *J. Neurol. Neurosurg. Psychiat.* 1974, 37: 1195-1201.

Ballantyne, J.P., Hansen, S. Computer method for the analysis of evoked motor unit potentials. Control subjects and patients with myasthenia gravis. *J. Neurol. Neurosurg. Psychiat.* 1974, 37: 1187-1194.

Ballantyne, J.P., Hansen, S. Computer method for the analysis of evoked motor unit potentials. Duchenne, limb-girdle, facio-scapulohumeral and myotonic muscular dystrophies. *J. Neurol. Neurosurg. Psychiat.* 1975, 38: 417-428.

Barwick, D.D., Walton, J.N. Polymyositis. *Amer. J. Med.* 1963, 35: 646-660.

Bates, D., Stevens, J.C., Hudgson, P. "Polymyositis" with involvement of facial and distal musculature. *J. Neurol. Sci.* 1973, 19: 105-108.

Becker, P.E. *Dystrophia Musculorum Progressiva. Eine genetische und klinische Untersuchung der Muskeldystrophien.* Georg Thieme Verlag, Stuttgart 1953.

Becker, P.E., Lenz, F. Zur Schätzung der Mutationsrate der Muskeldystrophien. *Zeitschrift für menschliche Vererbungs- und Konstitutionslehre* 1955, 33: 42-56.

Becker, P.E., Lenz, F. Zur Schätzung der Mutationsrate der Muskeldystrophien. *Zeitschrift für menschliche Vererbungs- und Konstitutionslehre* 1956, 33: 463-464.

Bell, J. On age of onset and age of death in hereditary muscular dystrophy with some observations bearing on the question of antedating. *Ann. of Eugen.* 1942, 11: 272-289.

Bell, J. On pseudohypertrophic and allied types of progressive muscular dystrophy. Treasure of human inheritance. Ed. R.A. Fisher, Vol. 4, Part IV, Cambridge University Press 1943; pp. 283-306.

Bethlem, J., Posthumus Meyjes, F.E. Congenital, non-progressive central core disease of Shy and Magee. Psychiat. Neurol. Neurochir. 1960, 63: 246-251.

Bethlem, J., van Wijngaarden, G.K. The incidence of ringed fibres and sarcoplasmic masses in normal and diseased muscle. J. Neurol. Neurosurg. Psychiat. 1963, 26: 326-332.

Bethlem, J., van Gool, J., Hülsmann, W.C., Meijer, A.E.F.H. Familial non-progressive myopathy with muscle cramps after exercise. A new disease associated with cores in the muscle fibres. Brain 1966, 89: 569-588.

Bethlem, J., van Wijngaarden, G.K., Meijer, A.E.F.H., Hülsmann, W.C. Neuromuscular disease with type 1 fibre atrophy, central nuclei and myotube-like structures. Neurology (Minneap.) 1969, 19: 705-710.

Bethlem, J. Muscle pathology. Introduction and atlas. Amsterdam, North Holland Publishing Co. 1970.

Bethlem, J., van Wijngaarden, G.K., Meijer, A.E.F.H., Fleury, P. Observations on central core disease. J. Neurol. Sci. 1971, 14: 293-299.

Bethlem, J., van Wijngaarden, G.K., de Jong, J. The incidence of lobulated fibres in the facioscapulohumeral type of muscular dystrophy and the limb-girdle syndrome. J. Neurol. Sci. 1973, 18: 351-358.

Bethlem, J. Myopathies. Amsterdam, North-Holland Publishing Co. 1977.

Bethlem, J., Arts, W.F., Dingemans, K.P. Common origin of rods, cores, miniature cores and focal loss of cross striation. Arch. Neurol. (Chic.) 1978, 35: 555-566.

Bloomfield, D.A., Sinclair Smith, B.C. Persistent atrial standstill. Amer. J. Med. 1965, 39: 335-340.

Bohan, A., Peter, J.B. Polymyositis and dermatomyositis. N.E.J.M. 1975, I. 292: 344-347; II 292: 403-407.

Bouwsma. G. Spinale spieratrofie. Verloop en prognose. Thesis 1978.

Boyes, J.W., Fraser, F.C., Lawler, S.D., Mackenzie, H.J. A pedigree of progressive muscular dystrophy. Ann. Eugen. (London) 1950, 15: 46-51.

Bradley, W.G., Tomlinson, B.E., Hardy, M. Further studies of mitochondrial and lipid storage myopathies. J. Neurol. Sci. 1978, 35: 201-210.

Caspary, E.A., Currie, S., Field, E.J. Sensitised lymphocytes in muscular dystrophy: evidence for a neural factor in pathogenesis. J. Neurol. Neurosurg. Psychiat. 1971, 34: 353-356.

Chakrabarti, A., Pearce, J.M.S. Scapulooperoneal syndrome with cardiomyopathy: report of a family with autosomal dominant inheritance and unusual features. J. Neurol. Neurosurg. and Psychiat. 1981, 44: 1146-1152.

Chung, C.S., Morton, N.E. Discrimination of genetic entities in muscular dystrophy. Amer. J. Hum. Genetics 1959, 11: 339-359.

Chyatte, S.B., Vignos, P.J., Watkins, M. Early muscular dystrophy: differential patterns of weakness in Duchenne, limb-girdle and facioscapulohumeral types. Arch. Phys. Med. 1966, 47:

499-503.

Coërs, C., Telerman Toppet, N., Gerard, J.M. Terminal innervation ratio in neuromuscular disease. Methods and controls. Arch. Neurol. (Chic.) 1973, 20: 210-214.

Coërs, C., Telerman Toppet, N., Gerard, J.M. Terminal innervation ratio in neuromuscular disease. Disorders of lower motor neuron, peripheral nerve and muscle. Arch. Neurol. (Chic.) 1973, 29: 215-222.

Coërs, C., Woolf, A.L. Pathological anatomy of the intramuscular motor innervation. In: Disorders of Voluntary Muscle, Fourth edition, Chapter 7. Ed: Sir John Walton, Churchill Livingstone 1981.

Cook, P.J.L., Robson, E.B., Rogers, P.A., Noades, J.E., Buckton, K.E., Watson, A.R. Family studies on nucleoside phosphorylase and the short arm of chromosome 14. Ann. Hum. Genet. 1981, 45: 253-260.

Copeland, S.A., Howard, R.C. Thoracoscapular fusion for facioscapulohumeral dystrophy. J. Bone Jt. Surg. 1978, 60B: 547-551.

Croce, C.M., Shander, M., Martinis, J., Cicurel, L., D'Ancona, G.G., Dolby, Th.W., Kopronski, H. Chromosomal location of the genes for human immunoglobulin heavy chains. Proc. Natl. Acad. Sci. USA 1979, 76: 3416-3419.

Cumming, W.J.K., Weiser, R., Teoh, R., Hudgson, P., Walton, J.N. Localized nodular myositis: a clinical and pathological variant of polymyositis. Quart J. of Med. 1977, 184: 531-546.

Currie, S. Destruction of muscle cultures by lymphocytes from cases of polymyositis. Acta Neuropathologica 1970, 15: 11-19.

- D'Agostino, A.N., Ziter, F.A., Rallison, M.L., Bray, P.F. Familial myopathy with abnormal muscle mitochondria. Arch. Neurol. (Chic.) 1968, 18: 388-401.
- Dastur, D.B., Razzak, Z. Possible neurogenic factor in muscular dystrophy: its similarity to denervation atrophy. J. Neurol. Neurosurg. Psychiat. 1973, 36: 399-410.
- Daube, J. The description of motor unit potentials in electromyography. Neurology (Minneap.) 1978, 28: 623-625.
- Davidenkow, S. Über die neurotische Muskelatrophie Charcot-Marie. Klinisch-genetische studien. Zeitschrift für die gesamte Neurologie und Psychiatrie 1927, 107: 259-320.
- Davidenkow, S. Über die scapulo-peroneal Amyotrophie (Die Familie Z). Zeitschrift für die gesamte Neurologie und Psychiatrie 1929, 122: 628-650.
- Davidenkow, S. Über die Vererbung der Dystrophia Musculorum Progressiva und ihrer Unterformen. Arch. Rassenbiol. 1930, 22-32.
- Davidenkow, S. Scapulooperoneal amyotrophy. Arch. Neurol. Psychiat. 1939, 41: 694-701.
- Davidenkow, S. Klinik und Therapie der progressiven Muskelatrophien. Staatsverlag Medizinischen Literatur, Medgis Leningrad 1954, (Cited by Fotopoulos and Schulz).
- Delwaide, P.J., Schoenen, J. Atrophie scapulo-péroniere sporadique d'origine myogene. Rev. Neurol. 1976, 132: 424-429.
- Bradley, W.G. The limb-girdle syndromes. Handbook of Clinical Neurology. Ed: Vinken, P.J. and Bruyn, G.W. Vol. 40, chapter 11 North-Holland Publishing Co. 1979.
- Brooke, M.H., Engel, W.K. Diagnosis of neuromuscular disease. A

review of 79 biopsies. Arch. Phys. Med. 1966, 47: 99-121.

Brooke, M.H. A clinician's view on neuromuscular disease. Williams and Wilkins Co., Baltimore, 1977.

Brown, M.R. Incidence and heredity of muscular dystrophy. N.E.J.M. 1951, 244: 88-90.

Buchthal, F., Rosenfalck, P., Erminio, F. Motor unit territory and fibre density in myopathies. Neurology (Minneap.) 1960, 10: 398-408.

Buchthal, F., Rosenfalck, P. Electrophysiological aspects of myopathy with particular reference to progressive muscular dystrophy. In: Muscular Dystrophy in Man and Animals. Eds: Bourne, G.H. and Golarz, N., S. Karger, New York, 1963.

Buchthal, F., Kamieniecka, Z. The diagnostic yield of quantified electromyography and quantified muscle biopsy in neuromuscular disorders. Muscle and Nerve 1982, 5: 265-280.

Bunch, W.H. Scapulo-thoracic fusion for shoulder stabilisation in muscular dystrophy. Minnesota Medicine 1973, 56: 391-394.

Bunday, S. Paralysis, progressive bulbar of childhood (Facio-Londe disease). In: Handbook of Clinical Neurology. Eds. Vinken, P.J., and Bruyn, G.W., Vol. 42, pp. 94-95, North-Holland Publishing Co. 1981.

Camman, R., Vehreschild, T., Ernst, K. Eine neue Sippe von X-chromosomaler benigner Muskeldystrophie mit Frühkontrakturen (Emery-Dreifuss). Psychiat. Neurol. Med. Psychol. (Leipzig) 1974, 26: 431-438.

Caponetto, S., Pastorini, C., Tirelli, G. Persistent atrial standstill in a patient affected with facioscapulohumeral muscular dystrophy. Cardiologia (Basel) 1968, 53: 341-350.

Carroll, J.E. Facioscapulohumeral and scapulo-peroneal syndromes. In: Handbook of Clinical Neurology. Eds: Vinken, P.J. and Bruyn, G.W., Vol. 40, Chapter 10, North-Holland Publishing Co. 1979.

Carroll, J.E., Brooke, M.H., Devivo, D.C., Shumate, J.B., Kratz, R., Ringel, S.P., Hagberg, J.M. Carnitine "deficiency": lack of response to carnitine therapy. Neurology (Minneapolis) 1980, 30: 618-626.

DeVere, R., Bradley, W.G. Polymyositis: its presentation, morbidity and mortality. Brain 1975, 98: 637-666.

Drachman, D.A., Murphy, S.R., Nigam, M.P., Hills, J.R. Myopathic changes in chronically denervated muscle. Arch. Neurol. (Chicago) 1967, 16: 12-24.

Drachman, D.A. Ophthalmoplegia plus: neurodegenerative disorders associated with progressive external ophthalmoplegia. Arch. Neurol. (Chicago) 1968, 18: 654-674.

Dubowitz, V., Platts, M. Central core disease of muscle with focal wasting. J. Neurol. Neurosurg. Psychiat. 1965, 28: 432-437.

Dubowitz, V., Brooke, M.H. Muscle biopsy; a modern approach. Saunders, London, 1973.

Duchenne, G.B. De l'électrisation localisée. Deuxième Edition, J.B. Baillière et fils, Paris, 1861.

Duchenne, G.B. Recherches sur la paralysie musculaire pseudo-hypertrophique, ou paralysie myo-sclérotique. Arch. Gén. Méd. 1868, 11: 5, 179, 305, 421, 552.

Dyck, P.J., Lambert, E.H., Mulder, D.N. Charcot-Marie-Tooth disease: nerve conduction and clinical studies of a large kinship. Neurology (Minneapolis) 1963, 13:1-11.

Edwards, R., Young, A., Wiles, M. Needle biopsy of skeletal muscle in the diagnosis of myopathy and the clinical study of muscle function and repair. N.E.J.M. 1980, 302: 261-271.

Eisenlohr, C. Uber progressive Muskelatrophie. Neurol. Zbl. 1889,6: 564-565.

Emery, A.E.H., Dreifuss, F.E. Unusual type of benign X-linked muscular dystrophy. J. Neurol. Neurosurg. Psychiat. 1966, 29: 338-342.

Emery, A.E.H., Walton, J.N. The genetics of muscular dystrophy. In: Steinberg and Bearn: Progress in Medical Genetics. Vol. 5, Chapter 5. Grune and Stratton, New York, 1967.

Emery, A.E.H. The nosology of the spinal muscular atrophies. J. Med. Genet. 1971, 8: 481-495.

Emery, A.E.H. Genetic aspects of neuromuscular disease. In: Disorders of Voluntary muscle. Fourth edition, Chapter 22. Ed. Sir John Walton, Churchill Livingstone, London, 1981.

Emery, E.S., Fenichel, C.M., Eng, G. A spinal muscular atrophy with scapuloperoneal distribution. Arch. Neurol. (Chic.) 1968, 18: 129-133.

Engel, W.K., Foster, J.B., Hughes, B.P., Huxley, H.E., Mahler, R. Central core disease - An investigation of a rare muscle cell abnormality. Brain 1961, 84: 167-185.

Engel, W.K., Kossman, R.J. Selective involvement of histochemical type I muscle fibres in a patient with facioscapulohumeral muscular dystrophy. Neurology (Minneapolis) 1963. 13: 362.

Engel, W.K., Resnick, J.S. Late-onset rod myopathy: a newly recognized, acquired and progressive disease. Neurology

(Minneap.) 1966, 16: 308-309.

Engel, W.K. Brief, small, abundant motor unit potentials. Neurology (Minneap) 1975, 25: 173-176.

Erb, W. Über die "juvenile Form" der progressive Muskelatrophie und ihre Beziehungen zur zogenannte Pseudohypertrophie der Muskeln. Dtsch. Arch. klin. Med. 1884, 34: 467-519.

Erbslöh, F. Muskelkrankheiten. In: Differentialdiagnose neurologischer Krankheitsbilder. Ed. G. Bodechtel, Georg Thieme Verlag, Stuttgart, 1974.

Feigenbaum, J.A., Munsat, T.L. A neuromuscular syndrome of scapulo-peroneal distribution. Bulletin of the Los Angeles Neurological Society 1970, 35: 47-57.

Fenichel, G.M., Emery, E.S., Hunt, P. Neurogenic atrophy simulating facioscapulohumeral dystrophy (a dominant form). Arch. Neurol. (Chic.) 1967, 17: 257-260.

Fotopulos, D., Schulz, H. Beitrag zur pathogenese des scapulo-peroneale Syndromes. Psychiat. Neurol. Med. Psychol. (Leipzig) 1966, 18: 128-136.

Fowler Jr, W.M., Pearson, C.M. Diagnostic and prognostic significance of serum enzymes. Part II. Arch. Phys. Med. 1964, 45: 125-130.

Furakawa, T., Tsukagoshi, H., Sugita, H., Toyokura, Y. Neurogenic muscular atrophy simulating facioscapulohumeral muscular dystrophy. J. Neurol. Sci. 1969, 9: 389-397.

Furakawa, T., Toyokura, Y. Chronic spinal muscular atrophy of facioscapulohumeral type. J. Med. Genet. 1976, 13: 285-289.

Furakawa, T., Tsukagoshi, H., Peter, J.B. Facioscapulohumeral

spinal muscular dystrophy. Clinical and genetic studies. Abstracts 12th World Congress of Neurology, Sept. 1981, Kyoto, Japan. Int. Congress. Ser. 548. Excerpta Medica, Amsterdam, Oxford, Princeton.

Gailani, S., Danowski, T.S., Fisher, D.S. The heart in muscular dystrophy. *Circulation* 1958, 17: 583-588.

Gardner-Medwin, D.P., Hudgson, P., Walton, J.N. Benign spinal muscular atrophy arising in childhood and adolescence. *J. Neurol. Sci.* 1967, 5: 121-128.

Gedde-Dahl Jr., T., Frants, R.R., Olaisen, B., Eriksson, A.W., van Lochem, E., Lamm, L. The Gm-Pi linkage heterogeneity in view of Pi subtypes. *Ann. Hum. Genet.* 1981, 45: 143-153.

Gomez, M.R. Progressive bulbar paralysis of childhood (Fazio-Londe disease). In: *Handbook of Clinical Neurology*. Eds. Vinken, P.J., and Bruyn, G.W. Volume 22, Chapter 5. North-Holland Publishing Co. 1975.

Goulon, M., Fardeau, M., Got, C., Babinet, P., Manko, E. Myopathie centro-nucléaire d'expression clinique tardive. Étude clinique, histologique et ultrastructurale d'une nouvelle observation. *Rev. Neurol.* 1976, 132: 275-290.

Hanson, P.A., Rowland, L.P. Möbius' syndrome and facioscapulohumeral muscular dystrophy. *Arch. Neurol. (Chic.)* 1971, 24: 31-39.

Harper, P.S. *Myotonic dystrophy*. W.B. Saunders Company 1979.

Hausmanowa-Petrusewicz, I., Zielinska, S. Zur nosologische Stellung des scapuloperonealen Syndroms. *Dtsch. Z. Nervenheilk.* 1962, 183: 377-382.

Hausmanowa-Petrusewicz, I., Jedrzedowska, H. Correlation between

electromyographic findings and muscle biopsy in cases of neuromuscular disease. *J. Neurol. Sci.* 1971, 13: 85-106.

Heffner, R.R., Barron, S.A. Polymyositis beginning as a focal process. *Arch. Neurol. (Chic.)* 1981, 38: 439-442.

Henderson, J.L. The congenital facial diplegia syndrome: clinical features, pathology and aetiology. *Brain* 1939, 62: 381-403.

Hertrich, O. Kasuistische Mitteilung über eine Sippe mit dominant vererblicher, wahrscheinlich weiblich geschlechtsgebundener progressive Muskeldystrophie des Schultergurdeltyps. *Nervenarzt* 1957, 28: 325-327.

Hische, E.A.H., van der Helm, H.J. The significance of the estimation of the serum myoglobin in neuromuscular diseases. *J. Neurol. Sci.* 1979, 43: 243-251.

Hromada, J., Zemankova, M., Rozhold, O. Proceedings of the Third Symposium on Neuromuscular Disorders at Janské Lázně, September 1973. Ed. Nesvadba, pp 186-194.

Hudgson, P., Bradley, W.G., Jenkinson, M. Familial mitochondrial myopathy. Part I, Clinical, electrophysiological and pathological findings. *J. Neurol. Sci.* 1972, 16: 343-370.

Hughes, B.P. Creatine phosphokinase in facioscapulohumeral muscular dystrophy. *Brit. Med. J.* 1971, 3: 464-465.

Hurwitz, L.J., Carson, N.A.J., Allen, J.V., Fannin, T.F., Lyttle, J.A., Neill, D.W. Clinical, biochemical and histopathological findings in a family with muscular dystrophy. *Brain* 1967, 90: 799-816.

Ibrahim, G.A., Zweber, B.A., Awad, E.A. Muscle and serum enzymes and isoenzymes in muscular dystrophies. *Arch. Phys. Med. Rehabil.* 1981, 62: 265-269.

Ionasescu, V., Zellweger, H., Shirk, P., Conway, Th.W. Abnormal protein synthesis in facioscapulohumeral muscular dystrophy. *Neurology (Minneapolis)* 1972, 22: 1286-1292.

Ionasescu, V., Lewis, R., Schottelius, B. Neurogenic control of muscle ribosomal protein synthesis. *Acta Neurol. Scand.* 1975, 51: 253-267.

Ionasescu, V., Zellweger, H. Genetics of neuromuscular diseases. In: *Handbook of Clinical Neurology*. Eds: Vinken, P.J., and Bruyn, G.W., Vol. 41, Chapter 12. North-Holland Publishing Company, 1979.

Jennekens, F.G.I., Tomlinson, B.E., Walton, J.N. The extensor digitorum brevis: histological and histochemical aspects. *J. Neurol. Neurosurg. Psychiat.* 1972, 35: 124-132.

Jennekens, F.G.J., Busch, H.F.M., van Hemel, N.M., Hoogland, R.A. Inflammatory myopathy in scapulo-ilio-peroneal atrophy with cardiopathy. A study of two families. *Brain* 1975, 98: 709-722.

Johnson, W.G., Wigger, M.J., Karp, H.R., Glaubiger, L.M., Rowland, L.P. Juvenile spinal muscular atrophy: a new hexoseaminidase deficiency phenotype. *Ann. Neurol.* 1982, 11: 11-16.

Justin-Besançon, L., Péguignot, H., Contamin, F., Delavierre, Ph., Rolland, P. Myopathie de type Landouzy-Dejerine. *Sem. Hôp. Paris* 1964, 55: 2990-2999.

Justin-Besançon, L., Péguignot, H., Contamin, F., Delavierre, Ph., Rolland, P. Myopathie de type Landouzy-Dejerine; Présentation d'une observation historique. *Revue Neurologique* 1964, 110: 56-57.

Kaesler, H.E. Die familiäre scapulo-peroneale Muskelatrophie.

Dtsch. Z. Nervenheilk. 1964, 186: 379-394.

Kaeser, H.E. Scapuloperoneal muscular atrophy. Brain 1965, 88: 407-418.

Kaeser, H.E. Scapuloperoneal syndrome. In: Handbook of Clinical Neurology. Eds. Vinken, P.J. and Bruyn, G.W., Volume 22, chapter 2, North-Holland Publishing Co. 1975.

Karpati, G., Carpenter, S., Engel, A.G., Watters, G., Allen, J., Rothman, S., Klassen, G., Mamer, O., The syndrome of systemic carnitine deficiency. Neurology (Minneap.) 1975, 25: 16-24.

Kazakov, V.M., Bogorodinsky, D.K., Znoyko, Z.V., Skorometz, A.A. The facio-scapulo-limb (or the facioscapulohumeral) type of muscular dystrophy. Europ. Neurol. 1974, 11: 236-260.

Kazakov, V.M., Bogorodinsky, D.K., Skorometz, A.A. myogenic scapuloperoneal dystrophy - muscular dystrophy in the K-kindred. Europ. Neurol. 1975, 13: 350-359.

Kearns, T.P., Sayre, G.P. Retinitis pigmentosa, external ophthalmoplegia and complete heart block. Unusual syndrome with histologic study in one of two cases. Arch. Ophthal. 1958, 20: 280-289.

Kendall, H.O., Kendall, F.P., Wadsworth G.E., Muscles testing and function. The Williams and Wilkins Company 1971.

Ketenjian A.Y. Scapulocostal stabilisation for scapular winging in facioscapulohumeral muscular dystrophy. J.B. Jnt. Surg. 1978, 60A: 476-480.

Kilburn, K.H., Eagan, J.T., Sieker, H.O., Heyman, A. Cardiopulmonary insufficiency in myotonic and progressive muscular dystrophy. N.E.J.M. 1959, 261: 1089-1095.

Klapdor, R., Harm, K., Müller-Jensen, A., Die Kreatinkinase (CK) MB - gesamt CK Relation als Kriterium für die Differentialdiagnose von Herz- und Skelettmuskelerkrankungen. Herz/Kreisl. 1977, 9: 761-763.

Krüger, H., Franke, M. Facioscapulohumeral Form der neurogene Muskelatrophie. Psychiat. Neurol. Med. Psychol. (Leipzig) 1974, 26: 295-301.

Kugelberg, E., Welander, L. Heredo-familial juvenile muscular atrophy simulating muscular dystrophy. Arch. Neurol. Psychiat. (Chic.) 1956, 75: 500-509.

Lamy, M., de Grouchy, J. L'hérédité de la myopathie (formes basses). J. Génét. Hum. 1954, 3: 219-261.

Landouzy, L., Dejerine, J. De la myopathie atrophique progressive (myopathie héréditaire débutant, dans l'enfance, par la face sans altération du système nerveux). C. R. Acad. Sci. (Paris) 1884, 98: 53-55.

Landouzy, L., Dejerine, J. De la myopathie atrophique progressive. Revue de Médecine 1885, 5: 81-117.

Landouzy, L., Dejerine, J. De la myopathie atrophique progressive. Revue de Médecine 1885, 5: 253-366.

Landouzy, L., Dejerine, J. De la myopathie atrophique progressive. Revue de Médecine 1886, 6: 977-1027.

Landouzy, L., Lortat Jacob, L. Histoire d'une myopathie atrophique. Presse Méd. 1909, 17: 145-149.

Levison, H. Dystrophia musculorum progressiva. Acta Psychiat. Neurol. Scand. 1951, Suppl. 76.

Lisan, Ph., Imbriglia, J., Likoff, W. Myocardial disease

associated with progressive muscular dystrophy. Amer. Heart J. 1959, 57: 913-920.

Lovelace, R.E., Menken, M. The scapuloperoneal syndrome: dystrophic type. Excerpta Medica International Congress Series 1969, 193: 247-248.

Magee, K.R., de Jong, R.N. Neurogenic muscular atrophy simulating muscular dystrophy. Neurol. (Chic.) 1960, 2: 677-682.

Mair, W.G.P., Tomé, F.M.S. Atlas of the ultrastructure of diseased human muscle. Churchill Livingstone 1972.

Manning, G.W., Cropp, G.L. Electrocardiogram in progressive muscular dystrophy. Brit. Heart. J. 1958, 20: 416-420.

Mares, A., Constantinesco, M., Vasilescu, C., Ionesco, M. Atrophie musculaire heredo-familiale à transmission dominante. Étude clinique, électromyographique et bioptique. Revue Roumaine de Neurologie 1964, 1: 295-307.

Mawatari, S., Katayama, K. Scapuloperoneal muscular atrophy with cardiopathy. An X-linked recessive trait. Arch. Neurol. (Chic.) 1973, 28: 55-59.

Mc Comas, A.J. Neuromuscular function and disorders. Butterworth, London, 1977.

Mc Comas, A.J., Fawcett, P.R.W., Campbell, M.J., Sica, R.E.P. Electrophysiological estimation of the number of motor units within a human muscle. J. Neurol. Neurosurg. Psychiat. 1971, 34: 121-131.

McLeod, J.G., de Baker, W.C., Lethlean, A.K., Shorey, C.D. Centronuclear myopathy with autosomal dominant inheritance. J. Neurol. Sci. 1972, 15: 375-387.

Meadows, J.C., Marsden, C.D., Harriman, D.G.F. Chronic spinal muscular atrophy in adults; part 1: the Kugelberg-Welander syndrome. *J. Neurol. Sci.* 1969, 9: 527-550.

Meadows, J.C., Marsden, C.D., Harriman, D.G.F. Chronic spinal muscular atrophies in adults; part 2: other forms. *J. Neurol. Sci.* 1969, 9: 551-566.

Meadows, J.C., Marsden, C.D. Scapuloperoneal amyotrophy. *Arch. Neurol. (Chic.)* 1969, 20: 9-12.

Mechler, F. Changing electromyographic findings during the chronic course of polymyositis. *J. Neurol. Sci.* 1974, 23: 237-242.

Medical Research Council. Memorandum No. 45. Aids to the examination of the peripheral nervous system. Her Majesty's Stationary Office, London, 1976.

Mercelis, R., de Meester, J., Martin, J.J. Neurogenic scapuloperoneal syndrome in childhood. *J. Neurol. Neurosurg. Psychiat.* 1980, 43: 888-896.

Mercer, D.W. Separation of tissue and serum creatine kinase isoenzymes by ion-exchange column chromatography. *Clin. Chem.* 1974, 20: 36-40.

Mingazzini, G. Dystrophie musculaire progressive hémilatérale (type facioscapulohuméral). *Nouv. Iconogr. Salpêtrière* 1912, 25: 320-222.

Morgan-Hughes, J.A., Brett, E.M., Lake, B.D., Tomé, F.M.S. Central core disease or not? Observations on a family with a non-progressive myopathy. *Brain* 1973, 96: 527-536.

Morton, N.E., Chung, C.S. Formal genetics of muscular dystrophy. *Amer. J. Hum. Genetics* 1959, 11: 360-379.

Morton, N.E., Chung, C.S., Peters, H.A. Genetics of muscular dystrophy. In: Muscular Dystrophy in Man and Animals. Ed. G.H. Bourne and N. Golarz, Chapter VIII. Karger, Basel, 1963.

Moser, von H., Wiesmann, V., Richterich, R., Rossi, E. Progressive Muskeldystrophie. VIII Häufigkeit, Klinik und Genetik der Typen I und III. Schweizer Med. Wschr. 1966, 96: 169-174.

Mumenthaler, M. Didaktischer Atlas der klinischen Neurologie. Springer Verlag 1982.

Munsat, Th.L. Infantile scapuloperoneal muscular atrophy. Neurology (Minneapolis) 1968, 18: 285.

Munsat, Th.L., Piper, D. Genetically determined inflammatory myopathy with facioscapulohumeral distribution. Neurology (Minneapolis) 1971, 21:440.

Munsat, Th.L., Piper, D., Cancilla, P., Mednick, J. Inflammatory myopathy with facioscapulohumeral distribution. Neurology (Minneapolis) 1972, 22: 335-347.

Munsat, Th.L., Baloh, R., Pearson, C.M., Fowler, W., Studies of serum enzyme alterations in neuromuscular disorders. J.A.M.A. 1973, 226: 1536-1543.

Munsat, Th.L., Bradley, W.G. Serum creatine phosphokinase levels and prednisone treated muscle weakness. Neurology (Minneapolis) 1977, 17: 96-97.

Münzer, F.Th. Zur Lehre von den angeborenen Muskeldefekten und der sogenannte "neuralen Muskelatrophie". Dtsch. Z. Nervenheilk. 1927, 96: 246.

Nagle, R.E., Smith, B., Williams, D.O. Familial atrial cardiomyopathy with heart block (abstr). Proceedings of the

British Cardiac Society. Brit. Heart J. 1972, 34: 205.

Namba, T., Aberfeld, D.C., Grob, D. Chronic proximal spinal muscular atrophy. J. Neurol. Sci. 1970, 11: 401-423.

Negri, S., Caraceni, T., Cornelio, F. A case of scapulo-tibio-peroneal syndrome: electromyographic and histoenzymologic considerations. Eur. Neurol. (Basel) 1973, 10: 31-40.

Oransky, W. Über einen hereditären Typus progressiver Muskeldystrophie. Dtsch. Z. Nervenheilk. 1927, 99: 147-155.

Ott, J. Estimation of the recombination fraction in human pedigrees: efficient computation of the likelihood for human linkage studies. Amer. J. Hum. Genet. 1974, 26: 588-597.

Pamboukis, G. Gehäuftes Auftreten von abortiven Formen (Formes frustes) der Dystrophia musculorum progressiva (Erb) in vier Generationen. Med. Klin. 1931, 27: 209-210.

Panayiotopoulos, C.P., Scarpalezos, S., Papapetropoulos, Th. Electrophysiological estimation of motor units in Duchenne muscular dystrophy. J. Neurol. Sci. 1974, 23: 89-98.

Panayiotopoulos, C.P., Scarpalezos, S. Muscular dystrophies and motor neuron diseases: a comparative electrophysiological study. Neurology (Minneap.) 1976, 26: 721-725.

Panayiotopoulos, C.P., Scarpalezos, S., The development of the extensor digitorum brevis muscle in progressive proximal muscular atrophies. Acta Neurol. Scand. 1977, 56: 579-586.

Patel, A.N., Swanni, R.K. Muscle percussion and neostigmine test in the clinical evaluation of neuromuscular disorders. N.E.J.M. 1969, 281: 523-526.

Pearn, J. Classification of spinal muscular atrophies. Lancet

1980, I: 919-921.

Pearson, C.M. Polymyositis. *Ann. Rev. Med.* 1966, 17: 63-82.

Pearson, K. Two new pedigrees of muscular dystrophy. *Ann. Eugen.* 1933, 5: 179-191.

Pennington, R.J.T. Biochemical aspects of muscle disease. In: *Disorders of Voluntary Muscle*, Fourth edition, Chapter 12, Ed. Sir John Walton, Churchill-Livingstone, 1981.

Perloff, J.K., de Leon Jr., A.C., O'Doherty, D. The cardiomyopathy of progressive muscular dystrophy. *Circulation* 1966, 33: 625-648.

Perloff, J.K. Cardiomyopathy associated with heredo-familial neuromyopathic diseases. *Mod. Concepts Cardiovasc. Dis.* 1971, 40: 23-26.

Price, H.M., van der Velde, R.L. Ultrastructure of skeletal muscle fibre. In: *Disorders of Voluntary Muscle*. Fourth Edition, Chapter 2. Ed.: Sir John Walton, Churchill Livingstone, 1981.

Prot, J., Genetic-epidemiological studies in progressive muscular dystrophy. *J. Med. Genet.* 1971, 8: 90-95.

Remak, E. Über die gelegentliche Beteiligung der Gesichtsmuskulatur der juvenilen Form der progressiven Muskelatrophie. *Neurol. Zbl.* 1884, 3: 337-341.

Ricker, K., Mertens, H.G., Schimrigk, K. The neurogenic scapulo-peroneal syndrome. *Eur. Neurol. (Basel)* 1968, 1: 257-274.

Ricker, K., Mertens, H.G., The differential diagnosis of the myogenic (facio) scapulo-peroneal syndrome. *Eur. Neurol. (Basel)* 1968, 1: 275-307.

Ringel, S.P. Clinical presentation in neuromuscular disease. In: Handbook of Clinical Neurology. Eds: Vinken, P.J. and Bruyn, G.W. Volume 40, Chapter 8. North-Holland Publishing Co. 1979.

Robinson, A.A. Familial myopathy. Medical Journal and Record 1925, 121: 76-80.

Rothstein, T.L., Carlson, C.B. Restricted myositis with myoedema simulating facioscapulohumeral muscular dystrophy. Neurology (Minneapolis) 1970, 20: 386.

Rothstein, T.L., Carlson, C.B., Sumi, S.M. Polymyositis with facioscapulohumeral distribution. Arch. Neurol. (Chic.) 1971, 25: 313-319.

Rothhauwe, H.W., Mortier, W., Beyer, H. Neuer Typ einer recessiv X-chromosomal vererbten Muskeldystrophie: scapulohumerodistale Muskeldystrophie mit frühzeitigen Kontrakturen und Herzrhythmusstörungen. Humangenetik 1972, 16: 181-200.

Rowland, L.P. Muscular dystrophies In: Scientific Approaches to Clinical Neurology. Chapter 93. Ed: Eli S. Goldensohn and Stanley H. Appel, Lea and Febiger, Philadelphia, 1977.

Rowland, L.P., Fetell, M., Olarte, M., Hays, A., Singh, N., Wanat, F.E. Emery-Dreifuss muscular dystrophy. Ann. Neurol. 1979, 5: 111-117.

Rowland, L.P., Layzer, R.B. X-linked muscular dystrophies. In: Handbook of Clinical Neurology. Eds: Vinken, P.J. and Bruyn, G.W. Volume 40, Chapter 9. North-Holland Publishing Co. 1979.

Rubin, I.L., Buchberg, A.S. The heart in progressive muscular dystrophy. Amer. Heart J. 1952, 43: 161-169.

Schimrigk, K. Die polymyositis unter den Bilde der facioscapulohumeralen Muskeldystrophy. Fortschritte der Myologie 1974, 176-

184.

Schott, J., Jacobi, M., Wald, M.A. Electrocardiographic patterns in the differential diagnosis of progressive muscular dystrophy. Amer. J. Med. Sci. 1955, 229: 517-524.

Schuchmann, L. Spinal muscular atrophy of the scapulo-peroneal type. Z. für Kinderheilk. 1970, 109: 118-123.

Schwartz, M.S., Swash, M. Scapulo-peroneal atrophy with sensory involvement: Davidenkow's syndrome. J. Neurol. Neurosurg. Psychiat. 1975, 38: 1063-1067.

Seay, A.R., Zoter, F.A., Wu, L.H., Wu, J.T. Serum creatine phosphokinase and pyruvate kinase in neuromuscular disorders and Duchenne dystrophy carriers, Neurology (Minneapolis) 1978, 28: 1047-1050.

Seitz, D., Zur Nosologische Stellung der sogenannten scapulo-peronealen Syndroms. Dtsch. Z. Nervenheilk. 1957, 175: 547-552.

Serratrice, G., Monges S., Roux, H., Aquaron R., Gambarelli, D. Forme myopathique du déficit en phosphofruktokinase. Rev. Neurol. 1969, 120: 271-277.

Serratrice, G., Roux, H., Aquaron, R., Gambarelli, D., Baret, J. Myopathies scapulo-péronièrès. A propos de 14 observations dont 8 avec atteinte faciale. Sem. Hôp. Paris 1969, 45: 2678-2683.

Serratrice, G., Gastaut, J.L., Pellissier, J.F., Pouget, J. Amyotrophies scapulo-péronièrès chroniques de type Stark-Kaesler. Rev. Neurol. 1976, 132: 823-832.

Shander, M., Martinis, J., Croce, C.M. Genetics of human immunoglobulin: assignment of the genes for , and immunoglobulin chains to human chromosome 14. Transplantation Proceedings 1980. Vol. XII: 417-420.

Shapira, Y., Cederbaum, S.D., Cancilla, P.A., Nielsen, D., Lippe, B.M. Familial poliodystrophy, mitochondrial myopathy, and lactate acidemia. *Neurology (Minneap.)* 1975, 25: 614-621.

Shy, G.M., Magee, K.R. A new congenital non-progressive myopathy. *Brain* 1956, 79: 610-621.

Shy, G.M., Engel, W.K., Somers, J.E., Wanko, T. Nemaline myopathy. A new congenital myopathy. *Brain* 1963, 86: 793-810.

Shy, G.M., Silberberg, D.H., Appel, S.H., Mishkin, M.M., Godfrey, E.H. A generalized disorder of nervous system, skeletal muscle and heart resembling Refsum's disease and Hurler's syndrome. 1. Clinical, pathological and biochemical characteristics. *Amer. J. Med.* 1967, 42: 163-168.

Sica, R.E.P., Mc. Comas, A.J. An electrophysiological investigation of limb-girdle and facioscapulohumeral dystrophy. *J. Neurol. Neurosurg. Psychiat.* 1971, 34: 469-474.

Silverman, L.M., Mendell, J.R., Sahenk, Z., Fontana, M.B. Significance of creatine phosphokinase isoenzymes in Duchenne dystrophy. *Neurology (Minneap.)* 1976, 26: 561-564.

Sjövall, B. Dystrophia musculorum progressiva. *Acta Psychiat. Neurol.* 1936, suppl. 10.

Spalke, G., Hökendorf, H., van Roques, P. Zur Differentialdiagnose der scapuloperonealen Amyotrophie. *J. Neurol.* 1976, 212: 253-269.

Spencer Jr., G.E. Orthopaedic care of progressive muscular dystrophy. *J. Bone Jt. Surg.* 1967, 49A: 1201-1204.

Spiro, A.J., Prineas, J.W., Moore, C.L. A new mitochondrial myopathy in a patient with salt-craving. *Arch. Neurol (Chic.)*

1970, 22: 259-269.

Steidl, L., Urbánek, K. Scapulooperoneal syndrome as a manifestation of progressive muscular dystrophy. Proceeding of the 2nd Conference on Myopathies at Janské Lázně (CSSR) 1971, pp. 67-77.

Stevenson, A.C., Muscular dystrophy in Northern Ireland. I. An account of 51 families. Ann. Eugen. 1953, 18: 50-93.

Stevenson, A.C. Muscular dystrophy in Northern Ireland, II. An account of nine additional families. Ann. Hum. Genet. 1955, 19: 159-164.

Stevenson, A.C., Cheeseman, E.A., Huth, M.C. Muscular dystrophy in Northern Ireland. III. Linkage data with particular reference to autosomal limb-girdle muscular dystrophy. Ann. Hum. Genet. 1955, 19: 165-173.

Takahashi, K., Nakamura, H., Tanaka, K., Mutsumura, T. Neurogenic scapulooperoneal amyotrophy associated with dystrophic changes. Clin. Neurol. (Tokyo), 1971, 11: 650-658.

Takahashi, K., Nakamura, H., Nakashima, R. Scapulooperoneal dystrophy associated with neurogenic changes. J. Neurol. Sci. 1974, 23: 575-583.

Telerman-Toppet, N., Gerard, J.M., Coërs, C. Central core disease. J. Neurol. Sci. 1973, 19: 207-223.

Thomas, P.K., Calne, D.B., Elliott, C.F. X-linked scapulooperoneal syndrome. J. Neurol. Neurosurg. Psychiat. 1972, 35: 208-215.

Thomas, P.K., Schott, G.D., Morgan-Hughes, J.A. Adult onset scapulooperoneal myopathy. J. Neurol. Neurosurg. Psychiat. 1975, 38: 1008-1015.

- Tohghi, H., Tsukagoshi, H., Toyokura, Y. Neurogenic scapuloperoneal syndrome with autosomal recessive inheritance. *Clin. Neurol. (Tokyo)* 1971, 11: 215-220.
- Tsukagoshi, H., Nakanishi, T., Kondo, K., Tsubaki, T. Hereditary proximal neurogenic muscular atrophy in adults. *Arch. Neurol. (Chic.)* 1965, 12: 597-603.
- Tsukagoshi, H., Takasu, T., Yoshida, M., Toyokura, Y. A family with scapuloperoneal muscular atrophy. *Clin. Neurol. (Tokyo)* 1969, 9: 511-517.
- Tyler, F.H., Stephens, F.E. Studies in disorders of muscle: II: clinical manifestations and inheritance of facioscapulohumeral dystrophy in a large family. *Ann. Int. Med.* 1950, 32: 640-660.
- Van Wijngaarden, G.K., Bethlem, J., Meijer, A.E.F.H., Hülsman, W.C., Feltkamp, C.A. Skeletal muscle disease with abnormal mitochondria. *Brain* 1967, 90: 577-592.
- Van Wijngaarden, G.K., Fleury, P., Bethlem, J., Meijer, A.E.F.H. Familial "myotubular" myopathy. *Neurology (Minneap.)* 1969, 19: 901-908.
- Van Wijngaarden, G.K., Bethlem, J. The facioscapulohumeral syndrome. *Internat. Congress Series No. 295. Clinical Studies in Myology.* Ed: B.A. Kakulas. Excerpta Medica, Amsterdam, 1973 pp. 498-501.
- Van Wijngaarden, G.K., Bethlem, J. Benign infantile spinal muscular atrophy. A prospective study. *Brain* 1973, 96: 163-170.
- Vignos Jr., P.J., Watkins, M.P. The effects of exercise in muscular dystrophy. *J.A.M.A.* 1966, 197: 843-848.
- Vignos Jr., P.J. Diagnosis of progressive muscular dystrophy. *J. Bone Jt. Surg.* 1967, 49A: 1212-1220.

Vignos Jr., P.J. Rehabilitation in the myopathies. In: Handbook of Clinical Neurology. Eds: Vinken, P.J. and Bruyn, G.W. vol. 41, chapter 13. North-Holland Publishing Company, 1979.

Walton, J.N., Nattrass, F.J. On the classification, natural history and treatment of the myopathies. *Brain* 1954, 77: 169-231.

Walton, J.N. On the inheritance of muscular dystrophy. *Ann. Hum. Genet.* 1955, 20: 1-13.

Walton, J.N. The inheritance of muscular dystrophy: further observations. *Ann. Hum. Genet.* 1956, 21: 40-58.

Walton, J.N., Adams, R.D. Polymyositis. Livingstone Ltd., Edinburgh, 1958.

Walton, J.N., Gardner-Medwin, D. Progressive muscular dystrophy and the myotonic disorders. In : Disorders of Voluntary Muscle. Fourth edition. Ed: Sir John Walton, Churchill-Livingstone, London, 1981.

Waters, D.D., Nutter, D.O., Hopkins, L.C., Dorney, E.R. Cardiac features of an unusual X-linked humeroperoneal neuromuscular disease. *N.E.J.M.* 1975, 293: 1017-1022.

Weisenfeld, S., Messinger, W.J. Cardiac involvement in progressive muscular dystrophy. *Amer. Heart J.* 1952, 43: 170-187.

Weitz, W. Über die Vererbung bei der Muskeldystrophie. *Dtsch. Z. Nervenheilk.* 1921, 72: 143-204.

Welch, K.M.A., Goldberg, D.M. Serum creatine phosphokinase in motor unit disease. *Neurology (Minneap.)* 1972, 22: 697-701.

Welsh, J.D., Lynn, T.N., Haase, A.R. Cardiac findings in 73 patients with muscular dystrophy. *Arch. Int. Med.* 1963, 112: 199-

206.

Williams, E.R., Bruford, A. Creatine phosphokinase in motor unit disease. *Clinica Chimica Acta* 1970, 27: 53-56.

Winkler, C., van de Weijde, A.J. N.T.V.G. 1889, 3: 69-87.

Wintzen, A.R. Personal communication, 1979.

Wohlfart, G., Fex, J., Eliasson, S. Hereditary proximal spinal muscular atrophy. A clinical entity simulating progressive muscular dystrophy. *Acta Psychiat. Neurol. Scand.* 1955, 30: 395-406.

Worsfold, M., Park, D.C., Pennington, R.J.T. Familial "mitochondrial" myopathy. A myopathy associated with disordered oxidative metabolism in muscle fibre. Part 2: Biochemical findings. *J. Neurol. Sci.* 1973, 19:261-274.

Zatz, M., Shpiro, L.J., Campion, D.S., Oda, E., Kaback, M.M. Serum pyruvate kinase (PK) and creatine phosphokinase (CPK) in progressive muscular dystrophies. *J. Neurol. Sci.* 1978, 36: 349-362.

Zweig, M.H., Adornato, B., van Steirteghem, A.C., Engel, W.K. Serum Creatine Kinase, BB and MM concentrations, determined by radioimmunoassay in neuromuscular disorders. *Ann. Neurol.* 1980, 7: 324-328.