



**Universiteit
Leiden**
The Netherlands

Compensatory muscle activation in patients with glenohumeral cuff tears

Steenbrink, F.

Citation

Steenbrink, F. (2010, May 27). *Compensatory muscle activation in patients with glenohumeral cuff tears*. Retrieved from <https://hdl.handle.net/1887/15556>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/15556>

Note: To cite this publication please use the final published version (if applicable).

References

A

Ackland DC, Pandy MG (2009). Lines of action and stabilizing potential of the shoulder musculature. *Journal of Anatomy* 2152, 184-197.

Anglin C, Wyss UP, Pichora DR (2000). Shoulder prosthesis subluxation: theory and experiment. *Journal of Shoulder and Elbow Surgery* 9, 104-114.

Aoki M, Okamura K, Fukushima S, Takahashi T, Ogino T (1996). Transfer of latissimus dorsi for irreparable rotator-cuff tears. *Journal of Bone and Joint Surgery (British)* 78(5), 761-766.

Apreleva M, Parsons IM, Warner JJ, Fu FH, Woo SL (2000). Experimental investigation of reaction forces at the glenohumeral joint during active abduction. *Journal of Shoulder and Elbow Surgery* 9, 409-417.

B

Bagg SD, Forrest WJ (1988). A biomechanical analysis of scapular rotation during arm abduction in the scapular plane. *American Journal of Physical Medicine and Rehabilitation* 67, 238-245.

Barnett ND, Duncan RD, Johnson GR (1999). The measurement of three dimensional scapulo-humeral kinematics—a study of reliability. *Clinical Biomechanics* 14, 287-290.

Ben Yishay A, Zuckerman JD, Gallagher M, Cuomo F (1994). Pain inhibition of shoulder strength in patients with impingement syndrome. *Orthopedics* 17, 685-688.

References

Bey MJ, Brock SK, Beierwaltes WN, Zauel R, Kolowich PA, Lock TR (2007). In vivo measurement of subacromial space width during shoulder elevation: Technique and preliminary results in patients following unilateral rotator cuff repair. *Clinical Biomechanics* 22, 767-773.

Bezer M, Yildirim Y, Akgun U, Erol B, Guven O (2005). Superior excursion of the humeral head: a diagnostic tool in rotator cuff tear surgery. *Journal of Shoulder and Elbow Surgery* 14, 375-379.

Bigliani LU, Kelkar R, Flatow EL, Pollock RG, Mow VC (1996). Glenohumeral stability. Biomechanical properties of passive and active stabilizers. *Clinical Orthopaedics and Related Research* 330, 13-30.

Birmingham PM, Neviasser RJ (2008). Outcome of latissimus dorsi transfer as a salvage procedure for failed rotator cuff repair with loss of elevation. *Journal of Shoulder and Elbow Surgery* 17(6), 871-874.

Blanksma NG, van Eijden TM, Weijs WA (1992). Electromyographic heterogeneity in the human masseter muscle. *Journal of Dental Research* 71, 47-52.

Boileau P, Baque F, Valerio L, Ahrens P, Chuinard C, Trojani C (2007). Isolated arthroscopic biceps tenotomy or tenodesis improves symptoms in patients with massive irreparable rotator cuff tears. *Journal of Bone and Joint Surgery (American)* 89, 747-757.

Boileau P, Chuinard C, Roussanne Y, Neyton L, Trojani C (2007). Modified latissimus dorsi and teres major transfer through a single delto-pectoral approach for external rotation deficit of the shoulder: as an isolated procedure or with a reverse arthroplasty. *Journal of Shoulder and Elbow Surgery* 16(6), 671-682.

Brostrom LA, Kronberg M, Nemeth G, Oxelback U (1992). The effect of shoulder muscle training in patients with recurrent shoulder dislocations. *Scandinavian Journal of Rehabilitation Medicine* 24, 11-15.

Buijze GA, Keereweer S, Jennings G, Vorster W, Debeer J (2007). Musculotendinous transfer as a treatment option for irreparable posterosuperior rotator cuff tears: teres major or latissimus dorsi? *Clinical Anatomy* 20(8), 919-923.

Burnham RS, May L, Nelson E, Steadward R, Reid DC (1993). Shoulder pain in wheelchair athletes. The role of muscle imbalance. *The American Journal of Sports Medicine* 21, 238-242.

C

Carey J, Small CF, Pichora DR (2000). In situ compressive properties of the glenoid labrum. *Journal of Biomedical Materials Research* 51, 711-716.

Celli A, Marongiu MC, Rovesta C, Celli L (2005). Transplant of the teres major in the treatment of irreparable injuries of the rotator cuff (long-term analysis of results). *Chir Organi Mov* 90(2), 121-132.

Celli L, Rovesta C, Marongiu MC, Manzieri S (1998). Transplantation of teres major muscle for infraspinatus muscle in irreparable rotator cuff tears. *Journal of Shoulder and Elbow Surgery* 7, 485-490.

Chadwick EK, Blana D, van den Bogert AJ, Kirsch RF (2009). A real-time, 3-D musculoskeletal model for dynamic simulation of arm movements. *IEEE Transactions Biomedical Engineering* 56, 941-948.

Codsi MJ, Hennigan S, Herzog R, Kella S, Kelley M, Leggin B, Williams GR, Iannotti JP (2007). Latissimus dorsi tendon transfer for irreparable posterosuperior rotator cuff tears. Surgical technique. *The American Journal of Sports Medicine* 89 Pt 1 Suppl 2, 1-9.

Constant CR, Murley AH (1987). A clinical method of functional assessment of the shoulder. *Clinical Orthopaedics and Related Research* 214, 160-164.

Cooper DE, Arnoczky SP, O'Brien SJ, Warren RF, DiCarlo E, Allen AA (1992). Anatomy, histology, and vascularity of the glenoid labrum. An anatomical study. *The American Journal of Sports Medicine* 74, 46-52.

Costouros JG, Espinosa N, Schmid MR, Gerber C (2007). Teres minor integrity predicts outcome of latissimus dorsi tendon transfer for irreparable rotator cuff tears. *Clinical Orthopaedics and Related Research* 16, 727-34.

D

de Groot JH (1998). The Shoulder; a kinematic and Dynamic Analysis of Motion and Loading. *Doctoral thesis*, Delft Technical University, The Netherlands. ISBN 978-90-9024866.

de Groot JH, van Woensel W, van der Helm FC (1999). Effect of different arm loads on the position of the scapula in abduction postures. *Clinical Biomechanics* 14, 309-314.

de Groot JH, Rozendaal LA, Meskers CGM, Arwert HJ (2004). Isometric shoulder muscle activation patterns for 3-D planar forces: A methodology for musculo-skeletal model validation. *Clinical Biomechanics* 19, 790-800.

de Groot JH, van de Sande MA, Meskers CG, Rozing PM (2006). Pathological Teres Major activation in patients with massive rotator cuff tears alters with pain relief and/or salvage surgery transfer. *Clinical Biomechanics* 21, S27-S32.

Deutsch A, Altchek DW, Schwartz E, Otis JC, Warren RF (1996). Radiologic measurement of superior displacement of the humeral head in the impingement syndrome. *Journal of Shoulder and Elbow Surgery* 5, 186-193.

De Vlugt E, Schouten AC, van der Helm FC, Teerhuis PC, Brouwn GG (2003). A force-controlled planar haptic device for movement control analysis of the human arm. *Journal of Neuroscience Methods* 129, 151-168.

Dul J, Townsend MA, Shiavi R, Johnson GE (1984). Muscular synergism—I. On criteria for load sharing between synergistic muscles. *Journal of Biomechanics* 17, 663-673.

E

Elhassan B, Endres NK, Higgins LD, Warner JJ (2008). Massive irreparable tendon tears of the rotator cuff: salvage options. *Instr. Instructional course lectures* 57, 153-166.

F

Favre P, Jacob HA, Gerber C (2009a). Changes in shoulder muscle function with humeral position: a graphical description. *Journal of Shoulder and Elbow Surgery* 18, 114-121.

Favre P, Snedeker JG, Gerber C (2009b). Numerical modelling of the shoulder for clinical applications. *Philosophical Transactions. Series A, Mathematical, Physical, and Engineering Sciences* 367, 2095-2118.

Flanders M, Soechting JF (1990). Arm Muscle Activation for Static Forces in 3-Dimensional Space. *Journal of Neurophysiology* 64, 1818-1837.

Flatow EL, Soslowsky LJ, Ticker JB, Pawluk RJ, Hepler M, Ark J, Mow VC, Bigliani LU (1994). Excursion of the rotator cuff under the acromion. Patterns of subacromial contact. *American Journal of Sports Medicine* 22, 779-788.

G

Gatti CJ, Doro LC, Langenderfer JE, Mell AG, Maratt JD, Carpenter JE, Hughes RE (2008). Evaluation of three methods for determining EMG-muscle force parameter estimates for the shoulder muscles. *Clinical Biomechanics* 23, 166-174.

Gerber C, Vinh TS, Hertel R, Hess CW (1988). Latissimus dorsi transfer for the treatment of massive tears of the rotator cuff. A preliminary report. *Clinical Orthopaedics and Related Research* 232, 51-61.

Gerber C, Fuchs B, Hodler J (2000). The results of repair of massive tears of the rotator cuff. *Journal of Bone and Joint Surgery (American)* 82(4), 505-515.

Gerber C, Maquieira G, Espinosa N (2006). Latissimus dorsi transfer for the treatment of irreparable rotator cuff tears. *Journal of Bone and Joint Surgery (American)* 88(1), 113-120.

Graichen H, Bonel H, Stammberger T, Heuck A, Englmeier KH, Reiser M, Eckstein F (1998). A technique for determining the spatial relationship between the rotator cuff and the subacromial space in arm abduction using MRI and 3D image processing. *Magnetic Resonance in Medicine* 40, 640-643.

Graichen H, Bonel H, Stammberger T, Haubner M, Rohrer H, Englmeier KH, Reiser M, Eckstein F (1999a). Three-dimensional analysis of the width of the subacromial space in healthy subjects and patients with impingement syndrome. *American Journal of Roentgenology* 172, 1081-1086.

Graichen, H, Bonel H, Stammberger T, Heuck A, Englmeier KH, Reiser M Eckstein, F (1999b). An MR-based technique for determination of the subacromial space width in subjects with and without shoulder muscle activity. *Zeitschrift fr Orthopdie und ihre Grenzgebiete* 137, 2-6.

Graichen H, Stammberger T, Bonel H, Karl-Hans E, Reiser M, Eckstein, F (2000). Glenohumeral translation during active and passive elevation of the shoulder - a 3D open-MRI study. *Journal of Biomechanics* 33, 609-613.

Graichen H, Hinterwimmer S, Eisenhart-Rothe RV, Vogl T, Englmeier KH, Eckstein F (2005). Effect of abducting and adducting muscle activity on glenohumeral translation, scapular kinematics and subacromial space width in vivo. *Journal of Biomechanics* 38, 755-760.

Goutallier D, Postel JM, Bernageau J, Lavau L, Voisin MC (1994). Fatty muscle degeneration in cuff ruptures. Pre- and postoperative evaluation by CT scan. *Clinical Orthopaedics and Related Research* 78-83.

H

Halder AM, Kuhl SG, Zobitz ME, Larson D, An KN (2001). Effects of the glenoid labrum and glenohumeral abduction on stability of the shoulder joint through concavity-compression : an in vitro study. *Journal of Bone and Joint Surgery (American)* 83-A, 1062-1069.

Hansen ML, Otis JC, Johnson JS, Cordasco FA, Craig EV, Warren RF (2008). Biomechanics of massive rotator cuff tears: implications for treatment. *Journal of Bone and Joint Surgery (American)*

90, 316-325.

Hallstrom E, Karrholm J (2006). Shoulder kinematics in 25 patients with impingement and 12 controls. *Clinical Orthopaedics and Related Research* 448, 22-27.

Happee R (1994). Inverse dynamic optimization including muscular dynamics, a new simulation method applied to goal directed movements. *Journal of Biomechanics* 27, 953-960.

Happee R, van der Helm FC (1995). The control of shoulder muscles during goal directed movements, an inverse dynamic analysis. *Journal of Biomechanics* 28, 1179-1191.

Harryman DT, Sidles JA, Harris SL, Lippitt SB, Matsen FA III (1995). The effect of articular conformity and the size of the humeral head component on laxity and motion after glenohumeral arthroplasty. A study in cadavera. *Journal of Bone and Joint Surgery (American)* 77, 555-563.

Hawkins RH, Dunlop R (1995). Nonoperative treatment of rotator cuff tears. *Clinical Orthopaedics and Related Research* 321, 178-188.

Hinterwimmer S, Eisenhart-Rothe R, Siebert M, Putz R, Eckstein F, Vogl T, Graichen H (2003). Influence of adducting and abducting muscle forces on the subacromial space width. *Medical & Science in Sports and Exercise* 35, 2055-2059.

Hsu HC, Luo ZP, Cofield RH, An KN (1997). Influence of rotator cuff tearing on glenohumeral stability. *Journal of Shoulder and Elbow Surgery* 6, 413-422.

I

Iannotti JP, Bernot MP, Kuhlman JR, Kelley MJ, Williams GR (1996). Postoperative assessment of shoulder function: a prospective study of full-thickness rotator cuff tears. *Journal of Shoulder and Elbow Surgery* 5, 449-457.

Iannotti JP, Hennigan S, Herzog R, Kella S, Kelley M, Leggin B, Williams GR (2006). Latissimus dorsi tendon transfer for irreparable posterosuperior rotator cuff tears. Factors affecting outcome. *Journal of Bone and Joint Surgery (American)* 88, 342-348.

Irlenbusch U, Bernsdorf M, Born S, Gansen HK, Lorenz U (2008). Electromyographic analysis of muscle function after latissimus dorsi tendon transfer. *Journal of Shoulder and Elbow Surgery* 17(3), 492-499.

Irlenbusch U, Bracht M, Gansen HK, Lorenz U, Thiel J (2008). Latissimus dorsi transfer for irreparable rotator cuff tears: a longitudinal study. *Journal of Shoulder and Elbow Surgery* 17(4), 527-

534.

J

Jost B, Pfirrmann CW, Gerber C, Switzerland Z (2000). Clinical outcome after structural failure of rotator cuff repairs. *Journal of Bone and Joint Surgery (American)* 82, 304-314.

K

Kadaba MP, Cole A, Wootten ME, McCann P, Reid M, Mulford G, April E, Bigliani L (1992). Intramuscular wire electromyography of the subscapularis. *Journal of Orthopaedic Research* 10, 394-397.

Karduna AR, Williams GR, Williams JL, Iannotti JP (1996). Kinematics of the glenohumeral joint: influences of muscle forces, ligamentous constraints, and articular geometry. *Journal of Orthopaedic Research* 14, 986-993.

Karduna AR, McClure PW, Michener LA, Sennett B (2001). Dynamic measurements of 3-dimensional scapular kinematics: a validation study. *Journal of Biomechanics (English)* 123, 184-190.

Karduna AR, Kerner PJ, Lazarus MD (2005). Contact forces in the subacromial space: effects of scapular orientation. *Journal of Shoulder and Elbow Surgery* 14, 393-399.

Kedgley AE, Mackenzie GA, Ferreira LM, Johnson JA, Faber KJ (2007). In vitro kinematics of the shoulder following rotator cuff injury. *Clinical Biomechanics* 22, 1068-1073.

Keener JD, Wei AS, Kim HM, Steger-May K, Yamaguchi K (2009). Proximal humeral migration in shoulders with symptomatic and asymptomatic rotator cuff tears. *Journal of Bone and Joint Surgery (American)* 91, 1405-1413.

Kelly BT, Williams RJ, Cordasco FA, Backus SI, Otis JC, Weiland DE, Altchek DW, Craig EV, Wickiewicz TL, Warren RF (2005). Differential patterns of muscle activation in patients with symptomatic and asymptomatic rotator cuff tears. *Journal of Shoulder and Elbow Surgery* 14, 165-171.

Kempf JF, Gleyze P, Bonnomet F, Walch G, Mole D, Frank A, Beaufils P, Levigne C, Rio B, Jaffe A (1999). A multicenter study of 210 rotator cuff tears treated by arthroscopic acromioplasty. *Arthroscopy* 15, 56-66.

Kido T, Itoi E, Konno N, Sano A, Urayama M, Sato K (2000). The depressor function of biceps on

References

the head of the humerus in shoulders with tears of the rotator cuff. *Journal of Bone and Joint Surgery (British)* 82, 416-419.

Klein Breteler MD, Spoor CW, van der Helm FC (1999). Measuring muscle and joint geometry parameters of a shoulder for modeling purposes. *Journal of Biomechanics* 32, 1191-1197.

Kuechle DK, Newman SR, Itoi E, Morrey BF, An KN (1997). Shoulder muscle moment arms during horizontal flexion and elevation. *Journal of Shoulder and Elbow Surgery* 6, 429-439.

L

Labriola JE, Lee TQ, Debski RE, McMahon PJ (2005). Stability and instability of the glenohumeral joint: the role of shoulder muscles. *Journal of Shoulder and Elbow Surgery* 14, 32S-38S.

Laursen B, Jensen BR, Nemeth G, Sjogaard G (1998). A model predicting individual shoulder muscle forces based on relationship between electromyographic and 3D external forces in static position. *Journal of Biomechanics* 31, 731-739.

Levy O, Venkateswaran B, Even T, Ravenscroft M, Copeland S (2008). Mid-term clinical and sonographic outcome of arthroscopic repair of the rotator cuff. *Journal of Bone and Joint Surgery (British)* 90(10), 1341-1347.

Lin JJ, Hanten WP, Olson SL, Roddey TS, Soto-Quijano DA, Lim HK, Sherwood AM (2005). Functional activity characteristics of individuals with shoulder dysfunctions. *Journal of Electromyography and Kinesiology* 15, 576-586.

Liu J, Hughes RE, Smutz WP, Niebur G, Nan-An K (1997). Roles of deltoid and rotator cuff muscles in shoulder elevation. *Clinical Biomechanics* 12, 32-38.

Ludewig PM, Cook TM (2000). Alterations in shoulder kinematics and associated muscle activity in people with symptoms of shoulder impingement. *Physical Therapy* 80, 276-291.

M

Magermans DJ, Chadwick EK, Veeger HE, Rozing PM, van der Helm FC (2004a). Effectiveness of tendon transfers for massive rotator cuff tears: a simulation study. *Clinical Biomechanics* 19(2), 116-122.

Magermans DJ, Chadwick EK, Veeger HE, Rozing PM, van der Helm FC (2004b). Biomechanical

analysis of tendon transfers for massive rotator cuff tears. *Clinical Biomechanics* 19(4), 350-357.

Magermans DJ, Chadwick EK, Veeger HE, van der Helm FC (2005). Requirements for upper extremity motions during activities of daily living. *Clinical Biomechanics* 20, 591-599.

McClure PW, Michener LA, Sennett BJ, Karduna AR (2001). Direct 3-dimensional measurement of scapular kinematics during dynamic movements in vivo. *Journal of Shoulder and Elbow Surgery* 10, 269-277.

McCully SP, Suprak DN, Kosek P, Karduna AR (2007). Suprascapular nerve block results in a compensatory increase in deltoid muscle activity. *Journal of Biomechanics* 40(8), 1839-46.

McQuade KJ, Smidt GL (1998). Dynamic scapulohumeral rhythm: the effects of external resistance during elevation of the arm in the scapular plane. *Journal of Orthopaedic & Sports Physical Therapy* 27, 125-133.

Mell AG, LaScalza S, Guffey P, Ray J, Maciejewski M, Carpenter JE, Hughes RE (2005). Effect of rotator cuff pathology on shoulder rhythm. *Journal of Shoulder and Elbow Surgery* 14, 58S-64S.

Meskers CG, Vermeulen HM, de Groot JH, van der Helm FC, Rozing PM (1998). 3D shoulder position measurements using a six-degree-of-freedom electromagnetic tracking device. *Clinical Biomechanics* 13, 280-292.

Meskers CGM, (1998). Quantitative assessment of shoulder function in a clinical setting; Methodological aspects and applications. *Doctoral thesis*, Leiden University Medical Center, The Netherlands.

Meskers CG, van der Helm FC, Rozendaal LA, Rozing PM, (1998a). In vivo estimation of the glenohumeral joint rotation center from scapular bony landmarks by linear regression. *Journal of Biomechanics* 31, 93-96.

Meskers CG, van der Helm FC, Rozing PM (2002). The size of the supraspinatus outlet during elevation of the arm in the frontal and sagittal plane: a 3-D model study. *Clinical Biomechanics* 17, 257-266.

Meskers CGM, de Groot JH, Arwert HJ, Rozendaal LA, Rozing PM (2004). Reliability of force direction dependent EMG parameters of shoulder muscles for clinical measurements. *Clinical Biomechanics* 19, 913-920.

Meskers CG, van de Sande MA, de Groot JH (2007). Comparison between tripod and skin-fixed recording of scapular motion. *Journal of Biomechanics* 40, 941-946.

Miniaci A, MacLeod M (1999). Transfer of the latissimus dorsi muscle after failed repair of a massive

References

tear of the rotator cuff. A two to five-year review. *Journal of Bone and Joint Surgery (American)* 81(8), 1120-1127.

Murthi AM, Vosburgh CL, Neviasser TJ (2000). The incidence of pathologic changes of the long head of the biceps tendon. *Journal of Shoulder and Elbow Surgery* 9, 382-385.

N

Nagels J, Verweij J, Stokdijk M, Rozing, PM (2008). Reliability of proximal migration measurements in shoulder arthroplasty. *Journal of Shoulder and Elbow Surgery* 17, 241-247.

Neer CS (1983). Impingement lesions. *Clinical Orthopaedics and Related Research* 173, 70-77.

Newhouse KE, el Khoury GY, Nepola JV, Montgomery WJ (1988). The shoulder impingement view: a fluoroscopic technique for the detection of subacromial spurs. *American Journal of Roentgenology* 151, 539-541.

Nordt WE III, Garretson RB III, Plotkin E (1999). The measurement of subacromial contact pressure in patients with impingement syndrome. *Arthroscopy* 15, 121-125.

Nove-Josserand L, Edwards TB, O'Connor DP, Walch G (2005). The acromiohumeral and coracohumeral intervals are abnormal in rotator cuff tears with muscular fatty degeneration. *Clinical Orthopaedics and Related Research* 433, 90-96.

P

Paletta GA Jr, Warner JJ, Warren RF, Deutsch A, Altchek DW (1997). Shoulder kinematics with two-plane x-ray evaluation in patients with anterior instability or rotator cuff tearing. *Journal of Shoulder and Elbow Surgery* 6, 516-527.

Pagnotta A, Haerle M, Gilbert A (2004). Long-term results on abduction and external rotation of the shoulder after latissimus dorsi transfer for sequelae of obstetric palsy. *Clinical Orthopaedics and Related Research* 426, 199-205.

Parsons IM, Apreleva M, Fu FH, Woo SL (2002). The effect of rotator cuff tears on reaction forces at the glenohumeral joint. *Journal of Orthopedic Research* 20, 439-446.

Pascoal AG, van der Helm, FC, Pezarat, CP, Carita, I (2000). Effects of different arm external loads on the scapulo-humeral rhythm. *Clinical Biomechanics* 15, S21-S24.

Pearle AD, Kelly BT, Voos JE, Chehab EL, Warren RF (2006). Surgical technique and anatomic study of latissimus dorsi and teres major transfers. *Journal of Bone and Joint Surgery (American)* 88(7), 1524-1531.

Poppen NK, Walker PS (1976). Normal and abnormal motion of the shoulder. *Journal of Bone and Joint Surgery (American)* 58, 195-201.

Praagman M, Chadwick EK, van der Helm FC, Veeger HE (2006). The relationship between two different mechanical cost functions and muscle oxygen consumption. *Journal of Biomechanics* 39, 758-765.

S

Scibek JS, Mell AG, Downie BK, Carpenter JE, Hughes RE (2008). Shoulder kinematics in patients with full-thickness rotator cuff tears after a subacromial injection. *Journal of Shoulder and Elbow Surgery* 17, 172-181.

Scibek JS, Carpenter JE, Hughes RE (2009). Rotator cuff tear pain and tear size and scapulohumeral rhythm. *Journal of Athletic Training* 44, 148-159.

Sharkey NA, Marder RA, Hanson PB (1994). The entire rotator cuff contributes to elevation of the arm. *Journal of Orthopedic Research* 12, 699-708.

Simovitch RW, Helmy N, Zumstein MA, Gerber C (2007). Impact of fatty infiltration of the teres minor muscle on the outcome of reverse total shoulder arthroplasty. *Journal of Bone and Joint Surgery (American)* 89, 934-939.

Soifer TB, Levy HJ, Soifer FM, Kleinbart F, Vigorita V, Bryk E (1996). Neurohistology of the subacromial space. *Arthroscopy* 12, 182-186.

Solem-Bertoft E, Thuomas KA, Westerberg CE (1993). The influence of scapular retraction and protraction on the width of the subacromial space. An MRI study. *Clinical Orthopaedics and Related Research* 296, 99-103.

Soslowky LJ, Flatow EL, Bigliani LU, Mow VC (1992). Articular geometry of the glenohumeral joint. *Clinical Orthopaedics and Related Research* 285, 181-190.

Spear SL, Hess CL (2005). A review of the biomechanical and functional changes in the shoulder following transfer of the latissimus dorsi muscles. *Plastic and Reconstructive Surgery* 115(7), 2070-2073.

Steenbrink F, de Groot JH, Veeger HE, Meskers CG, van de Sande MA, Rozing PM (2006). Pathological muscle activation patterns in patients with massive rotator cuff tears, with and without subacromial anaesthetics. *Manual Therapy* 11, 231-237.

Steenbrink F, de Groot JH, Veeger HEJ, van der Helm FCT, Rozing PM (2009a). Glenohumeral stability in simulated rotator cuff tears. *Journal of Biomechanics* 42(11): 1740-1745.

Steenbrink F, Meskers CG, van Vliet B, Slaman J, Veeger HE, de Groot JH (2009b). Arm load magnitude affects selective shoulder muscle activation. *Medical and Biological Engineering and Computing* 47, 565-572.

Steenbrink F, Nelissen RGHH, Meskers CGM, van de Sande MAJ, Rozing PM, de Groot JH (2009c). Teres major muscle activation relates to clinical outcome in tendon transfer surgery. *Clinical Biomechanics* 25(3), 187-193.

Stokdijk M. (2002). Clinical Biomechanics of the Shoulder and Elbow. *Doctoral thesis*, Leiden University Medical Center, The Netherlands. ISBN 90-77017-43-7.

Su, K. P., Johnson, M. P., Gracely, E. J., Karduna, A. R., (2004). Scapular rotation in swimmers with and without impingement syndrome: practice effects. *Medicine & Science in Sports & Exercise* 36, 1117-1123.

T

Tsirakos D, Baltzopoulos V, Bartlett R (1997). Inverse optimization: functional and physiological considerations related to the force-sharing problem. *Critical Reviews in Biomedical Engineering* 25, 371-407.

V

van Eijden TM, Blanksma NG, Brugman P (1993). Amplitude and timing of EMG activity in the human masseter muscle during selected motor tasks. *Journal of Dental Research* 72, 599-606.

van de Sande MAJ, Stoel BC, Obermann WR, Lieng JG, Rozing PM (2005). Quantitative assessment of fatty degeneration in rotator cuff muscles determined with computed tomography. *Investigative radiology* 40, 313-319.

van de Sande MAJ, Rozing PM (2006). Proximal migration can be measured accurately on standardized anteroposterior shoulder radiographs. *Clinical Orthopaedics and Related Research* 443, 260-265.

van de Sande MAJ, de Groot JH, Meskers CGM, Rozing PM (2004). Functional and biomechanical assessment of Teres Major tendon transfer as primary treatment of massive rotator cuff tear. *Surgery of the shoulder and elbow: an international perspective*. In: *Proceedings book 9th International Congress on Surgery of the Shoulder*, May 2-5, 2004, Washington DC, USA.

van de Sande, MAJ (2008). Rotator cuff degeneration in the rheumatoid shoulder. *Doctoral thesis*, Leiden University Medical Center, Leiden, The Netherlands. ISBN 978-90-9022684-2.

van der Helm FC, Veeger HE, Pronk GM, van der Woude LH, Rozendal RH (1992). Geometry parameters for musculoskeletal modelling of the shoulder system. *Journal of Biomechanics* 25, 129-144.

van der Helm FC (1994). A finite element musculoskeletal model of the shoulder mechanism. *Journal of Biomechanics* 27, 551-569.

van der Helm FC (1994). Analysis of the kinematic and dynamic behavior of the shoulder mechanism. *Journal of Biomechanics* 27, 527-550.

Veeger HE, van der Helm FC, van der Woude LH, Pronk GM, Rozendal RH (1991). Inertia and muscle contraction parameters for musculoskeletal modelling of the shoulder mechanism. *Journal of Biomechanics* 24, 615-629.

Veeger HE, Yu B, An KN, Rozendal RH (1997). Parameters for modeling the upper extremity. *Journal of Biomechanics* 30, 647-652.

Veeger HE, van der Helm FC (2007). Shoulder function: The perfect compromise between mobility and stability. *Journal of Biomechanics* 40, 2119-2129.

W

Walch G, Edwards TB, Boulahia A, Nove-Josserand L, Neyton L, Szabo I (2005). Arthroscopic tenotomy of the long head of the biceps in the treatment of rotator cuff tears: clinical and radiographic results of 307 cases. *Journal of Shoulder and Elbow Surgery* 14, 238-246.

Wang AA, Strauch RJ, Flatow EL, Bigliani LU, Rosenwasser MP (1999). The teres major muscle: an anatomic study of its use as a tendon transfer. *Journal of Shoulder and Elbow Surgery* 8(4), 334-338.

Warner JJ, McMahon PJ (1995). The role of the long head of the biceps brachii in superior stability of the glenohumeral joint. *Journal of Bone and Joint Surgery (American)* 77, 366-372.

Warner, JJ (2001). Management of massive irreparable rotator cuff tears: the role of tendon transfer.

Instructional course lectures 50, 63-71.

Warner JJ, Parsons IM (2001). Latissimus dorsi tendon transfer: a comparative analysis of primary and salvage reconstruction of massive, irreparable rotator cuff tears. *Journal of Shoulder and Elbow Surgery* 10(6), 514-521.

Werner TR, Ruckstuhl T, Muller R, Zanetti M, Gerber C (2007). Influence of psychomotor skills and innervation patterns on results of latissimus dorsi tendon transfer for irreparable rotator cuff tears. *Journal of Shoulder and Elbow Surgery* 17:22S-28S.

Wu G, van der Helm FC, Veeger HE, Makhsous M, van Roy P, Anglin C, Nagels J, Karduna AR, McQuade K, Wang X, Werner FW, Buchholz B (2005). ISB recommendation on definitions of joint coordinate systems of various joints for the reporting of human joint motion—Part II: shoulder, elbow, wrist and hand. *Journal of Biomechanics* 38, 981-992.

Y

Yamaguchi K, Sher JS, Andersen WK, Garretson R, Uribe JW, Hechtman K, Neviasser RJ (2000). Glenohumeral motion in patients with rotator cuff tears: a comparison of asymptomatic and symptomatic shoulders. *Journal of Shoulder and Elbow Surgery* 9, 6-11.

Yamaguchi K, Tetro AM, Blam O, Evanoff BA, Teefey SA, Middleton WD (2001). Natural history of asymptomatic rotator cuff tears: a longitudinal analysis of asymptomatic tears detected sonographically. *Journal of Shoulder and Elbow Surgery* 10, 199-203.

Yamaguchi K., Ditsios K., Middleton WD, Hildebolt CF, Galatz LM, Teefey SA (2006). The demographic and morphological features of rotator cuff disease. A comparison of asymptomatic and symptomatic shoulders. *Journal of Bone and Joint Surgery (American)* 88, 1699-1704.

Z

Zingg PO, Jost B, Sukthankar A, Buhler M, Pfirrmann CW, Gerber C (2007). Clinical and structural outcomes of nonoperative management of massive rotator cuff tears. *Journal of Bone and Joint Surgery (American)* 89(9), 1928-1934.