



Universiteit
Leiden
The Netherlands

Using novel imaging approaches in affective disorders : beyond current models

Pannekoek, J.N.

Citation

Pannekoek, J. N. (2015, March 5). *Using novel imaging approaches in affective disorders : beyond current models*. Retrieved from <https://hdl.handle.net/1887/32078>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/32078>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/32078> holds various files of this Leiden University dissertation

Author: Pannekoek, Nienke

Title: Using novel imaging approaches in affective disorders : beyond current models

Issue Date: 2015-03-05

References

- Achenbach TM. 1991a. *Manual for the Child Behavior Checklist/4-18 and 1991 Profiles*. Department of Psychiatry, University of Vermont: Burlington, VT.
- Achenbach TM. 1991b. *Manual for the Child Behavior Checklist/4-18 and 1991 Profile*. Department of Psychiatry, University of Vermont: Burlington, VM.
- Achenbach TM. 1991c. *Manual for the Youth Self Report and 1991 Profiles*. Department of Psychiatry, University of Vermont: Burlington, VT.
- Achenbach TM. 1991d. *Manual for the Youth Self-Report and 1991 Profiles*. Department of Psychiatry, University of Vermont: Burlington, VM.
- Adelstein JS, Shehzad Z, Mennes M, et al. 2011. Personality is reflected in the brain's intrinsic functional architecture. *PLoS One* **6**: e27633.
- Aghajani M, Veer IM, Van Lang ND, et al. 2013. Altered white-matter architecture in treatment-naive adolescents with clinical depression. *Psychol Med*: 1-12.
- Allen LB, White KS, Barlow DH, et al. 2010. Cognitive-Behavior Therapy (CBT) for Panic Disorder: Relationship of Anxiety and Depression Comorbidity with Treatment Outcome. *J Psychopathol Behav Assess* **32**: 185-192.
- American Psychiatric Association. 1994. *Diagnostic and Statistical Manual of Mental Disorders. Fourth Edition*. American Psychiatric Association,: Washington, DC.
- Amir N, Klumpp H, Elias J, et al. 2005. Increased activation of the anterior cingulate cortex during processing of disgust faces in individuals with social phobia. *Biol Psychiatry* **57**: 975-81.

- Anand A, Li Y, Wang Y, *et al.* 2005. Activity and connectivity of brain mood regulating circuit in depression: a functional magnetic resonance study. *Biol Psychiatry* **57**: 1079-88.
- Andersson MJ, M.; Smith; S. 2007. *Non-linear registration, aka Spatial normalisation. FMRIB technical report TR07JA2.* [Online]. Available: <http://www.fmrib.ox.ac.uk/analysis/techrep>.
- Andreeescu C, Sheu LK, Tudorascu D, *et al.* 2013. The ages of anxiety-differences across the lifespan in the default mode network functional connectivity in generalized anxiety disorder. *Int J Geriatr Psychiatry*.
- Andreeescu C, Wu M, Butters MA, *et al.* 2011. The default mode network in late-life anxious depression. *Am J Geriatr Psychiatry* **19**: 980-3.
- Ashburner J & Friston KJ. 2000. Voxel-based morphometry--the methods. *Neuroimage* **11**: 805-21.
- Ayling E, Aghajani M, Fouche JP, *et al.* 2012. Diffusion tensor imaging in anxiety disorders. *Curr Psychiatry Rep* **14**: 197-202.
- Basser PJ, Mattiello J & Lebihan D. 1994. MR diffusion tensor spectroscopy and imaging. *Biophys J* **66**: 259-67.
- Baur V, Bruhl AB, Herwig U, *et al.* 2013. Evidence of frontotemporal structural hypoconnectivity in social anxiety disorder: A quantitative fiber tractography study. *Hum Brain Mapp* **34**: 437-46.
- Baur V, Hanggi J, Rufer M, *et al.* 2011. White matter alterations in social anxiety disorder. *J Psychiatr Res* **45**: 1366-72.
- Beck AT, Epstein N, Brown G, *et al.* 1988. An inventory for measuring clinical anxiety: psychometric properties. *J Consult Clin Psychol* **56**: 893-7.

- Beckmann CF, Deluca M, Devlin JT, *et al.* 2005. Investigations into resting-state connectivity using independent component analysis. *Philos Trans R Soc Lond B Biol Sci* **360**: 1001-13.
- Beckmann CF, Mackay CE, Filippini N, *et al.* Group comparison of resting-state FMRI data using multi-subject ICA and dual regression. OHBM, 2009 San Francisco, CA.
- Beckmann CF & Smith SM. 2004. Probabilistic independent component analysis for functional magnetic resonance imaging. *IEEE Trans Med Imaging* **23**: 137-52.
- Beesdo K, Bittner A, Pine DS, *et al.* 2007. Incidence of social anxiety disorder and the consistent risk for secondary depression in the first three decades of life. *Arch Gen Psychiatry* **64**: 903-12.
- Beesdo K, Knappe S & Pine DS. 2009. Anxiety and anxiety disorders in children and adolescents: developmental issues and implications for DSM-V. *Psychiatr Clin North Am* **32**: 483-524.
- Birn RM. 2012. The role of physiological noise in resting-state functional connectivity. *Neuroimage* **62**: 864-70.
- Birn RM, Diamond JB, Smith MA, *et al.* 2006. Separating respiratory-variation-related fluctuations from neuronal-activity-related fluctuations in fMRI. *Neuroimage* **31**: 1536-48.
- Birn RM, Molloy EK, Patriat R, *et al.* 2013. The effect of scan length on the reliability of resting-state fMRI connectivity estimates. *Neuroimage* **83**: 550-8.
- Bisley JW & Goldberg ME. 2010. Attention, intention, and priority in the parietal lobe. *Annu Rev Neurosci* **33**: 1-21.
- Biswal B, Yetkin FZ, Haughton VM, *et al.* 1995. Functional connectivity in the motor cortex of resting human brain using echo-planar MRI. *Magn Reson Med* **34**: 537-41.

- Biswal BB, Mennes M, Zuo XN, *et al.* 2010. Toward discovery science of human brain function. *Proc Natl Acad Sci U S A* **107**: 4734-9.
- Blair K, Geraci M, Devido J, *et al.* 2008a. Neural response to self- and other referential praise and criticism in generalized social phobia. *Arch Gen Psychiatry* **65**: 1176-84.
- Blair K, Shaywitz J, Smith BW, *et al.* 2008b. Response to emotional expressions in generalized social phobia and generalized anxiety disorder: evidence for separate disorders. *Am J Psychiatry* **165**: 1193-202.
- Blair KS, Geraci M, Korelitz K, *et al.* 2011a. The pathology of social phobia is independent of developmental changes in face processing. *Am J Psychiatry* **168**: 1202-9.
- Blair KS, Geraci M, Otero M, *et al.* 2011b. Atypical modulation of medial prefrontal cortex to self-referential comments in generalized social phobia. *Psychiatry Res* **193**: 38-45.
- Blakemore SJ. 2012. Imaging brain development: the adolescent brain. *Neuroimage* **61**: 397-406.
- Bluhm R, Williamson P, Lanius R, *et al.* 2009. Resting state default-mode network connectivity in early depression using a seed region-of-interest analysis: decreased connectivity with caudate nucleus. *Psychiatry Clin Neurosci* **63**: 754-61.
- Blumberg HP, Kaufman J, Martin A, *et al.* 2003. Amygdala and hippocampal volumes in adolescents and adults with bipolar disorder. *Arch Gen Psychiatry* **60**: 1201-8.
- Botteron KN, Raichle ME, Drevets WC, *et al.* 2002. Volumetric reduction in left subgenual prefrontal cortex in early onset depression. *Biol Psychiatry* **51**: 342-4.

- Brown TA & Barlow DH. 2005. Dimensional versus categorical classification of mental disorders in the fifth edition of the Diagnostic and Statistical Manual of Mental Disorders and beyond: comment on the special section. *J Abnorm Psychol* **114**: 551-6.
- Broyd SJ, Demanuele C, Debener S, et al. 2009. Default-mode brain dysfunction in mental disorders: a systematic review. *Neurosci Biobehav Rev* **33**: 279-96.
- Bush G, Luu P & Posner MI. 2000. Cognitive and emotional influences in anterior cingulate cortex. *Trends Cogn Sci* **4**: 215-222.
- Bystritsky A, Pontillo D, Powers M, et al. 2001. Functional MRI changes during panic anticipation and imagery exposure. *Neuroreport* **12**: 3953-7.
- Caetano SC, Fonseca M, Hatch JP, et al. 2007. Medial temporal lobe abnormalities in pediatric unipolar depression. *Neurosci Lett* **427**: 142-7.
- Caetano SC, Hatch JP, Brambilla P, et al. 2004. Anatomical MRI study of hippocampus and amygdala in patients with current and remitted major depression. *Psychiatry Res* **132**: 141-7.
- Campbell S, Marriott M, Nahmias C, et al. 2004. Lower hippocampal volume in patients suffering from depression: a meta-analysis. *Am J Psychiatry* **161**: 598-607.
- Carballedo A, Scheuerecker J, Meisenzahl E, et al. 2011. Functional connectivity of emotional processing in depression. *J Affect Disord* **134**: 272-9.
- Cassano P & Fava M. 2002. Depression and public health: an overview. *J Psychosom Res* **53**: 849-57.

- Cavanna AE. 2007. The precuneus and consciousness. *CNS Spectr* **12**: 545-52.
- Cavanna AE & Trimble MR. 2006a. The precuneus: a review of its functional anatomy and behavioural correlates. *Brain* **129**: 564-583.
- Cavanna AE & Trimble MR. 2006b. The precuneus: a review of its functional anatomy and behavioural correlates. *Brain* **129**: 564-83.
- Chang C & Glover GH. 2009. Effects of model-based physiological noise correction on default mode network anti-correlations and correlations. *Neuroimage* **47**: 1448-59.
- Chen G, Chen G, Xie C, et al. 2011. Negative functional connectivity and its dependence on the shortest path length of positive network in the resting-state human brain. *Brain Connect* **1**: 195-206.
- Chen HH, Nicoletti MA, Hatch JP, et al. 2004. Abnormal left superior temporal gyrus volumes in children and adolescents with bipolar disorder: a magnetic resonance imaging study. *Neurosci Lett* **363**: 65-8.
- Chen HH, Rosenberg DR, Macmaster FP, et al. 2008. Orbitofrontal cortex volumes in medication naive children with major depressive disorder: a magnetic resonance imaging study. *J Child Adolesc Psychopharmacol* **18**: 551-6.
- Chorpita BF, Yim L, Moffitt C, et al. 2000. Assessment of symptoms of DSM-IV anxiety and depression in children: a revised child anxiety and depression scale. *Behav Res Ther* **38**: 835-55.
- Clark DM & Wells A 1995. A cognitive model of social phobia. In: HEIMBERG, R.G., LIEBOWITZ, M.R., HOPE, D.A. & SCHNEIER, F. R. (eds.) *Social Phobia: Diagnosis, Assessment, and Treatment*. New York: The Guilford Press.

- Clark MS, Jansen KL & Cloy JA. 2012. Treatment of childhood and adolescent depression. *Am Fam Physician* **86**: 442-8.
- Cole DM, Smith SM & Beckmann CF. 2010. Advances and pitfalls in the analysis and interpretation of resting-state fMRI data. *Front Syst Neurosci* **4**: 8.
- Connolly CG, Wu J, Ho TC, et al. 2013. Resting-state functional connectivity of subgenual anterior cingulate cortex in depressed adolescents. *Biol Psychiatry* **74**: 898-907.
- Costello EJ, Mustillo S, Erkanli A, et al. 2003. Prevalence and development of psychiatric disorders in childhood and adolescence. *Arch Gen Psychiatry* **60**: 837-44.
- Craske MG, Rauch SL, Ursano R, et al. 2009. What is an anxiety disorder? *Depress Anxiety* **26**: 1066-85.
- Crone EA & Ridderinkhof KR. 2011. The developing brain: from theory to neuroimaging and back. *Dev Cogn Neurosci* **1**: 101-9.
- Cullen KR, Gee DG, Klimes-Dougan B, et al. 2009. A preliminary study of functional connectivity in comorbid adolescent depression. *Neurosci Lett* **460**: 227-31.
- Cullen KR, Klimes-Dougan B, Muetzel R, et al. 2010. Altered white matter microstructure in adolescents with major depression: a preliminary study. *J Am Acad Child Adolesc Psychiatry* **49**: 173-83 e1.
- Curry J, Silva S, Rohde P, et al. 2011. Recovery and recurrence following treatment for adolescent major depression. *Arch Gen Psychiatry* **68**: 263-9.
- Damoiseaux JS, Rombouts SA, Barkhof F, et al. 2006. Consistent resting-state networks across healthy subjects. *Proc Natl Acad Sci U S A* **103**: 13848-53.

- Damsa C, Kosel M & Moussally J. 2009. Current status of brain imaging in anxiety disorders. *Curr Opin Psychiatry* **22**: 96-110.
- Davidson RJ, Pizzagalli D, Nitschke JB, et al. 2002. Depression: perspectives from affective neuroscience. *Annu Rev Psychol* **53**: 545-74.
- De Bellis MD, Casey BJ, Dahl RE, et al. 2000. A pilot study of amygdala volumes in pediatric generalized anxiety disorder. *Biol Psychiatry* **48**: 51-7.
- De Bellis MD, Keshavan MS, Shifflett H, et al. 2002a. Brain structures in pediatric maltreatment-related posttraumatic stress disorder: a sociodemographically matched study. *Biol Psychiatry* **52**: 1066-78.
- De Bellis MD, Keshavan MS, Shifflett H, et al. 2002b. Superior temporal gyrus volumes in pediatric generalized anxiety disorder. *Biol Psychiatry* **51**: 553-62.
- De Carvalho MR, Dias GP, Cosci F, et al. 2010. Current findings of fMRI in panic disorder: contributions for the fear neurocircuitry and CBT effects. *Expert Rev Neurother* **10**: 291-303.
- De Cristofaro MT, Sessarego A, Pupi A, et al. 1993. Brain perfusion abnormalities in drug-naive, lactate-sensitive panic patients: a SPECT study. *Biol Psychiatry* **33**: 505-12.
- Delbello MP, Zimmerman ME, Mills NP, et al. 2004. Magnetic resonance imaging analysis of amygdala and other subcortical brain regions in adolescents with bipolar disorder. *Bipolar Disord* **6**: 43-52.
- Demenescu LR, Renken R, Kortekaas R, et al. 2011. Neural correlates of perception of emotional facial expressions in out-patients with mild-to-moderate depression and anxiety. A multicenter fMRI study. *Psychol Med* **41**: 2253-64.

- Ding J, Chen H, Qiu C, et al. 2011. Disrupted functional connectivity in social anxiety disorder: a resting-state fMRI study. *Magn Reson Imaging* **29**: 701-11.
- Dolcos F, Kragel P, Wang L, et al. 2006. Role of the inferior frontal cortex in coping with distracting emotions. *Neuroreport* **17**: 1591-4.
- Douaud G, Smith S, Jenkinson M, et al. 2007. Anatomically related grey and white matter abnormalities in adolescent-onset schizophrenia. *Brain* **130**: 2375-86.
- Dresler T, Guhn A, Tupak SV, et al. 2013. Revise the revised? New dimensions of the neuroanatomical hypothesis of panic disorder. *J Neural Transm* **120**: 3-29.
- Drevets WC, Price JL & Furey ML. 2008. Brain structural and functional abnormalities in mood disorders: implications for neurocircuitry models of depression. *Brain Struct Funct* **213**: 93-118.
- Ducharme S, Albaugh MD, Hudziak JJ, et al. 2013. Anxious/Depressed Symptoms are Linked to Right Ventromedial Prefrontal Cortical Thickness Maturation in Healthy Children and Young Adults. *Cereb Cortex*.
- Dyck M, Loughead J, Kellermann T, et al. 2011. Cognitive versus automatic mechanisms of mood induction differentially activate left and right amygdala. *Neuroimage* **54**: 2503-13.
- Eren I, Tukel R, Polat A, et al. 2003. Evaluation of regional cerebral blood flow changes in panic disorder with Tc99m-HMPAO SPECT. *Psychiatry Res* **123**: 135-43
- Etkin A, Egner T & Kalisch R. 2011a. Emotional processing in anterior cingulate and medial prefrontal cortex. *Trends Cogn Sci* **15**: 85-93.
- Etkin A, Egner T & Kalisch R. 2011b. Emotional processing in anterior cingulate and medial prefrontal cortex. *Trends Cogn Sci* **15**: 9.

- Etkin A, Prater KE, Hoeft F, *et al.* 2010. Failure of anterior cingulate activation and connectivity with the amygdala during implicit regulation of emotional processing in generalized anxiety disorder. *Am J Psychiatry* **167**: 545-54.
- Etkin A, Prater KE, Schatzberg AF, *et al.* 2009. Disrupted amygdalar subregion functional connectivity and evidence of a compensatory network in generalized anxiety disorder. *Arch Gen Psychiatry* **66**: 1361-72.
- Etkin A & Schatzberg AF. 2011. Common abnormalities and disorder-specific compensation during implicit regulation of emotional processing in generalized anxiety and major depressive disorders. *Am J Psychiatry* **168**: 968-78
- Etkin A & Wager TD. 2007. Functional neuroimaging of anxiety: a meta-analysis of emotional processing in PTSD, social anxiety disorder, and specific phobia. *Am J Psychiatry* **164**: 1476-88.
- Fair DA, Cohen AL, Dosenbach NU, *et al.* 2008. The maturing architecture of the brain's default network. *Proc Natl Acad Sci USA* **105**: 4028-32.
- Fair DA, Cohen AL, Power JD, *et al.* 2009. Functional brain networks develop from a "local to distributed" organization. *PLoS Comput Biol* **5**: e1000381.
- Fair DA, Dosenbach NU, Church JA, *et al.* 2007. Development of distinct control networks through segregation and integration. *Proc Natl Acad Sci U S A* **104**: 13507-12.
- Fawcett J. 1992. Suicide risk factors in depressive disorders and in panic disorder. *J Clin Psychiatry* **53 Suppl**: 9-13.
- Fitzgerald PB, Laird AR, Maller J, *et al.* 2008. A meta-analytic study of changes in brain activation in depression. *Hum Brain Mapp* **29**: 683-95.

- Foland-Ross LC & Gotlib IH. 2012. Cognitive and neural aspects of information processing in major depressive disorder: an integrative perspective. *Front Psychol* **3**: 489.
- Fouche JP, Van Der Wee NJ, Roelofs K, et al. 2013. Recent advances in the brain imaging of social anxiety disorder. *Hum Psychopharmacol* **28**: 102-5.
- Fox MD & Raichle ME. 2007. Spontaneous fluctuations in brain activity observed with functional magnetic resonance imaging. *Nat Rev Neurosci* **8**: 700-11.
- Freitas-Ferrari MC, Hallak JE, Trzesniak C, et al. 2010. Neuroimaging in social anxiety disorder: a systematic review of the literature. *Prog Neuropsychopharmacol Biol Psychiatry* **34**: 565-80.
- Frodl T, Bokde AL, Scheuerecker J, et al. 2010. Functional connectivity bias of the orbitofrontal cortex in drug-free patients with major depression. *Biol Psychiatry* **67**: 161-7.
- Frodl T, Meisenzahl E, Zetzsche T, et al. 2002. Enlargement of the amygdala in patients with a first episode of major depression. *Biol Psychiatry* **51**: 708-14.
- Frodl T, Meisenzahl EM, Zetzsche T, et al. 2003. Larger amygdala volumes in first depressive episode as compared to recurrent major depression and healthy control subjects. *Biol Psychiatry* **53**: 338-44.
- Furmark T. 2002. Social phobia: overview of community surveys. *Acta Psychiatr Scand* **105**: 84-93.
- Furmark T, Appel L, Michelgard A, et al. 2005. Cerebral blood flow changes after treatment of social phobia with the neurokinin-1 antagonist GR205171, citalopram, or placebo. *Biol Psychiatry* **58**: 132-42.

- Gabbay V, Hess DA, Liu S, *et al.* 2007. Lateralized caudate metabolic abnormalities in adolescent major depressive disorder: a proton MR spectroscopy study. *Am J Psychiatry* **164**: 1881-9.
- Gaffrey MS, Luby JL, Botteron K, *et al.* 2012. Default mode network connectivity in children with a history of preschool onset depression. *J Child Psychol Psychiatry* **53**: 964-72.
- Gaffrey MS, Luby JL, Repovs G, *et al.* 2010. Subgenual cingulate connectivity in children with a history of preschool-depression. *Neuroreport* **21**: 1182-8.
- Garnefski N & Kraaij V. 2006. Relationships between cognitive emotion regulation strategies and depressive symptoms: A comparative study of five specific samples. *Pers Individ Diff* **40**: 11.
- Gentili C, Ricciardi E, Gobbini MI, *et al.* 2009. Beyond amygdala: Default Mode Network activity differs between patients with social phobia and healthy controls. *Brain Res Bull* **79**: 409-13.
- Ghandour RM, Kogan MD, Blumberg SJ, *et al.* 2010. Prevalence and correlates of internalizing mental health symptoms among CSHCN. *Pediatrics* **125**: e269-77.
- Giedd JN & Rapoport JL. 2010. Structural MRI of pediatric brain development: what have we learned and where are we going? *Neuron* **67**: 728-34.
- Goldberg, Ii, Harel M & Malach R. 2006. When the brain loses its self: prefrontal inactivation during sensorimotor processing. *Neuron* **50**: 329-39.
- Goldin PR, Mcrae K, Ramel W, *et al.* 2008. The neural bases of emotion regulation: reappraisal and suppression of negative emotion. *Biol Psychiatry* **15**: 10.

- Good CD, Johnsrude IS, Ashburner J, *et al.* 2001. A voxel-based morphometric study of ageing in 465 normal adult human brains. *Neuroimage* **14**: 21-36.
- Gorman JM. 1996. Comorbid depression and anxiety spectrum disorders. *Depress Anxiety* **4**: 160-8.
- Gorman JM, Kent JM, Sullivan GM, *et al.* 2000. Neuroanatomical hypothesis of panic disorder, revised. *Am J Psychiatry* **157**: 493-505.
- Gorman JM, Liebowitz MR, Fyer AJ, *et al.* 1989. A neuroanatomical hypothesis for panic disorder. *Am J Psychiatry* **146**: 148-61.
- Gotlib IH, Krasnoperova E, Yue DN, *et al.* 2004. Attentional biases for negative interpersonal stimuli in clinical depression. *J Abnorm Psychol* **113**: 121-35.
- Grecucci A, Giorgetta C, Bonini N, *et al.* 2013. Reappraising social emotions: the role of inferior frontal gyrus, temporo-parietal junction and insula in interpersonal emotion regulation. *Front Hum Neurosci* **7**: 523.
- Greicius M. 2008. Resting-state functional connectivity in neuropsychiatric disorders. *Curr Opin Neurol* **21**: 424-30.
- Greicius MD, Flores BH, Menon V, *et al.* 2007. Resting-state functional connectivity in major depression: abnormally increased contributions from subgenual cingulate cortex and thalamus. *Biol Psychiatry* **62**: 429-37.
- Greicius MD, Krasnow B, Reiss AL, *et al.* 2003. Functional connectivity in the resting brain: a network analysis of the default mode hypothesis. *Proc Natl Acad Sci U S A* **100**: 253-8.

- Grill-Spector K, Knouf N & Kanwisher N. 2004. The fusiform face area subserves face perception, not generic within-category identification. *Nat Neurosci* **7**: 555-62.
- Grimm S, Ernst J, Boesiger P, et al. 2009. Increased self-focus in major depressive disorder is related to neural abnormalities in subcortical-cortical midline structures. *Hum Brain Mapp* **30**: 2617-27.
- Guberman C & Manassis K. 2011. Symptomatology and family functioning in children and adolescents with comorbid anxiety and depression. *J Can Acad Child Adolesc Psychiatry* **20**: 186-95.
- Gusnard DA, Akbudak E, Shulman GL, et al. 2001. Medial prefrontal cortex and self-referential mental activity: relation to a default mode of brain function. *Proc Natl Acad Sci U S A* **98**: 4259-64.
- Guyer AE, Lau JY, McClure-Tone EB, et al. 2008. Amygdala and ventrolateral prefrontal cortex function during anticipated peer evaluation in pediatric social anxiety. *Arch Gen Psychiatry* **65**: 1303-12.
- Hahn A, Stein P, Windischberger C, et al. 2011. Reduced resting-state functional connectivity between amygdala and orbitofrontal cortex in social anxiety disorder. *Neuroimage* **56**: 881-9.
- Halari R, Simic M, Pariante CM, et al. 2009. Reduced activation in lateral prefrontal cortex and anterior cingulate during attention and cognitive control functions in medication-naïve adolescents with depression compared to controls. *J Child Psychol Psychiatry* **50**: 307-16.
- Hayano F, Nakamura M, Asami T, et al. 2009. Smaller amygdala is associated with anxiety in patients with panic disorder. *Psychiatry Clin Neurosci* **63**: 266-76.

- Hilbert K, Lueken U & Beesdo-Baum K. 2014. Neural structures, functioning and connectivity in Generalized Anxiety Disorder and interaction with neuroendocrine systems: a systematic review. *J Affect Disord* **158**: 114-26.
- Horn DI, Yu C, Steiner J, et al. 2010. Glutamatergic and resting-state functional connectivity correlates of severity in major depression - the role of pregenual anterior cingulate cortex and anterior insula. *Front Syst Neurosci* **4**.
- Hulvershorn LA, Cullen K & Anand A. 2011. Toward dysfunctional connectivity: a review of neuroimaging findings in pediatric major depressive disorder. *Brain Imaging Behav* **5**: 307-28.
- Irle E, Ruhleder M, Lange C, et al. 2010. Reduced amygdalar and hippocampal size in adults with generalized social phobia. *J Psychiatry Neurosci* **35**: 126-31.
- Jenkinson M, Bannister P, Brady M, et al. 2002. Improved optimization for the robust and accurate linear registration and motion correction of brain images. *Neuroimage* **17**: 825-41.
- Jiao Q, Ding J, Lu G, et al. 2011. Increased activity imbalance in fronto-subcortical circuits in adolescents with major depression. *PLoS One* **6**: e25159.
- Jin C, Gao C, Chen C, et al. 2011. A preliminary study of the dysregulation of the resting networks in first-episode medication-naïve adolescent depression. *Neurosci Lett* **503**: 105-9.
- Jolles DD, Van Buchem MA, Crone EA, et al. 2011. A comprehensive study of whole-brain functional connectivity in children and young adults. *Cereb Cortex* **21**: 385-91.
- Kelly AM, Di Martino A, Uddin LQ, et al. 2009. Development of anterior cingulate functional connectivity from late childhood to early adulthood. *Cereb Cortex* **19**: 640-57.

- Kenny ER, O'brien JT, Cousins DA, *et al.* 2010. Functional connectivity in late-life depression using resting-state functional magnetic resonance imaging. *Am J Geriatr Psychiatry* **18**: 643-51.
- Kent JM & Rauch SL. 2003. Neurocircuitry of anxiety disorders. *Curr Psychiatry Rep* **5**: 266-73.
- Kessler RC, Avenevoli S, Costello J, *et al.* 2012. Severity of 12-month DSM-IV disorders in the National Comorbidity Survey Replication Adolescent Supplement. *Arch Gen Psychiatry* **69**: 381-9.
- Kessler RC, Berglund P, Demler O, *et al.* 2005a. Lifetime prevalence and age-of-onset distributions of DSM-IV disorders in the National Comorbidity Survey Replication. *Arch Gen Psychiatry* **62**: 593-602.
- Kessler RC, Chiu WT, Demler O, *et al.* 2005b. Prevalence, severity, and comorbidity of 12-month DSM-IV disorders in the National Comorbidity Survey Replication. *Arch Gen Psychiatry* **62**: 617-27.
- Kessler RC, Nelson CB, Mcgonagle KA, *et al.* 1996. Comorbidity of DSM-III-R major depressive disorder in the general population: results from the US National Comorbidity Survey. *Br J Psychiatry Suppl*: 17-30.
- Kircher T, Arolt V, Jansen A, *et al.* 2013. Effect of cognitive-behavioral therapy on neural correlates of fear conditioning in panic disorder. *Biol Psychiatry* **73**: 93-101.
- Kober H, Barrett LF, Joseph J, *et al.* 2008. Functional grouping and cortical-subcortical interactions in emotion: a meta-analysis of neuroimaging studies. *Neuroimage* **42**: 998-1031.
- Koechlin E. 2011. Frontal pole function: what is specifically human? *Trends Cogn Sci* **15**: 241; author reply 243.

- Koolschijn PC, Van Haren NE, Lensvelt-Mulders GJ, et al. 2009. Brain volume abnormalities in major depressive disorder: a meta-analysis of magnetic resonance imaging studies. *Hum Brain Mapp* **30**: 3719-35.
- Kovacs M. 1992a. *The Children's Depression Inventor (CDI) manual*. MultiHealth Systems: New York, NY.
- Kovacs M. 1992b. *The Children's Depression Inventory (CDI) manual*. MultiHealth Systems, NY: New York.
- Krishnan V & Nestler EJ. 2008. The molecular neurobiology of depression. *Nature* **455**: 894-902.
- Lau JY. 2012. Developmental Aspects of Mood Disorders. *Curr Top Behav Neurosci*.
- Ledoux J. 1998. Fear and the brain: where have we been, and where are we going? *Biol Psychiatry* **44**: 1229-38.
- Ledoux J. 2003. The emotional brain, fear, and the amygdala. *Cell Mol Neurobiol* **23**: 727-38.
- Ledoux J. 2007. The amygdala. *Curr Biol* **17**: R868-74.
- Ledoux JE. 2000. Emotion circuits in the brain. *Annu Rev Neurosci* **23**: 155-84.
- Lee YS, Hwang J, Kim SJ, et al. 2006. Decreased blood flow of temporal regions of the brain in subjects with panic disorder. *J Psychiatr Res* **40**: 528-34.
- Lemogne C, Mayberg H, Bergouignan L, et al. 2010. Self-referential processing and the prefrontal cortex over the course of depression: a pilot study. *J Affect Disord* **124**: 196-201.

- Lenroot RK & Giedd JN. 2006. Brain development in children and adolescents: insights from anatomical magnetic resonance imaging. *Neurosci Biobehav Rev* **30**: 718-29.
- Liao W, Chen H, Feng Y, et al. 2010a. Selective aberrant functional connectivity of resting state networks in social anxiety disorder. *Neuroimage* **52**: 1549-58.
- Liao W, Qiu C, Gentili C, et al. 2010b. Altered effective connectivity network of the amygdala in social anxiety disorder: a resting-state fMRI study. *PLoS One* **5**: e15238.
- Liao W, Xu Q, Mantini D, et al. 2011. Altered gray matter morphometry and resting-state functional and structural connectivity in social anxiety disorder. *Brain Res* **1388**: 167-77.
- Licht CM, De Geus EJ, Van Dyck R, et al. 2009. Association between anxiety disorders and heart rate variability in The Netherlands Study of Depression and Anxiety (NESDA). *Psychosom Med* **71**: 508-18.
- Licht CM, De Geus EJ, Zitman FG, et al. 2008. Association between major depressive disorder and heart rate variability in the Netherlands Study of Depression and Anxiety (NESDA). *Arch Gen Psychiatry* **65**: 1358-67.
- Liu Z, Xu C, Xu Y, et al. 2010. Decreased regional homogeneity in insula and cerebellum: a resting-state fMRI study in patients with major depression and subjects at high risk for major depression. *Psychiatry Res* **182**: 211-5.
- Luking KR, Repovs G, Belden AC, et al. 2011. Functional connectivity of the amygdala in early-childhood-onset depression. *J Am Acad Child Adolesc Psychiatry* **50**: 1027-41 e3.

- Lyneham HJ, Abbott MJ & Rapee RM. 2007. Interrater reliability of the Anxiety Disorders Interview Schedule for DSM-IV: child and parent version. *J Am Acad Child Adolesc Psychiatry* **46**: 731-6.
- Maalouf FT, Clark L, Tavitian L, et al. 2012. Bias to negative emotions: a depression state-dependent marker in adolescent major depressive disorder. *Psychiatry Res* **198**: 28-33.
- Macmaster FP & Kusumakar V. 2004. Hippocampal volume in early onset depression. *BMC Med* **2**: 2.
- Macmaster FP, Mirza Y, Szeszko PR, et al. 2008. Amygdala and hippocampal volumes in familial early onset major depressive disorder. *Biol Psychiatry* **63**: 385-90.
- Macmillan S, Szeszko PR, Moore GJ, et al. 2003. Increased amygdala: hippocampal volume ratios associated with severity of anxiety in pediatric major depression. *J Child Adolesc Psychopharmacol* **13**: 65-73.
- Margulies DS, Kelly AM, Uddin LQ, et al. 2007. Mapping the functional connectivity of anterior cingulate cortex. *Neuroimage* **37**: 579-88.
- Marks IM & Mathews AM. 1979. Brief standard self-rating for phobic patients. *Behav Res Ther* **17**: 263-7.
- Massana G, Serra-Grabulosa JM, Salgado-Pineda P, et al. 2003a. Parahippocampal gray matter density in panic disorder: a voxel-based morphometric study. *Am J Psychiatry* **160**: 566-8.
- Massana G, Serra-Grabulosa JM, Salgado-Pineda P, et al. 2003b. Amygdalar atrophy in panic disorder patients detected by volumetric magnetic resonance imaging. *Neuroimage* **19**: 80-90.
- Mathew SJ, Coplan JD & Gorman JM. 2001. Neurobiological mechanisms of social anxiety disorder. *Am J Psychiatry* **158**: 1558-67.

- Mayberg HS. 1997. Limbic-cortical dysregulation: a proposed model of depression. *J Neuropsychiatry Clin Neurosci* **9**: 471-81.
- Mayberg HS. 2003. Modulating dysfunctional limbic-cortical circuits in depression: towards development of brain-based algorithms for diagnosis and optimised treatment. *Br Med Bull* **65**: 193-207.
- Mayberg HS, Brannan SK, Mahurin RK, et al. 1997. Cingulate function in depression: a potential predictor of treatment response. *Neuroreport* **8**: 5.
- McClure EB, Monk CS, Nelson EE, et al. 2007. Abnormal attention modulation of fear circuit function in pediatric generalized anxiety disorder. *Arch Gen Psychiatry* **64**: 97-106.
- Melartin TK, Rytala HJ, Leskela US, et al. 2004. Severity and comorbidity predict episode duration and recurrence of DSM-IV major depressive disorder. *J Clin Psychiatry* **65**: 810-9.
- Milham MP, Nugent AC, Drevets WC, et al. 2005. Selective reduction in amygdala volume in pediatric anxiety disorders: a voxel-based morphometry investigation. *Biol Psychiatry* **57**: 961-6.
- Monk CS, Nelson EE, McClure EB, et al. 2006. Ventrolateral prefrontal cortex activation and attentional bias in response to angry faces in adolescents with generalized anxiety disorder. *Am J Psychiatry* **163**: 1091-7.
- Monk CS, Telzer EH, Mogg K, et al. 2008. Amygdala and ventrolateral prefrontal cortex activation to masked angry faces in children and adolescents with generalized anxiety disorder. *Arch Gen Psychiatry* **65**: 568-76.
- Montgomery SA & Asberg M. 1979. A new depression scale designed to be sensitive to change. *Br J Psychiatry* **134**: 382-9.

- Munn MA, Alexopoulos J, Nishino T, *et al.* 2007. Amygdala volume analysis in female twins with major depression. *Biol Psychiatry* **62**: 415-22.
- Murphy K, Birn RM, Handwerker DA, *et al.* 2009. The impact of global signal regression on resting state correlations: are anti-correlated networks introduced? *Neuroimage* **44**: 893-905.
- Nelson AJ & Chen R. 2008. Digit somatotopy within cortical areas of the postcentral gyrus in humans. *Cereb Cortex* **18**: 2341-51.
- Nichols TE & Holmes AP. 2002. Nonparametric permutation tests for functional neuroimaging: a primer with examples. *Hum Brain Mapp* **15**: 1-25.
- Nolan CL, Moore GJ, Madden R, *et al.* 2002. Prefrontal cortical volume in childhood-onset major depression: preliminary findings. *Arch Gen Psychiatry* **59**: 173-9.
- Nordahl TE, Semple WE, Gross M, *et al.* 1990. Cerebral glucose metabolic differences in patients with panic disorder. *Neuropsychopharmacology* **3**: 261-72.
- Oakes TR, Fox AS, Johnstone T, *et al.* 2007. Integrating VBM into the General Linear Model with voxelwise anatomical covariates. *Neuroimage* **34**: 500-8.
- Ogawa S, Lee TM, Kay AR, *et al.* 1990. Brain magnetic resonance imaging with contrast dependent on blood oxygenation. *Proc Natl Acad Sci U S A* **87**: 9868-72.
- Pannekoek JN, Van Der Werff SJ, Meens PH, *et al.* 2014a. Aberrant resting-state functional connectivity in limbic and salience networks in treatment-naïve clinically depressed adolescents. *J Child Psychol Psychiatry*.

- Pannekoek JN, Van Der Werff SJ, Stein DJ, *et al.* 2013a. Advances in the neuroimaging of panic disorder. *Hum Psychopharmacol*.
- Pannekoek JN, Van Der Werff SJ, Van Den Bulk BG, *et al.* 2014b. Reduced anterior cingulate gray matter volume in treatment-naïve clinically depressed adolescents. *Neuroimage Clin* **4**: 336-42.
- Pannekoek JN, Veer IM, Van Tol MJ, *et al.* 2013b. Aberrant limbic and salience network resting-state functional connectivity in panic disorder without comorbidity. *J Affect Disord* **145**: 29-35.
- Pannekoek JN, Veer IM, Van Tol MJ, *et al.* 2013c. Resting-state functional connectivity abnormalities in limbic and salience networks in social anxiety disorder without comorbidity. *Eur Neuropsychopharmacol* **23**: 186-95.
- Paus T. 2005. Mapping brain maturation and cognitive development during adolescence. *Trends Cogn Sci* **9**: 60-8.
- Paus T, Keshavan M & Giedd JN. 2008. Why do many psychiatric disorders emerge during adolescence? *Nat Rev Neurosci* **9**: 947-57.
- Penninx BW, Beekman AT, Smit JH, *et al.* 2008. The Netherlands Study of Depression and Anxiety (NESDA): rationale, objectives and methods. *Int J Methods Psychiatr Res* **17**: 121-40.
- Petanjek Z, Judas M, Simic G, *et al.* 2011. Extraordinary neoteny of synaptic spines in the human prefrontal cortex. *Proc Natl Acad Sci U S A* **108**: 13281-6.
- Phan KL, Orlichenko A, Boyd E, *et al.* 2009. Preliminary evidence of white matter abnormality in the uncinate fasciculus in generalized social anxiety disorder. *Biol Psychiatry* **66**: 691-4.

- Phelps EA & Ledoux JE. 2005. Contributions of the amygdala to emotion processing: from animal models to human behavior. *Neuron* **48**: 175-87.
- Phelps EA, O'connor KJ, Gatenby JC, et al. 2001. Activation of the left amygdala to a cognitive representation of fear. *Nat Neurosci* **4**: 5.
- Phillips ML, Drevets WC, Rauch SL, et al. 2003a. Neurobiology of emotion perception I: The neural basis of normal emotion perception. *Biol Psychiatry* **54**: 504-14.
- Phillips ML, Drevets WC, Rauch SL, et al. 2003b. Neurobiology of emotion perception II: Implications for major psychiatric disorders. *Biol Psychiatry* **54**: 515-28.
- Phillips RG & Ledoux JE. 1992. Differential contribution of amygdala and hippocampus to cued and contextual fear conditioning. *Behav Neurosci* **106**: 274-85.
- Pillay SS, Gruber SA, Rogowska J, et al. 2006. fMRI of fearful facial affect recognition in panic disorder: the cingulate gyrus-amygdala connection. *J Affect Disord* **94**: 173-81.
- Pine DS. 2007. Research review: a neuroscience framework for pediatric anxiety disorders. *J Child Psychol Psychiatry* **48**: 631-48.
- Pizzagalli DA. 2011. Frontocingulate dysfunction in depression: toward biomarkers of treatment response. *Neuropsychopharmacology* **36**: 183-206.
- Potts NL, Davidson JR, Krishnan KR, et al. 1994. Magnetic resonance imaging in social phobia. *Psychiatry Res* **52**: 35-42.
- Power JD, Barnes KA, Snyder AZ, et al. 2012. Spurious but systematic correlations in functional connectivity MRI networks arise from subject motion. *Neuroimage* **59**: 2142-54.

Power JD, Mitra A, Laumann TO, *et al.* 2014. Methods to detect, characterize, and remove motion artifact in resting state fMRI. *Neuroimage* **84**: 320-41.

Prasko J, Horacek J, Zalesky R, *et al.* 2004. The change of regional brain metabolism (18FDG PET) in panic disorder during the treatment with cognitive behavioral therapy or antidepressants. *Neuro Endocrinol Lett* **25**: 340-8.

Price JL & Drevets WC. 2012. Neural circuits underlying the pathophysiology of mood disorders. *Trends Cogn Sci* **16**: 61-71.

Protopopescu X, Pan H, Tuescher O, *et al.* 2006. Increased brainstem volume in panic disorder: a voxel-based morphometric study. *Neuroreport* **17**: 361-3.

Puce A, Allison T, Gore JC, *et al.* 1995. Face-sensitive regions in human extrastriate cortex studied by functional MRI. *J Neurophysiol* **74**: 1192-9.

Qiu C, Liao W, Ding J, *et al.* 2011. Regional homogeneity changes in social anxiety disorder: a resting-state fMRI study. *Psychiatry Res* **194**: 47-53.

Raichle ME, Macleod AM, Snyder AZ, *et al.* 2001. A default mode of brain function. *Proc Natl Acad Sci U S A* **98**: 676-82.

Rao U, Chen LA, Bidesi AS, *et al.* 2010. Hippocampal changes associated with early-life adversity and vulnerability to depression. *Biol Psychiatry* **67**: 357-64.

Rapee RM & Heimberg RG. 1997. A cognitive-behavioral model of anxiety in social phobia. *Behav Res Ther* **35**: 741-56.

Rapee RM, Kim J, Wang J, *et al.* 2011. Perceived impact of socially anxious behaviors on individuals' lives in Western and East Asian countries. *Behav Ther* **42**: 485-92.

- Reiman EM, Raichle ME, Robins E, *et al.* 1986. The application of positron emission tomography to the study of panic disorder. *Am J Psychiatry* **143**: 469-77.
- Ressler KJ & Mayberg HS. 2007. Targeting abnormal neural circuits in mood and anxiety disorders: from the laboratory to the clinic. *Nat Neurosci* **10**: 1116-24.
- Robinson JL, Laird AR, Glahn DC, *et al.* 2010. Metaanalytic connectivity modeling: delineating the functional connectivity of the human amygdala. *Hum Brain Mapp* **31**: 173-84.
- Rosso IM, Cintron CM, Steingard RJ, *et al.* 2005. Amygdala and hippocampus volumes in pediatric major depression. *Biol Psychiatry* **57**: 21-6.
- Roy AK, Fudge JL, Kelly C, *et al.* 2013. Intrinsic functional connectivity of amygdala-based networks in adolescent generalized anxiety disorder. *J Am Acad Child Adolesc Psychiatry* **52**: 290-299 e2.
- Roy AK, Shehzad Z, Margulies DS, *et al.* 2009. Functional connectivity of the human amygdala using resting state fMRI. *Neuroimage* **45**: 614-26.
- Rusch BD, Abercrombie HC, Oakes TR, *et al.* 2001. Hippocampal morphometry in depressed patients and control subjects: relations to anxiety symptoms. *Biol Psychiatry* **50**: 960-4.
- Rush AJ, Giles DE, Schlessser MA, *et al.* 1986. The Inventory for Depressive Symptomatology (IDS): preliminary findings. *Psychiatry Res* **18**: 65-87.
- Sakai Y, Kumano H, Nishikawa M, *et al.* 2005. Cerebral glucose metabolism associated with a fear network in panic disorder. *Neuroreport* **16**: 927-31.

- Sakai Y, Kumano H, Nishikawa M, *et al.* 2006. Changes in cerebral glucose utilization in patients with panic disorder treated with cognitive-behavioral therapy. *Neuroimage* **33**: 218-26.
- Satterthwaite TD, Elliott MA, Gerraty RT, *et al.* 2013. An improved framework for confound regression and filtering for control of motion artifact in the preprocessing of resting-state functional connectivity data. *Neuroimage* **64**: 240-56.
- Satterthwaite TD, Wolf DH, Loughead J, *et al.* 2012. Impact of in-scanner head motion on multiple measures of functional connectivity: relevance for studies of neurodevelopment in youth. *Neuroimage* **60**: 623-32.
- Seeley WW, Menon V, Schatzberg AF, *et al.* 2007. Dissociable intrinsic connectivity networks for salience processing and executive control. *J Neurosci* **27**: 2349-56.
- Seminowicz DA, Mayberg HS, McIntosh AR, *et al.* 2004. Limbic-frontal circuitry in major depression: a path modeling metanalysis. *Neuroimage* **22**: 409-18.
- Shad MU, Muddasani S & Rao U. 2012. Gray matter differences between healthy and depressed adolescents: a voxel-based morphometry study. *J Child Adolesc Psychopharmacol* **22**: 190-7.
- Shah SG, Klumpp H, Angstadt M, *et al.* 2009. Amygdala and insula response to emotional images in patients with generalized social anxiety disorder. *J Psychiatry Neurosci* **34**: 296-302.
- Sheline YI, Price JL, Yan Z, *et al.* 2010. Resting-state functional MRI in depression unmasks increased connectivity between networks via the dorsal nexus. *Proc Natl Acad Sci U S A* **107**: 11020-5.
- Shin LM & Liberzon I. 2010. The neurocircuitry of fear, stress, and anxiety disorders. *Neuropsychopharmacology* **35**: 169-91.

- Shrestha R, Natarajan N & Coplan JD 2009. Pathogenesis of Panic Disorder. In: STEIN, D. J., HOLLANDER, E. & ROTHBAUM, B. O. (eds.) *Textbook of Anxiety Disorders*. Arlington: American Psychiatric Publishing Inc.
- Silverman WK & Albano AM. 1996. Anxiety Disorders Interview Schedule for DSM-IV. Oxford University Press, Inc.: New York.
- Silverman WK, Saavedra LM & Pina AA. 2001. Test-retest reliability of anxiety symptoms and diagnoses with the Anxiety Disorders Interview Schedule for DSM-IV: child and parent versions. *J Am Acad Child Adolesc Psychiatry* **40**: 937-44.
- Silverman WKA, A.M. 1996. *The Anxiety Disorders Interview Schedule for Children for DSM-IV-Child and Parent Versions*. Raywind Publications: San Antonio, TX.
- Simms LJ, Gros DF, Watson D, et al. 2008. Parsing the general and specific components of depression and anxiety with bifactor modeling. *Depress Anxiety* **25**: E34-46.
- Simms LJ, Prisciandaro JJ, Krueger RF, et al. 2012. The structure of depression, anxiety and somatic symptoms in primary care. *Psychol Med* **42**: 15-28.
- Smith SM. 2012. The future of fMRI connectivity. *Neuroimage* **62**: 1257-66.
- Smith SM, Jenkinson M, Woolrich MW, et al. 2004. Advances in functional and structural MR image analysis and implementation as FSL. *Neuroimage* **23 Suppl 1**: S208-19.
- Smith SM & Nichols TE. 2009. Threshold-free cluster enhancement: addressing problems of smoothing, threshold dependence and localisation in cluster inference. *Neuroimage* **44**: 83-98.

- Stavrakaki C & Vargo B. 1986. The relationship of anxiety and depression: a review of the literature. *Br J Psychiatry* **149**: 7-16.
- Stein DJ & Matsunaga H. 2001. Cross-cultural aspects of social anxiety disorder. *Psychiatr Clin North Am* **24**: 773-82.
- Stein JL, Wiedholz LM, Bassett DS, et al. 2007. A validated network of effective amygdala connectivity. *Neuroimage* **36**: 736-45.
- Stein MB. 1998. Neurobiological perspectives on social phobia: from affiliation to zoology. *Biol Psychiatry* **44**: 1277-85.
- Stein MB & Leslie WD. 1996. A brain single photon-emission computed tomography (SPECT) study of generalized social phobia. *Biol Psychiatry* **39**: 825-8.
- Steingard RJ, Renshaw PF, Hennen J, et al. 2002. Smaller frontal lobe white matter volumes in depressed adolescents. *Biol Psychiatry* **52**: 413-7.
- Strawn JR, Bitter SM, Weber WA, et al. 2012. Neurocircuitry of generalized anxiety disorder in adolescents: a pilot functional neuroimaging and functional connectivity study. *Depress Anxiety* **29**: 939-47.
- Supekar K, Musen M & Menon V. 2009. Development of large-scale functional brain networks in children. *PLoS Biol* **7**: e1000157.
- Supekar K, Uddin LQ, Prater K, et al. 2010. Development of functional and structural connectivity within the default mode network in young children. *Neuroimage* **52**: 290-301.
- Sylvester CM, Corbetta M, Raichle ME, et al. 2012. Functional network dysfunction in anxiety and anxiety disorders. *Trends Neurosci* **35**: 527-35.
- Thapar A, Collishaw S, Pine DS, et al. 2012. Depression in adolescence. *Lancet* **379**: 1056-67.

- Thomas KM, Drevets WC, Dahl RE, *et al.* 2001. Amygdala response to fearful faces in anxious and depressed children. *Arch Gen Psychiatry* **58**: 1057-63.
- Uchida RR, Del-Ben CM, Busatto GF, *et al.* 2008. Regional gray matter abnormalities in panic disorder: a voxel-based morphometry study. *Psychiatry Res* **163**: 21-9.
- Uchida RR, Del-Ben CM, Santos AC, *et al.* 2003. Decreased left temporal lobe volume of panic patients measured by magnetic resonance imaging. *Braz J Med Biol Res* **36**: 925-9.
- Van Der Linden G, Van Heerden B, Warwick J, *et al.* 2000. Functional brain imaging and pharmacotherapy in social phobia: single photon emission computed tomography before and after treatment with the selective serotonin reuptake inhibitor citalopram. *Prog Neuropsychopharmacol Biol Psychiatry* **24**: 419-38.
- Van Der Werff SJ, Pannekoek JN, Veer IM, *et al.* 2013. Resting-state functional connectivity in adults with childhood emotional maltreatment. *Psychol Med* **43**: 1825-36.
- Van Dijk KR, Sabuncu MR & Buckner RL. 2012. The influence of head motion on intrinsic functional connectivity MRI. *Neuroimage* **59**: 431-8.
- Van Noorden MS, Minkenberg SE, Giltay EJ, *et al.* 2011. Pre-adult versus adult onset major depressive disorder in a naturalistic patient sample: the Leiden Routine Outcome Monitoring Study. *Psychol Med* **41**: 1407-17.
- Van Tol MJ, Demenescu LR, Van Der Wee NJ, *et al.* 2012. Functional magnetic resonance imaging correlates of emotional word encoding and recognition in depression and anxiety disorders. *Biol Psychiatry* **71**: 593-602.

- Van Tol MJ, Li M, Metzger CD, *et al.* 2013. Local cortical thinning links to resting-state disconnectivity in major depressive disorder. *Psychol Med*: 1-13.
- Van Tol MJ, Van Der Wee NJ, Demenescu LR, *et al.* 2011. Functional MRI correlates of visuospatial planning in out-patient depression and anxiety. *Acta Psychiatr Scand* **124**: 273-84.
- Van Tol MJ, Van Der Wee NJ, Van Den Heuvel OA, *et al.* 2010. Regional brain volume in depression and anxiety disorders. *Arch Gen Psychiatry* **67**: 1002-11.
- Veer IM, Beckmann CF, Van Tol MJ, *et al.* 2010. Whole brain resting-state analysis reveals decreased functional connectivity in major depression. *Front Syst Neurosci* **4**.
- Veer IM, Oei NY, Spinhoven P, *et al.* 2011. Beyond acute social stress: increased functional connectivity between amygdala and cortical midline structures. *Neuroimage* **57**: 1534-41.
- Vythilingam M, Anderson ER, Goddard A, *et al.* 2000. Temporal lobe volume in panic disorder--a quantitative magnetic resonance imaging study. *Psychiatry Res* **99**: 75-82.
- Wang L, Hermens DF, Hickie IB, *et al.* 2012. A systematic review of resting-state functional-MRI studies in major depression. *J Affect Disord* **142**: 6-12.
- Wang LH, D.F.; Hickie, I.B.; Lagopoulos, J. 2012. A systematic review of resting-state functional-MRI studies in major depression. *J Affect Disord* **142**: 6-12.
- Wardenaar KJ, Van Veen T, Giltay EJ, *et al.* 2010. The structure and dimensionality of the Inventory of Depressive Symptomatology Self Report (IDS-SR) in patients with depressive disorders and healthy controls. *J Affect Disord* **125**: 146-54.

- Warwick JM, Carey P, Jordaan GP, et al. 2008. Resting brain perfusion in social anxiety disorder: a voxel-wise whole brain comparison with healthy control subjects. *Prog Neuropsychopharmacol Biol Psychiatry* **32**: 1251-6.
- Wechsler D. 1991a. *Manual for the Wechsler Intelligence Scale for Children-Third Edition*. Psychological Corporation: San Antonio, TX.
- Wechsler D. 1991b. *The Wechsler Intelligence Scale for Children—III*. Psychological Corporation: San Antonio, USA.
- Wechsler D. 1997a. *Wechsler Adult Intelligence Scale-Third Edition*. Harcourt Assessment: San Antonio, TX.
- Wechsler D. 1997b. *Wechsler Adult Intelligence Scale—III*. Psychological Corporation: San Antonio, USA.
- Weissman DH, Gopalakrishnan A, Hazlett CJ, et al. 2005. Dorsal anterior cingulate cortex resolves conflict from distracting stimuli by boosting attention toward relevant events. *Cereb Cortex* **15**: 229-37.
- Whalen PJ, Johnstone T, Somerville LH, et al. 2008. A functional magnetic resonance imaging predictor of treatment response to venlafaxine in generalized anxiety disorder. *Biol Psychiatry* **63**: 858-63.
- Wittchen HU, Beesdo K, Bittner A, et al. 2003. Depressive episodes — evidence for a causal role of primary anxiety disorders? *Eur Psychiatry* **18**: 384-93.
- Wolpert DM, Goodbody SJ & Husain M. 1998. Maintaining internal representations: the role of the human superior parietal lobe. *Nat Neurosci* **1**: 529-33.
- Worsley KJ 2001. Statistical analysis of activation images. *Functional MRI: An Introduction to Methods*. New York: Oxford University Press Inc.

Yan CG, Cheung B, Kelly C, *et al.* 2013. A comprehensive assessment of regional variation in the impact of head micromovements on functional connectomics. *Neuroimage* **76**: 183-201.

Zahn-Waxler C, Klimes-Dougan B & Slattery MJ. 2000. Internalizing problems of childhood and adolescence: prospects, pitfalls, and progress in understanding the development of anxiety and depression. *Dev Psychopathol* **12**: 443-66.

Zhou Y, Yu C, Zheng H, *et al.* 2010. Increased neural resources recruitment in the intrinsic organization in major depression. *J Affect Disord* **121**: 220-30.