



Universiteit  
Leiden  
The Netherlands

## **Magnetic resonance imaging techniques for risk stratification in cardiovascular disease**

Roes, S.D.

### **Citation**

Roes, S. D. (2010, June 24). *Magnetic resonance imaging techniques for risk stratification in cardiovascular disease*. Retrieved from <https://hdl.handle.net/1887/15730>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/15730>

**Note:** To cite this publication please use the final published version (if applicable).

# **Magnetic Resonance Imaging Techniques for Risk Stratification in Cardiovascular Disease**

Stijntje D. Roes

Cover design by Caroline Ellerbeck  
Printed by GVO drukkers & vormgevers B.V. | Ponsen & Looijen  
ISBN/EAN: 978-90-9025417-3

Copyright © 2010, S.D. Roes, Leiden, The Netherlands. All rights reserved. No parts of this publication may be reproduced or transmitted in any form or by any means, without prior written permission of the author.

# **Magnetic Resonance Imaging Techniques for Risk Stratification in Cardiovascular Disease**

## **Proefschrift**

ter verkrijging van  
de graad van Doctor aan de Universiteit Leiden,  
op gezag van Rector Magnificus prof. mr. P.F. van der Heijden,  
volgens besluit van het college voor Promoties  
te verdedigen op  
donderdag 24 juni 2010  
klokke 15.00 uur

door

**Stijntje Dorien Roes**

geboren te Leiden  
in 1979



## **Promotiecommissie**

Promotores: Prof. dr. A. de Roos  
Prof. dr. J.J. Bax

Co-promotor: Dr. J.J.M. Westenberg

Overige leden: Prof. Dr. M. Stuber  
*University of Lausanne, Center for Biomedical Imaging CIBM,  
Switzerland*  
Prof. dr. E.E. van der Wall  
Dr. J.T. Tamsma  
Dr. M.V. Huisman

The research described in this thesis was carried out at the departments of Radiology (head: Prof. dr. J.L. Bloem) and Cardiology (head: Prof. dr. E.E. van der Wall) of the Leiden University Medical Center.

Financial support by the Netherlands Heart Foundation for the publication of this thesis is gratefully acknowledged. Additional financial support is provided by Foundation Imago, Oegstgeest; Division of Image Processing (LKEB), Department of Radiology, LUMC; Philips Healthcare; Servier Nederland Farma B.V.; Guerbet Nederland B.V.; Solvay Pharmaceuticals B.V.; Toshiba Medical Systems Nederland; Bayer Schering Pharma; and Eli Lilly Nederland B.V.

## Contents

|            |  |     |
|------------|--|-----|
| Chapter 1. | <b>General introduction and outline</b>  | 9   |
| Chapter 2. | <b>Aortic vessel wall magnetic resonance imaging at 3 tesla: a reproducibility study of respiratory navigator gated free-breathing 3D black blood magnetic resonance imaging</b><br><i>Magn Reson Med 2009;61:35-44</i>  | 17  |
| Chapter 3. | <b>Correction for heart rate variability during 3D whole heart magnetic resonance coronary angiography</b><br><i>J Magn Reson Imaging 2008;27:1046-1053</i>  | 41  |
| Chapter 4. | <b>Right coronary artery flow velocity and volume assessment with spiral K-space sampled breath-hold velocity-encoded magnetic resonance imaging at 3 tesla: accuracy and reproducibility</b><br><i>J Magn Reson Imaging 2010;31:1215-1223</i>   | 61  |
| Chapter 5. | <b>Mitral valve and tricuspid valve blood flow: accurate quantification with 3D velocity-encoded magnetic resonance imaging with retrospective valve tracking</b><br><i>Radiology 2008;249:792-800</i>   | 81  |
| Chapter 6. | <b>Flow assessment through four heart valves simultaneously using 3-dimensional 3-directional velocity-encoded magnetic resonance imaging with retrospective valve tracking in healthy volunteers and patients with valvular regurgitation</b><br><i>Invest Radiol 2009;44:669-675</i> | 101 |
| Chapter 7. | <b>Assessment of aortic pulse wave velocity and cardiac diastolic function in subjects with and without the metabolic syndrome: HDL cholesterol is independently associated with cardiovascular function</b><br><i>Diabetes Care 2008;31:1442-1444</i>                                 | 119 |
| Chapter 8. | <b>Effect of lifestyle intervention plus rosiglitazone or placebo therapy on left ventricular mass assessed with magnetic resonance imaging in the metabolic syndrome</b><br><i>Submitted</i>  | 127 |

|             |  |     |
|-------------|--|-----|
| Chapter 9.  | <b>Agreement and disagreement between contrast-enhanced magnetic resonance imaging and nuclear imaging for assessment of myocardial viability</b><br><i>Eur J Nucl Med Mol Imaging 2009;36:594-601</i>   | 143 |
| Chapter 10. | <b>Validation of echocardiographic 2-dimensional speckle tracking longitudinal strain imaging for viability assessment in patients with chronic ischemic left ventricular dysfunction and comparison with contrast-enhanced magnetic resonance imaging</b><br><i>Am J Cardiol 2009;104:312-317</i> | 159 |
| Chapter 11. | <b>Infarct tissue heterogeneity assessed with contrast-enhanced magnetic resonance imaging predicts spontaneous ventricular arrhythmia in patients with ischemic cardiomyopathy and implantable cardioverter-defibrillator</b><br><i>Circ cardiovasc imaging 2009;2:183-190</i>                    | 173 |
| Chapter 12. | <b>Comparison of myocardial infarct size assessed with contrast-enhanced magnetic resonance imaging and left ventricular function and volumes to predict mortality in patients with healed myocardial infarction</b><br><i>Am J Cardiol 2007;100:930-936</i>                                       | 193 |
| Chapter 13. | <b>Prognostic value of myocardial infarct size and contractile reserve using magnetic resonance imaging</b><br><i>J Am Coll Cardiol 2009;54:1770-1777</i>  | 209 |
| Chapter 14. | <b>Summary and conclusions</b><br>Samenvatting en conclusies<br>List of publications<br>Dankwoord<br>Curriculum vitae  | 229 |



