



Universiteit
Leiden
The Netherlands

Transient interactions between photosynthetic proteins

Hulsker, R.

Citation

Hulsker, R. (2008, May 21). *Transient interactions between photosynthetic proteins*. Retrieved from <https://hdl.handle.net/1887/12860>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/12860>

Note: To cite this publication please use the final published version (if applicable).

Reference List

1. Schreiber, G. and Fersht, A. R. Interaction of barnase with its polypeptide inhibitor barstar studied by protein engineering. *Biochemistry* **32**, 5145-5150 (1993).
2. Shapiro, R. Cytoplasmic ribonuclease inhibitor. W. N. Allen, Ed. Volume 341, Academic Press, p. 611-628 (2001).
3. Shapiro, R. and Vallee, B. L. Interaction of human placental ribonuclease with placental ribonuclease inhibitor. *Biochemistry* **30**, 2246-2255 (1991).
4. Clackson, T. and Wells, J. A. A hot spot of binding energy in a hormone-receptor interface. *Science* **267**, 383-386 (1995).
5. Bogan, A. A. and Thorn, K. S. Anatomy of hot spots in protein interfaces. *J. Mol. Biol.* **280**, 1-9 (1998).
6. Reichmann, D., Rahat, O., Cohen, M., Neuvirth, H. and Schreiber, G. The molecular architecture of protein-protein binding sites. *Curr. Opin. Struct. Biol.* **17**, 67-76 (2007).
7. Moreira, I. S., Fernandes, P. A. and Ramos, M. J. Hot spots - A review of the protein-protein interface determinant amino-acid residues. *Proteins Struc. Funct. Bioinf.* **68**, 803-812 (2007).
8. Crowley, P. B. and Ubbink, M. Close encounters of the transient kind: protein interactions in the photosynthetic redox chain investigated by NMR spectroscopy. *Acc. Chem. Res.* **36**, 723-730 (2003).
9. Prudêncio, M. and Ubbink, M. Transient complexes of redox proteins: structural and dynamic details from NMR studies. *J. Mol. Recognit.* **17**, 524-539 (2004).
10. Kang, C. H., Ferguson-Miller, S. and Margoliash, E. Steady-state kinetics and binding of eukaryotic cytochromes *c* with yeast cytochrome *c* peroxidase. *J. Biol. Chem.* **252**, 919-926 (1977).
11. Sétif, P. Q. Y. and Bottin, H. Laser flash absorption spectroscopy study of ferredoxin reduction by photosystem I: spectral and kinetic evidence for the existence of several photosystem I-ferredoxin complexes. *Biochemistry* **34**, 9059-9070 (1995).
12. Hervás, M., Navarro, J. A., Díaz, A., Bottin, H. and De la Rosa, M. A. Laser-flash kinetic analysis of the fast electron transfer from plastocyanin and cytochrome *c*₆ to photosystem I. Experimental evidence on the evolution of the reaction mechanism. *Biochemistry* **34**, 11321-11326 (1995).

References

13. Schlarb-Ridley, B. G., Bendall, D. S. and Howe, C. J. Role of electrostatics in the interaction between cytochrome *f* and plastocyanin of the cyanobacterium *Phormidium laminosum*. *Biochemistry* **41**, 3279-3285 (2002).
14. Crowley, P. B. and Carrondo, M. A. The architecture of the binding site in redox protein complexes: Implications for fast dissociation. *Proteins Struc. Funct. Bioinf.* **55**, 603-612 (2004).
15. Matthew, J. B., Weber, P. C., Salemme, F. R. and Richards, F. M. Electrostatic orientation during electron transfer between flavodoxin and cytochrome c. *Nature* **301**, 169-171 (1983).
16. Kannt, A., Young, S. and Bendall, D. S. The role of acidic residues of plastocyanin in its interaction with cytochrome *f*. *Biochim. Biophys. Acta* **1277**, 115-126 (1996).
17. Janin, J. The kinetics of protein-protein recognition. *Proteins* **28**, 153-161 (1997).
18. Sheinerman, F. B., Norel, R. and Honig, B. Electrostatic aspects of protein-protein interactions. *Curr. Opin. Struct. Biol.* **10**, 153-159 (2000).
19. Smoluchowski, M. V. Versuch einer mathematischen Theorie der Koagulationskinetik kolloider Lösungen. *Z. Phys. Chem.* **92**, 129-168 (1917).
20. Tsai, C. J., Lin, S. L., Wolfson, H. J. and Nussinov, R. Studies of protein-protein interfaces: a statistical analysis of the hydrophobic effect. *Protein Sci.* **6**, 53-64 (1997).
21. Berg, O. G. and von Hippel, P. H. Diffusion-controlled macromolecular interactions. *Annu. Rev. Biophys. Biophys. Chem.* **14**, 131-160 (1985).
22. Northrup, S. H. and Erickson, H. P. Kinetics of protein-protein association explained by Brownian dynamics computer simulation. *Proc. Natl. Acad. Sci. U. S. A* **89**, 3338-3342 (1992).
23. Schreiber, G. and Fersht, A. R. Rapid, electrostatically assisted association of proteins. *Nat. Struct. Biol.* **3**, 427-431 (1996).
24. Kang, C. H., Brautigan, D. L., Osheroff, N. and Margoliash, E. Definition of cytochrome c binding domains by chemical modification. Reaction of carboxydnitrophenyl- and trinitrophenyl-cytochromes c with baker's yeast cytochrome c peroxidase. *J. Biol. Chem.* **253**, 6502-6510 (1978).
25. Eltis, L. D., Herbert, R. G., Barker, P. D., Mauk, A. G. and Northrup, S. H. Reduction of horse heart ferricytochrome c by bovine liver ferrocyanochrome b₅. Experimental and theoretical analysis. *Biochemistry* **30**, 3663-3674 (1991).

26. Hervás, M., Navarro, J. A., Molina-Heredia, F. P. and De la Rosa, M. A. The reaction mechanism of Photosystem I reduction by plastocyanin and cytochrome c_6 follows two different kinetic models in the cyanobacterium *Pseudanabaena* sp. PCC 6903. *Photosynth. Res.* **57**, 93-100 (1998).
27. McLendon, G. Control of biological electron-transport via molecular recognition and binding - the Velcro model. *Struc. Bond.* **75**, 159-174 (1991).
28. Qin, L. and Kostic, N. M. Importance of protein rearrangement in the electron-transfer reaction between the physiological partners cytochrome f and plastocyanin. *Biochemistry* **32**, 6073-6080 (1993).
29. Ubbink, M., Ejdeback, M., Karlsson, B. G. and Bendall, D. S. The structure of the complex of plastocyanin and cytochrome f , determined by paramagnetic NMR and restrained rigid-body molecular dynamics. *Structure* **6**, 323-335 (1998).
30. Lange, C., Cornvik, T., Díaz-Moreno, I. and Ubbink, M. The transient complex of poplar plastocyanin with cytochrome f : effects of ionic strength and pH. *Biochim. Biophys. Acta* **1707**, 179-188 (2005).
31. Volkov, A. N., Worrall, J. A. R., Holtzmann, E. and Ubbink, M. Solution structure and dynamics of the complex between cytochrome c and cytochrome c peroxidase determined by paramagnetic NMR. *Proc. Natl. Acad. Sci. U. S. A* **103**, 18945-18950 (2006).
32. Liang, Z. X., Jiang, M., Ning, Q. and Hoffman, B. M. Dynamic docking and electron transfer between myoglobin and cytochrome b_5 . *J. Biol. Inorg. Chem* **7**, 580-588 (2002).
33. Worrall, J. A. R., Liu, Y. J., Crowley, P. B., Nocek, J. M., Hoffman, B. M. and Ubbink, M. Myoglobin and cytochrome b_5 : A Nuclear Magnetic Resonance study of a highly dynamic protein complex. *Biochemistry* **41**, 11721-11730 (2002).
34. Hoffman, B. M., Celis, L. M., Cull, D. A., Patel, A. D., Seifert, J. L., Wheeler, K. E., Wang, J. Y., Yao, J., Kurnikov, I. V. and Nocek, J. M. Differential influence of dynamic processes on forward and reverse electron transfer across a protein-protein interface. *Proc. Natl. Acad. Sci. U. S. A* **102**, 3564-3569 (2005).
35. Volkov, A. N. *Transient complexes of haem proteins*. Ph.D. Thesis (Leiden University, Leiden, the Netherlands, 2007).
36. Henzler-Wildman, K. and Kern, D. Dynamic personalities of proteins. *Nature* **450**, 964-972 (2007).
37. Zuiderweg, E. R. Mapping protein-protein interactions in solution by NMR spectroscopy. *Biochemistry* **41**, 1-7 (2002).

References

38. Worrall, J. A. R., Reinle, W., Bernhardt, R. and Ubbink, M. Transient protein interactions studied by NMR spectroscopy: The case of cytochrome *c* and adrenodoxin. *Biochemistry* **42**, 7068-7076 (2003).
39. Iwahara, J. and Clore, G. M. Detecting transient intermediates in macromolecular binding by paramagnetic NMR. *Nature* **440**, 1227-1230 (2006).
40. Crowley, P. B., Otting, G., Schlarb-Ridley, B. G., Canters, G. W. and Ubbink, M. Hydrophobic interactions in a cyanobacterial plastocyanin-cytochrome *f* complex. *J. Am. Chem. Soc.* **123**, 10444-10453 (2001).
41. Díaz-Moreno, I., Díaz-Quintana, A., De la Rosa, M. A., Crowley, P. B. and Ubbink, M. Different modes of interaction in cyanobacterial complexes of plastocyanin and cytochrome *f*. *Biochemistry* **44**, 3176-3183 (2005).
42. Arnesano, F., Banci, L. and Piccioli, M. NMR structures of paramagnetic metalloproteins. *Q. Rev. Biophys.* **38**, 167-219 (2005).
43. Iwahara, J., Anderson, D. E., Murphy, E. C. and Clore, G. M. EDTA-derivatized deoxythymidine as a tool for rapid determination of protein binding polarity to DNA by intermolecular paramagnetic relaxation enhancement. *J. Am. Chem. Soc.* **125**, 6634-6635 (2003).
44. Gaponenko, V., Sarma, S. P., Altieri, A. S., Horita, D. A., Li, J. and Byrd, R. A. Improving the accuracy of NMR structures of large proteins using pseudocontact shifts as long-range restraints. *J. Biomol. NMR* **28**, 205-212 (2004).
45. Prudêncio, M., Rohovec, J., Peters, J. A., Tocheva, E., Boulanger, M. J., Murphy, M. E. P., Hupkes, H. J., Kosters, W., Impagliazzo, A. and Ubbink, M. A caged lanthanide complex as a paramagnetic shift agent for protein NMR. *Chem. Eur. J.* **10**, 3252-3260 (2004).
46. Iwahara, J., Schwieters, C. D. and Clore, G. M. Characterization of nonspecific protein-DNA interactions by ¹H paramagnetic relaxation enhancement. *J. Am. Chem. Soc.* **126**, 12800-12808 (2004).
47. Rodriguez-Castañeda, F., Haberz, P., Leonov, A. and Griesinger, C. Paramagnetic tagging of diamagnetic proteins for solution NMR. *Magn. Reson. Chem.* **44**, S10-S16 (2006).
48. Vlasie, M. D., Comuzzi, C., van den Nieuwendijk, A. M. C. H., Prudêncio, M., Overhand, M. and Ubbink, M. Long-range-distance NMR effects in a protein labeled with a lanthanide-DOTA chelate. *Chem. Eur. J.* **13**, 1715-1723 (2007).
49. Keizers, P. H. J., Desreux, J. F., Overhand, M. and Ubbink, M. Increased paramagnetic effect of a lanthanide protein probe by two-point attachment. *J. Am. Chem. Soc.* **129**, 9292-+ (2007).

50. Gillespie, J. R. and Shortle, D. Characterization of long-range structure in the denatured state of staphylococcal nuclease. I. Paramagnetic relaxation enhancement by nitroxide spin labels. *J. Mol. Biol.* **268**, 158-169 (1997).
51. Gaponenko, V., Howarth, J. W., Columbus, L., Gasmi-Seabrook, G., Yuan, J., Hubbell, W. L. and Rosevear, P. R. Protein global fold determination using site-directed spin and isotope labeling. *Protein Sci.* **9**, 302-309 (2000).
52. Battiste, J. L. and Wagner, G. Utilization of site-directed spin labeling and high-resolution heteronuclear nuclear magnetic resonance for global fold determination of large proteins with limited nuclear Overhauser effect data. *Biochemistry* **39**, 5355-5365 (2000).
53. Dedmon, M. M., Lindorff-Larsen, K., Christodoulou, J., Vendruscolo, M. and Dobson, C. M. Mapping long-range interactions in α -synuclein using spin-label NMR and ensemble molecular dynamics simulations. *J. Am. Chem. Soc.* **127**, 476-477 (2005).
54. Liang, B. Y., Bushweller, J. H. and Tamm, L. K. Site-directed parallel spin-labeling and paramagnetic relaxation enhancement in structure determination of membrane proteins by solution NMR spectroscopy. *J. Am. Chem. Soc.* **128**, 4389-4397 (2006).
55. Iwahara, J., Schwieters, C. D. and Clore, G. M. Ensemble approach for NMR structure refinement against ^1H paramagnetic relaxation enhancement data arising from a flexible paramagnetic group attached to a macromolecule. *J. Am. Chem. Soc.* **126**, 5879-5896 (2004).
56. Nelson, N. and Ben Shem, A. The complex architecture of oxygenic photosynthesis. *Nat. Rev. Mol. Cell Biol.* **5**, 971-982 (2004).
57. Kruse, O., Rupprecht, J., Mussgnug, J. H., Dismukes, G. C. and Hankamer, B. Photosynthesis: a blueprint for solar energy capture and biohydrogen production technologies. *Photochem. Photobiol. Sci.* **4**, 957-970 (2005).
58. Noy, D., Moser, C. C. and Dutton, P. L. Design and engineering of photosynthetic light-harvesting and electron transfer using length, time, and energy scales. *Biochim. Biophys. Acta* **1757**, 90-105 (2006).
59. Iverson, T. M. Evolution and unique bioenergetic mechanisms in oxygenic photosynthesis. *Curr. Opin. Chem. Biol.* **10**, 91-100 (2006).
60. Edited from <http://www.ualr.edu/botany/psimages.html> (2007).
61. Katoh, S. New copper protein from *Chlorella Ellipsoidea*. *Nature* **186**, 533-534 (1960).
62. Katoh, S. and Takamiya, A. A new leaf copper protein plastocyanin, a natural Hill oxidant. *Nature* **189**, 665-& (1961).

References

63. Kimimura, M. and Katoh, S. Studies on electron transport associated with Photosystem I .I. Functional site of plastocyanin: inhibitory effects of HgCl₂ on electron transport and plastocyanin in chloroplasts. *Biochim. Biophys. Acta* **283**, 279-& (1972).
64. DeLano, W. L. The PyMOL Molecular Graphics System. <http://www.pymol.org> (2002).
65. Guss, J. M., Harrowell, P. R., Murata, M., Norris, V. A. and Freeman, H. C. Crystal-structure analyses of reduced Cu(I) poplar plastocyanin at 6 pH values. *J. Mol. Biol.* **192**, 361-387 (1986).
66. Moore, J. M., Case, D. A., Chazin, W. J., Gippert, G. P., Havel, T. F., Powls, R. and Wright, P. E. Three-dimensional solution structure of plastocyanin from the green alga *Scenedesmus obliquus*. *Science* **240**, 314-317 (1988).
67. Collyer, C. A., Guss, J. M., Sugimura, Y., Yoshizaki, F. and Freeman, H. C. Crystal structure of plastocyanin from a green alga, *Enteromorpha prolifera*. *J. Mol. Biol.* **211**, 617-632 (1990).
68. Moore, J. M., Lepre, C. A., Gippert, G. P., Chazin, W. J., Case, D. A. and Wright, P. E. High-resolution solution structure of reduced French bean plastocyanin and comparison with the crystal structure of poplar plastocyanin. *J. Mol. Biol.* **221**, 533-555 (1991).
69. Redinbo, M. R., Cascio, D., Choukair, M. K., Rice, D., Merchant, S. and Yeates, T. O. The 1.5 Å crystal structure of plastocyanin from the green alga *Chlamydomonas reinhardtii*. *Biochemistry* **32**, 10560-10567 (1993).
70. Bagby, S., Driscoll, P. C., Harvey, T. S. and Hill, H. A. High-resolution solution structure of reduced parsley plastocyanin. *Biochemistry* **33**, 6611-6622 (1994).
71. Badsberg, U., Jorgensen, A. M., Gesmar, H., Led, J. J., Hammerstad, J. M., Jespersen, L. L. and Ulstrup, J. Solution structure of reduced plastocyanin from the blue-green alga *Anabaena variabilis*. *Biochemistry* **35**, 7021-7031 (1996).
72. Romero, A., De la Cerda, B., Varela, P. F., Navarro, J. A., Hervás, M. and De la Rosa, M. A. The 2.15 Å crystal structure of a triple mutant plastocyanin from the cyanobacterium *Synechocystis* sp. PCC 6803. *J. Mol. Biol.* **275**, 327-336 (1998).
73. Xue, Y., Okvist, M., Hansson, Ö. and Young, S. Crystal structure of spinach plastocyanin at 1.7 Å resolution. *Protein Sci.* **7**, 2099-2105 (1998).
74. Bond, C. S., Bendall, D. S., Freeman, H. C., Guss, J. M., Howe, C. J., Wagner, M. J. and Wilce, M. C. J. The structure of plastocyanin from the cyanobacterium *Phormidium laminosum*. *Acta Crystallogr. D* **55**, 414-421 (1999).

75. Shibata, N., Inoue, T., Nagano, C., Nishio, N., Kohzuma, T., Onodera, K., Yoshizaki, F., Sugimura, Y. and Kai, Y. Novel insight into the copper-ligand geometry in the crystal structure of *Ulva pertusa* plastocyanin at 1.6 Å resolution. Structural basis for regulation of the copper site by residue 88. *J. Biol. Chem.* **274**, 4225-4230 (1999).
76. Babu, C. R., Volkman, B. F. and Bullerjahn, G. S. NMR solution structure of plastocyanin from the photosynthetic prokaryote, *Prochlorothrix hollandica*. *Biochemistry* **38**, 4988-4995 (1999).
77. Kohzuma, T. et al. The structure and unusual pH dependence of plastocyanin from the fern *Dryopteris crassirhizoma*. The protonation of an active site histidine is hindered by π-π interactions. *J. Biol. Chem.* **274**, 11817-11823 (1999).
78. Inoue, T., Sugawara, H., Hamanaka, S., Tsukui, H., Suzuki, E., Kohzuma, T. and Kai, Y. Crystal structure determinations of oxidized and reduced plastocyanin from the cyanobacterium *Synechococcus* sp. PCC 7942. *Biochemistry* **38**, 6063-6069 (1999).
79. Sugawara, H., Inoue, T., Li, C., Gotowda, M., Hibino, T., Takabe, T. and Kai, Y. Crystal structures of wild-type and mutant plastocyanins from a higher plant, Silene. *J. Biochem. (Tokyo)* **125**, 899-903 (1999).
80. Bertini, I., Ciurli, S., Dikiy, A., Fernandez, C. O., Luchinat, C., Safarov, N., Shumilin, S. and Vila, A. J. The first solution structure of a paramagnetic copper(II) protein: the case of oxidized plastocyanin from the cyanobacterium *Synechocystis* PCC6803. *J. Am. Chem. Soc.* **123**, 2405-2413 (2001).
81. Bertini, I., Bryant, D. A., Ciurli, S., Dikiy, A., Fernandez, C. O., Luchinat, C., Safarov, N., Vila, A. J. and Zhao, J. Backbone dynamics of plastocyanin in both oxidation states. Solution structure of the reduced form and comparison with the oxidized state. *J. Biol. Chem.* **276**, 47217-47226 (2001).
82. Sykes, A. G. Active-site properties of the blue copper proteins. *Advan. Inorg. Chem.* **36**, 377-408 (1991).
83. Canters, G. W. and Gilardi, G. Engineering type 1 copper sites in proteins. *FEBS Lett.* **325**, 39-48 (1993).
84. Gray, H. B., Malmstrom, B. G. and Williams, R. J. Copper coordination in blue proteins. *J. Biol. Inorg. Chem.* **5**, 551-559 (2000).
85. Dennison, C., Lawler, A. T. and Kohzuma, T. Unusual properties of plastocyanin from the fern *Dryopteris crassirhizoma*. *Biochemistry* **41**, 552-560 (2002).
86. Hulsker, R., Mery, A., Thomassen, E. A., Ranieri, A., Sola, M., Verbeet, M. P., Kohzuma, T. and Ubbink, M. Protonation of a histidine copper ligand in fern plastocyanin. *J. Am. Chem. Soc.* **129**, 4423-4429 (2007).

References

87. Crowley, P. B., Vintonenko, N., Bullerjahn, G. S. and Ubbink, M. Plastocyanin-cytochrome *f* interactions: The influence of hydrophobic patch mutations studied by NMR spectroscopy. *Biochemistry* **41**, 15698-15705 (2002).
88. Chapman, S. K., Sanemasa, I., Watson, A. D. and Sykes, A. G. Kinetic studies on 1-1 electron-transfer reactions involving blue copper proteins. 5. Reactions of parsley plastocyanin and *Pseudomonas aeruginosa* azurin with the negatively charged oxidants $[(\text{Nc})_5\text{FeCNC}\text{O}(\text{CN})_5]^{5-}$ and $[\text{Fe}(\text{CN})_6]^{3-}$. *J. Chem. Soc., Dalton Trans.* 1949-1953 (1983).
89. Chapman, S. K., Watson, A. D. and Sykes, A. G. Kinetic studies on 1-1 electron-transfer reactions involving blue copper proteins. 6. Competitive inhibition of the $[\text{Co}(\text{Phen})_3]^{3+}$ ($\text{Phen} = 1,10\text{-Phenanthroline}$) oxidation of parsley plastocyanin PCu(I) by redox inactive complexes. *J. Chem. Soc., Dalton Trans.* 2543-2548 (1983).
90. Chapman, S. K., Sanemasa, I. and Sykes, A. G. Kinetic studies on 1-1 electron-transfer reactions involving blue copper proteins. 7. Effects of pH and redox inactive $[\text{Pt}(\text{NH}_3)_6]^{4+}$ on reactions of parsley plastocyanin with different inorganic redox partners. *J. Chem. Soc., Dalton Trans.* 2549-2553 (1983).
91. Chapman, S. K., Knox, C. V., Kathirgamanathan, P. and Sykes, A. G. Kinetic studies on 1-1 electron-transfer reactions involving blue copper proteins. 9. Effects of chromium(III) modification on reactions of plastocyanin with $[\text{Co}(\text{Phen})_3]^{3+}$ ($\text{Phen} = 1,10\text{-phenanthroline}$), $[\text{Fe}(\text{CN})_6]^{3-}$, $[\text{Co}(\text{Dipic})_2]^-$ ($\text{Dipic} = \text{Dipicolinate}$) (Oxidants) and $[\text{Ru}(\text{NH}_3)_5(\text{Py})]^{2+}$ ($\text{Py} = \text{Pyridine}$) (Reducant)PL. *J. Chem. Soc., Dalton Trans.* 2769-2773 (1984).
92. Chapman, S. K., Knox, C. V. and Sykes, A. G. Kinetic studies on 1-1 electron-transfer reactions involving blue copper proteins. 10. The assignment of binding-sites in the reactions of plastocyanin (and azurin) with non-physiological protein redox partners. *J. Chem. Soc., Dalton Trans.* 2775-2780 (1984).
93. McGinnis, J., Sinclairday, J. D. and Sykes, A. G. Evidence for reaction at 2 binding-sites in the oxidation of parsley plastocyanin by Tris(1,10-phenanthroline)cobalt(III). *J. Chem. Soc., Dalton Trans.* 2007-2009 (1986).
94. Sinclairday, J. D. and Sykes, A. G. Kinetic studies on 1-1 electron-transfer reactions involving blue copper proteins. 12. Reactions of spinach plastocyanin with inorganic redox partners. *J. Chem. Soc., Dalton Trans.* 2069-2073 (1986).
95. Jackman, M. P., Sinclairday, J. D., Sisley, M. J., Sykes, A. G., Denys, L. A. and Wright, P. E. Kinetic studies on 1-1 electron-transfer reactions involving blue copper proteins. 15. The reactivity of *Anabaena variabilis* plastocyanin with inorganic complexes and related NMR studies. *J. Am. Chem. Soc.* **109**, 6443-6449 (1987).

96. Jackman, M. P., McGinnis, J., Sykes, A. G., Collyer, C. A., Murata, M. and Freeman, H. C. Kinetic studies on 1-1 electron-transfer reactions involving blue copper proteins. 14. Reactions of poplar plastocyanin with inorganic complexes. *J. Chem. Soc. , Dalton Trans.* 2573-2577 (1987).
97. McGinnis, J., Sinclairday, J. D., Sykes, A. G., Powls, R., Moore, J. and Wright, P. E. Kinetic studies on 1-1 electron-transfer reactions involving blue copper proteins. 16. Reactivity of plastocyanin from the green-alga *Scenedesmus obliquus* with inorganic redox partners and related NMR studies. *Inorg. Chem.* **27**, 2306-2312 (1988).
98. Albarrán, C., Navarro, J. A., De la Rosa, M. A. and Hervás, M. The specificity in the interaction between cytochrome *f* and plastocyanin from the cyanobacterium *Nostoc* sp. PCC 7119 is mainly determined by the copper protein. *Biochemistry* **46**, 997-1003 (2007).
99. Bendall, D. S. The unfinished story of cytochrome *f*. *Photosynth. Res.* **80**, 265-276 (2004).
100. Hill, R. and Scarisbrick, R. The haematin compounds of leaves. *New Phytol.* **50**, 98-111 (1951).
101. Takahashi, M. A. and Asada, K. Purification of cytochrome *f* from Japanese radish leaves. *Plant and Cell Physiology* **16**, 191-194 (1975).
102. Gray, J. C., Rochford, R. J. and Packman, L. C. Proteolytic removal of the C-terminal transmembrane region of cytochrome *f* during extraction from turnip and charlock leaves generates a water-soluble monomeric form of the protein. *Eur. J. Biochem.* **223**, 481-488 (1994).
103. Kurisu, G., Zhang, H., Smith, J. L. and Cramer, W. A. Structure of the cytochrome *b₆f* complex of oxygenic photosynthesis: tuning the cavity. *Science* **302**, 1009-1014 (2003).
104. Stroebel, D., Choquet, Y., Popot, J. L. and Picot, D. An atypical haem in the cytochrome *b₆f* complex. *Nature* **426**, 413-418 (2003).
105. Martinez, S. E., Huang, D., Szczepaniak, A., Cramer, W. A. and Smith, J. L. Crystal structure of chloroplast cytochrome *f* reveals a novel cytochrome fold and unexpected heme ligation. *Structure*. **2**, 95-105 (1994).
106. Martinez, S. E., Huang, D., Ponomarev, M., Cramer, W. A. and Smith, J. L. The heme redox center of chloroplast cytochrome *f* is linked to a buried five-water chain. *Protein Sci.* **5**, 1081-1092 (1996).
107. Carrell, C. J., Schlarb, B. G., Bendall, D. S., Howe, C. J., Cramer, W. A. and Smith, J. L. Structure of the soluble domain of cytochrome *f* from the cyanobacterium *Phormidium laminosum*. *Biochemistry* **38**, 9590-9599 (1999).

References

108. Chi, Y. I., Huang, L. S., Zhang, Z., Fernández-Velasco, J. G. and Berry, E. A. X-ray structure of a truncated form of cytochrome *f* from *Chlamydomonas reinhardtii*. *Biochemistry* **39**, 7689-7701 (2000).
109. Díaz-Moreno, I., Díaz-Quintana, A., De la Rosa, M. A. and Ubbink, M. Structure of the complex between plastocyanin and cytochrome *f* from the cyanobacterium *Nostoc* sp. PCC 7119 as determined by paramagnetic NMR. *J. Biol. Chem.* **280**, 18908-18915 (2005).
110. Moore, G. R. and Pettigrew, G. W. *Cytochrome c: Evolutionary, structural and physiochemical aspects*, Springer-Verlag, Berlin (1990).
111. Wood, P. M. Interchangeable copper and iron proteins in algal photosynthesis. Studies on plastocyanin and cytochrome *c*-552 in *Chlamydomonas*. *Eur. J. Biochem.* **87**, 9-19 (1978).
112. Nishimura, M. A new hematin compound isolated from *Euglena gracilis*. *J. Biochem.* **46**, 219-223 (1959).
113. Marcaida, M. J., Schlarb-Ridley, B. G., Worrall, J. A. R., Wastl, J., Evans, T. J., Bendall, D. S., Luisi, B. F. and Howe, C. J. Structure of cytochrome *c_{6A}*, a novel dithio-cytochrome of *Arabidopsis thaliana*, and its reactivity with plastocyanin: Implications for function. *J. Mol. Biol.* **360**, 968-977 (2006).
114. Worrall, J. A. R., Schlarb-Ridley, B. G., Reda, T., Marcaida, M. J., Moorlen, R. J., Wastl, J., Hirst, J., Bendall, D. S., Luisi, B. F. and Howe, C. J. Modulation of heme redox potential in the cytochrome *c₆* family. *J. Am. Chem. Soc.* **129**, 9468-9475 (2007).
115. Molina-Heredia, F. P., Wastl, J., Navarro, J. A., Bendall, D. S., Hervás, M., Howe, C. J. and De la Rosa, M. A. A new function for an old cytochrome? *Nature* **424**, 33-34 (2003).
116. Weigel, M., Varotto, C., Pesaresi, P., Finazzi, G., Rappaport, F., Salamini, F. and Leister, D. Plastocyanin is indispensable for photosynthetic electron flow in *Arabidopsis thaliana*. *J. Biol. Chem.* **278**, 31286-31289 (2003).
117. Gupta, R., He, Z. and Luan, S. Functional relationship of cytochrome *c₆* and plastocyanin in *Arabidopsis*. *Nature* **417**, 567-571 (2002).
118. Kerfeld, C. A., Anwar, H. P., Interrante, R., Merchant, S. and Yeates, T. O. The structure of chloroplast cytochrome *c₆* at 1.9 Å resolution: Evidence for functional oligomerization. *J. Mol. Biol.* **250**, 627-647 (1995).
119. Frazão, C., Soares, C. M., Carrondo, M. A., Pohl, E., Dauter, Z., Wilson, K. S., Hervás, M., Navarro, J. A., De la Rosa, M. A. and Sheldrick, G. M. Ab *initio* determination of the crystal structure of cytochrome *c₆* and comparison with plastocyanin. *Structure* **3**, 1159-1169 (1995).

120. Banci, L., Bertini, I., Quacquarini, G., Walter, O., Díaz, A., Hervás, M. and De la Rosa, M. A. The solution structure of cytochrome c_6 from the green alga *Monoraphidium braunii*. *J. Biol. Inorg. Chem.* **1**, 330-340 (1996).
121. Beissinger, M., Sticht, H., Sutter, M., Ejchart, A., Haehnel, W. and Rösch, P. Solution structure of cytochrome c_6 from the thermophilic cyanobacterium *Synechococcus elongatus*. *EMBO J.* **17**, 27-36 (1998).
122. Banci, L., Bertini, I., De la Rosa, M. A., Koulougliotis, D., Navarro, J. A. and Walter, O. Solution structure of oxidized cytochrome c_6 from the green alga *Monoraphidium braunii*. *Biochemistry* **37**, 4831-4843 (1998).
123. Schnackenberg, J., Than, M. E., Mann, K., Wiegand, G., Huber, R. and Reuter, W. Amino acid sequence, crystallization and structure determination of reduced and oxidized cytochrome c_6 from the green alga *Scenedesmus obliquus*. *J. Mol. Biol.* **290**, 1019-1030 (1999).
124. Yamada, S. et al. Structure of cytochrome c_6 from the red alga *Porphyra yezoensis* at 1.57 Å resolution. *Acta Crystallogr. D* **56**, 1577-1582 (2000).
125. Sawaya, M. R., Krogmann, D. W., Serag, A., Ho, K. K., Yeates, T. O. and Kerfeld, C. A. Structures of cytochrome c -549 and cytochrome c_6 from the cyanobacterium *Arthrosphaera maxima*. *Biochemistry* **40**, 9215-9225 (2001).
126. Dikiy, A., Carpentier, W., Vandenberghe, I., Borsari, M., Safarov, N., Dikaya, E., Van Beeumen, J. and Ciurli, S. Structural basis for the molecular properties of cytochrome c_6 . *Biochemistry* **41**, 14689-14699 (2002).
127. Campos, A. P., Aguiar, A. P., Hervás, M., Regalla, M., Navarro, J. A., Ortega, J. M., Xavier, A. V., De la Rosa, M. A. and Teixeira, M. Cytochrome c_6 from *Monoraphidium-Braunii*: A cytochrome with an unusual heme axial coordination. *Eur. J. Biochem.* **216**, 329-341 (1993).
128. Hervás, M., Navarro, J. A. and De la Rosa, M. A. Electron transfer between membrane complexes and soluble proteins in photosynthesis. *Acc. Chem. Res.* **36**, 798-805 (2003).
129. De la Rosa, M. A., Navarro, J. A., Díaz-Quintana, A., De la Cerda, B., Molina-Heredia, F. P., Balme, A., Murdoch, P. D., Díaz-Moreno, I., Durán, R. V. and Hervás, M. An evolutionary analysis of the reaction mechanisms of photosystem I reduction by cytochrome c_6 and plastocyanin. *Bioelectrochemistry* **55**, 41-45 (2002).
130. Qin, L. and Kostic, N. M. Electron-transfer reactions of cytochrome f with flavin semiquinones and with plastocyanin. Importance of protein-protein electrostatic interactions and of donor-acceptor coupling. *Biochemistry* **31**, 5145-5150 (1992).

References

131. Hart, S. E., Schlarb-Ridley, B. G., Delon, C., Bendall, D. S. and Howe, C. J. Role of charges on cytochrome *f* from the cyanobacterium *Phormidium laminosum* in its interaction with plastocyanin. *Biochemistry* **42**, 4829-4836 (2003).
132. Ullmann, G. M., Knapp, E. W. and Kostic, N. M. Computational simulation and analysis of dynamic association between plastocyanin and cytochrome *f*. Consequences for the electron-transfer reaction. *J. Am. Chem. Soc.* **119**, 42-52 (1997).
133. Pearson, D. C. and Gross, E. L. Brownian dynamics study of the interaction between plastocyanin and cytochrome *f*. *Biophys. J.* **75**, 2698-2711 (1998).
134. De Rienzo, F., Gabdoulline, R. R., Menziani, M. C., De Benedetti, P. G. and Wade, R. C. Electrostatic analysis and Brownian dynamics simulation of the association of plastocyanin and cytochrome *f*. *Biophys. J.* **81**, 3090-3104 (2001).
135. Díaz-Moreno, I., Díaz-Quintana, A., Ubbink, M. and De la Rosa, M. A. An NMR-based docking model for the physiological transient complex between cytochrome *f* and cytochrome *c*₆. *FEBS Lett.* **579**, 2891-2896 (2005).
136. Crowley, P. B., Díaz-Quintana, A., Molina-Heredia, F. P., Nieto, P., Sutter, M., Haehnel, W., De la Rosa, M. A. and Ubbink, M. The interactions of cyanobacterial cytochrome *c*₆ and cytochrome *f*, characterized by NMR. *J. Biol. Chem.* **277**, 48685-48689 (2002).
137. Gross, E. L. and Pearson, D. C. Brownian dynamics simulations of the interaction of *Chlamydomonas* cytochrome *f* with plastocyanin and cytochrome *c*₆. *Biophys. J.* **85**, 2055-2068 (2003).
138. Ubbink, M. Complexes of photosynthetic redox proteins studied by NMR. *Photosynth. Res.* **81**, 277-287 (2004).
139. Sykes, A. G. Plastocyanin and the blue copper proteins. *Struc. Bond.* **75**, 175-224 (1991).
140. Canters, G. W., Kolczak, U., Armstrong, F., Jeuken, L. J. C., Camba, R. and Sola, M. The effect of pH and ligand exchange on the redox properties of blue copper proteins. *Faraday Discuss.* **205-220** (2000).
141. Solomon, E. I., Szilagyi, R. K., George, S. D. and Basumallick, L. Electronic structures of metal sites in proteins and models: Contributions to function in blue copper proteins. *Chem. Rev.* **104**, 419-458 (2004).
142. Hope, A. B. Electron transfers amongst cytochrome *f*, plastocyanin and photosystem I: kinetics and mechanisms. *Biochim. Biophys. Acta* **1456**, 5-26 (2000).

143. Díaz-Quintana, A., Navarro, J. A., Hervás, M., Molina-Heredia, F. P., De la Cerda, B. and De la Rosa, M. A. A comparative structural and functional analysis of cyanobacterial plastocyanin and cytochrome c_6 as alternative electron donors to Photosystem I - Photosystem I reduction in cyanobacteria. *Photosynth. Res.* **75**, 97-110 (2003).
144. Díaz-Moreno, I., Díaz-Quintana, A., De la Rosa, M. A. and Ubbink, M. Structure of the complex between plastocyanin and cytochrome f from the cyanobacterium *Nostoc* sp. PCC 7119 as determined by paramagnetic NMR. *J. Biol. Chem.* **280**, 18908-18915 (2005).
145. Hunter, D. M., McFarlane, W., Sykes, A. G. and Dennison, C. Effect of pH on the self-exchange reactivity of the plant plastocyanin from parsley. *Inorg. Chem.* **40**, 354-360 (2001).
146. Dennison, C., Kohzuma, T., McFarlane, W., Suzuki, S. and Sykes, A. G. Reactivity of pseudoazurin from *Achromobacter cycloclastes* with inorganic redox partners and related NMR and electrochemical studies. *Inorg. Chem.* **33**, 3299-3305 (1994).
147. Yanagisawa, S., Sato, K., Kikuchi, M., Kohzuma, T. and Dennison, C. Introduction of a π - π interaction at the active site of a cupredoxin: Characterization of the Met16Phe pseudoazurin mutant. *Biochemistry* **42**, 6853-6862 (2003).
148. Impagliazzo, A. Transient protein interactions: The case of pseudoazurin and nitrite reductase. Ph.D. Thesis, (Leiden University, 2005).
149. Lommen, A. and Canters, G. W. pH-dependent redox activity and fluxionality of the copper site in amicyanin from *Thiobacillus versutus* as studied by 300-MHz and 600-MHz ^1H NMR. *J. Biol. Chem.* **265**, 2768-2774 (1990).
150. Zhu, Z. Y., Cunane, L. M., Chen, Z. W., Durley, R. C. E., Mathews, F. S. and Davidson, V. L. Molecular basis for interprotein complex-dependent effects on the redox properties of amicyanin. *Biochemistry* **37**, 17128-17136 (1998).
151. Groeneveld, C. M., Feiters, M. C., Hasnain, S. S., Vanrijn, J., Reedijk, J. and Canters, G. W. The pH and redox-state dependence of the copper site in azurin from *Pseudomonas aeruginosa* as studied by EXAFS. *Biochim. Biophys. Acta* **873**, 214-227 (1986).
152. Hunt, A. H., Toypalmer, A., Assamunt, N., Cavanagh, J., Blake, R. C. and Dyson, H. J. Nuclear Magnetic Resonance ^{15}N and ^1H resonance assignments and global fold of rusticyanin - Insights into the ligation and acid stability of the blue copper site. *J. Mol. Biol.* **244**, 370-384 (1994).
153. Jeuken, L. J. C., Ubbink, M., Bitter, J. H., van Vliet, P., Meyer-Klaucke, W. and Canters, G. W. The structural role of the copper-coordinating and surface-exposed histidine residue in the blue copper protein azurin. *J. Mol. Biol.* **299**, 737-755 (2000).

References

154. Guss, J. M., Harrowell, P. R., Murata, M., Norris, V. A. and Freeman, H. C. Crystal-structure analyses of reduced (CuI) poplar plastocyanin at 6 pH values. *J. Mol. Biol.* **192**, 361-387 (1986).
155. Lommen, A., Canters, G. W. and Vanbeeumen, J. A ^1H NMR study on the blue copper protein amicyanin from *Thiobacillus versutus* - Resonance identifications, structural rearrangements and determination of the electron self-exchange rate-constant. *Eur. J. Biochem.* **176**, 213-223 (1988).
156. Vakoufari, E., Wilson, K. S. and Petratos, K. The crystal-structures of reduced pseudoazurin from *Alcaligenes faecalis*-S-6 at 2 pH values. *FEBS Lett.* **347**, 203-206 (1994).
157. Guss, J. M., Harrowell, P. R., Murata, M., Norris, V. A. and Freeman, H. C. Crystal-structure analyses of reduced (CuI) poplar plastocyanin at 6 pH values. *J. Mol. Biol.* **192**, 361-387 (1986).
158. Armstrong, F. A., Hill, H. A. O., Oliver, B. N. and Whitford, D. Direct electrochemistry of the photosynthetic blue copper protein plastocyanin - Electrostatic promotion of rapid charge-transfer at an edge-oriented pyrolytic-graphite electrode. *J. Am. Chem. Soc.* **107**, 1473-1476 (1985).
159. Kramer, D. M., Sacksteder, C. A. and Cruz, J. A. How acidic is the lumen? *Photosynth. Res.* **60**, 151-163 (1999).
160. Yanagisawa, S. and Dennison, C. Loop-contraction mutagenesis of type 1 copper sites. *J. Am. Chem. Soc.* **126**, 15711-15719 (2004).
161. Battistuzzi, G., Borsari, M., Canters, G. W., Di Rocco, G., de Waal, E., Arendsen, Y., Leonardi, A., Ranieri, A. and Sola, M. Ligand loop effects on the free energy change of redox and pH-dependent equilibria in cupredoxins probed on amicyanin variants. *Biochemistry* **44**, 9944-9949 (2005).
162. Li, C., Yanagisawa, S., Martins, B. M., Messerschmidt, A., Banfield, M. J. and Dennison, C. Basic requirements for a metal-binding site in a protein: The influence of loop shortening on the cupredoxin azurin. *Proc. Natl. Acad. Sci. U. S. A* **103**, 7258-7263 (2006).
163. Machczynski, M. C., Gray, H. B. and Richards, J. H. An outer-sphere hydrogen-bond network constrains copper coordination in blue proteins. *J. Inorg. Biochem.* **88**, 375-380 (2002).
164. Battistuzzi, G., Borsari, M., Loschi, L. and Sola, M. Redox thermodynamics, acid-base equilibria and salt-induced effects for the cucumber basic protein. General implications for blue-copper proteins. *J. Biol. Inorg. Chem* **2**, 350-359 (1997).

165. Picard, V., Ersdalbadju, E., Lu, A. Q. and Bock, S. C. A rapid and efficient one-tube PCR-based mutagenesis technique using Pfu DNA-polymerase. *Nucl. Acids Res.* **22**, 2587-2591 (1994).
166. Ubbink, M., Lian, L. Y., Modi, S., Evans, P. A. and Bendall, D. S. Analysis of the ^1H NMR chemical shifts of Cu(I)-, Cu(II)- and Cd-substituted pea plastocyanin - Metal-dependent differences in the hydrogen-bond network around the copper site. *Eur. J. Biochem.* **242**, 132-147 (1996).
167. Campbell, I. D., Dobson, C. M., Williams, R. J. P. and Wright, P. E. Pulse methods for simplification of protein NMR-spectra. *FEBS Lett.* **57**, 96-99 (1975).
168. Clubb, R. T., Thanabal, V. and Wagner, G. A constant-time three-dimensional triple-resonance pulse scheme to correlate intraresidue $^1\text{H}^N$, ^{15}N , and $^{13}\text{C}'$ chemical shifts in ^{15}N - ^{13}C -labeled proteins. *J. Magn. Reson.* **97**, 213-217 (1992).
169. Wittekind, M. and Mueller, L. HNCACB, A high-sensitivity 3D NMR experiment to correlate amide-proton and nitrogen resonances with the alpha-carbon and beta-carbon resonances in proteins. *J. Magn. Reson. ser. B* **101**, 201-205 (1993).
170. Kay, L. E., Xu, G. Y. and Yamazaki, T. Enhanced-sensitivity triple-resonance spectroscopy with minimal H_2O saturation. *J. Magn. Reson. ser. A* **109**, 129-133 (1994).
171. Muhandiram, D. R. and Kay, L. E. Gradient-enhanced triple-resonance 3-dimensional NMR experiments with improved sensitivity. *J. Magn. Reson. ser. B* **103**, 203-216 (1994).
172. Blomberg, F., Maurer, W. and Ruterjans, H. Nuclear magnetic resonance investigation of ^{15}N -labeled histidine in aqueous solution. *J. Am. Chem. Soc.* **99**, 8149-8159 (1977).
173. Laskowski, R. A., Macarthur, M. W., Moss, D. S. and Thornton, J. M. Procheck - A program to check the stereochemical quality of protein structures. *J. Appl. Crystallog.* **26**, 283-291 (1993).
174. Navarro, J. A., Lowe, C. E., Amons, R., Kohzuma, T., Canters, G. W., De la Rosa, M. A., Ubbink, M. and Hervás, M. Functional characterization of the evolutionarily divergent fern plastocyanin. *Eur. J. Biochem.* **271**, 3449-3456 (2004).
175. Modi, S., He, S. P., Gray, J. C. and Bendall, D. S. The role of surface-exposed Tyr-83 of plastocyanin in electron-transfer from cytochrome *c*. *Biochim. Biophys. Acta* **1101**, 64-68 (1992).
176. Nar, H., Huber, R., Messerschmidt, A., Filippou, A. C., Barth, M., Jaquinod, M., Vandekamp, M. and Canters, G. W. Characterization and crystal structure of zinc azurin, a by-product of heterologous expression in *Escherichia coli* of *Pseudomonas aeruginosa* copper azurin. *Eur. J. Biochem.* **205**, 1123-1129 (1992).

References

177. Crowley, P. B. Transient protein interactions of photosynthetic redox partners. Ph.D. Thesis, (Leiden University, 2002).
178. Hass, M. A. S., Thuesen, M. H., Christensen, H. E. M. and Led, J. J. Characterization of μ s-ms dynamics of proteins using a combined analysis of ^{15}N NMR relaxation and chemical shift: Conformational exchange in plastocyanin induced by histidine protonations. *J. Am. Chem. Soc.* **126**, 753-765 (2004).
179. Guss, J. M., Harrowell, P. R., Murata, M., Norris, V. A. and Freeman, H. C. Crystal-structure analyses of reduced (CuI) poplar plastocyanin at 6 pH values. *J. Mol. Biol.* **192**, 361-387 (1986).
180. Battistuzzi, G., Borsari, M., Loschi, L., Righi, F. and Sola, M. Redox thermodynamics of blue copper proteins. *J. Am. Chem. Soc.* **121**, 501-506 (1999).
181. Jeuken, L. J. C., Camba, R., Armstrong, F. A. and Canters, G. W. The pH-dependent redox inactivation of amicyanin from *Paracoccus versutus* as studied by rapid protein-film voltammetry. *J. Biol. Inorg. Chem.* **7**, 94-100 (2002).
182. McLeod, D. D. N., Freeman, H. C., Harvey, I., Lay, P. A. and Bond, A. M. Voltammetry of plastocyanin at a graphite electrode: Effects of structure, charge, and electrolyte. *Inorg. Chem.* **35**, 7156-7165 (1996).
183. Battistuzzi, G., Borsari, M., Canters, G. W., de Waal, E., Leonardi, A., Ranieri, A. and Sola, M. Thermodynamics of the acid transition in blue copper proteins. *Biochemistry* **41**, 14293-14298 (2002).
184. Vagin, A. and Teplyakov, A. MOLREP: an automated program for molecular replacement. *J. Appl. Crystallog.* **30**, 1022-1025 (1997).
185. Inoue, T., Gotowda, M., Sugawara, H., Kohzuma, T., Yoshizaki, F., Sugimura, Y. and Kai, Y. Structure comparison between oxidized and reduced plastocyanin from a fern, *Dryopteris crassirhizoma*. *Biochemistry* **38**, 13853-13861 (1999).
186. Segal, M. G. and Sykes, A. G. Kinetic studies on 1-1 electron-transfer reactions involving blue copper proteins. 1. Evidence for an unreactive form of reduced protein (pH less-than 5) and for protein-complex association in reactions of parsley (and spinach) plastocyanin. *J. Am. Chem. Soc.* **100**, 4585-4592 (1978).
187. Guss, J. M., Harrowell, P. R., Murata, M., Norris, V. A. and Freeman, H. C. Crystal-structure analyses of reduced (CuI) poplar plastocyanin at 6 pH values. *J. Mol. Biol.* **192**, 361-387 (1986).
188. Tang, C., Iwahara, J. and Clore, G. M. Visualization of transient encounter complexes in protein-protein association. *Nature* **444**, 383-386 (2006).

189. Garrett, D. S., Seok, Y. J., Peterkofsky, A., Gronenborn, A. M. and Clore, G. M. Solution structure of the 40,000 M-r phosphoryl transfer complex between the N-terminal domain of enzyme I and HPr. *Nat. Struct. Biol.* **6**, 166-173 (1999).
190. Liang, Z. X., Nocek, J. M., Huang, K., Hayes, R. T., Kurnikov, I. V., Beratan, D. N. and Hoffman, B. M. Dynamic docking and electron transfer between Zn-myoglobin and cytochrome *b*₅. *J. Am. Chem. Soc.* **124**, 6849-6859 (2002).
191. Volkov, A. N., Ferrari, D., Worrall, J. A. R., Bonvin, A. M. J. J. and Ubbink, M. The orientations of cytochrome *c* in the highly dynamic complex with cytochrome *b*₅ visualized by NMR and docking using HADDOCK. *Protein Sci.* **14**, 799-811 (2005).
192. Sigfridsson, K. Plastocyanin, an electron-transfer protein. *Photosynth. Res.* **57**, 1-28 (1998).
193. Cramer, W. A., Soriano, G. M., Ponomarev, M., Huang, D., Zhang, H., Martinez, S. E. and Smith, J. L. Some new structural aspects and old controversies concerning the cytochrome *b*₆*f* complex of oxygenic photosynthesis. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* **47**, 477-508 (1996).
194. Gray, J. C. Cytochrome *f*: Structure, function and biosynthesis. *Photosynth. Res.* **34**, 359-374 (1992).
195. Beoku-Betts, D., Chapman, S. K., Knox, C. V. and Sykes, A. G. Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins .11. Effects of pH, competitive inhibition, and chromium(III) modification on the reaction of plastocyanin with cytochrome *f*. *Inorg. Chem.* **24**, 1677-1681 (1985).
196. Niwa, S., Ishikawa, H., Nikai, S. and Takabe, T. Electron transfer reactions between cytochrome *f* and plastocyanin from *Brassica Komatsuna*. *J. Biochem.* **88**, 1177-1183 (1980).
197. Takenaka, K. and Takabe, T. Importance of local positive charges on cytochrome *f* for electron transfer to plastocyanin and potassium ferricyanide. *J. Biochem.* **96**, 1813-1821 (1984).
198. Takabe, T. and Ishikawa, H. Kinetic studies on a cross-linked complex between plastocyanin and cytochrome *f*. *J. Biochem.* **105**, 98-102 (1989).
199. Soriano, G. M., Ponamarev, M. V., Tae, G. S. and Cramer, W. A. Effect of the interdomain basic region of cytochrome *f* on its redox reactions *in vivo*. *Biochemistry* **35**, 14590-14598 (1996).
200. Zhou, J. H., Fernández-Velasco, J. G. and Malkin, R. N-terminal mutants of chloroplast cytochrome *f*. Effect on redox reactions and growth in *Chlamydomonas reinhardtii*. *J. Biol. Chem.* **271**, 6225-6232 (1996).

References

201. Navarro, J. A., Myshkin, E., De la Rosa, M. A., Bullerjahn, G. S. and Hervás, M. The unique proline of the *Prochlorothrix hollandica* plastocyanin hydrophobic patch impairs electron transfer to photosystem I. *J. Biol. Chem.* **276**, 37501-37505 (2001).
202. Schlarb, B. G., Wagner, M. J., Vijgenboom, E., Ubbink, M., Bendall, D. S. and Howe, C. J. Expression of plastocyanin and cytochrome *f* of the cyanobacterium *Phormidium laminosum* in *Escherichia coli* and *Paracoccus denitrificans* and the role of leader peptides. *Gene* **234**, 275-283 (1999).
203. Boucher, W. AZARA 2.7. Department of Biochemistry, University of Cambridge. <http://www.bio.cam.ac.uk/azara> (2002).
204. Helgstrand, M., Kraulis, P., Allard, P. and Hard, T. Ansig for Windows: An interactive computer program for semiautomatic assignment of protein NMR spectra. *J. Biomol. NMR* **18**, 329-336 (2000).
205. Grzesiek, S., Bax, A., Clore, G. M., Gronenborn, A. M., Hu, J. S., Kaufman, J., Palmer, I., Stahl, S. J. and Wingfield, P. T. The solution structure of HIV-1 Nef reveals an unexpected fold and permits delineation of the binding surface for the SH3 domain of Hck tyrosine protein kinase. *Nat. Struct. Biol.* **3**, 340-345 (1996).
206. Guex, N. and Peitsch, M. C. SWISS-MODEL and the Swiss-PdbViewer: An environment for comparative protein modeling. *Electrophoresis* **18**, 2714-2723 (1997).
207. Sali, A. and Blundell, T. L. Comparative protein modeling by satisfaction of spatial restraints. *J. Mol. Biol.* **234**, 779-815 (1993).
208. Schwieters, C. D., Kuszewski, J. J., Tjandra, N. and Clore, G. M. The XPLOR-NIH NMR molecular structure determination package. *J. Magn. Reson.* **160**, 65-73 (2003).
209. Hubbard, S. J. and Thornton, J. M. NACCESS. Department of Biochemistry and Molecular Biology, University College London. <http://wolf.bms.umist.ac.uk/> (1993).
210. Worrall, J. A. R., Kolczak, U., Canters, G. W. and Ubbink, M. Interaction of yeast iso-1-cytochrome *c* with cytochrome *c* peroxidase investigated by [¹⁵N, ¹H] heteronuclear NMR spectroscopy. *Biochemistry* **40**, 7069-7076 (2001).
211. Crowley, P. B. *Transient protein interactions of photosynthetic redox partners*. Ph.D. Thesis (Leiden University, Leiden, the Netherlands, 2002).
212. Díaz-Moreno, I., Díaz-Quintana, A., Molina-Heredia, F. P., Nieto, P. M., Hansson, Ö., De la Rosa, M. A. and Karlsson, B. G. NMR analysis of the transient complex between membrane photosystem I and soluble cytochrome *c*₆. *J. Biol. Chem.* **280**, 7925-7931 (2005).

213. Molina-Heredia, F. P., Díaz-Quintana, A., Hervás, M., Navarro, J. A. and De la Rosa, M. A. Site-directed mutagenesis of cytochrome *c*₆ from *Anabaena* species PCC 7199. Identification of surface residues of the heme protein involved in Photosystem I reduction. *J. Biol. Chem.* **274**, 33565-33570 (1999).
214. Díaz-Quintana, A., Navarro, J. A., Hervás, M., Molina-Heredia, F. P., De la Cerda, B. and De la Rosa, M. A. A comparative structural and functional analysis of cyanobacterial plastocyanin and cytochrome *c*₆ as alternative electron donors to Photosystem I - Photosystem I reduction in cyanobacteria. *Photosynth. Res.* **75**, 97-110 (2003).
215. Albarrán, C., Navarro, J. A., Molina-Heredia, F. P., Murdoch, P. S., De la Rosa, M. A. and Hervás, M. Laser flash-induced kinetic analysis of cytochrome *f* oxidation by wild-type and mutant plastocyanin from the cyanobacterium *Nostoc* sp. PCC 7119. *Biochemistry* **44**, 11601-11607 (2005).
216. Hulsker, R., Baranova, M. V., Bullerjahn, G. S. and Ubbink, M. Dynamics in the transient complex of plastocyanin-cytochrome *f* from *Prochlorothrix hollandica*. *J. Am. Chem. Soc.* **130**, 1985-1991 (2008).
217. Hirota, S. and Yamauchi, O. Weak interactions and molecular recognition in systems involving electron transfer proteins. *Chem. Rec.* **1**, 290-299 (2001).
218. Hirota, S. and Yamauchi, O. Interactions in plastocyanin-lysine peptide and related systems. *Eur. J. Inorg. Chem.* 17-25 (2002).
219. Hirota, S., Hayamizu, K., Endo, M., Hibino, T., Takabe, T., Kohzuma, T. and Yamauchi, O. Plastocyanin-peptide interactions. Effects of lysine peptides on protein structure and electron-transfer character. *J. Am. Chem. Soc.* **120**, 8177-8183 (1998).
220. Hirota, S., Okumura, H., Arie, S., Tanaka, K., Shionoya, M., Takabe, T., Funasaki, N. and Watanabe, Y. Interaction of plastocyanin with oligopeptides: effect of lysine distribution within the peptide. *J. Inorg. Biochem.* **98**, 849-855 (2004).
221. Hibino, T., Lee, B. H. and Takabe, T. Role of transit peptide sequence of plastocyanin for its expression, processing, and copper-binding activity in *Escherichia coli*. *J. Biochem. (Tokyo)* **116**, 826-832 (1994).
222. Maniatis, T., Fritsch, E. F., and Sambrook, J. Molecular Cloning. A Laboratory Manual, Cold Spring Harbor, New York (1982).
223. Lee, B. H., Hibino, T., Takabe, T., Weisbeek, P. J. and Takabe, T. Site-directed mutagenetic study on the role of negative patches on Silene plastocyanin in the interactions with cytochrome *f* and Photosystem I. *J. Biochem.* **117**, 1209-1217 (1995).

References

224. Hirota, S., Hayamizu, K., Okuno, T., Kishi, M., Iwasaki, H., Kondo, T., Hibino, T., Takabe, T., Kohzuma, T. and Yamauchif, O. Spectroscopic and electrochemical studies on structural change of plastocyanin and its tyrosine 83 mutants induced by interaction with lysine peptides. *Biochemistry* **39**, 6357-6364 (2000).
225. Hirota, S., Endo, M., Hayamizu, K., Tsukazaki, T., Takabe, T., Kohzuma, T. and Yamauchi, O. Interactions of cytochrome *c* and cytochrome *f* with aspartic acid peptides. *J. Am. Chem. Soc.* **121**, 849-855 (1999).
226. Luby-Phelps, K. Cytoarchitecture and physical properties of cytoplasm: volume, viscosity, diffusion, intracellular surface area. *Int. Rev. Cytol.* **192**, 189-221 (2000).
227. Zimmerman, S. B. and Trach, S. O. Estimation of macromolecule concentrations and excluded volume effects for the cytoplasm of *Escherichia coli*. *J. Mol. Biol.* **222**, 599-620 (1991).
228. Minton, A. P. Influence of excluded volume upon macromolecular structure and associations in 'crowded' media. *Curr. Opin. Biotechnol.* **8**, 65-69 (1997).
229. Ellis, R. J. Macromolecular crowding: an important but neglected aspect of the intracellular environment. *Curr. Opin. Struct. Biol.* **11**, 114-119 (2001).
230. Minton, A. P. The influence of macromolecular crowding and macromolecular confinement on biochemical reactions in physiological media. *J. Biol. Chem.* **276**, 10577-10580 (2001).
231. Ellis, R. J. Macromolecular crowding: obvious but underappreciated. *Trends Biochem. Sci.* **26**, 597-604 (2001).
232. Verkman, A. S. Solute and macromolecule diffusion in cellular aqueous compartments. *Trends Biochem. Sci.* **27**, 27-33 (2002).
233. Hall, D. and Minton, A. P. Macromolecular crowding: qualitative and semiquantitative successes, quantitative challenges. *Biochim. Biophys. Acta* **1649**, 127-139 (2003).
234. Banks, D. S. and Fradin, C. Anomalous diffusion of proteins due to molecular crowding. *Biophys. J.* **89**, 2960-2971 (2005).
235. Morar, A. S., Wang, X. and Pielak, G. J. Effects of crowding by mono-, di-, and tetrasaccharides on cytochrome *c*-cytochrome *c* peroxidase binding: comparing experiment to theory. *Biochemistry* **40**, 281-285 (2001).
236. Morar, A. S. and Pielak, G. J. Crowding by trisaccharides and the 2:1 cytochrome *c*-cytochrome *c* peroxidase complex. *Biochemistry* **41**, 547-551 (2002).

237. Kozer, N. and Schreiber, G. Effect of crowding on protein-protein association rates: fundamental differences between low and high mass crowding agents. *J. Mol. Biol.* **336**, 763-774 (2004).
238. Schlarb-Ridley, B. G., Mi, H., Teale, W. D., Meyer, V. S., Howe, C. J. and Bendall, D. S. Implications of the effects of viscosity, macromolecular crowding, and temperature for the transient interaction between cytochrome *f* and plastocyanin from the cyanobacterium *Phormidium laminosum*. *Biochemistry* **44**, 6232-6238 (2005).
239. Zhou, Y. L., Liao, J. M., Chen, J. and Liang, Y. Macromolecular crowding enhances the binding of superoxide dismutase to xanthine oxidase: Implications for protein-protein interactions in intracellular environments. *Int. J. Biochem. Cell B.* **38**, 1986-1994 (2006).
240. Dedmon, M. M., Patel, C. N., Young, G. B. and Pielak, G. J. FlgM gains structure in living cells. *Proc. Natl. Acad. Sci. U. S. A* **99**, 12681-12684 (2002).
241. McNulty, B. C., Young, G. B. and Pielak, G. J. Macromolecular crowding in the *Escherichia coli* periplasm maintains α -synuclein disorder. *J. Mol. Biol.* **355**, 893-897 (2006).
242. Stevens, A., Wang, S. X., Caines, G. H. and Schleich, T. ^{13}C -NMR off-resonance rotating frame spin-lattice relaxation studies of bovine lens γ -crystallin self association: effect of macromolecular crowding. *Biochim. Biophys. Acta* **1246**, 82-90 (1995).
243. Varley, J. P. A., Moehrle, J. J., Manasse, R. S., Bendall, D. S. and Howe, C. J. Characterization of plastocyanin from the cyanobacterium *Phormidium laminosum*: copper-inducible expression and SecA-dependent targeting in *Escherichia coli*. *Plant Mol. Biol.* **27**, 179-190 (1995).
244. Gill, S. C. and Von Hippel, P. H. Calculation of protein extinction coefficients from amino acid sequence data. *Anal. Biochem.* **182**, 319-326 (1989).
245. Luby-Phelps, K., Castle, P. E., Taylor, D. L. and Lanni, F. Hindered diffusion of inert tracer particles in the cytoplasm of mouse 3T3 cells. *Proc. Natl. Acad. Sci. U. S. A* **84**, 4910-4913 (1987).
246. Homchaudhuri, L., Sarma, N. and Swaminathan, R. Effect of crowding by dextrans and Ficolls on the rate of alkaline phosphatase-catalyzed hydrolysis: a size-dependent investigation. *Biopolymers* **83**, 477-486 (2006).
247. Furukawa, R., Arauzlara, J. L. and Ware, B. R. Self-diffusion and probe diffusion in dilute and semidilute aqueous solutions of dextran. *Macromolecules* **24**, 599-605 (1991).

References

248. Yam, K. L., Anderson, D. K. and Buxbaum, R. E. Diffusion of small solutes in polymer-containing solutions. *Science* **241**, 330-332 (1988).
249. Lavalette, D., Tetreau, C., Tourbez, M. and Blouquit, Y. Microscopic viscosity and rotational diffusion of proteins in a macromolecular environment. *Biophys. J.* **76**, 2744-2751 (1999).
250. Vergara, A., Paduano, L. and Sartorio, R. Mechanism of protein-poly(ethylene glycol) interaction from a diffusive point of view. *Macromolecules* **35**, 1389-1398 (2002).
251. Wenner, J. R. and Bloomfield, V. A. Crowding effects on EcoRV kinetics and binding. *Biophys. J.* **77**, 3234-3241 (1999).