Universiteit Leiden
The Netherlands

Components and targets of the PINOID signaling complex in Arabidopsis thaliana

Zago, Marcelo Kemel

Citation

Zago, M. K. (2006, June 15). *Components and targets of the PINOID signaling complex in Arabidopsis thaliana*. Retrieved from https://hdl.handle.net/1887/4436

Version:	Corrected Publisher's Version
License:	Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden
Downloaded from:	https://hdl.handle.net/1887/4436

Note: To cite this publication please use the final published version (if applicable).

Components and targets of the PINOID signaling complex in *Arabidopsis thaliana*

Marcelo Kemel Zago

Cover: *Arabidopsis thaliana* protoplasts overexpressing GFP-tagged PID, PBP2 and PBP2IPs.

Printed by: Optima Grafische Communicatie, Rotterdam, The Netherlands

ISBN: 90-8559-188-0

Components and targets of the PINOID signaling complex in *Arabidopsis thaliana*

Proefschrift

ter verkrijging van
de graad van Doctor aan de Universiteit Leiden,
op gezag van de Rector Magnificus Dr. D. D. Breimer,
hoogleraar in de faculteit der Wiskunde en
Natuurwetenschappen en die der Geneeskunde,
volgens besluit van het College voor Promoties
te verdedigen op donderdag 15 juni 2006
klokke 15.15 uur

door

Marcelo Kemel Zago

geboren te Porto Alegre (Brazilië) in 1976

Promotiecommissie

Promotor:	Prof. dr. P. J. J. Hooykaas
Co-promotor:	dr. R. Offringa
Referent:	dr. J. Friml (University of Tubingen, Germany)
Overige leden:	Prof. dr. M. H. M. Noteborn
	Prof. dr. H. P. Spaink

This work was financially supported by CAPES (Brazilian Federal Agency for Post-Graduate Education)

À minha esposa Sheila, meus pais e meus irmãos

CONTENTS **Page**

Chapter 1	Auxin distribution and signaling act to shape the plant	9
Chapter 2	The multi-functional scaffold PINOID Binding Protein 2 interacts with both cytoskeletal proteins and transcriptional regulators	29
Chapter 3	A BTB/POZ domain protein-kinesin complex is likely to provide polarity to PINOID kinase signaling	59
Chapter 4	PINOID phosphorylates the PIN cytoplasmic loop at multiple conserved serine residues	81
Chapter 5	PINOID is a potential COP9 signalosome-associated kinase that modulates auxin response	101
Summary		123
Samenvatting		131
Curriculum vitae		137
Publications		139
Acknowledgements		141