

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/26935> holds various files of this Leiden University dissertation

Author: Kwon, Min Jin

Title: Morphogenesis and protein production in *Aspergillus niger*

Issue Date: 2014-06-19

References

- Adav SS, Li AA, Manavalan A, Punt P, Sze SK. 2010. Quantitative iTRAQ secretome analysis of *Aspergillus niger* reveals novel hydrolytic enzymes. *J Proteome Res* 9(8):3932-40.
- Alic M, Bennett JW, Lasure LL. 1991. More gene manipulations in fungi. San Diego: Academic Press. xxiii, 470 p. p.
- Amanullah A, Christensen LH, Hansen K, Nienow AW, Thomas CR. 2002. Dependence of morphology on agitation intensity in fed-batch cultures of *Aspergillus oryzae* and its implications for recombinant protein production. *Biotechnol Bioeng* 77(7):815-26.
- Araujo-Bazan L, Penalva MA, Espeso EA. 2008. Preferential localization of the endocytic internalization machinery to hyphal tips underlies polarization of the actin cytoskeleton in *Aspergillus nidulans*. *Mol Microbiol* 67(4):891-905.
- Arellano M, Duran A, Perez P. 1996. Rho 1 GTPase activates the (1-3)beta-D-glucan synthase and is involved in *Schizosaccharomyces pombe* morphogenesis. *EMBO J* 15(17):4584-91.
- Banuet F, Quintanilla RH, Jr., Reynaga-Pena CG. 2008. The machinery for cell polarity, cell morphogenesis, and the cytoskeleton in the Basidiomycete fungus *Ustilago maydis*-a survey of the genome sequence. *Fungal Genet Biol* 45 Suppl 1:S3-S14.
- Barlowe C, Orci L, Yeung T, Hosobuchi M, Hamamoto S, Salama N, Rexach MF, Ravazzola M, Amherdt M, Schekman R. 1994. COPII: a membrane coat formed by Sec proteins that drive vesicle budding from the endoplasmic reticulum. *Cell* 77(6):895-907.
- Barlowe C, Schekman R. 1993. SEC12 encodes a guanine-nucleotide-exchange factor essential for transport vesicle budding from the ER. *Nature* 365(6444):347-9.
- Bartnicki-Garcia S, Bartnicki DD, Gierz G, Lopez-Franco R, Bracker CE. 1995. Evidence that Spitzenkörper behavior determines the shape of a fungal hypha: a test of the hyphoid model. *Exp Mycol* 19(2):153-9.
- Beeson WTt, Iavarone AT, Hausmann CD, Cate JH, Marletta MA. 2011. Extracellular aldonolactonase from *Myceliophthora thermophila*. *Appl Environ Microbiol* 77(2):650-6.
- Benitah SA, Valeron PF, van Aelst L, Marshall CJ, Lacal JC. 2004. Rho GTPases in human cancer: an unresolved link to upstream and downstream transcriptional regulation. *Biochim Biophys Acta* 1705(2):121-32.
- Benjamini Y, Hochberg Y. 1995. Controlling the False Discovery Rate - a Practical and Powerful Approach to Multiple Testing. *Journal of the Royal Statistical Society Series B-Methodological* 57(1):289-300.
- Bennett JW, Lasure LL. 1991. More gene manipulations in fungi. New York: Academic Press. 441-457 p.
- Berepiki A, Lichius A, Read ND. 2011. Actin organization and dynamics in filamentous fungi. *Nat Rev Microbiol* 9(12):876-87.
- Bergmeyer H, Bernt E, Schmidt F, Stork H. 1974. Glucose. In: Bergmeyer H, editor. *Methods of Enzymatic Analysis*. New York: Academic Press. p 1196-1201.
- Berka RM, Grigoriev IV, Otilar R, Salamov A, Grimwood J, Reid I, Ishmael N, John T, Darmond C, Moisan MC and others. 2011. Comparative genomic analysis of the thermophilic biomass-degrading fungi *Myceliophthora thermophila* and *Thielavia terrestris*. *Nat Biotechnol* 29(10):922-7.
- Bermejo C, Rodriguez E, Garcia R, Rodriguez-Pena JM, Rodriguez de la Concepcion ML, Rivas C, Arias P, Nombela C, Posas F, Arroyo J. 2008. The sequential activation of the yeast HOG and SLT2 pathways is required for cell survival to cell wall stress. *Mol Biol Cell* 19(3):1113-24.
- Bi X, Corpina RA, Goldberg J. 2002. Structure of the Sec23/24-Sar1 pre-budding complex of the COPII vesicle coat. *Nature* 419(6904):271-7.
- Bock JB, Matern HT, Peden AA, Scheller RH. 2001. A genomic perspective on membrane compartment organization. *Nature* 409(6822):839-841.

- Bocking SP, Wiebe MG, Robson GD, Hansen K, Christiansen LH, Trinci AP. 1999. Effect of branch frequency in *Aspergillus oryzae* on protein secretion and culture viscosity. *Biotechnol Bioeng* 65(6):638-48.
- Bonifacino JS, Glick BS. 2004. The Mechanisms of Vesicle Budding and Fusion. *Cell* 116(2):153-166.
- Bos CJ, Debets AJ, Swart K, Huybers A, Kobus G, Slakhorst SM. 1988. Genetic analysis and the construction of master strains for assignment of genes to six linkage groups in *Aspergillus niger*. *Curr Genet* 14(5):437-43.
- Bosco EE, Mulloy JC, Zheng Y. 2009. Rac1 GTPase: a "Rac" of all trades. *Cell Mol Life Sci* 66(3):370-4.
- Boureux A, Vignal E, Faure S, Fort P. 2007. Evolution of the Rho family of ras-like GTPases in eukaryotes. *Mol Biol Evol* 24(1):203-16.
- Boyce KJ, Hynes MJ, Andrianopoulos A. 2003. Control of morphogenesis and actin localization by the *Penicillium marneffei* RAC homolog. *J Cell Sci* 116(Pt 7):1249-60.
- Braaksma M, Martens-Uzunova ES, Punt PJ, Schaap PJ. 2010. An inventory of the *Aspergillus niger* secretome by combining in silico predictions with shotgun proteomics data. *BMC Genomics* 11:584.
- Brandizzi F, Barlowe C. 2013. Organization of the ER-Golgi interface for membrane traffic control. *Nat Rev Mol Cell Biol* 14(6):382-92.
- Braun S, Vecht-Lifshitz SE. 1991. Mycelial morphology and metabolite production. *Trends in Biotechnology* 9(1):63-68.
- Calonge TM, Nakano K, Arellano M, Arai R, Katayama S, Toda T, Mabuchi I, Perez P. 2000. Schizosaccharomyces pombe rho2p GTPase regulates cell wall alpha-glucan biosynthesis through the protein kinase pck2p. *Mol Biol Cell* 11(12):4393-401.
- Cano-Dominguez N, Alvarez-Delfin K, Hansberg W, Aguirre J. 2008. NADPH oxidases NOX-1 and NOX-2 require the regulatory subunit NOR-1 to control cell differentiation and growth in *Neurospora crassa*. *Eukaryot Cell* 7(8):1352-61.
- Carman GM, Han GS. 2007. Regulation of phospholipid synthesis in *Saccharomyces cerevisiae* by zinc depletion. *Biochim Biophys Acta* 1771(3):322-30.
- Carvalho ND, Arentshorst M, Kwon MJ, Meyer V, Ram AF. 2010. Expanding the ku70 toolbox for filamentous fungi: establishment of complementation vectors and recipient strains for advanced gene analyses. *Appl Microbiol Biotechnol* 87(4):1463-73.
- Carvalho ND, Jorgensen TR, Arentshorst M, Nitsche BM, van den Hondel CA, Archer DB, Ram AF. 2012. Genome-wide expression analysis upon constitutive activation of the HacA bZIP transcription factor in *Aspergillus niger* reveals a coordinated cellular response to counteract ER stress. *BMC Genomics* 13:350.
- Carvalho NDSP, Arentshorst M, Kooistra R, Stam H, Sagt CM, van den Hondel CAMJJ, Ram AFJ. 2011a. Effects of a defective ERAD pathway on growth and heterologous protein production in *Aspergillus niger*. *Applied Microbiology and Biotechnology* 89(2):357-373.
- Carvalho NDSP, Arentshorst M, Weenink XO, Punt PJ, van den Hondel CAMJJ, Ram AFJ. 2011b. Functional YFP-tagging of the essential GDP-mannose transporter reveals an important role for the secretion related small GTPase SrgC protein in maintenance of Golgi bodies in *Aspergillus niger*. *Fungal Biology* 115(3):253-264.
- Casey PJ. 1994. Lipid modifications of G proteins. *Curr Opin Cell Biol* 6(2):219-25.
- Chen J, Zheng W, Zheng S, Zhang D, Sang W, Chen X, Li G, Lu G, Wang Z. 2008. Rac1 is required for pathogenicity and Chm1-dependent conidiogenesis in rice fungal pathogen *Magnaporthe grisea*. *PLoS Pathog* 4(11):e1000202.
- Chen YA, Scheller RH. 2001. SNARE-mediated membrane fusion. *Nat Rev Mol Cell Biol* 2(2):98-106.
- Cheng J, Park TS, Chio LC, Fischl AS, Ye XS. 2003. Induction of apoptosis by sphingoid long-chain bases in *Aspergillus nidulans*. *Mol Cell Biol* 23(1):163-77.
- Cheng J, Park TS, Fischl AS, Ye XS. 2001. Cell cycle progression and cell polarity require sphingolipid biosynthesis in *Aspergillus nidulans*. *Mol Cell Biol* 21(18):6198-209.

- Colin VL, Baigori MD, Pera LM. 2013. Tailoring fungal morphology of *Aspergillus niger* MYA 135 by altering the hyphal morphology and the conidia adhesion capacity: biotechnological applications. *AMB Express* 3(1):27.
- Cooper JA. 1987. Effects of cytochalasin and phalloidin on actin. *J Cell Biol* 105(4):1473-8.
- Cowart LA, Shotwell M, Worley ML, Richards AJ, Montefusco DJ, Hannun YA, Lu X. 2010. Revealing a signaling role of phytosphingosine-1-phosphate in yeast. *Mol Syst Biol* 6:349.
- D'Arcangelo JG, Stahmer KR, Miller EA. 2013. Vesicle-mediated export from the ER: COPII coat function and regulation. *Biochim Biophys Acta* 1833(11):2464-72.
- Damveld RA, Arentshorst M, Franken A, vanKuyk PA, Klis FM, van den Hondel CA, Ram AF. 2005. The *Aspergillus niger* MADS-box transcription factor RlmA is required for cell wall reinforcement in response to cell wall stress. *Mol Microbiol* 58(1):305-19.
- Daquinag A, Fadri M, Jung SY, Qin J, Kunz J. 2007. The yeast PH domain proteins Slm1 and Slm2 are targets of sphingolipid signaling during the response to heat stress. *Mol Cell Biol* 27(2):633-50.
- de Bekker C, Bruning O, Jonker MJ, Breit TM, Wosten HA. 2011a. Single cell transcriptomics of neighboring hyphae of *Aspergillus niger*. *Genome Biol* 12(8):R71.
- de Bekker C, van Veluw GJ, Vinck A, Wiebenga LA, Wosten HA. 2011b. Heterogeneity of *Aspergillus niger* microcolonies in liquid shaken cultures. *Appl Environ Microbiol* 77(4):1263-7.
- de Oliveira JM, van Passel MW, Schaap PJ, de Graaff LH. 2011. Proteomic analysis of the secretory response of *Aspergillus niger* to D-maltose and D-xylose. *PLoS One* 6(6):e20865.
- de Ruiter-Jacobs YM, Broekhuijsen M, Unkles SE, Campbell EI, Kinghorn JR, Contreras R, Pouwels PH, van den Hondel CA. 1989. A gene transfer system based on the homologous pyrG gene and efficient expression of bacterial genes in *Aspergillus oryzae*. *Curr Genet* 16(3):159-63.
- de Souza WR, de Gouvea PF, Savoldi M, Malavazi I, de Souza Bernardes LA, Goldman MH, de Vries RP, de Castro Oliveira JV, Goldman GH. 2011. Transcriptome analysis of *Aspergillus niger* grown on sugarcane bagasse. *Biotechnol Biofuels* 4:40.
- Delmas S, Pullan ST, Gaddipati S, Kokolski M, Malla S, Blythe MJ, Ibbett R, Campbell M, Liddell S, Aboobaker A and others. 2012. Uncovering the genome-wide transcriptional responses of the filamentous fungus *Aspergillus niger* to lignocellulose using RNA sequencing. *PLoS Genet* 8(8):e1002875.
- Dolman NJ, Tepikin AV. 2006. Calcium gradients and the Golgi. *Cell Calcium* 40(5-6):505-512.
- Dransart E, Olofsson B, Cherfils J. 2005. RhoGDI revisited: novel roles in Rho regulation. *Traffic* 6(11):957-66.
- Driouch H, Hansch R, Wucherpennig T, Krull R, Wittmann C. 2012. Improved enzyme production by bio-pellets of *Aspergillus niger*: targeted morphology engineering using titanate microparticles. *Biotechnol Bioeng* 109(2):462-71.
- Driouch H, Sommer B, Wittmann C. 2010. Morphology engineering of *Aspergillus niger* for improved enzyme production. *Biotechnol Bioeng* 105(6):1058-68.
- Dudgeon DD, Zhang N, Ositelu OO, Kim H, Cunningham KW. 2008. Nonapoptotic death of *Saccharomyces cerevisiae* cells that is stimulated by Hsp90 and inhibited by calcineurin and Cmk2 in response to endoplasmic reticulum stresses. *Eukaryot Cell* 7(12):2037-51.
- Ernst R, Klemm R, Schmitt L, Kuchler K. 2005. Yeast ATP-binding cassette transporters: cellular cleaning pumps. *Methods Enzymol* 400:460-84.
- Fadri M, Daquinag A, Wang S, Xue T, Kunz J. 2005. The pleckstrin homology domain proteins Slm1 and Slm2 are required for actin cytoskeleton organization in yeast and bind phosphatidylinositol-4,5-bisphosphate and TORC2. *Mol Biol Cell* 16(4):1883-900.
- Fajardo-Somera RA, Bowman B, Riquelme M. 2013. The plasma membrane proton pump PMA-1 is incorporated into distal parts of the hyphae independently of the Spitzenkörper in *Neurospora crassa*. *Eukaryot Cell* 12(8):1097-105.
- Fdez E, Martinez-Salvador M, Beard M, Woodman P, Hilfiker S. 2010. Transmembrane-domain determinants for SNARE-mediated membrane fusion. *J Cell Sci* 123(Pt 14):2473-80.
- Finkelstein DB, Rambosek J, Crawford MS, Soliday CL, McAda PC, Leach J. 1989. Protein secretion in *Aspergillus niger*. In: Hershberger CL, Queener SW, Hegeman G, editors. *Genetics and*

- Molecular Biology of Industrial Microorganisms*. Washington, DC: Am. Soc. Microbiol. p 295-300.
- Fisher RA. 1922. On the Interpretation of X² from Contingency Tables, and the Calculation of P.
- Fleissner A, Dersch P. 2010. Expression and export: recombinant protein production systems for *Aspergillus*. *Appl Microbiol Biotechnol* 87(4):1255-70.
- Friesen H, Humphries C, Ho Y, Schub O, Colwill K, Andrews B. 2006. Characterization of the yeast amphiphysins Rvs161p and Rvs167p reveals roles for the Rvs heterodimer in vivo. *Mol Biol Cell* 17(3):1306-21.
- Fu Y, Yang Z. 2001. Rop GTPase: a master switch of cell polarity development in plants. *Trends Plant Sci* 6(12):545-7.
- Furuta N, Fujimura-Kamada K, Saito K, Yamamoto T, Tanaka K. 2007. Endocytic recycling in yeast is regulated by putative phospholipid translocases and the Ypt31p/32p-Rcy1p pathway. *Mol Biol Cell* 18(1):295-312.
- Gamarra NN, Villena GK, Gutierrez-Correa M. 2010. Cellulase production by *Aspergillus niger* in biofilm, solid-state, and submerged fermentations. *Appl Microbiol Biotechnol* 87(2):545-51.
- Geysens S, Whyteside G, Archer DB. 2009. Genomics of protein folding in the endoplasmic reticulum, secretion stress and glycosylation in the aspergilli. *Fungal Genetics and Biology* 46(1, Supplement):S121-S140.
- Gibbs PA, Seviour RJ, Schmid F. 2000. Growth of filamentous fungi in submerged culture: problems and possible solutions. *Crit Rev Biotechnol* 20(1):17-48.
- Gordon CL, Khalaj V, Ram AF, Archer DB, Brookman JL, Trinci AP, Jeenes DJ, Doonan JH, Wells B, Punt PJ and others. 2000. Glucoamylase::green fluorescent protein fusions to monitor protein secretion in *Aspergillus niger*. *Microbiology* 146 (Pt 2):415-26.
- Grimm LH, Kelly S, Krull R, Hempel DC. 2005. Morphology and productivity of filamentous fungi. *Appl Microbiol Biotechnol* 69(4):375-84.
- Grote E, Baba M, Ohsumi Y, Novick PJ. 2000. Geranylgeranylated SNAREs are dominant inhibitors of membrane fusion. *J Cell Biol* 151(2):453-66.
- Guest GM, Lin X, Momany M. 2004. *Aspergillus nidulans* RhoA is involved in polar growth, branching, and cell wall synthesis. *Fungal Genet Biol* 41(1):13-22.
- Guillemette T, Ram AF, Carvalho ND, Joubert A, Simoneau P, Archer DB. 2011. Methods for investigating the UPR in filamentous fungi. *Methods Enzymol* 490:1-29.
- Guillemette T, van Peij NN, Goosen T, Lanthaler K, Robson GD, van den Hondel CA, Stam H, Archer DB. 2007. Genomic analysis of the secretion stress response in the enzyme-producing cell factory *Aspergillus niger*. *BMC Genomics* 8:158.
- Gupta GD, Brent Heath I. 2002. Predicting the distribution, conservation, and functions of SNAREs and related proteins in fungi. *Fungal Genet Biol* 36(1):1-21.
- Gusakov AV. 2011. Alternatives to *Trichoderma reesei* in biofuel production. *Trends Biotechnol* 29(9):419-25.
- Hagag S, Kubitschek-Barreira P, Neves GW, Amar D, Nierman W, Shalit I, Shamir R, Lopes-Bezerra L, Osherov N. 2012. Transcriptional and proteomic analysis of the *Aspergillus fumigatus* DeltaprtT protease-deficient mutant. *PLoS One* 7(4):e33604.
- Hall A. 1998. Rho GTPases and the actin cytoskeleton. *Science* 279(5350):509-14.
- Harris SD. 2011. Cdc42/Rho GTPases in fungi: variations on a common theme. *Mol Microbiol* 79(5):1123-7.
- Harris SD, Morrell JL, Hamer JE. 1994. Identification and characterization of *Aspergillus nidulans* mutants defective in cytokinesis. *Genetics* 136(2):517-32.
- Harris SD, Read ND, Roberson RW, Shaw B, Seiler S, Plamann M, Momany M. 2005. Polarisome meets Spitzenkorper: microscopy, genetics, and genomics converge. *Eukaryot Cell* 4(2):225-9.
- Harris SD, Turner G, Meyer V, Espeso EA, Specht T, Takeshita N, Helmstedt K. 2009. Morphology and development in *Aspergillus nidulans*: a complex puzzle. *Fungal Genet Biol* 46 Suppl 1:S82-S92.
- Harsay E, Bretscher A. 1995. Parallel secretory pathways to the cell surface in yeast. *J Cell Biol* 131(2):297-310.

- Hasegawa J, Tokuda E, Tenno T, Tsujita K, Sawai H, Hiroaki H, Takenawa T, Itoh T. 2011. SH3YL1 regulates dorsal ruffle formation by a novel phosphoinositide-binding domain. *J Cell Biol* 193(5):901-16.
- Hawksworth DL. 2001. The magnitude of fungal diversity: the 1.5 million species estimate revisited. *Mycological Research* 105(12):1422-1432.
- Hayakawa Y, Ishikawa E, Shoji JY, Nakano H, Kitamoto K. 2011. Septum-directed secretion in the filamentous fungus *Aspergillus oryzae*. *Mol Microbiol* 81(1):40-55.
- Hazan I, Liu H. 2002. Hyphal tip-associated localization of Cdc42 is F-actin dependent in *Candida albicans*. *Eukaryot Cell* 1(6):856-64.
- Heasman SJ, Ridley AJ. 2008. Mammalian Rho GTPases: new insights into their functions from in vivo studies. *Nat Rev Mol Cell Biol* 9(9):690-701.
- Heider MR, Munson M. 2012. Exorcising the Exocyst Complex. *Traffic*.
- Hordijk PL. 2006. Regulation of NADPH oxidases: the role of Rac proteins. *Circ Res* 98(4):453-62.
- Horio T. 2007. Role of microtubules in tip growth of fungi. *J Plant Res* 120(1):53-60.
- Irizarry RA, Bolstad BM, Collin F, Cope LM, Hobbs B, Speed TP. 2003. Summaries of affymetrix GeneChip probe level data. *Nucleic Acids Research* 31(4).
- Itzen A, Rak A, Goody RS. 2007. Sec2 is a highly efficient exchange factor for the Rab protein Sec4. *J Mol Biol* 365(5):1359-67.
- Iversen JLL, Thomsen JK, Cox RP. 1994. On Line Growth Measurements in Bioreactors by Titrating Metabolic Proton-Exchange. *Applied Microbiology and Biotechnology* 42(2-3):256-262.
- Jacobs DI, Olsthoorn MM, Maillet I, Akeroyd M, Breestraat S, Donkers S, van der Hoeven RA, van den Hondel CA, Kooistra R, Lapointe T and others. 2009. Effective lead selection for improved protein production in *Aspergillus niger* based on integrated genomics. *Fungal Genet Biol* 46 Suppl 1:S141-52.
- Jantti J, Aalto MK, Oyen M, Sundqvist L, Keranen S, Ronne H. 2002. Characterization of temperature-sensitive mutations in the yeast syntaxin 1 homologues Sso1p and Sso2p, and evidence of a distinct function for Sso1p in sporulation. *J Cell Sci* 115(Pt 2):409-20.
- Johnson DI, Pringle JR. 1990. Molecular characterization of CDC42, a *Saccharomyces cerevisiae* gene involved in the development of cell polarity. *J Cell Biol* 111(1):143-52.
- Johnson JL, Erickson JW, Cerione RA. 2009. New insights into how the Rho guanine nucleotide dissociation inhibitor regulates the interaction of Cdc42 with membranes. *J Biol Chem* 284(35):23860-71.
- Jonas MC, Pehar M, Puglielli L. 2010. AT-1 is the ER membrane acetyl-CoA transporter and is essential for cell viability. *J Cell Sci* 123(Pt 19):3378-88.
- Jones S, Newman C, Liu F, Segev N. 2000. The TRAPP complex is a nucleotide exchanger for Ypt1 and Ypt31/32. *Mol Biol Cell* 11(12):4403-11.
- Jørgensen TR, Goosen T, Hondel CA, Ram AF, Iversen JJ. 2009. Transcriptomic comparison of *Aspergillus niger* growing on two different sugars reveals coordinated regulation of the secretory pathway. *BMC Genomics* 10:44.
- Jørgensen TR, Nitsche BM, Lamers GE, Arentshorst M, van den Hondel CA, Ram AF. 2010. Transcriptomic insights into the physiology of *Aspergillus niger* approaching a specific growth rate of zero. *Appl Environ Microbiol* 76(16):5344-55.
- Joung MJ, Mohan SK, Yu C. 2012. Molecular level interaction of inositol hexaphosphate with the C2B domain of human synaptotagmin I. *Biochemistry* 51(17):3675-83.
- Kaksonen M, Toret CP, Drubin DG. 2006. Harnessing actin dynamics for clathrin-mediated endocytosis. *Nat Rev Mol Cell Biol* 7(6):404-14.
- Kasuga T, Glass NL. 2008. Dissecting colony development of *Neurospora crassa* using mRNA profiling and comparative genomics approaches. *Eukaryot Cell* 7(9):1549-64.
- Kaufman RJ. 1999. Stress signaling from the lumen of the endoplasmic reticulum: coordination of gene transcriptional and translational controls. *Genes Dev* 13(10):1211-33.
- Kaup BA, Ehrich K, Pescheck M, Schrader J. 2008. Microparticle-enhanced cultivation of filamentous microorganisms: increased chloroperoxidase formation by *Caldariomyces fumago* as an example. *Biotechnol Bioeng* 99(3):491-8.

- Kienle N, Kloepper TH, Fasshauer D. 2009. Phylogeny of the SNARE vesicle fusion machinery yields insights into the conservation of the secretory pathway in fungi. *BMC Evol Biol* 9:19.
- Kim HS, Czymmek KJ, Patel A, Modla S, Nohe A, Duncan R, Gilroy S, Kang S. 2012. Expression of the Cameleon calcium biosensor in fungi reveals distinct Ca(2+) signatures associated with polarized growth, development, and pathogenesis. *Fungal Genet Biol* 49(8):589-601.
- Klahre U, Kost B. 2006. Tobacco RhoGTPase ACTIVATING PROTEIN1 spatially restricts signaling of RAC/Rop to the apex of pollen tubes. *Plant Cell* 18(11):3033-46.
- Krijgsheld P, Altaar AF, Post H, Ringrose JH, Muller WH, Heck AJ, Wosten HA. 2012. Spatially resolving the secretome within the mycelium of the cell factory *Aspergillus niger*. *J Proteome Res* 11(5):2807-18.
- Kumar P, Satyanarayana T. 2009. Microbial glucoamylases: characteristics and applications. *Crit Rev Biotechnol* 29(3):225-55.
- Kumar R, Singh S, Singh OV. 2008. Bioconversion of lignocellulosic biomass: biochemical and molecular perspectives. *J Ind Microbiol Biotechnol* 35(5):377-91.
- Kuratsu M, Taura A, Shoji JY, Kikuchi S, Arioka M, Kitamoto K. 2007. Systematic analysis of SNARE localization in the filamentous fungus *Aspergillus oryzae*. *Fungal Genet Biol* 44(12):1310-23.
- Kwon MJ, Arentshorst M, Fiedler M, de Groen FL, Punt PJ, Meyer V, Ram AF. 2013a. Molecular genetic analysis of vesicular transport in *Aspergillus niger* reveals partial conservation of the molecular mechanism of exocytosis in fungi. *Microbiology*.
- Kwon MJ, Arentshorst M, Roos ED, van den Hondel CA, Meyer V, Ram AF. 2011. Functional characterization of Rho GTPases in *Aspergillus niger* uncovers conserved and diverged roles of Rho proteins within filamentous fungi. *Mol Microbiol* 79(5):1151-67.
- Kwon MJ, Jorgensen TR, Nitsche BM, Arentshorst M, Park J, Ram AF, Meyer V. 2012. The transcriptomic fingerprint of glucoamylase over-expression in *Aspergillus niger*. *BMC Genomics* 13:701.
- Kwon MJ, Nitsche BM, Arentshorst M, Jorgensen TR, Ram AF, Meyer V. 2013b. The transcriptomic signature of RacA activation and inactivation provides new insights into the morphogenetic network of *Aspergillus niger*. *PLoS One* 8(7):e68946.
- Lambeth JD. 2004. NOX enzymes and the biology of reactive oxygen. *Nat Rev Immunol* 4(3):181-9.
- Langosch D, Hofmann M, Ungermann C. 2007. The role of transmembrane domains in membrane fusion. *Cell Mol Life Sci* 64(7-8):850-64.
- Lanzetti L. 2007. Actin in membrane trafficking. *Curr Opin Cell Biol* 19(4):453-8.
- Lara-Ortiz T, Riveros-Rosas H, Aguirre J. 2003. Reactive oxygen species generated by microbial NADPH oxidase NoxA regulate sexual development in *Aspergillus nidulans*. *Mol Microbiol* 50(4):1241-55.
- Lee J, Paetzel M. 2011. Structure of the catalytic domain of glucoamylase from *Aspergillus niger*. *Acta Crystallogr Sect F Struct Biol Cryst Commun* 67(Pt 2):188-92.
- Leucci MR, Di Sansebastiano GP, Gigante M, Dalessandro G, Piro G. 2007. Secretion marker proteins and cell-wall polysaccharides move through different secretory pathways. *Planta* 225(4):1001-17.
- Levin AM, de Vries RP, Wosten HA. 2007. Localization of protein secretion in fungal colonies using a novel culturing technique; the ring-plate system. *J Microbiol Methods* 69(2):399-401.
- Li S, Du L, Yuen G, Harris SD. 2006. Distinct ceramide synthases regulate polarized growth in the filamentous fungus *Aspergillus nidulans*. *Mol Biol Cell* 17(3):1218-27.
- Li Z, Vizeacoumar FJ, Bahr S, Li J, Warringer J, Vizeacoumar FS, Min R, Vandersluis B, Bellay J, Devit M and others. 2011. Systematic exploration of essential yeast gene function with temperature-sensitive mutants. *Nat Biotechnol* 29(4):361-7.
- Lichius A, Berepiki A, Read ND. 2011. Form follows function -- the versatile fungal cytoskeleton. *Fungal Biol* 115(6):518-40.
- Lill R. 2009. Function and biogenesis of iron-sulphur proteins. *Nature* 460(7257):831-838.
- Lin H, Cheng W, Ding HT, Chen XJ, Zhou QF, Zhao YH. 2010. Direct microbial conversion of wheat straw into lipid by a cellulolytic fungus of *Aspergillus oryzae* A-4 in solid-state fermentation. *Bioresour Technol* 101(19):7556-62.

- Lu X, Sun J, Nimtz M, Wissing J, Zeng AP, Rinas U. 2010. The intra- and extracellular proteome of *Aspergillus niger* growing on defined medium with xylose or maltose as carbon substrate. *Microb Cell Fact* 9:23.
- Lu X, Zhang Y, Shin YK. 2008. Supramolecular SNARE assembly precedes hemifusion in SNARE-mediated membrane fusion. *Nat Struct Mol Biol* 15(7):700-6.
- Maattanen P, Gehring K, Bergeron JJ, Thomas DY. 2010. Protein quality control in the ER: the recognition of misfolded proteins. *Semin Cell Dev Biol* 21(5):500-11.
- Mach-Aigner AR, Omony J, Jovanovic B, van Boxtel AJ, de Graaff LH. 2012. D-xylose concentration-dependent Hydrolase Expression Profiles and the Role of CreA and XlnR in *A. niger*. *Appl Environ Microbiol*.
- Machida M, Yamada O, Gomi K. 2008. Genomics of *Aspergillus oryzae*: learning from the history of Koji mold and exploration of its future. *DNA Res* 15(4):173-83.
- Mahlert M, Leveleki L, Hlubek A, Sandrock B, Bolker M. 2006. Rac1 and Cdc42 regulate hyphal growth and cytokinesis in the dimorphic fungus *Ustilago maydis*. *Mol Microbiol* 59(2):567-78.
- Malagnac F, Lalucque H, Lepere G, Silar P. 2004. Two NADPH oxidase isoforms are required for sexual reproduction and ascospore germination in the filamentous fungus *Podospora anserina*. *Fungal Genet Biol* 41(11):982-97.
- Markina-Inarrairaegui A, Pantazopoulou A, Espeso EA, Penalva MA. 2013. The *Aspergillus nidulans* peripheral ER: disorganization by ER stress and persistence during mitosis. *PLoS One* 8(6):e67154.
- Martens-Uzunova ES, Schaap PJ. 2009. Assessment of the pectin degrading enzyme network of *Aspergillus niger* by functional genomics. *Fungal Genet Biol* 46 Suppl 1:S170-S179.
- Martinez-Rocha AL, Roncero MI, Lopez-Ramirez A, Marine M, Guarro J, Martinez-Cadena G, Di Pietro A. 2008. Rho1 has distinct functions in morphogenesis, cell wall biosynthesis and virulence of *Fusarium oxysporum*. *Cell Microbiol* 10(6):1339-51.
- Martinez IM, Chrispeels MJ. 2003. Genomic analysis of the unfolded protein response in *Arabidopsis* shows its connection to important cellular processes. *Plant Cell* 15(2):561-576.
- Masai K, Maruyama J, Sakamoto K, Nakajima H, Akita O, Kitamoto K. 2006. Square-plate culture method allows detection of differential gene expression and screening of novel, region-specific genes in *Aspergillus oryzae*. *Appl Microbiol Biotechnol* 71(6):881-91.
- Matsui Y, Toh-e A. 1992. Isolation and characterization of two novel ras superfamily genes in *Saccharomyces cerevisiae*. *Gene* 114(1):43-9.
- Matsuoka K, Orci L, Amherdt M, Bednarek SY, Hamamoto S, Schekman R, Yeung T. 1998. COPII-coated vesicle formation reconstituted with purified coat proteins and chemically defined liposomes. *Cell* 93(2):263-75.
- McIntyre M, Muller C, Dynesen J, Nielsen J. 2001. Metabolic engineering of the morphology of *Aspergillus*. *Adv Biochem Eng Biotechnol* 73:103-28.
- Mercier A, Labbe S. 2010. Iron-dependent remodeling of fungal metabolic pathways associated with ferrichrome biosynthesis. *Appl Environ Microbiol* 76(12):3806-17.
- Merkel O, Oskolkova OV, Raab F, El-Toukhy R, Paltauf F. 2005. Regulation of activity in vitro and in vivo of three phospholipases B from *Saccharomyces cerevisiae*. *Biochem J* 387(Pt 2):489-96.
- Meyer V. 2008. Genetic engineering of filamentous fungi--progress, obstacles and future trends. *Biotechnol Adv* 26(2):177-85.
- Meyer V, Arentshorst M, El-Ghezal A, Drews AC, Kooistra R, van den Hondel CA, Ram AF. 2007a. Highly efficient gene targeting in the *Aspergillus niger* kusA mutant. *J Biotechnol* 128(4):770-5.
- Meyer V, Arentshorst M, Flitter SJ, Nitsche BM, Kwon MJ, Reynaga-Pena CG, Bartnicki-Garcia S, van den Hondel CA, Ram AF. 2009. Reconstruction of signaling networks regulating fungal morphogenesis by transcriptomics. *Eukaryot Cell* 8(11):1677-91.
- Meyer V, Arentshorst M, van den Hondel CA, Ram AF. 2008. The polarisome component SpaA localises to hyphal tips of *Aspergillus niger* and is important for polar growth. *Fungal Genet Biol* 45(2):152-64.

- Meyer V, Damveld RA, Arentshorst M, Stahl U, van den Hondel CA, Ram AF. 2007b. Survival in the presence of antifungals: genome-wide expression profiling of *Aspergillus niger* in response to sublethal concentrations of caspofungin and fenpropimorph. *J Biol Chem* 282(45):32935-48.
- Meyer V, Minkwitz S, Schutze T, van den Hondel CA, Ram A. 2010a. The *Aspergillus niger* RmsA protein: A node in a genetic network? *Commun & Integrat Biol* 3(2):1-3.
- Meyer V, Ram AF, Punt PJ. 2010b. Genetics, genetic manipulation and approaches to strain improvement of filamentous fungi. In: AL. D, J. D, editors. *Manual of industrial microbiology and biotechnology*. 3rd ed. NY: Wiley. p 318-29.
- Meyer V, Wanka F, van Gent J, Arentshorst M, van den Hondel CA, Ram AF. 2011a. Fungal gene expression on demand: an inducible, tunable, and metabolism-independent expression system for *Aspergillus niger*. *Appl Environ Microbiol* 77(9):2975-83.
- Meyer V, Wu B, Ram AF. 2011b. *Aspergillus* as a multi-purpose cell factory: current status and perspectives. *Biotechnol Lett* 33(3):469-76.
- Mikoshiba K, Fukuda M, Ibata K, Kabayama H, Mizutani A. 1999. Role of synaptotagmin, a Ca²⁺ and inositol polyphosphate binding protein, in neurotransmitter release and neurite outgrowth. *Chem Phys Lipids* 98(1-2):59-67.
- Miller PJ, Johnson DI. 1994. Cdc42p GTPase is involved in controlling polarized cell growth in *Schizosaccharomyces pombe*. *Mol Cell Biol* 14(2):1075-83.
- Moffett S, Brown DA, Linder ME. 2000. Lipid-dependent targeting of G proteins into rafts. *J Biol Chem* 275(3):2191-8.
- Momany M. 2002. Polarity in filamentous fungi: establishment, maintenance and new axes. *Curr Opin Microbiol* 5(6):580-5.
- Moukha SM, Wosten HA, Mylius EJ, Asther M, Wessels JG. 1993. Spatial and temporal accumulation of mRNAs encoding two common lignin peroxidases in *Phanerochaete chrysosporium*. *J Bacteriol* 175(11):3672-8.
- Mulder HJ, Saloheimo M, Penttilä M, Madrid SM. 2004. The transcription factor HACA mediates the unfolded protein response in *Aspergillus niger*, and up-regulates its own transcription. *Mol Genet Genomics* 271(2):130-40.
- Muller C, McIntyre M, Hansen K, Nielsen J. 2002. Metabolic engineering of the morphology of *Aspergillus oryzae* by altering chitin synthesis. *Appl Environ Microbiol* 68(4):1827-36.
- Nakahara K, Ohkuni A, Kitamura T, Abe K, Naganuma T, Ohno Y, Zoeller RA, Kihara A. 2012. The Sjogren-Larsson syndrome gene encodes a hexadecenal dehydrogenase of the sphingosine 1-phosphate degradation pathway. *Mol Cell* 46(4):461-71.
- Nakase M, Tani M, Morita T, Kitamoto HK, Kashiwazaki J, Nakamura T, Hosomi A, Tanaka N, Takegawa K. 2010. Mannosylinositol phosphorylceramide is a major sphingolipid component and is required for proper localization of plasma-membrane proteins in *Schizosaccharomyces pombe*. *J Cell Sci* 123(Pt 9):1578-87.
- Nichols BJ, Ungermann C, Pelham HR, Wickner WT, Haas A. 1997. Homotypic vacuolar fusion mediated by t- and v-SNAREs. *Nature* 387(6629):199-202.
- Nitsche BM, Crabtree J, Cerqueira GC, Meyer V, Ram AF, Wortman JR. 2011. New resources for functional analysis of omics data for the genus *Aspergillus*. *BMC Genomics* 12:486.
- Nitsche BM, Jorgensen TR, Akeroyd M, Meyer V, Ram AF. 2012a. The carbon starvation response of *Aspergillus niger* during submerged cultivation: insights from the transcriptome and secretome. *BMC Genomics* 13:380.
- Nitsche BM, Ram AF, Meyer V. 2012b. The use of open source bioinformatics tools to dissect transcriptomic data. *Methods Mol Biol* 835:311-31.
- Novick P, Ferro S, Schekman R. 1981. Order of events in the yeast secretory pathway. *Cell* 25(2):461-9.
- Novick P, Field C, Schekman R. 1980. Identification of 23 complementation groups required for post-translational events in the yeast secretory pathway. *Cell* 21(1):205-215.
- Nowrousian M, Ringelberg C, Dunlap JC, Loros JL, Kuck U. 2005. Cross-species microarray hybridization to identify developmentally regulated genes in the filamentous fungus *Sordaria macrospora*. *Molecular Genetics and Genomics* 273(2):137-149.

- Nunez LR, Jesch SA, Gaspar ML, Almaguer C, Villa-Garcia M, Ruiz-Noriega M, Patton-Vogt J, Henry SA. 2008. Cell wall integrity MAPK pathway is essential for lipid homeostasis. *J Biol Chem* 283(49):34204-17.
- O'Donnell D, Wang L, Xu J, Ridgway D, Gu T, Moo-Young M. 2001. Enhanced heterologous protein production in *Aspergillus niger* through pH control of extracellular protease activity. *Biochemical Engineering Journal* 8(3):187-193.
- Oda K, Kakizono D, Yamada O, Iefuji H, Akita O, Iwashita K. 2006. Proteomic analysis of extracellular proteins from *Aspergillus oryzae* grown under submerged and solid-state culture conditions. *Appl Environ Microbiol* 72(5):3448-57.
- Otte S, Belden WJ, Heidtman M, Liu J, Jensen ON, Barlowe C. 2001. Erv41p and Erv46p: new components of COPII vesicles involved in transport between the ER and Golgi complex. *J Cell Biol* 152(3):503-18.
- Pakula TM, Laxell M, Huuskonen A, Uusitalo J, Saloheimo M, Penttilä M. 2003. The effects of drugs inhibiting protein secretion in the filamentous fungus *Trichoderma reesei* - Evidence for down-regulation of genes that encode secreted proteins in the stressed cells. *Journal of Biological Chemistry* 278(45):45011-45020.
- Pakula TM, Uusitalo J, Saloheimo M, Salonen K, Aarts RJ, Penttilä M. 2000. Monitoring the kinetics of glycoprotein synthesis and secretion in the filamentous fungus *Trichoderma reesei*: cellobiohydrolase I (CBHI) as a model protein. *Microbiology* 146 (Pt 1):223-32.
- Palmgren S, Ojala PJ, Wear MA, Cooper JA, Lappalainen P. 2001. Interactions with PIP2, ADP-actin monomers, and capping protein regulate the activity and localization of yeast twinfilin. *J Cell Biol* 155(2):251-60.
- Pantazopoulou A, Penalva MA. 2009. Organization and dynamics of the *Aspergillus nidulans* Golgi during apical extension and mitosis. *Mol Biol Cell* 20(20):4335-47.
- Papagianni M. 2004. Fungal morphology and metabolite production in submerged mycelial processes. *Biotechnol Adv* 22(3):189-259.
- Papagianni M. 2007. Advances in citric acid fermentation by *Aspergillus niger*: biochemical aspects, membrane transport and modeling. *Biotechnol Adv* 25(3):244-63.
- Park HO, Bi E. 2007. Central roles of small GTPases in the development of cell polarity in yeast and beyond. *Microbiol Mol Biol Rev* 71(1):48-96.
- Pehar M, Puglielli L. 2013. Lysine acetylation in the lumen of the ER: a novel and essential function under the control of the UPR. *Biochim Biophys Acta* 1833(3):686-97.
- Pel HJ, de Winde JH, Archer DB, Dyer PS, Hofmann G, Schaap PJ, Turner G, de Vries RP, Albang R, Albermann K and others. 2007. Genome sequencing and analysis of the versatile cell factory *Aspergillus niger* CBS 513.88. *Nat Biotechnol* 25(2):221-31.
- Perez P, Rincon SA. 2010. Rho GTPases: regulation of cell polarity and growth in yeasts. *Biochem J* 426(3):243-53.
- Pfaffl MW. 2001. A new mathematical model for relative quantification in real-time RT-PCR. *Nucleic Acids Research* 29(9).
- Pham CD, Yu Z, Sandrock B, Bolker M, Gold SE, Perlin MH. 2009. *Ustilago maydis* Rho1 and 14-3-3 homologues participate in pathways controlling cell separation and cell polarity. *Eukaryot Cell* 8(7):977-89.
- Philpott CC, Leidgens S, Frey AG. 2012. Metabolic remodeling in iron-deficient fungi. *Biochim Biophys Acta*.
- Philpott CC, Protchenko O. 2008. Response to iron deprivation in *Saccharomyces cerevisiae*. *Eukaryot Cell* 7(1):20-7.
- Pinar M, Pantazopoulou A, Arst HN, Jr., Penalva MA. 2013. Acute inactivation of the *Aspergillus nidulans* Golgi membrane fusion machinery: correlation of apical extension arrest and tip swelling with cisternal disorganization. *Mol Microbiol* 89(2):228-48.
- Posas F, Wurgler-Murphy SM, Maeda T, Witten EA, Thai TC, Saito H. 1996. Yeast HOG1 MAP kinase cascade is regulated by a multistep phosphorelay mechanism in the SLN1-YPD1-SSK1 "two-component" osmosensor. *Cell* 86(6):865-75.

- Protopopov V, Govindan B, Novick P, Gerst JE. 1993. Homologs of the synaptobrevin/VAMP family of synaptic vesicle proteins function on the late secretory pathway in *S. cerevisiae*. *Cell* 74(5):855-61.
- Punt PJ, Oliver RP, Dingemans MA, Pouwels PH, van den Hondel CA. 1987. Transformation of *Aspergillus* based on the hygromycin B resistance marker from *Escherichia coli*. *Gene* 56(1):117-24.
- Punt PJ, Seiboth B, Weenink XO, van Zeijl C, Lenders M, Konetschny C, Ram AF, Montijn R, Kubicek CP, van den Hondel CA. 2001. Identification and characterization of a family of secretion-related small GTPase-encoding genes from the filamentous fungus *Aspergillus niger*: a putative SEC4 homologue is not essential for growth. *Mol Microbiol* 41(2):513-25.
- Punt PJ, van Biezen N, Conesa A, Albers A, Mangnus J, van den Hondel C. 2002. Filamentous fungi as cell factories for heterologous protein production. *Trends Biotechnol* 20(5):200-6.
- Punt PJ, van Gemeren IA, Drint-Kuijvenhoven J, Hessing JG, van Muijlwijk-Hartevelde GM, Beijersbergen A, Verrips CT, van den Hondel CA. 1998. Analysis of the role of the gene *bipA*, encoding the major endoplasmic reticulum chaperone protein in the secretion of homologous and heterologous proteins in black *Aspergilli*. *Appl Microbiol Biotechnol* 50(4):447-54.
- Qadota H, Python CP, Inoue SB, Arisawa M, Anraku Y, Zheng Y, Watanabe T, Levin DE, Ohya Y. 1996. Identification of yeast Rho1p GTPase as a regulatory subunit of 1,3-beta-glucan synthase. *Science* 272(5259):279-81.
- Quintero-Monzon O, Rodal AA, Strokopytov B, Almo SC, Goode BL. 2005. Structural and functional dissection of the Abp1 ADFH actin-binding domain reveals versatile in vivo adapter functions. *Mol Biol Cell* 16(7):3128-39.
- Ram AF, Arentshorst M, Damveld RA, vanKuyk PA, Klis FM, van den Hondel CA. 2004. The cell wall stress response in *Aspergillus niger* involves increased expression of the glutamine : fructose-6-phosphate amidotransferase-encoding gene (*gfaA*) and increased deposition of chitin in the cell wall. *Microbiology* 150(Pt 10):3315-26.
- Ram AF, Klis FM. 2006. Identification of fungal cell wall mutants using susceptibility assays based on Calcofluor white and Congo red. *Nat Protoc* 1(5):2253-6.
- Rasmussen CG, Glass NL. 2005. A Rho-type GTPase, rho-4, is required for septation in *Neurospora crassa*. *Eukaryot Cell* 4(11):1913-25.
- Reynaga-Pena CG, Bartnicki-Garcia S. 1997. Apical branching in a temperature sensitive mutant of *Aspergillus niger*. *Fungal Genet Biol* 22(3):153-67.
- Reynaga-Pena CG, Bartnicki-Garcia S. 2005. Cytoplasmic contractions in growing fungal hyphae and their morphogenetic consequences. *Arch Microbiol* 183(4):292-300.
- Richman TJ, Toenjes KA, Morales SE, Cole KC, Wasserman BT, Taylor CM, Koster JA, Whelihan MF, Johnson DI. 2004. Analysis of cell-cycle specific localization of the Rdi1p RhoGDI and the structural determinants required for Cdc42p membrane localization and clustering at sites of polarized growth. *Curr Genet* 45(6):339-49.
- Ridley AJ. 2001. Rho family proteins: coordinating cell responses. *Trends Cell Biol* 11(12):471-7.
- Ridley AJ. 2006. Rho GTPases and actin dynamics in membrane protrusions and vesicle trafficking. *Trends Cell Biol* 16(10):522-9.
- Riley GL, Tucker KG, Paul GC, Thomas CR. 2000. Effect of biomass concentration and mycelial morphology on fermentation broth rheology. *Biotechnol Bioeng* 68(2):160-72.
- Robertson AS, Allwood EG, Smith AP, Gardiner FC, Costa R, Winder SJ, Ayscough KR. 2009. The WASP homologue Las17 activates the novel actin-regulatory activity of Ysc84 to promote endocytosis in yeast. *Mol Biol Cell* 20(6):1618-28.
- Roca MG, Kuo HC, Lichius A, Freitag M, Read ND. 2010. Nuclear dynamics, mitosis, and the cytoskeleton during the early stages of colony initiation in *Neurospora crassa*. *Eukaryot Cell* 9(8):1171-83.
- Rolke Y, Tudzynski P. 2008. The small GTPase Rac and the p21-activated kinase Cla4 in *Claviceps purpurea*: interaction and impact on polarity, development and pathogenicity. *Mol Microbiol* 68(2):405-23.

- Romisch K. 1999. Surfing the Sec61 channel: bidirectional protein translocation across the ER membrane. *J Cell Sci* 112 (Pt 23):4185-91.
- Rumbold K, van Buijsen HJ, Gray VM, van Groenestijn JW, Overkamp KM, Slomp RS, van der Werf MJ, Punt PJ. 2010. Microbial renewable feedstock utilization: a substrate-oriented approach. *Bioeng Bugs* 1(5):359-66.
- Rumbold K, van Buijsen HJ, Overkamp KM, van Groenestijn JW, Punt PJ, van der Werf MJ. 2009. Microbial production host selection for converting second-generation feedstocks into bioproducts. *Microb Cell Fact* 8:64.
- Sagt CM, ten Haaf PJ, Minneboo IM, Hartog MP, Damveld RA, van der Laan JM, Akeroyd M, Wenzel TJ, Luesken FA, Veenhuis M and others. 2009. Peroxiretention: a novel secretion pathway in the eukaryotic cell. *BMC Biotechnol* 9:48.
- Saloheimo M, Pakula TM. 2012. The cargo and the transport system: secreted proteins and protein secretion in *Trichoderma reesei* (*Hypocrea jecorina*). *Microbiology* 158(Pt 1):46-57.
- Saloheimo M, Valkonen M, Penttilä M. 2003. Activation mechanisms of the HAC1-mediated unfolded protein response in filamentous fungi. *Mol Microbiol* 47(4):1149-61.
- Sambrook J, Russell D. 2001. Molecular cloning: A laboratory manual. New York: Cold Spring Harbour Laboratory Press.
- Schekman R. 2010. Charting the secretory pathway in a simple eukaryote. *Mol Biol Cell* 21(22):3781-4.
- Schlessinger K, Hall A, Tolwinski N. 2009. Wnt signaling pathways meet Rho GTPases. *Genes Dev* 23(3):265-77.
- Schuster A, Schmoll M. 2010. Biology and biotechnology of *Trichoderma*. *Appl Microbiol Biotechnol* 87(3):787-99.
- Scott B, Eaton CJ. 2008. Role of reactive oxygen species in fungal cellular differentiations. *Curr Opin Microbiol* 11(6):488-93.
- Segev N. 2001a. Ypt and Rab GTPases: insight into functions through novel interactions. *Current Opinion in Cell Biology* 13(4):500-511.
- Segev N. 2001b. Ypt/rab gtpases: regulators of protein trafficking. *Sci STKE* 2001(100):re11.
- Semighini CP, Harris SD. 2008. Regulation of apical dominance in *Aspergillus nidulans* hyphae by reactive oxygen species. *Genetics* 179(4):1919-32.
- Serrano R, Bernal D, Simon E, Arino J. 2004. Copper and iron are the limiting factors for growth of the yeast *Saccharomyces cerevisiae* in an alkaline environment. *J Biol Chem* 279(19):19698-704.
- Shaffer AL, Shapiro-Shelef M, Iwakoshi NN, Lee AH, Qian SB, Zhao H, Yu X, Yang L, Tan BK, Rosenwald A and others. 2004. XBP1, downstream of Blimp-1, expands the secretory apparatus and other organelles, and increases protein synthesis in plasma cell differentiation. *Immunity* 21(1):81-93.
- Si H, Justa-Schuch D, Seiler S, Harris SD. 2010. Regulation of septum formation by the Bud3-Rho4 GTPase module in *Aspergillus nidulans*. *Genetics* 185(1):165-76.
- Sims RE, Mabee W, Saddler JN, Taylor M. 2010. An overview of second generation biofuel technologies. *Bioresour Technol* 101(6):1570-80.
- Singh A, Del Poeta M. 2010. Lipid signalling in pathogenic fungi. *Cell Microbiol* 13(2):177-85.
- Smyth GK. 2004. Linear models and empirical bayes methods for assessing differential expression in microarray experiments. *Stat Appl Genet Mol Biol* 3:Article3.
- Solovyov A, Gilbert HF. 2004. Zinc-dependent dimerization of the folding catalyst, protein disulfide isomerase. *Protein Sci* 13(7):1902-7.
- Sorimachi K, Jacks AJ, Le Gal-Coeffet MF, Williamson G, Archer DB, Williamson MP. 1996. Solution structure of the granular starch binding domain of glucoamylase from *Aspergillus niger* by nuclear magnetic resonance spectroscopy. *J Mol Biol* 259(5):970-87.
- Steinberg G. 2007. Hyphal growth: a tale of motors, lipids, and the Spitzenkörper. *Eukaryot Cell* 6(3):351-60.
- Stojilkovic SS. 2005. Ca²⁺-regulated exocytosis and SNARE function. *Trends in Endocrinology and Metabolism* 16(3):81-83.

- Su X, Schmitz G, Zhang M, Mackie RI, Cann IK. 2012. Heterologous gene expression in filamentous fungi. *Adv Appl Microbiol* 81:1-61.
- Sudbery P. 2011. Fluorescent proteins illuminate the structure and function of the hyphal tip apparatus. *Fungal Genet Biol* 48(9):849-57.
- Taheri-Talesh N, Horio T, Araujo-Bazan L, Dou X, Espeso EA, Penalva MA, Osmani SA, Oakley BR. 2008. The tip growth apparatus of *Aspergillus nidulans*. *Mol Biol Cell* 19(4):1439-49.
- Taheri-Talesh N, Xiong Y, Oakley BR. 2012. The functions of myosin II and myosin V homologs in tip growth and septation in *Aspergillus nidulans*. *PLoS One* 7(2):e31218.
- Takemoto D, Tanaka A, Scott B. 2006. A p67Phox-like regulator is recruited to control hyphal branching in a fungal-grass mutualistic symbiosis. *Plant Cell* 18(10):2807-21.
- Takeshita N, Diallinas G, Fischer R. 2012. The role of flotillin FloA and stomatin StoA in the maintenance of apical sterol-rich membrane domains and polarity in the filamentous fungus *Aspergillus nidulans*. *Mol Microbiol* 83(6):1136-52.
- Tanaka A, Takemoto D, Hyon GS, Park P, Scott B. 2008. NoxA activation by the small GTPase RacA is required to maintain a mutualistic symbiotic association between *Epichloe festucae* and perennial ryegrass. *Mol Microbiol* 68(5):1165-78.
- Tcheperegine SE, Gao XD, Bi E. 2005. Regulation of cell polarity by interactions of Msb3 and Msb4 with Cdc42 and polarisome components. *Mol Cell Biol* 25(19):8567-80.
- te Biesebeke R, Boussier A, van Biezen N, van den Hondel CA, Punt PJ. 2006. Identification of secreted proteins of *Aspergillus oryzae* associated with growth on solid cereal substrates. *J Biotechnol* 121(4):482-5.
- te Biesebeke R, Record E, van Biezen N, Heerikhuisen M, Franken A, Punt PJ, van den Hondel CA. 2005. Branching mutants of *Aspergillus oryzae* with improved amylase and protease production on solid substrates. *Appl Microbiol Biotechnol* 69(1):44-50.
- Tiedje C, Sakwa I, Just U, Hofken T. 2008. The Rho GDI Rdi1 regulates Rho GTPases by distinct mechanisms. *Mol Biol Cell* 19(7):2885-96.
- Titorenko VI, Ogrydziak DM, Rachubinski RA. 1997. Four distinct secretory pathways serve protein secretion, cell surface growth, and peroxisome biogenesis in the yeast *Yarrowia lipolytica*. *Mol Cell Biol* 17(9):5210-26.
- Tsukagoshi N, Kobayashi T, Kato M. 2001. Regulation of the amylolytic and (hemi-)cellulolytic genes in aspergilli. *J Gen Appl Microbiol* 47(1):1-19.
- Ungar D, Hughson FM. 2003. SNARE protein structure and function. *Annu Rev Cell Dev Biol* 19:493-517.
- Upadhyay S, Shaw BD. 2008. The role of actin, fimbrin and endocytosis in growth of hyphae in *Aspergillus nidulans*. *Mol Microbiol* 68(3):690-705.
- Ustinov BB, Gusakov AV, Antonov AI, Sinitsyn AP. 2008. Comparison of properties and mode of action of six secreted xylanases from *Chrysosporium lucknowense*. *Enzyme and Microbial Technology* 43(1):56-65.
- Valkonen M, Kalkman ER, Saloheimo M, Penttila M, Read ND, Duncan RR. 2007. Spatially segregated SNARE protein interactions in living fungal cells. *J Biol Chem* 282(31):22775-85.
- van den Berg RA, Braaksma M, van der Veen D, van der Werf MJ, Punt PJ, van der Oost J, de Graaff LH. 2010. Identification of modules in *Aspergillus niger* by gene co-expression network analysis. *Fungal Genet Biol* 47(6):539-50.
- van den Berg RA, Hoefsloot HC, Westerhuis JA, Smilde AK, van der Werf MJ. 2006. Centering, scaling, and transformations: improving the biological information content of metabolomics data. *BMC Genomics* 7:142.
- van den Brink J, van Muiswinkel GC, Theelen B, Hinz SW, de Vries RP. 2013. Efficient plant biomass degradation by thermophilic fungus *Myceliophthora heterothallica*. *Appl Environ Microbiol* 79(4):1316-24.
- van Gemenen IA, Punt PJ, Drint-Kuyvenhoven A, Broekhuijsen MP, van't Hoog A, Beijersbergen A, Verrips CT, van den Hondel CA. 1997. The ER chaperone encoding bipA gene of black Aspergilli is induced by heat shock and unfolded proteins. *Gene* 198(1-2):43-52.

- van Gorcom RF, van den Hondel CA. 1988. Expression analysis vectors for *Aspergillus niger*. *Nucleic Acids Res* 16(18):9052.
- van Hartingsveldt W, Mattern IE, van Zeijl CM, Pouwels PH, van den Hondel CA. 1987. Development of a homologous transformation system for *Aspergillus niger* based on the pyrG gene. *Mol Gen Genet* 206(1):71-5.
- Varadarajan R, Nagarajaram HA, Ramakrishnan C. 1996. A procedure for the prediction of temperature-sensitive mutants of a globular protein based solely on the amino acid sequence. *Proc Natl Acad Sci U S A* 93(24):13908-13.
- Vasara T, Salusjarvi L, Raudaskoski M, Keranen S, Penttila M, Saloheimo M. 2001. Interactions of the *Trichoderma reesei* rho3 with the secretory pathway in yeast and *T. reesei*. *Mol Microbiol* 42(5):1349-61.
- Verdoes JC, Punt PJ, Burlingame R, Bartels J, Van Dijk R, Slump E, Meens M, Joosten R, Emalfarb M. 2007. A dedicated vector for efficient library construction and high throughput screening in the hyphal fungus *Chrysosporium lucknowense*. *Ind Biotechnol* 3:48-57.
- Verdoes JC, Punt PJ, Schrickx JM, Vanverseveld HW, Stouthamer AH, Vandenhondel CAMJJ. 1993. Glucoamylase Overexpression in *Aspergillus-Niger* - Molecular Genetic-Analysis of Strains Containing Multiple Copies of the Glaa-Gene. *Transgenic Research* 2(2):84-92.
- Verdoes JC, Punt PJ, Stouthamer AH, van den Hondel CA. 1994a. The effect of multiple copies of the upstream region on expression of the *Aspergillus niger* glucoamylase-encoding gene. *Gene* 145(2):179-87.
- Verdoes JC, Vandiepeningen AD, Punt PJ, Debets AJM, Stouthamer AH, Vandenhondel CAMJJ. 1994b. Evaluation of Molecular and Genetic Approaches to Generate Glucoamylase Overproducing Strains of *Aspergillus-Niger*. *Journal of Biotechnology* 36(2):165-175.
- Vinck A, de Bekker C, Ossin A, Ohm RA, de Vries RP, Wosten HA. 2011. Heterogenic expression of genes encoding secreted proteins at the periphery of *Aspergillus niger* colonies. *Environ Microbiol* 13(1):216-25.
- Vinck A, Terlouw M, Pestman WR, Martens EP, Ram AF, van den Hondel CA, Wosten HA. 2005. Hyphal differentiation in the exploring mycelium of *Aspergillus niger*. *Mol Microbiol* 58(3):693-9.
- Virag A, Griffiths AJ. 2004. A mutation in the *Neurospora crassa* actin gene results in multiple defects in tip growth and branching. *Fungal Genet Biol* 41(2):213-25.
- Virag A, Harris SD. 2006a. Functional characterization of *Aspergillus nidulans* homologues of *Saccharomyces cerevisiae* Spa2 and Bud6. *Eukaryot Cell* 5(6):881-95.
- Virag A, Harris SD. 2006b. The Spitzenkorper: a molecular perspective. *Mycol Res* 110(Pt 1):4-13.
- Virag A, Lee MP, Si H, Harris SD. 2007. Regulation of hyphal morphogenesis by cdc42 and rac1 homologues in *Aspergillus nidulans*. *Mol Microbiol* 66(6):1579-96.
- Visser H, Joosten V, Punt PJ, Gusakov AV, Olson PT, Joosten R, Bartels J, Visser J, Sinitsyn AP, Emalfarb MA and others. 2011. Development of a mature fungal technology and production platform for industrial enzymes based on a *Myceliophthora thermophila* isolate, previously known as *Chrysosporium lucknowense* C1. *Ind Biotechnol* 7:214-223.
- Wachtler V, Balasubramanian MK. 2006. Yeast lipid rafts?--an emerging view. *Trends Cell Biol* 16(1):1-4.
- Walch-Solimena C, Collins RN, Novick PJ. 1997. Sec2p mediates nucleotide exchange on Sec4p and is involved in polarized delivery of post-Golgi vesicles. *J Cell Biol* 137(7):1495-509.
- Waldron KJ, Rutherford JC, Ford D, Robinson NJ. 2009. Metalloproteins and metal sensing. *Nature* 460(7257):823-830.
- Wang H, Entwistle J, Morlon E, Archer DB, Peberdy JF, Ward M, Jeenes DJ. 2003. Isolation and characterisation of a calnexin homologue, clxA, from *Aspergillus niger*. *Mol Genet Genomics* 268(5):684-91.
- Wang J, Hu H, Wang S, Shi J, Chen S, Wei H, Xu X, Lu L. 2009. The important role of actinin-like protein (AcnA) in cytokinesis and apical dominance of hyphal cells in *Aspergillus nidulans*. *Microbiology* 155(Pt 8):2714-25.
- Warne PH, Viciani PR, Downward J. 1993. Direct interaction of Ras and the amino-terminal region of Raf-1 in vitro. *Nature* 364(6435):352-5.

- Waters BM, Eide DJ. 2002. Combinatorial control of yeast FET4 gene expression by iron, zinc, and oxygen. *J Biol Chem* 277(37):33749-57.
- Wen W, Chen L, Wu H, Sun X, Zhang M, Banfield DK. 2006. Identification of the yeast R-SNARE Nyv1p as a novel longin domain-containing protein. *Mol Biol Cell* 17(10):4282-99.
- Wendland J, Philippsen P. 2001. Cell polarity and hyphal morphogenesis are controlled by multiple rho-protein modules in the filamentous ascomycete *Ashbya gossypii*. *Genetics* 157(2):601-10.
- Withers JM, Swift RJ, Wiebe MG, Robson GD, Punt PJ, van den Hondel CA, Trinci AP. 1998. Optimization and stability of glucoamylase production by recombinant strains of *Aspergillus niger* in chemostat culture. *Biotechnol Bioeng* 59(4):407-18.
- Wongwicharn A, McNeil B, Harvey LM. 1999. Effect of oxygen enrichment on morphology, growth, and heterologous protein production in chemostat cultures of *Aspergillus niger* B1-D. *Biotechnol Bioeng* 65(4):416-24.
- Wösten HA, Moukha SM, Sietsma JH, Wessels JG. 1991. Localization of growth and secretion of proteins in *Aspergillus niger*. *J Gen Microbiol* 137(8):2017-23.
- Wucherpennig T, Kiep KA, Driouch H, Wittmann C, Krull R. 2010. Morphology and rheology in filamentous cultivations. *Adv Appl Microbiol* 72:89-136.
- Xiong L, Lee H, Ishitani M, Zhu JK. 2002. Regulation of osmotic stress-responsive gene expression by the LOS6/ABA1 locus in *Arabidopsis*. *J Biol Chem* 277(10):8588-96.
- Yoshida H, Matsui T, Yamamoto A, Okada T, Mori K. 2001. XBP1 mRNA Is Induced by ATF6 and Spliced by IRE1 in Response to ER Stress to Produce a Highly Active Transcription Factor. *Cell* 107(7):881-891.
- Yoshimori T, Keller P, Roth MG, Simons K. 1996. Different biosynthetic transport routes to the plasma membrane in BHK and CHO cells. *J Cell Biol* 133(2):247-56.
- Youn JY, Friesen H, Kishimoto T, Henne WM, Kurat CF, Ye W, Ceccarelli DF, Sicheri F, Kohlwein SD, McMahon HT and others. 2010. Dissecting BAR domain function in the yeast *Amphiphysins* Rvs161 and Rvs167 during endocytosis. *Mol Biol Cell* 21(17):3054-69.
- Yuan XL, Goosen C, Kools H, van der Maarel MJ, van den Hondel CA, Dijkhuizen L, Ram AF. 2006. Database mining and transcriptional analysis of genes encoding inulin-modifying enzymes of *Aspergillus niger*. *Microbiology* 152(Pt 10):3061-73.
- Yuan XL, Roubos JA, van den Hondel CA, Ram AF. 2008a. Identification of InuR, a new Zn(II)2Cys6 transcriptional activator involved in the regulation of inulinolytic genes in *Aspergillus niger*. *Mol Genet Genomics* 279(1):11-26.
- Yuan XL, van der Kaaij RM, van den Hondel CAMJJ, Punt PJ, van der Maarel MJEC, Dijkhuizen L, Ram AFJ. 2008b. *Aspergillus niger* genome-wide analysis reveals a large number of novel alpha-glucan acting enzymes with unexpected expression profiles. *Molecular Genetics and Genomics* 279(6):545-561.
- Zheng Y, Yu X, Zeng J, Chen S. 2012. Feasibility of filamentous fungi for biofuel production using hydrolysate from dilute sulfuric acid pretreatment of wheat straw. *Biotechnol Biofuels* 5(1):50.
- Ziman M, O'Brien JM, Ouellette LA, Church WR, Johnson DI. 1991. Mutational analysis of CDC42Sc, a *Saccharomyces cerevisiae* gene that encodes a putative GTP-binding protein involved in the control of cell polarity. *Mol Cell Biol* 11(7):3537-44.

