



Universiteit  
Leiden  
The Netherlands

## The rise and fall of *Sauropus* (*Phyllanthaceae*) : a molecular phylogenetic analysis of *Sauropus* and allies

Pruesapan, K.

### Citation

Pruesapan, K. (2010, November 23). *The rise and fall of Sauropus (Phyllanthaceae) : a molecular phylogenetic analysis of Sauropus and allies*. Retrieved from <https://hdl.handle.net/1887/16170>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/16170>

**Note:** To cite this publication please use the final published version (if applicable).

## References

- Airy Shaw HK.** 1969. Notes on Malesian and other Asiatic Euphorbiaceae. CI. New or noteworthy species of *Sauropolis* Bl. *Kew Bulletin* **23**: 42--55.
- Airy Shaw HK.** 1971. Notes on Malesian and other Asiatic Euphorbiaceae. CXXVIII. *Sauropolis suberosus* in Malaya. *Kew Bulletin* **25**: 500.
- Airy Shaw HK.** 1972. The Euphorbiaceae of Siam. *Kew Bulletin* **26**: 191—343.
- Airy Shaw HK.** 1974. Noteworthy Euphorbiaceae from tropical Asia (Burma to New Guinea). *Hooker's Icones Plantarum* 38: tab. 3708, 3709.
- Airy Shaw HK.** 1975. The Euphorbiaceae of Borneo. *Kew Bulletin, Additional Series* **4**: 192-194, 199.
- Airy Shaw HK.** 1978. Notes on Malesian and other Asiatic Euphorbiaceae. *Kew Bulletin* **33**: 25--77.
- Airy Shaw HK.** 1979. Notes on Malesian and other Asiatic Euphorbiaceae. CCXXIII. *Sauropolis* Bl. *Kew Bulletin* **33**: 530—531.
- Airy Shaw HK.** 1980a. A partial synopsis of the Euphorbiaceae - Platylobeae of Australia (excluding *Phyllanthus*, *Euphorbia* and *Calycopeplus*). *Kew Bulletin* **35**: 577--700.
- Airy Shaw HK.** 1980b. The Euphorbiaceae of New Guinea. *Kew Bulletin, Additional Series* **8**: 38—42.
- Airy Shaw HK.** 1981. The Euphorbiaceae of Sumatra. *Kew Bulletin* **36**: 239--374.
- Airy Shaw HK, Kalotas A.** 1981. Euphorbiaceae. In: Jessop J, ed. *Flora of Central Australia*. Australian Systematic Botany Society 1981, 185--194.
- Andersson L, Chase MW.** 2001. Phylogeny and classification of Marantaceae. *Botanical Journal of the Linnean Society* **135**: 275--287.
- Angiosperm Phylogeny Group II.** 2003. An update of the Angiosperm Phylogeny Group classification for the orders and families of flowering plants: APG II. *Botanical Journal of the Linnean Society* **141**: 399--436.
- Audley-Charles MG.** 1987. Dispersal of Gondwanaland: Relevance to evolution of the Angiosperms. In: Whitmore TC, ed. *Biogeographical Evolution of the Malay Archipelago*. Oxford: Clarendon Press, 5—25.

- Azis S.** 2003. *Sauropus* Blume. In: Lemmens RHMJ, Bunyaphraphatsara N, eds. *Plant Resources of South-East Asia 12(3): Medicinal and poisonous plants 3*. Leiden: Backhuys Publishers, 363—365.
- Baldwin BG.** 1992. Phylogenetic utility of the internal transcribed spacer of nuclear ribosomal DNA in plants: an example from the Compositae. *Molecular Phylogenetics and Evolution* **1**: 3--16.
- Banga O.** 1956. International conference on the important of vegetable varieties at Wageningen, Netherlands, on August 26 and 27, 1955. *Euphytica* **5**: 18—32.
- Barkman TJ, Simpson BB.** 2002. Hybrid origin and parentage of *Dendrochilum acuiferum* (Orchidaceae) inferred in a phylogenetic context using nuclear and plastid DNA sequence data. *Systematic Botany* **27**: 209--220.
- Beille L.** 1925. Sur quelques Euphorbiacées nouvelles de la flore indo-chinoise. *Bulletin de la Societe Botanique de France* **72**: 157—158.
- Beille L.** 1927. Euphorbiaceae. In: Lecomte MH, ed. *Flore Générale de L'Indo-Chine* 5. Paris: Masson & Cie, 643—658.
- Benjapak N, Swatsitang P, Tanpanich S.** 2008. Determination of antioxidant capacity and nutritive values of Pak-Wanban (*Sauropus androgynus* L. Merr.). *KKU Science Journal* **36**: 279—289.
- Blume CL.** 1825. *Bijdragen tot de Flora van Nederlandsch Indie*. Batavia: Lands Drukkerij, 594--596.
- Bremer K.** 1988. The limits of amino acid sequence data in angiosperm phylogenetic reconstruction. *Evolution* **42**: 795--803.
- Chakrabarty T, Gangopadhyay M.** 1996. The genus *Sauropus* Blume (Euphorbiaceae) in the Indian subcontinent. *Journal of Economic and Taxonomic Botany* **20**: 513—545.
- Chancharanothai P.** 2007. *Phyllanthus*. In: Van Welzen PC, Chayamarit K, eds. *Flora of Thailand 8(2): Euphorbiaceae (Genera G-Z)*. Bangkok: The Forest Herbarium, 473—507.
- Croizat L.** 1940. New and critical Euphorbiaceae from eastern tropical Asia. *Journal of the Arnold Arboretum* **21**: 490--510.
- Croizat L.** 1942. On certain Euphorbiaceae from the tropical Far East. *Journal of the Arnold Arboretum* **23**: 29--54.

- Davis CC, Chase MW.** 2004. Elatinaceae are sister to Malpighiaceae; Peridiscaceae belong to Saxifragales. *American Journal of Botany* **91**: 262--273.
- De Queiroz A, Donoghue MJ, Kim J.** 1995. Separate versus combined analysis of phylogenetic evidence. *Annual Review of Ecology and Systematics* **26**: 657--681.
- Esser H-J.** 2003. Fruit characters in Malesian Euphorbiaceae. *Telopea* **10**: 169—177.
- Farris JS, Källersjö M, Kluge AG, Bult C.** 1994. Testing Significance of Incongruence. *Cladistics* **10**: 315--319.
- Farris JS, Källersjö M, Kluge AG, Bult C.** 1995. Constructing a significance test for incongruence. *Systematic Biology* **44**: 570--572.
- Felsenstein J.** 1985. Confidence limits on phylogenetics: an approach using the bootstrap. *Evolution* **39**: 783--791.
- Felsenstein J.** 2004. Inferring Phylogenies. Sunderland, Massachusetts: Sinauer Associates.
- Fitch WM.** 1971. Towards defining the course of evolution: minimum change for a specific tree topology. *Systematic Zoology* **20**: 406--416.
- Forster JR, Forster G.** 1775. *Characteres generum plantarum* (ed. 1). London: White B, Cadell T & Elmsly P, p. 73.
- Goloboff PA.** 1999. Analyzing large data sets in reasonable times: Solutions for composite optima. *Cladistics* **19**: 415--428.
- Goloboff PA, Farris JS, Källersjö M, Oxelman B, Ramírez MJ, Szumik CA.** 2003a. Improvements to resampling measures of group support. *Cladistics* **19**: 324--332.
- Goloboff PA, Farris JS, Nixon KC.** 2003b. TNT: Tree analysis using New Technology, version 1.1. <http://www.zmuc.dk/public/phylogeny/tnt>.
- Goloboff PA, Mattoni CI, Quinteros AS.** 2006. Continuous characters analyzed as such. *Cladistics* **22**: 589--601.
- Govaerts R, Frodin DG, Radcliffe-Smith A.** 2000. *World checklist and bibliography of Euphorbiaceae (and Pandaceae)* vol. 1. Kew: Royal Botanic Gardens.
- Govaerts R, Frodin DG, Radcliffe-Smith A.** 2000. *World checklist and bibliography of Euphorbiaceae (and Pandaceae)*, vol. 4. Kew: Royal Botanic Gardens.
- Hall R.** 2009. Southeast Asia's changing palaeogeography. *Blumea* **54**: 148—161.
- Hamilton MB.** 1999. Four primer pairs for the application of chloroplast intergenic regions with intraspecific variation. *Molecular Ecology* **8**: 521--523.

- Harris AJ, Xiang Q-Y.** 2009. Estimating ancestral distributions of lineages of uncertain or sister groups: a statistical approach to Dispersal-Vicariance Analysis and a case using *Aesculus* L. (Sapindaceae) including fossils. *Journal of Systematics and Evolution* **47**: 349—368.
- Hemsley WB.** 1898. *Phyllanthodendron mirabilis* Hemsl. *Hooker's Icones Plantarum* **26**: pl. 2563--2564.
- Hillis DM, Bull JJ.** 1993. An empirical test of bootstrapping as a method for assessing confidence in phylogenetic analysis. *Systematic Biology* **42**: 182--192.
- Hoang SV, Baas P, Keßler PJA.** 2008. Uses and conservation of plant species in a National Park –a case study of Ben En, Vietnam. *Economic Botany* **62**: 574—593.
- Hoffmann P, Kathriarachchi H, Wurdack KJ.** 2006. A phylogenetic classification of *Phyllanthaceae* (*Malpighiales*; *Euphorbiaceae sensu lato*). *Kew Bulletin* **61**: 37--53.
- Hooker JD.** 1887. Euphorbiaceae. *The Flora of British India*. Covent Garden, London: L Reeve & Co., 329—336.
- Huelsenbeck JP, Ronquist F.** 2001. MrBayes: Bayesian inference of phylogenetic trees. *Bioinformatics* **17**: 754--755.
- Hunter JT, Bruhl JJ.** 1997a. Four new rare species of *Sauropus* Blume (Euphorbiaceae: Phyllanthaceae) from north Queensland. *Austrobaileya* **4**: 661--672.
- Hunter JT, Bruhl JJ.** 1997b. New *Sauropus* (Euphorbiaceae: Phyllantheae) taxa for the Northern Territory and Western Australia and notes on other *Sauropus* occurring in these regions. *Nuytsia* **11**: 165--184.
- Hunter JT, Bruhl JJ.** 1997c. Two new species of *Phyllanthus* and notes on *Phyllanthus* and *Sauropus* (Euphorbiaceae: Phyllantheae) in New South Wales. *Telopea* **7**: 149—165.
- Hunter JT.** 2005. Phytogeography, range size and richness of Australian endemic *Sauropus* (Euphorbiaceae). *Journal of Biogeography* **32**: 63--73.
- Johnson LA, Soltis DE.** 1998. Assessing congruence: empirical examples from molecular data. In: Soltis DE, Soltis PS, Doyle JJ, eds. *Molecular systematics of plants*. Dordrecht: Kluwer Academic Publisher, 297--348.
- Judd WS, Campbell CS, Kathriarachchi H, Hoffmann P, Samuel R, Wurdack KJ, Chase MW.** 2005. Molecular phylogenetics of Phyllanthaceae inferred from five genes

- (plastid *atpB*, *matK*, 3' *ndhF*, *rbcL*, and nuclear *PHYC*). *Molecular Phylogenetics and Evolution* **36**: 112--134.
- Judd WS, Campbell CS, Kellogg EA, Stevens PF. 1999.** *Plant systematics – a phylogenetic approach*. Sunderland, Massachusetts: Sinauer Associates.
- Kathriarachchi H, Hoffmann P, Samuel R, Wurdack KJ, Chase MW. 2005.** Molecular phylogenetics of Phyllanthaceae inferred from five genes (plastid *atpB*, *matK*, 3' *ndhF*, *rbcL*, and nuclear *PHYC*). *Molecular Phylogenetics and Evolution* **36**: 112--134.
- Kathriarachchi H, Samuel R, Hoffmann P, Mlinarec J, Wurdack KJ, Ralimanana H, Stuessy TF, Chase MW. 2006.** Phylogenetics of tribe Phyllantheae (Phyllanthaceae; Euphorbiaceae *sensu lato*) based on nrITS and plastid *matK* DNA sequence data. *American Journal of Botany* **93**: 637--655.
- Kato M, Takimura A, Kawakita A. 2003.** An obligate pollination mutualism and reciprocal diversification in the tree genus *Glochidion* (Euphorbiaceae). *Proceedings of the National Academy of Sciences of the United States of America-Physical Science* **100**: 5264--5267.
- Kawakita A, Kato M. 2004a.** Evolution of obligate pollination mutualism in New Caledonian *Phyllanthus* (Euphorbiaceae). *American Journal of Botany* **91**: 410--415.
- Kawakita A, Kato M. 2004b.** Obligate pollination mutualism in *Breynia* (Phyllanthaceae): Further documentation of pollination mutualism involving *Epicephala* moths (Gracillariidae). *American Journal of Botany* **91**: 1319--1325.
- Kawakita A, Kato M. 2009.** Repeated independent evolution of obligate pollination mutualism in the Phyllantheae-*Epicephala* association. *Proceedings of the Royal Society B (Biological Sciences)* **276**: 417--426.
- Kellogg EA, Appels R, Mason-Gamer RJ. 1996.** When genes tell different stories: the diploid genera of Triticeae (Gramineae). *Systematic Botany* **21**: 321--347.
- Kimura T, Iketani H, Kotobuki K, Matsuta N, Ban Y, Hayashi T, Yamamoto T. 2003.** Genetic characterization of pear varieties revealed by chloroplast DNA sequences. *Journal of Horticultural Science & Biotechnology* **78**: 241--247.
- Kodandaramaiah U. 2010.** Use of dispersal-vicariance analysis in biogeography – a critique. *Journal of Biogeography* **37**: 3—11.
- Levin GA. 1986.** Systematic foliar morphology of Phylanthoideae (Euphorbiaceae) I. Conspectus. *Annals of the Missouri Botanical Garden* **73**: 29--85.

- Li PT.** 1987. Notes on the genera *Sauropus* and *Cleistanthus* of Euphorbiaceae in China. *Acta Physica Sinica* **25**: 132--137.
- Li PT.** 1994. *Euphorbiaceae-Phyllanthoideae*. Flora Reipublicae Popularis Sinicae 44, 1. Beijing: Science Press (in Chinese).
- Li PT, Chiu H, Ma J, Zhu H, Gilbert MG, Esser H-J, Dressler S, Hoffmann P, Gillespie LJ, Vorontsova M, McPherson GD.** 2008. Euphorbiaceae. In: Wu ZY, Rave PH, Hong DY, eds. *Flora of China* 11. Beijing: Science Press & St. Louis: Missouri Botanical Garden Press, 163-314.
- Maddison DR, Maddison W.** 2001. *MacClade 4: Analysis of phylogeny and character evolution*, version 4.08 Sunderland, Massachusetts: Sinauer Associates.
- Maddison WP, Maddison DR.** 2009. Mesquite: A modular system for evolutionary analysis. Version 2.72. <http://mesquiteproject.org>.
- Mason-Gamer RJ, Kellogg BG.** 1996. Testing for phylogenetic conflict among molecular data sets in the tribe Triticeae. *Systematic Biology* **45**: 524--545.
- Mathews S, Lavin M, Sharrock RA.** 1995. Evolution of the phytochrome gene family and its utility for phylogenetic analyses of Angiosperms. *Annals of the Missouri Botanical Garden* **82**: 296--321.
- McNeill J, Barrie FR, Burdet HM, Demoulin V, Hawksworth DL, Marhold K, Nicolson DH, Prado J, Silva PC, Skog JE, Wiersema JH, Turland NJ, eds.** 2006. *International code of botanical nomenclature (Vienna Code): Adopted by the Seventeenth International Botanical Congress Vienna, Austria, July 2005*. Regnum Vegetabile 146. Ruggell: Gantner.
- Mennega AMW.** 1987. Wood anatomy of the Euphorbiaceae, in particular of the subfamily Phyllanthoideae. *Botanical Journal of the Linnean Society* **94**: 111--126.
- Metcalfe I.** 1998. Palaeozoic and Mesozoic geological evolution of the SE Asian region: multidisciplinary constraints and implications for biogeography. In: Hall R, Holloway JD, eds. *Biogeography and geological evolution of SE Asia*. Leiden: Backhuys Publishers, 25—41.
- Mueller F.** 1858. *Fragmenta Phytographiae Australiae* 1. Melbourne: John Ferris, 32--33.
- Müller Argoviensis J.** 1863. Euphorbiaceae. *Linnaea* **32**: 72--73.

- Müller Argoviensis J.** 1866. Euphorbiaceae. In: De Candolle A, ed. *Prodromus Systematis Naturalis Regni Vegetabilis* 15, 2. Paris: Victor Masson & sons, 239–244.
- Nixon KC.** 1999. The Parsimony Ratchet, a new method for rapid parsimony analysis. *Cladistics* 15: 407–414.
- Nylander JAA.** 2004. *Mr Modeltest v2. Program distributed by author*. Uppsala University: Evolutionary Biology Centre.
- Nylander JAA, Olsson U, Alstrom P, Sanmartin I.** 2008. Accounting for phylogenetic uncertainty in biogeography: A Bayesian approach to Dispersal-vicariance analysis of the Thrushes (Aves: *Turdus*). *Systematic Biology* 57: 257–268.
- Ogle BM, Tuyet HT, Duyet HN, Dung NNH.** 2003. Food, feed or medicine: The multiple functions of edible wild plants in Vietnam. *Economic Botany* 57: 103–117.
- Pax F, Hoffmann K.** 1922. Euphorbiaceae-Phyllanthoideae-Phyllantheae. In: Engler A, ed. *Das Pflanzenreich* IV.147.xv. f. 19. Leipzig: Wilhelm Engelmann, 215–226.
- Pax F, Hoffmann K.** 1931. Euphorbiaceae. In: Engler A, Harms H, eds. *Die Natürlichen Pflanzenfamilien* 19c. Leipzig: Engelmann, 58–59.
- Pruesapan K, Telford IRH, Bruhl JJ, Draisma SGA, Van Welzen PC.** 2008. Delimitation of *Sauropolis* (Phyllanthaceae) based on plastid *matK* and nuclear ribosomal ITS DNA sequence data. *Annals of Botany (London)* 102: 1007–1018.
- Punt W.** 1962. Pollen morphology of the Euphorbiaceae with special reference to taxonomy. *Wentia* 7: 1–116.
- Radcliffe-Smith A.** 2001. *Genera Euphorbiacearum*. Kew: Royal Botanic Gardens.
- Raes N, Van Welzen PC.** 2009. The demarcation and internal division of Flora Malesiana: 1857 – Present. *Blumea* 54: 6–8.
- Rambaut A, Drummond AJ.** 2004. Tracer. Version 1.3. University of Oxford, UK.
- Ronquist F.** 1997. Dispersal-vicariance analysis: A new approach to the quantification of historical biogeography. *Systematic Biology* 46: 195–203.
- Ronquist F.** 2001. DIVA version 1.2. Computer program and manual. Available at <http://www.ebc.uu.se/systzoo/research/diva/diva.html>.
- Ronquist F, Huelsenbeck JP.** 2003. MrBayes 3: Bayesian phylogenetic inference under mixed model. *Bioinformatics* 19: 1572–1574.

- Sagun VG, Van der Ham RWJM.** 2003. Pollen morphology of the Flueggeinae (Euphorbiaceae, Phyllanthoideae). *Grana* **42**: 193--219.
- Samuel R, Kathriarachchi H, Hoffmann P, Barfuss HJ, Wurdack KJ, Davis CC, Chase MW.** 2005. Molecular phylogenetics of Phyllanthaceae: evidence from plastid *matK* and nuclear *PHYC* sequences. *American Journal of Botany* **92**: 132--141.
- Sathiamurthy E, Voris HK.** 2006. Maps of Holocene sea level transgression and submerged lakes on the Sunda Shelf. *The Natural History Journal of Chulalongkorn University*, supplement **2**: 1—44.
- Shaw J, Lickey EB, Schilling EE, Small RL.** 2007. Comparison of whole chloroplast genome sequences to choose noncoding regions for phylogenetic studies in angiosperms: The tortoise and the hare III. *American Journal of Botany* **94**: 275--288.
- Sierra SEC, Kulju KKM, Fišer Ž, Aparicio M, Van Welzen PC.** 2010. The phylogeny of *Mallotus* s.s. (Euphorbiaceae) inferred from DNA sequence and morphological data. *Taxon* **59**: 101--116.
- Small RL, Ryburn JA, Cronn RC, Seelanan T, Wendel JF.** 1998. The tortoise and the hare: Choosing between noncoding plastome and nuclear ADH sequences for phylogeny reconstruction in a recently diverged plant group. *American Journal of Botany* **85**: 1301--1315.
- Smitinand T.** 1958. The genus *Dipterocarpus* Gaertn.f. in Thailand. *Thai Forest Bulletin (Botany)* **4**: 1—50.
- Stuppy W.** 1996. *Systematische Morphologie und Anatomie der Samen der biovulaten Euphorbiaceen*. PhD Thesis, University of Kaiserslautern.
- Suzuki Y, Glazko GV, Nei M.** 2002. Overcredibility of molecular phylogenies obtained by Bayesian phylogenetics. *Proceedings of the National Academy of Sciences of the United States of America-Physical Science* **99**: 16138--16143.
- Swofford DL.** 2003. *PAUP\*: Phylogenetic Analysis Using Parsimony (\*and other methods)*, version 4.0b10. Sunderland, Massachusetts: Sinauer Associates.
- Thin NN.** 2007. *Taxonomy of Euphorbiaceae in Vietnam*. Hanoi: Vietnam National University Publisher.
- Thongpuban W.** 2002. *Chromosomal variation of Phyllantheae (Euphorbiaceae) in Thailand*. Master Thesis, Khon Kaen University, Thailand.

- Tokuoka T, Tobe H.** 2001. Ovules and seeds in subfamily Phylanthoideae (Euphorbiaceae): structure and systematic implications. *Journal of Plant Research* **114**: 75–92.
- Van Steenis CGGJ.** 1950. The delimitation of Malaysia and its main plant geographical divisions. In: Van Steenis CGGJ, ed. *Flora Malesiana* Ser. 1, 1. Djakarta: Noordhoff-Kolff n.v., lxx—lxxv.
- Van Welzen PC.** 2000. The distichous Euphorbiaceae genera of Thailand. *Thai Forest Bulletin (Botany)* **28**: 51–58.
- Van Welzen PC.** 2003. Revision of the Malesian and Thai species of *Sauropolis* (Euphorbiaceae: Phylanthoideae). *Blumea* **48**: 319–391.
- Van Welzen PC, Esser H-J.** 2005. *Breynia*. In: Chayamarit K, Van Welzen PC, eds. *Flora of Thailand 8(1): Euphorbiaceae (Genera A-F)*. Bangkok: The Forest Herbarium, 132–141.
- Van Welzen PC, Haegens RMAP, Slik JWF, Bollenforff SM, Dressler S, Esser H-J.** 2000. Checklist of the genera of Thai Euphorbiaceae – I. *Thai Forest Bulletin (Botany)* **28**: 59–111.
- Van Welzen PC, Pruesapan K.** In press. Four new species of *Breynia* (Phyllanthaceae/Euphorbiaceae s.l.) and one combination. *Thai Forest Bulletin (Botany)* **38**.
- Van Welzen PC, Turner H, Hovenkamp PH.** 2003. Historical biogeography of Southeast Asia and the West Pacific, or the generality of unrooted area networks as historical biogeographic units. *Journal of Biogeography* **30**: 181–192.
- Voris HK.** 2000. Maps of Pleistocene sea levels in Southeast Asia: shorelines, river systems and time durations. *Journal of Biogeography* **27**: 1153–1167.
- Vorontsova MS, Hoffmann P.** 2008. A phylogenetic classification of tribe Poranthereae (Phyllanthaceae, Euphorbiaceae sensu lato). *Kew Bulletin* **63**: 41–59.
- Vorontsova MS, Hoffmann P, Maurin O, Chase MW.** 2007. Molecular phylogenetics of tribe Poranthereae (Phyllanthaceae, Euphorbiaceae sensu lato). *American Journal of Botany* **94**: 2026–2040.
- Webster GL.** 1956. A monographic study of the West Indian species of *Phyllanthus*. *Journal of the Arnold Arboretum* **37**: 91–122, 217–268, 340–359.
- Webster GL.** 1960. The status of *Agyneia* and *Glochidion* (Euphorbiaceae). *Taxon* **9**: 26.
- Webster GL.** 1967. The genera of Euphorbiaceae in the Southeastern United States. *Journal of the Arnold Arboretum* **48**: 303–361.

- Webster GL.** 1975. Conspectus of a new classification of the Euphorbiaceae. *Taxon* **24**:593–601.
- Webster GL.** 1994. Synopsis of the genera and suprageneric taxa of Euphorbiaceae. *Annals of the Missouri Botanical Garden* **81**: 33–144.
- Webster GL, Carpenter KJ.** 2002. *Pollen morphology and phylogeny in Euphorbiaceae, subtribe Flueggeinae*. Botany 2002: annual meeting of the Botanical Society of America, Madison, Wisconsin, USA. Available at website <http://www.botany2002.org/section12/abstracts/108.shtml> (Abstract).
- Webster GL, Carpenter KJ.** 2008. Pollen morphology and systematics of palaeotropical *Phyllanthus* and related genera of subtribe *Phyllanthinae* (Euphorbiaceae). *Botanical Journal of the Linnean Society* **157**: 591–608.
- Wendel JF, Doyle JJ.** 1998. Phylogenetic incongruence: window into genome history and molecular evolution. In Soltis DE, Soltis PS, Doyle JJ, eds. *Molecular systematics of plants 2*. Dordrecht: Kluwer Academic Publishers, 265–296.
- Wheeler LC.** 1975. Euphorbiaceae genera lectotypified. *Taxon* **24**: 534–538.
- White TJ, Bruns T, Lee S, Taylor J.** 1990. Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics. In: Innis MA, Gelfand DH, Sninsky JJ, White TJ, eds. *PCR protocols, a guide to methods and applications*. London: Academic Press, 315–322.
- Wiens JJ.** 2004. The role of morphological data in phylogeny reconstruction. *Systematic Biology* **53**: 653–661.
- Woodruff DS.** 2003. Neogene marine transgressions, palaeogeography and biogeographic transitions on the Thai-Malay Peninsula. *Journal of Biogeography* **30**: 551–567.
- Wurdack KJ, Davis CC.** 2009. Malpighiales phylogenetics: Gaining ground on one of the most recalcitrant clades in the Angiosperm tree of life. *American Journal of Botany* **96**: 1551–1570.
- Wurdack KJ, Hoffmann P, Samuel R, De Brujin A, Van der Bank M, Chase MW.** 2004. Molecular phylogenetic analysis of Phyllanthaceae (Phyllanthoideae pro parte, Euphorbiaceae *sensu lato*) using plastid *rbcL* DNA sequences. *American Journal of Botany* **91**: 1882–1900.

- Yu Y, Harris AJ, He X. 2010a.** A rough guide to S-DIVA. Available online at <http://mnh.scu.edu.cn/S-DIVA>. Accessed 2010-04-27.
- Yu Y, Harris AJ, He X. 2010b.** S-DIVA (Statistical Dispersal-Vicariance Analysis): A tool for inferring biogeographic histories. *Molecular Phylogenetics and Evolution* **56**: 848--850.
- Yu Y, Harris AJ, He X. 2010c.** S-DIVA (Statistical Dispersal-Vicariance Analysis) 1.9 (beta version). Available at <http://mnh.scu.edu.cn/S-DIVA>.

