



Universiteit
Leiden
The Netherlands

Application of fragment-based drug discovery to membrane proteins

Früh, V.

Citation

Früh, V. (2009, October 7). *Application of fragment-based drug discovery to membrane proteins*. Retrieved from <https://hdl.handle.net/1887/14047>

Version: Not Applicable (or Unknown)

License: [Leiden University Non-exclusive license](#)

Downloaded from: <https://hdl.handle.net/1887/14047>

Note: To cite this publication please use the final published version (if applicable).

References

- (1) Bader, M. W.; Xie, T.; Yu, C. A.; Bardwell, J. C. A. Disulfide Bonds Are Generated by Quinone Reduction. *J. Biol. Chem.* **2000**, *275*, 26082-26088.
- (2) Weaver, C. M.; Barnes, S.; Wyss, J. M.; Kim, H.; Morre, D. M.; Morre, D. J.; Simon, J. E.; Lila, M. A.; Janle, E. M.; Ferruzzi, M. G. Botanicals for Age-Related Diseases: From Field to Practice. *Am. J. Clin. Nutr.* **2008**, *87*, 493S-497S.
- (3) Bowman, W. C. Neuromuscular Block. *Br. J. Pharmacol.* **2006**, *147*, S277-S286.
- (4) Bigwood, E. J.; Demerre, L. J. The Discovery of Antibiotics in General and Penicillin in Particular. *JAMA* **1945**, *128*, 461-462.
- (5) Ratti, E.; Trist, D. Continuing Evolution of the Drug Discovery Process in the Pharmaceutical Industry. *Pure Appl. Chem.* **2001**, *73*, 67-75.
- (6) Watson, J. D.; Crick, F. H. C. The Structure of Dna. *Cold Spring Harb. Symp. Quant. Biol.* **1953**, *18*, 123-131.
- (7) Berman, H.; Henrick, K.; Nakamura, H. Announcing the Worldwide Protein Data Bank. *Nat. Struct. Biol.* **2003**, *10*, 980.
- (8) Sachidanandam, R.; Weissman, D.; Schmidt, S. C.; Kakol, J. M.; Stein, L. D.; Marth, G.; Sherry, S.; Mullikin, J. C.; Mortimore, B. J.; Willey, D. L.; Hunt, S. E.; Cole, C. G.; Coggill, P. C.; Rice, C. M.; Ning, Z. M.; Rogers, J.; Bentley, D. R.; Kwok, P. Y.; Mardis, E. R.; Yeh, R. T.; Schultz, B.; Cook, L.; Davenport, R.; Dante, M.; Fulton, L.; Hillier, L.; Waterston, R. H.; McPherson, J. D.; Gilman, B.; Schaffner, S.; Van Etten, W. J.; Reich, D.; Higgins, J.; Daly, M. J.; Blumenstiel, B.; Baldwin, J.; Stange-Thomann, N. S.; Zody, M. C.; Linton, L.; Lander, E. S.; Altshuler, D. A Map of Human Genome Sequence Variation Containing 1.42 Million Single Nucleotide Polymorphisms. *Nature* **2001**, *409*, 928-933.
- (9) Grigoriadis, D. E.; Hoare, S. R. J.; Lechner, S. M.; Slee, D. H.; Williams, J. A. Drugability of Extracellular Targets: Discovery of Small Molecule Drugs Targeting Allosteric, Functional, and Subunit-Selective Sites on GPCRs and Ion Channels. *Neuropsychopharmacology* **2009**, *34*, 106-125.
- (10) Lipinski, C. A.; Lombardo, F.; Dominy, B. W.; Feeney, P. J. Experimental and Computational Approaches to Estimate Solubility and Permeability in Drug Discovery and Development Settings. *Adv. Drug Deliv. Rev.* **1997**, *23*, 3-25.
- (11) Aherne, G. W.; McDonald, E.; Workman, P. Finding the Needle in the Haystack: Why High-Throughput Screening Is Good for Your Health. *Breat Cancer Res.* **2002**, *4*, 148-154.
- (12) Boehm, H. J.; Boehringer, M.; Bur, D.; Gmuender, H.; Huber, W.; Klaus, W.; Kostrewa, D.; Kuehne, H.; Luebbers, T.; Meunier-Keller, N. Novel Inhibitors of DNA Gyrase: 3D Structure

- Based Biased Needle Screening, Hit Validation by Biophysical Methods, and 3D Guided Optimization. A Promising Alternative to Random Screening. *J. Med. Chem.* **2000**, *43*, 2664-2674.
- (13) Hann, M. M.; Leach, A. R.; Harper, G. Molecular Complexity and Its Impact on the Probability of Finding Leads for Drug Discovery. *J. Chem. Inf. Comput. Sci.* **2001**, *41*, 856-864.
- (14) Hajduk, P. J. Fragment-Based Drug Design: How Big Is Too Big? *J. Med. Chem.* **2006**, *49*, 6972-6976.
- (15) Congreve, M.; Carr, R.; Murray, C.; Jhoti, H. A Rule of Three for Fragment-Based Lead Discovery? *Drug Discov. Today* **2003**, *8*, 876-877.
- (16) Cherry, M.; Mitchell, T. Introduction to Fragment-Based Drug Discovery. In *Fragment-Based Drug Discovery: A Practical Approach*; Zartler, E. R., Shapiro, M. J., Eds.; John Wiley & Sons: Chichester, 2008; Chapter 1.
- (17) Carr, R. A. E.; Congreve, M.; Murray, C. W.; Rees, D. C. Fragment-Based Lead Discovery: Leads by Design. *Drug Discov. Today* **2005**, *10*, 987-992.
- (18) Lepre, C. Fragment-Based Drug Discovery Using the SHAPES Method. *Expert Opin. Drug Discovery* **2007**, *2*, 1555-1566.
- (19) Rishton, G. M. Reactive Compounds and in Vitro False Positives in HTS. *Drug Discov. Today* **1997**, *2*, 382-384.
- (20) Hajduk, P. J.; Shuker, S. B.; Nettesheim, D. G.; Craig, R.; Augeri, D. J.; Betebenner, D.; Albert, D. H.; Guo, Y.; Meadows, R. P.; Xu, L. H.; Michaelides, M.; Davidsen, S. K.; Fesik, S. W. NMR-Based Modification of Matrix Metalloproteinase Inhibitors With Improved Bioavailability. *J. Med. Chem.* **2002**, *45*, 5628-5639.
- (21) Hajduk, P. J.; Greer, J. A Decade of Fragment-Based Drug Design: Strategic Advances and Lessons Learned. *Nat. Rev. Drug Discovery* **2007**, *6*, 211-219.
- (22) Rohrig, C. H.; Loch, C.; Guan, J. Y.; Siegal, G.; Overhand, M. Fragment-Based Synthesis and SAR of Modified FKBP Ligands: Influence of Different Linking on Binding Affinity. *Chemmedchem* **2007**, *2*, 1054-1070.
- (23) Früh, V.; Heetebrij, R.; Siegal, G. Target Immobilized NMR Screening: Validation and Extension to Membrane Proteins. In *Fragment-Based Drug Discovery: A Practical Approach*; John Wiley & Sons: Chichester, 2008; Chapter 6.
- (24) Jhoti, H.; Cleasby, A.; Verdonk, M.; Williams, G. Fragment-Based Screening Using X-Ray Crystallography and NMR Spectroscopy. *Curr. Opin. Chem. Biol.* **2007**, *11*, 485-493.
- (25) Wyatt, P. G.; Woodhead, A. J.; Berdini, V.; Boulstridge, J. A.; Carr, M. G.; Cross, D. M.; Davis, D. J.; Devine, L. A.; Early, T. R.; Feltell, R. E.; Lewis, E. J.; McMenamain, R. L.; Navarro, E. F.; O'Brien, M. A.; O'Reilly, M.; Reule, M.; Saxty, G.; Seavers, L. C. A.; Smith, D. M.; Squires, M.

- S.; Trewartha, G.; Walker, M. T.; Woolford, A. J. A. Identification of N-(4-Piperidinyl)-4-(2,6-Dichlorobenzoylamino)-1H-Pyrazole-3-Carboxamide (AT7519), a Novel Cyclin Dependent Kinase Inhibitor Using Fragment-Based X-Ray Crystallography and Structure Based Drug Design. *J. Med. Chem.* **2008**, *51*, 4986-4999.
- (26) Howard, S.; Berdini, V.; Boulstridge, J. A.; Carr, M. G.; Cross, D. M.; Curry, J.; Devine, L. A.; Early, T. R.; Fazal, L.; Gill, A. L.; Heathcote, M.; Maman, S.; Matthews, J. E.; McMenamin, R. L.; Navarro, E. F.; O'Brien, M. A.; O'Reilly, M.; Rees, D. C.; Reule, M.; Tisi, D.; Williams, G.; Vinkovic, M.; Wyatt, P. G. Fragment-Based Discovery of the Pyrazol-4-Yl Urea (AT9283), a Multitargeted Kinase Inhibitor With Potent Aurora Kinase Activity. *J. Med. Chem.* **2009**, *52*, 379-388.
- (27) Bauman, J. D.; Das, K.; Ho, W. C.; Baweja, M.; Himmel, D. M.; Clark, A. D.; Oren, D. A.; Boyer, P. L.; Hughes, S. H.; Shatkin, A. J.; Arnold, E. Crystal Engineering of HIV-1 Reverse Transcriptase for Structure-Based Drug Design. *Nucleic Acids Res.* **2008**, *36*, 5083-5092.
- (28) Shuker, S. B.; Hajduk, P. J.; Meadows, R. P.; Fesik, S. W. Discovering High-Affinity Ligands for Proteins: SAR by NMR. *Science* **1996**, *274*, 1531-1534.
- (29) Meyer, B.; Weimar, T.; Peters, T. Screening Mixtures for Biological Activity by NMR. *Eur. J. Biochem.* **1997**, *246*, 705-709.
- (30) Weigelt, J.; Wilkstrom, M.; Schultz, J.; van Dongen, M. J. P. Site-Selective Labeling Strategies for Screening by NMR. *Comb. Chem. High Throughput Screen.* **2002**, *5*, 623-630.
- (31) Baurin, N.; Aboul-Ela, F.; Barril, X.; Davis, B.; Drysdale, M.; Dymock, B.; Finch, H.; Fromont, C.; Richardson, C.; Simmonite, H.; Hubbard, R. E. Design and Characterization of Libraries of Molecular Fragments for Use in NMR Screening Against Protein Targets. *J. Chem. Inf. Comput. Sci.* **2004**, *44*, 2157-2166.
- (32) Neumann, T.; Junker, H. D.; Schmidt, K.; Sekul, R. SPR-Based Fragment Screening: Advantages and Applications. *Curr. Top. Med. Chem.* **2007**, *7*, 1630-1642.
- (33) Boozer, C.; Kim, G.; Cong, S. X.; Guan, H. W.; Londergan, T. Looking Towards Label-Free Biomolecular Interaction Analysis in a High-Throughput Format: a Review of New Surface Plasmon Resonance Technologies. *Curr. Opin. Biotechnol.* **2006**, *17*, 400-405.
- (34) Cherezov, V.; Rosenbaum, D. M.; Hanson, M. A.; Rasmussen, S. G. F.; Thian, F. S.; Kobilka, T. S.; Choi, H. J.; Kuhn, P.; Weis, W. I.; Kobilka, B. K.; Stevens, R. C. High-Resolution Crystal Structure of an Engineered Human Beta(2)-Adrenergic G Protein-Coupled Receptor. *Science* **2007**, *318*, 1258-1265.
- (35) Ma, D. J.; Tillman, T. S.; Tang, P.; Meirovitch, E.; Eckenhoff, R.; Carnini, A.; Xu, Y. NMR Studies of a Channel Protein Without Membranes: Structure and Dynamics of Water-Solubilized KcsA. *Proc. Natl. Acad. Sci. U. S. A.* **2008**, *105*, 16537-16542.
- (36) Zheng, C. J.; Han, L. Y.; Yap, C. W.; Xie, B.; Chen, Y. Z. Progress and Problems in the Exploration of Therapeutic Targets. *Drug Discov. Today* **2006**, *11*, 412-420.

- (37) Hopkins, A. L.; Groom, C. R. The Druggable Genome. *Nat. Rev. Drug. Discov.* **2002**, *1*, 727-730.
- (38) Mustafi, D.; Palczewski, K. Topology of Class A G Protein-Coupled Receptors: Insights Gained From Crystal Structures of Rhodopsins, Adrenergic and Adenosine Receptors. *Mol. Pharmacol.* **2009**, *75*, 1-12.
- (39) Milligan, G. Constitutive Activity and Inverse Agonists of G Protein-Coupled Receptors: a Current Perspective. *Mol. Pharmacol.* **2003**, *64*, 1271-1276.
- (40) Fawzi, A. B.; Macdonald, D.; Benbow, L. L.; Smith-Torhan, A.; Zhang, H. T.; Weig, B. C.; Ho, G.; Tulshian, D.; Linder, M. E.; Graziano, M. P. SCH-202676: An Allosteric Modulator of Both Agonist and Antagonist Binding to G Protein-Coupled Receptors. *Mol. Pharmacol.* **2001**, *59*, 30-37.
- (41) Shemesh, R.; Toporik, A.; Levine, Z.; Hecht, I.; Rotman, G.; Wool, A.; Dahary, D.; Gofer, E.; Kliger, Y.; Soffer, M. A.; Rosenberg, A.; Eshel, D.; Cohen, Y. Discovery and Validation of Novel Peptide Agonists for G-Protein-Coupled Receptors. *J. Biol. Chem.* **2008**, *283*, 34643-34649.
- (42) Palczewski, K.; Kumasaka, T.; Hori, T.; Behnke, C. A.; Motoshima, H.; Fox, B. A.; Le Trong, I.; Teller, D. C.; Okada, T.; Stenkamp, R. E.; Yamamoto, M.; Miyano, M. Crystal Structure of Rhodopsin: A G Protein-Coupled Receptor. *Science* **2000**, *289*, 739-745.
- (43) Rasmussen, S. G. F.; Choi, H. J.; Rosenbaum, D. M.; Kobilka, T. S.; Thian, F. S.; Edwards, P. C.; Burghammer, M.; Ratnala, V. R. P.; Sanishvili, R.; Fischetti, R. F.; Schertler, G. F. X.; Weis, W. I.; Kobilka, B. K. Crystal Structure of the Human Beta(2) Adrenergic G-Protein-Coupled Receptor. *Nature* **2007**, *450*, 383-3U4.
- (44) Warne, T.; Serrano-Vega, M. J.; Baker, J. G.; Moukhametzianov, R.; Edwards, P. C.; Henderson, R.; Leslie, A. G. W.; Tate, C. G.; Schertler, G. F. X. Structure of a Beta(1)-Adrenergic G-Protein-Coupled Receptor. *Nature* **2008**, *454*, 486-4U2.
- (45) Jaakola, V. P.; Griffith, M. T.; Hanson, M. A.; Cherezov, V.; Chien, E. Y. T.; Lane, J. R.; IJzerman, A. P.; Stevens, R. C. The 2.6 Angstrom Crystal Structure of a Human A(2A) Adenosine Receptor Bound to an Antagonist. *Science* **2008**, *322*, 1211-1217.
- (46) Mirshafiey, A. Venom Therapy in Multiple Sclerosis. *Neuropharmacology* **2007**, *53*, 353-361.
- (47) Verkman, A. S.; Galiotta, L. J. V. Chloride Channels As Drug Targets. *Nat. Rev. Drug. Discov.* **2009**, *8*, 153-171.
- (48) Gargus, J. J. Genetic Calcium Signaling Abnormalities in the Central Nervous System: Seizures, Migraine, and Autism; 2009; pp 133-156.
- (49) Cortes, D. M.; Cuello, L. G.; Perozo, E. Molecular Architecture of Full-Length KcsA - Role of Cytoplasmic Domains in Ion Permeation and Activation Gating. *J. Gen. Physiol.* **2001**, *117*, 165-180.

-
- (50) Panetta, R.; Greenwood, M. T. Physiological Relevance of GPCR Oligomerization and Its Impact on Drug Discovery. *Drug Discov. Today* **2008**, *13*, 1059-1066.
- (51) Loll, P. J. Membrane Protein Structural Biology: the High Throughput Challenge. *J. Struct. Biol.* **2003**, *142*, 144-153.
- (52) Walian, P.; Cross, T. A.; Jap, B. K. Structural Genomics of Membrane Proteins. *Genome Biol.* **2004**, *5*.
- (53) Arora, A.; Abildgaard, F.; Bushweller, J. H.; Tamm, L. K. Structure of Outer Membrane Protein A Transmembrane Domain by NMR Spectroscopy. *Nat. Struct. Biol.* **2001**, *8*, 334-338.
- (54) Jermutus, L.; Ryabova, L. A.; Pluckthun, A. Recent Advances in Producing and Selecting Functional Proteins by Using Cell-Free Translation. *Curr. Opin. Biotechnol.* **1998**, *9*, 534-548.
- (55) Grone, H. J.; Simon, M.; Fuchs, E. Autoradiographic Characterization of Angiotensin Receptor Subtypes in Fetal and Adult Human Kidney. *Am. J. Physiol.* **1992**, *262*, F326-F331.
- (56) Sarramegna, V.; Talmont, R.; Demange, P.; Milon, A. Heterologous Expression of G-Protein-Coupled Receptors: Comparison of Expression Systems From the Standpoint of Large-Scale Production and Purification. *Cell. Mol. Life Sci.* **2003**, *60*, 1529-1546.
- (57) Nisius, L.; Rogowski, M.; Vangelista, L.; Grzesiek, S. Large-Scale Expression and Purification of the Major HIV-1 Coreceptor CCR5 and Characterization of Its Interaction With RANTES. *Protein Expr. Purif.* **2008**, *61*, 155-162.
- (58) Fraser, N. J. Expression and Functional Purification of a Glycosylation Deficient Version of the Human Adenosine 2a Receptor for Structural Studies. *Protein Expr. Purif.* **2006**, *49*, 129-137.
- (59) Thomas, S.; Kumar, R. S.; Casares, S.; Brumeanu, T. D. Sensitive Detection of GM1 Lipid Rafts and TCR Partitioning in the T Cell Membrane. *J. Immunol. Methods* **2003**, *275*, 161-168.
- (60) Gohon, Y.; Popot, J. L. Membrane Protein-Surfactant Complexes. *Curr. Opin. Colloid Interface. Sci.* **2003**, *8*, 15-22.
- (61) Xu, Y.; Yushmanov, V. E.; Tang, P. NMR Studies of Drug Interaction With Membranes and Membrane-Associated Proteins. *Biosci. Rep.* **2002**, *22*, 175-196.
- (62) Zhou, Y. P.; Cierpicki, T.; Jimenez, R. H. F.; Lukasik, S. M.; Ellena, J. F.; Cafiso, D. S.; Kadokura, H.; Beckwith, J.; Bushweller, J. H. NMR Solution Structure of the Integral Membrane Enzyme DsbB: Functional Insights into DsbB-Catalyzed Disulfide Bond Formation. *Mol. Cell* **2008**, *31*, 896-908.
- (63) Faham, S.; Bowie, J. U. Bicelle Crystallization A New Method for Crystallizing Membrane Proteins Yields a Monomeric Bacteriorhodopsin Structure. *J. Mol. Biol.* **2002**, *316*, 1-6.

- (64) Landau, E. M.; Luisi, P. L. Lipidic Cubic Phases As Transparent, Rigid Matrices for the Direct Spectroscopic Study of Immobilized Membrane-Proteins. *J. Am. Chem. Soc.* **1993**, *115*, 2102-2106.
- (65) Rummel, G.; Hardmeyer, A.; Widmer, C.; Chiu, M. L.; Nollert, P.; Locher, K. P.; Pedruzzi, I.; Landau, E. M.; Rosenbusch, J. P. Lipidic Cubic Phases: New Matrices for the Three-Dimensional Crystallization of Membrane Proteins. *J. Struct. Biol.* **1998**, *121*, 82-91.
- (66) Bieri, C.; Ernst, O. P.; Heyse, S.; Hofmann, K. P.; Vogel, H. Micropatterned Immobilization of a G Protein-Coupled Receptor and Direct Detection of G Protein Activation. *Nat. Biotechnol.* **1999**, *17*, 1105-1108.
- (67) Marassi, F. M.; Ramamoorthy, A.; Opella, S. J. Complete Resolution of the Solid-State NMR Spectrum of a Uniformly N-15-Labeled Membrane Protein in Phospholipid Bilayers. *Proc. Natl. Acad. Sci. U. S. A.* **1997**, *94*, 8551-8556.
- (68) Civjan, N. R.; Bayburt, T. H.; Schuler, M. A.; Sligar, S. G. Direct Solubilization of Heterologously Expressed Membrane Proteins by Incorporation into Nanoscale Lipid Bilayers. *Biotechniques* **2003**, *35*, 556-+.
- (69) Lee, B. K.; Jung, K. S.; Son, C.; Kini, H.; VerBerknioes, N. C.; Arshava, B.; Naider, F.; Becker, J. M. Affinity Purification and Characterization of a G-Protein Coupled Receptor, *Saccharomyces Cerevisiae* Ste2p. *Protein Expr. Purif.* **2007**, *56*, 62-71.
- (70) Serrano-Vega, M. J.; Magnani, F.; Shibata, Y.; Tate, C. G. Conformational Thermostabilization of the Beta 1-Adrenergic Receptor in a Detergent-Resistant Form. *Proc. Natl. Acad. Sci. U. S. A.* **2008**, *105*, 877-882.
- (71) Yeh, J. I.; Du, S. C.; Tortajada, A.; Paulo, J.; Zhang, S. G. Peptergents: Peptide Detergents That Improve Stability and Functionality of a Membrane Protein, Glycerol-3-Phosphate Dehydrogenase. *Biochemistry* **2005**, *44*, 16912-16919.
- (72) Zoonens, M.; Catoire, L. J.; Giusti, F.; Popot, J. L. NMR Study of a Membrane Protein in Detergent-Free Aqueous Solution. *Proc. Natl. Acad. Sci. U. S. A.* **2005**, *102*, 8893-8898.
- (73) Bayburt, T. H.; Sligar, S. G. Self-Assembly of Single Integral Membrane Proteins into Soluble Nanoscale Phospholipid Bilayers. *Protein Sci.* **2003**, *12*, 2476-2481.
- (74) Leitz, A. J.; Bayburt, T. H.; Barnakov, A. N.; Springer, B. A.; Sligar, S. G. Functional Reconstitution of Beta(2)-Adrenergic Receptors Utilizing Self-Assembling Nanodisc Technology. *Biotechniques* **2006**, *40*, 601-+.
- (75) Duan, H.; Civjan, N. R.; Sligar, S. G.; Schuler, M. A. Co-Incorporation of Heterologously Expressed Arabidopsis Cytochrome P450 and P450 Reductase into Soluble Nanoscale Lipid Bilayers. *Arch. Biochem. Biophys.* **2004**, *424*, 141-153.
- (76) Das, A.; Grinkova, Y. V.; Sligar, S. G. Redox Potential Control by Drug Binding to Cytochrome P450 3A4. *J. Am. Chem. Soc.* **2007**, *129*, 13778-+.

-
- (77) Vanwetswinkel, S.; Heetebrij, R. J.; van Duynhoven, J.; Hollander, J. G.; Filippov, D. V.; Hajduk, P. J.; Siegal, G. TINS, Target Immobilized NMR Screening: An Efficient and Sensitive Method for Ligand Discovery. *Chem. Biol.* **2005**, *12*, 207-216.
- (78) Bond, P. J.; Sansom, M. S. P. Membrane Protein Dynamics Versus Environment: Simulations of OmpA in a Micelle and in a Bilayer. *J. Mol. Biol.* **2003**, *329*, 1035-1053.
- (79) Arora, A.; Rinehart, D.; Szabo, G.; Tamm, L. K. Refolded Outer Membrane Protein A of Escherichia Coli Forms Ion Channels With Two Conductance States in Planar Lipid Bilayers. *J. Biol. Chem.* **2000**, *275*, 1594-1600.
- (80) Repka-Ramirez, M. S. New Concepts of Histamine Receptors and Actions. *Curr. Allergy Asthma Rep.* **2003**, *3*, 227-231.
- (81) Yoshizawa, M.; Tashiro, M.; Fukudo, S.; Yanai, K.; Utsumi, A.; Kano, M.; Karahasi, M.; Endo, Y.; Morisita, J.; Sato, Y.; Adachi, M.; Itoh, M.; Hongo, M. Increased Brain Histamine H1 Receptor Binding in Patients With Anorexia Nervosa. *Biol. Psychiatry* **2009**, *65*, 329-335.
- (82) Reiner, P. B.; Kamondi, A. Mechanisms of Antihistamine-Induced Sedation in the Human Brain - H-1 Receptor Activation Reduces A Background Leakage Potassium Current. *Neuroscience* **1994**, *59*, 579-588.
- (83) Martinelli, A.; Tuccinardi, T. Molecular Modeling of Adenosine Receptors: New Results and Trends. *Med. Res. Rev.* **2008**, *28*, 247-277.
- (84) GebickeHaerter, P. J.; Christoffel, F.; Timmer, J.; Northoff, H.; Berger, M.; VanCalker, D. Both Adenosine A1- and A2-Receptors Are Required to Stimulate Microglial Proliferation. *Neurochem. Int.* **1996**, *29*, 37-42.
- (85) Franco, R.; Ferre, S.; Agnati, L.; Torvinen, M.; Gines, S.; Hillion, J.; Casado, V.; Lledo, P. M.; Zoli, M.; Lluis, C.; Fuxe, K. Evidence for Adenosine/Dopamine Receptor Interactions: Indications for Heteromerization. *Neuropsychopharmacology* **2000**, *23*, S50-S59.
- (86) Jongejan, A.; Lim, H. D.; Smits, R. A.; de Esch, I. J. P.; Haaksma, E.; Leurs, R. Delineation of Agonist Binding to the Human Histamine H-4 Receptor Using Mutational Analysis, Homology Modeling, and Ab Initio Calculations. *J. Chem. Inf. Model.* **2008**, *48*, 1455-1463.
- (87) Smith, S. G. J.; Mahon, V.; Lambert, M. A.; Fagan, R. P. A Molecular Swiss Army Knife: OmpA Structure, Function and Expression. *FEMS Microbiol. Lett.* **2007**, *273*, 1-11.
- (88) Pautsch, A.; Schulz, G. E. Structure of the Outer Membrane Protein A Transmembrane Domain. *Nat. Struct. Biol.* **1998**, *5*, 1013-1017.
- (89) Pautsch, A.; Schulz, G. E. High-Resolution Structure of the OmpA Membrane Domain. *J. Mol. Biol.* **2000**, *298*, 273-282.

- (90) Doyle, D. A.; Cabral, J. M.; Pfuetzner, R. A.; Kuo, A. L.; Gulbis, J. M.; Cohen, S. L.; Chait, B. T.; MacKinnon, R. The Structure of the Potassium Channel: Molecular Basis of K⁺ Conduction and Selectivity. *Science* **1998**, *280*, 69-77.
- (91) Yu, L. P.; Sun, C. H.; Song, D. Y.; Shen, J. W.; Xu, N.; Gunasekera, A.; Hajduk, P. J.; Olejniczak, E. T. Nuclear Magnetic Resonance Structural Studies of a Potassium Channel-Charybdotoxin Complex. *Biochemistry* **2005**, *44*, 15834-15841.
- (92) Inaba, K.; Murakami, S.; Suzuki, M.; Nakagawa, A.; Yamashita, E.; Okada, K.; Ito, K. Crystal Structure of the DsbB-DsbA Complex Reveals a Mechanism of Disulfide Bond Generation. *Cell* **2006**, *127*, 789-801.
- (93) Bader, M.; Muse, W.; Zander, T.; Bardwell, J. Reconstitution of a Protein Disulfide Catalytic System. *J. Biol. Chem.* **1998**, *273*, 10302-10307.
- (94) Stenson, T. H.; Weiss, A. A. DsbA and DsbC Are Required for Secretion of Pertussis Toxin by *Bordetella Pertussis*. *Infect. Immun.* **2002**, *70*, 2297-2303.
- (95) Wulff, H.; Zhorov, B. S. K⁺ Channel Modulators for the Treatment of Neurological Disorders and Autoimmune Diseases. *Chem. Rev.* **2008**, *108*, 1744-1773.
- (96) Witchel, H. J. The HERG Potassium Channel As a Therapeutic Target. *Expert Opin. Ther. Targets* **2007**, *11*, 321-336.
- (97) Scholz, E. P.; Konrad, F. M.; Weiss, D. L.; Zitron, E.; Kiesecker, C.; Bloehs, R.; Kulzer, M.; Thomas, D.; Kathofer, S.; Bauer, A.; Maurer, M. H.; Seemann, G.; Katus, H. A.; Karle, C. A. Anticholinergic Antiparkinson Drug Orphenadrine Inhibits HERG Channels: Block Attenuation by Mutations of the Pore Residues Y652 or F656. *Naunyn Schmiedebergs Arch. Pharmacol.* **2007**, *376*, 275-284.
- (98) Nisius, B.; Goller, A. H. Similarity-Based Classifier Using Topomers to Provide a Knowledge Base for HERG Channel Inhibition. *J. Chem. Inf. Model.* **2009**, *49*, 247-256.
- (99) Bader, M.; Muse, W.; Ballou, D. P.; Gassner, C.; Bardwell, J. C. A. Oxidative Protein Folding Is Driven by the Electron Transport System. *Cell* **1999**, *98*, 217-227.
- (100) Leiefert, W. R.; Aloia, A. L.; Bucco, O.; Glatz, R. V.; McMurchie, E. J. G-Protein-Coupled Receptors in Drug Discovery: Nanosizing Using Cell-Free Technologies and Molecular Biology Approaches. *J. Biomol. Screen.* **2005**, *10*, 765-779.
- (101) MacBeath, G.; Schreiber, S. L. Printing Proteins As Microarrays for High-Throughput Function Determination. *Science* **2000**, *289*, 1760-1763.
- (102) Bertucci, C.; Cimitan, S. Rapid Screening of Small Ligand Affinity to Human Serum Albumin by an Optical Biosensor. *J. Pharm. Biomed. Anal.* **2003**, *32*, 707-714.
- (103) Arenkov, P.; Kukhtin, A.; Gemell, A.; Voloshchuk, S.; Chupeeva, V.; Mirzabekov, A. Protein Microchips: Use for Immunoassay and Enzymatic Reactions. *Anal. Biochem.* **2000**, *278*, 123-131.

-
- (104) Guschin, D.; Yershov, G.; Zaslavsky, A.; Gemmell, A.; Shick, V.; Proudnikov, D.; Arenkov, P.; Mirzabekov, A. Manual Manufacturing of Oligonucleotide, DNA, and Protein Microchips. *Anal. Biochem.* **1997**, *250*, 203-211.
- (105) Lu, L.; Brekkan, E.; Haneskog, L.; Yang, Q.; Lundahl, P. Effects of Ph on the Activity of the Human Red-Cell Glucose-Transporter Glut-1 - Transport Retention Chromatography of D-Glucose and L-Glucose on Immobilized Glut-1 Liposomes. *Biochimica et Biophysica Acta* **1993**, *1150*, 135-146.
- (106) Yang, Q.; Lundahl, P. Steric Immobilization of Liposomes in Chromatographic Gel Beads and Incorporation of Integral Membrane-Proteins Into Their Lipid Bilayers. *Anal. Biochem.* **1994**, *218*, 210-221.
- (107) Gottschalk, I.; Li, Y. M.; Lundahl, P. Chromatography on Cells: Analyses of Solute Interactions With the Glucose Transporter Glut1 in Human Red Cells Adsorbed on Lectin-Gel Beads. *J. Chromatogr. B Analyt. Technol. Biomed. Life Sci.* **2000**, *739*, 55-62.
- (108) Karlsson, O. P.; Lofas, S. Flow-Mediated on-Surface Reconstitution of G-Protein Coupled Receptors for Applications in Surface Plasmon Resonance Biosensors. *Anal. Biochem.* **2002**, *300*, 132-138.
- (109) Franzin, C. M.; Gong, X. M.; Thai, K.; Yu, J. H.; Marassi, F. M. NMR of Membrane Proteins in Micelles and Bilayers: The FXYD Family Proteins. *Methods* **2007**, *41*, 398-408.
- (110) Neumann, L.; Wohland, T.; Whelan, R. J.; Zare, R. N.; Kobilka, B. K. Functional Immobilization of a Ligand-Activated G-Protein-Coupled Receptor. *Chembiochem* **2002**, *3*, 993-998.
- (111) Schmid, E. L.; Tairi, A. P.; Hovius, R.; Vogel, H. Screening Ligands for Membrane Protein Receptors by Total Internal Reflection Fluorescence: The 5-HT₃ Serotonin Receptor. *Anal. Chem.* **1998**, *70*, 1331-1338.
- (112) Fang, Y.; Frutos, A. G.; Lahiri, J. G-Protein-Coupled Receptor Microarrays. *Chembiochem* **2002**, *3*, 987-991.
- (113) Robelek, R.; Lemker, E. S.; Wiltschi, B.; Kirste, V.; Naumann, R.; Oesterheld, D.; Sinner, E. K. Incorporation of in Vitro Synthesized GPCR into a Tethered Artificial Lipid Membrane System. *Angewandte Chemie-International Edition* **2007**, *46*, 605-608.
- (114) Gottschalk, I.; Lagerquist, C.; Zuo, S. S.; Lundqvist, A.; Lundahl, P. Immobilized-Biomembrane Affinity Chromatography for Binding Studies of Membrane Proteins. *J. Chromatogr. B Analyt. Technol. Biomed. Life Sci.* **2002**, *768*, 31-40.
- (115) Adair, W. L.; Kornfeld, S. Isolation of Receptors for Wheat-Germ Agglutinin and Ricinus-Communis Lectins From Human Erythrocytes Using Affinity Chromatography. *J. Biol. Chem.* **1974**, *249*, 4696-4704.
- (116) Perez, J. B.; Martinez, K. L.; Segura, J. M.; Vogel, H. Supported Cell-Membrane Sheets for Functional Fluorescence Imaging of Membrane Proteins. *Adv. Funct. Mater.* **2006**, *16*, 306-312.
-

- (117) Perez, J. B.; Segura, J. M.; Abankwa, D.; Piguert, J.; Martinez, K. L.; Vogel, H. Monitoring the Diffusion of Single Heterotrimeric G Proteins in Supported Cell-Membrane Sheets Reveals Their Partitioning into Microdomains. *J. Mol. Biol.* **2006**, *363*, 918-930.
- (118) Danelon, C.; Perez, J. B.; Santschi, C.; Brugger, J.; Vogel, H. Cell Membranes Suspended Across Nanoaperture Arrays. *Langmuir* **2006**, *22*, 22-25.
- (119) Pick, H.; Schmid, E. L.; Tairi, A. P.; Ilegems, E.; Hovius, R.; Vogel, H. Investigating Cellular Signaling Reactions in Single Attoliter Vesicles. *J. Am. Chem. Soc.* **2005**, *127*, 2908-2912.
- (120) Bayley, H.; Cremer, P. S. Stochastic Sensors Inspired by Biology. *Nature* **2001**, *413*, 226-230.
- (121) Stamou, D.; Duschl, C.; Delamarche, E.; Vogel, H. Self-Assembled Microarrays of Attoliter Molecular Vessels. *Angewandte Chemie-International Edition* **2003**, *42*, 5580-5583.
- (122) Hart, H. E.; Greenwald, E. B. Scintillation Proximity Assay (Spa) - New Method of Immunoassay - Direct and Inhibition Mode Detection With Human-Albumin and Rabbit Antihuman Albumin. *Mol. Immunol.* **1979**, *16*, 265-267.
- (123) Gruner, S. M.; Kirk, G.; Patel, L.; Kaback, H. R. A Method for Rapid, Continuous Monitoring of Solute Uptake and Binding. *Biochemistry* **1982**, *21*, 3239-3243.
- (124) Nelson, N. A Novel Method for the Detection of Receptors and Membrane-Proteins by Scintillation Proximity Radioassay. *Anal. Biochem.* **1987**, *165*, 287-293.
- (125) Bosse, R.; Garlick, R.; Brown, B.; Menard, L. Development of Nonseparation Binding and Functional Assays for G Protein-Coupled Receptors for High Throughput Screening: Pharmacological Characterization of the Immobilized CCR5 Receptor on FlashPlate (R). *J. Biomol. Screen.* **1998**, *3*, 285-292.
- (126) Simpson, P. R.; Yu, X. H.; Redza, Z. M.; Anson, J. G.; Chan, S. H.; Lin, Y. Quantification of Hepatitis B Virus DNA Using Competitive PCR and a Scintillation Proximity Assay. *J. Virol. Methods* **1997**, *69*, 197-208.
- (127) Gevi, M.; Domenici, E. A Scintillation Proximity Assay Amenable for Screening and Characterization of DNA Gyrase B Subunit Inhibitors. *Anal. Biochem.* **2002**, *300*, 34-39.
- (128) Lerner, C. G.; Saiki, A. Y. C. Scintillation Proximity Assay for Human DNA Topoisomerase I Using Recombinant Biotinyl-Fusion Protein Produced in Baculovirus-Infected Insect Cells. *Anal. Biochem.* **1996**, *240*, 185-196.
- (129) Trivedi, V.; Zhang, S. C.; Castoreno, A. B.; Stockinger, W.; Shieh, E. C.; Vyas, J. M.; Frickel, E. M.; Nohturfft, A. Immunoglobulin G Signaling Activates Lysosome/Phagosome Docking. *Proc. Natl. Acad. Sci. U. S. A.* **2006**, *103*, 18226-18231.
- (130) Sandberg, M.; Lundahl, P.; Greijer, E.; Belew, M. Immobilization of Phospholipid-Vesicles on Alkyl Derivatives of Agarose-Gel Beads. *Biochimica et Biophysica Acta* **1987**, *924*, 185-192.

-
- (131) Kasahara, M.; Hinkle, P. C. Reconstitution and Purification of D-Glucose Transporter From Human Erythrocytes. *J. Biol. Chem.* **1977**, *252*, 7384-7390.
- (132) Kirby, C.; Gregoriadis, G. Dehydration-Rehydration Vesicles - A Simple Method for High-Yield Drug Entrapment in Liposomes. *Bio-Technology* **1984**, *2*, 979-984.
- (133) Brekkan, E.; Lundqvist, A.; Lundahl, P. Immobilized Membrane Vesicle or Proteoliposome Affinity Chromatography. Frontal Analysis of Interactions of Cytochalasin B and D-Glucose With the Human Red Cell Glucose Transporter. *Biochemistry* **1996**, *35*, 12141-12145.
- (134) Bayer, R.; Feigenson, G. W. Reconstitution of M13 Bacteriophage Coat Protein - A New Strategy to Analyze Configuration of the Protein in the Membrane. *Biochimica et Biophysica Acta* **1985**, *815*, 369-379.
- (135) Puu, G.; Koch, M. Comparison of Kinetic-Parameters for Acetylthiocholine, Soman, Ketamine and Fasciculin Towards Acetylcholinesterase in Liposomes and in Solution. *Biochem. Pharmacol.* **1990**, *40*, 2209-2214.
- (136) Sellstrom, A.; Gustafson, I.; Ohlsson, P. A.; Olofsson, G.; Puu, G. On the Deposition of Phospholipids Onto Planar Supports With the Langmuir-Blodgett Technique Using Factorial Experimental-Design .2. Optimizing Lipid-Composition for Maximal Adhesion to Platinum Substrates. *Colloid Surface* **1992**, *64*, 289-298.
- (137) Puu, G.; Gustafson, I.; Artursson, E.; Ohlsson, P. A. Retained Activities of Some Membrane-Proteins in Stable Lipid Bilayers on A Solid Support. *Biosens. Bioelectron.* **1995**, *10*, 463-476.
- (138) Posner, B.; Hong, Y. L.; Benvenuti, E.; Potchoiba, M.; Nettleton, D.; Lui, L.; Ferrie, A.; Lai, F.; Fang, Y.; Miret, J.; Wielis, C.; Webb, B. Multiplexing G Protein-Coupled Receptors in Microarrays: A Radioligand-Binding Assay. *Anal. Biochem.* **2007**, *365*, 266-273.
- (139) Fang, Y.; Lahiri, J.; Picard, L. G Protein-Coupled Receptor Microarrays for Drug Discovery. *Drug Discov. Today* **2003**, *8*, 755-761.
- (140) Fang, Y.; Frutos, A. G.; Lahiri, J. Membrane Protein Microarrays. *J. Am. Chem. Soc.* **2002**, *124*, 2394-2395.
- (141) Lahiri, J.; Kalal, P.; Frutos, A. G.; Jonas, S. T.; Schaeffler, R. Method for Fabricating Supported Bilayer Lipid Membranes on Gold. *Langmuir* **2000**, *16*, 7805-7810.
- (142) Carre, A. R. E.; Efrenov, A. M.; Fang, Y.; Hong, Y.; Lacarriere, V.; Lahiri, J.; Lai, F.; Mauro, J. C.; Raghavan, S.; Webb, B. L. Membrane arrays and methods of manufacture. [20060147993]. 2006.
Ref Type: Patent
- (143) Heyse, S.; Ernst, O. P.; Dienes, Z.; Hofmann, K. P.; Vogel, H. Incorporation of Rhodopsin in Laterally Structured Supported Membranes: Observation of Transducin Activation With Spatially and Time-Resolved Surface Plasmon Resonance. *Biochemistry* **1998**, *37*, 507-522.
-

- (144) Sinner, E. K.; Reuning, U.; Kok, F. N.; Sacca, B.; Moroder, L.; Knoll, W.; Oesterhelt, D. Incorporation of Integrins into Artificial Planar Lipid Membranes: Characterization by Plasmon-Enhanced Fluorescence Spectroscopy. *Anal. Biochem.* **2004**, *333*, 216-224.
- (145) Wiltshi, B.; Schober, M.; Kohlwein, S. D.; Oesterhelt, D.; Sinner, E. K. Sterol Binding Assay Using Surface Plasmon Fluorescence Spectroscopy. *Anal. Chem.* **2006**, *78*, 547-555.
- (146) Naumann, R.; Schmidt, E. K.; Jonczyk, A.; Fendler, K.; Kadenbach, B.; Liebermann, T.; Offenhausser, A.; Knoll, W. The Peptide-Tethered Lipid Membrane As a Biomimetic System to Incorporate Cytochrome c Oxidase in a Functionally Active Form. *Biosens. Bioelectron.* **1999**, *14*, 651-662.
- (147) Naumann, R.; Jonczyk, A.; Hampel, C.; Ringsdorf, H.; Knoll, W.; Bunjes, N.; Graber, P. Coupling of Proton Translocation Through ATPase Incorporated into Supported Lipid Bilayers to an Electrochemical Process. *Bioelectrochem. Bioenerg.* **1997**, *42*, 241-247.
- (148) Bunjes, N.; Schmidt, E. K.; Jonczyk, A.; Rippmann, F.; Beyer, D.; Ringsdorf, H.; Graber, P.; Knoll, W.; Naumann, R. Thiopeptide-Supported Lipid Layers on Solid Substrates. *Langmuir* **1997**, *13*, 6188-6194.
- (149) Boekema, E. J.; Schmidt, G.; Graber, P.; Berden, J. A. Structure of the Atp-Synthase From Chloroplasts and Mitochondria Studied by Electron-Microscopy. *Zeitschrift fur Naturforschung C-A Journal of Biosciences* **1988**, *43*, 219-225.
- (150) Kadenbach, B.; Stroh, A.; Ungibauer, M.; Kuhnentwig, L.; Buge, U.; Jaraus, J. Isozymes of Cytochrome-C-Oxidase - Characterization and Isolation From Different Tissues. *Meth. Enzymol.* **1986**, *126*, 32-45.
- (151) Minic, J.; Grosclaude, J.; Aioun, J.; Persuy, M. A.; Gorojankina, T.; Salesse, R.; Pajot-Augy, E.; Hou, Y. X.; Helali, S.; Jaffrezic-Renault, N.; Bessueille, F.; Errachid, A.; Gomila, G.; Ruiz, O.; Samitier, J. Immobilization of Native Membrane-Bound Rhodopsin on Biosensor Surfaces. *Biochimica et Biophysica Acta-General Subjects* **2005**, *1724*, 324-332.
- (152) Vidic, J.; Pla-Roca, M.; Grosclaude, J.; Persuy, M. A.; Monnerie, R.; Caballero, D.; Errachid, A.; Hou, Y. X.; Jaffrezic-Renault, N.; Salesse, R.; Pajot-Augy, E.; Samitier, J. Gold Surface Functionalization and Patterning for Specific Immobilization of Olfactory Receptors Carried by Nanosomes. *Anal. Chem.* **2007**, *79*, 3280-3290.
- (153) Cooper, M. A.; Hansson, A.; Lofas, S.; Williams, D. H. A Vesicle Capture Sensor Chip for Kinetic Analysis of Interactions With Membrane-Bound Receptors. *Anal. Biochem.* **2000**, *277*, 196-205.
- (154) Subramaniam, V.; Alves, I. D.; Salgado, G. F. J.; Lau, P. W.; Wysocki, R. J.; Salamon, Z.; Tollin, G.; Hruby, V. J.; Brown, M. F.; Saavedra, S. S. Rhodopsin Reconstituted into a Planar-Supported Lipid Bilayer Retains Photoactivity After Cross-Linking Polymerization of Lipid Monomers. *J. Am. Chem. Soc.* **2005**, *127*, 5320-5321.

-
- (155) Sisson, T. M.; Lamparski, H. G.; Kolchens, S.; Elayadi, A.; O'Brien, D. F. Cross-Linking Polymerizations in Two-Dimensional Assemblies. *Macromolecules* **1996**, *29*, 8321-8329.
- (156) Alves, I. D.; Salamon, Z.; Varga, E.; Yamamura, H. I.; Tollin, G.; Hruby, V. J. Direct Observation of G-Protein Binding to the Human Delta-Opioid Receptor Using Plasmon-Waveguide Resonance Spectroscopy. *J. Biol. Chem.* **2003**, *278*, 48890-48897.
- (157) Botelho, A. V.; Gibson, N. J.; Thurmond, R. L.; Wang, Y.; Brown, M. F. Conformational Energetics of Rhodopsin Modulated by Nonlamellar-Forming Lipids. *Biochemistry* **2002**, *41*, 6354-6368.
- (158) Brown, M. F. Modulation of Rhodopsin Function by Properties of the Membrane Bilayer. *Chem. Phys. Lipids* **1994**, *73*, 159-180.
- (159) Bubis, J. Effect of Detergents and Lipids on Transducin Photoactivation by Rhodopsin. *Biol. Res.* **1998**, *31*, 59-71.
- (160) Schmitt, J.; Danner, B.; Bayerl, T. M. Polymer Cushions in Supported Phospholipid Bilayers Reduce Significantly the Frictional Drag Between Bilayer and Solid Surface. *Langmuir* **2001**, *17*, 244-246.
- (161) Schurholz, T. Critical Dependence of the Solubilization of Lipid Vesicles by the Detergent CHAPS on the Lipid Composition. Functional Reconstitution of the Nicotinic Acetylcholine Receptor into Preformed Vesicles Above the Critical Micellization Concentration. *Biol. Psychiatry* **1996**, *58*, 87-96.
- (162) Stenlund, P.; Babcock, G. J.; Sodroski, J.; Myszka, D. G. Capture and Reconstitution of G Protein-Coupled Receptors on a Biosensor Surface. *Anal. Biochem.* **2003**, *316*, 243-250.
- (163) Kada, G.; Riener, C. K.; Hinterdorfer, P.; Kienberger, F.; Stoh, C. M.; Gruber, H. J. Dithio-Phospholipids for Biospecific Immobilization of Proteins on Gold Surfaces. *Single Mol.* **2002**, *3*, 119-125.
- (164) Lei, S. B.; Tero, R.; Misawa, N.; Yamamura, S.; Wan, L. J.; Urisu, T. AFM Characterization of Gramicidin-A in Tethered Lipid Membrane on Silicon Surface. *Chem. Phys. Lett.* **2006**, *429*, 244-249.
- (165) Martinez, K. L.; Meyer, B. H.; Hovius, R.; Lundstrom, K.; Vogel, H. Ligand Binding to G Protein-Coupled Receptors in Tethered Cell Membranes. *Langmuir* **2003**, *19*, 10925-10929.
- (166) Tota, M. R.; Daniel, S.; Sirotina, A.; Mazina, K. E.; Fong, T. M.; Longmore, J.; Strader, C. D. Characterization of A Fluorescent Substance-P Analog. *Biochemistry* **1994**, *33*, 13079-13086.
- (167) Zoonens, M.; Giusti, F.; Zito, F.; Popot, J. L. Dynamics of Membrane Protein/Amphipol Association Studied by Forster Resonance Energy Transfer: Implications for in Vitro Studies of Amphipol-Stabilized Membrane Proteins. *Biochemistry* **2007**, *46*, 10392-10404.

- (168) Bayburt, T. H.; Carlson, J. W.; Sligar, S. G. Reconstitution and Imaging of a Membrane Protein in a Nanometer-Size Phospholipid Bilayer. *J. Struct. Biol.* **1998**, *123*, 37-44.
- (169) Ghanouni, P.; Steenhuis, J. J.; Farrens, D. L.; Kobilka, B. K. Agonist-Induced Conformational Changes in the G-Protein-Coupling Domain of the Beta(2) Adrenergic Receptor. *Proc. Natl. Acad. Sci. U. S. A.* **2001**, *98*, 5997-6002.
- (170) Harding, P. J.; Hadingham, T. C.; McDonnell, J. M.; Watts, A. Direct Analysis of a GPCR-Agonist Interaction by Surface Plasmon Resonance. *Eur. Biophys. J. Biophys.* **2006**, *35*, 709-712.
- (171) Oshannessy, D. J.; Dobersen, M. J.; Quarles, R. H. A Novel Procedure for Labeling Immunoglobulins by Conjugation to Oligosaccharide Moieties. *Immunol. Lett.* **1984**, *8*, 273-277.
- (172) Spinke, J.; Liley, M.; Schmitt, F. J.; Guder, H. J.; Angermaier, L.; Knoll, W. Molecular Recognition at Self-Assembled Monolayers - Optimization of Surface Functionalization. *J. Chem. Phys.* **1993**, *99*, 7012-7019.
- (173) Friedrich, M. G.; Giess, F.; Naumann, R.; Knoll, W.; Ataka, K.; Heberle, J.; Hrabakova, J.; Murgida, D. H.; Hildebrandt, P. Active Site Structure and Redox Processes of Cytochrome c Oxidase Immobilised in a Novel Biomimetic Lipid Membrane on an Electrode. *Chem. Commun.* **2004**, 2376-2377.
- (174) Giess, F.; Friedrich, M. G.; Heberle, J.; Naumann, R. L.; Knoll, W. The Protein-Tethered Lipid Bilayer: A Novel Mimic of the Biological Membrane. *Biophys. J.* **2004**, *87*, 3213-3220.
- (175) Waller, A.; Simons, P.; Prossnitz, E. R.; Edwards, B. S.; Sklar, L. A. High Throughput Screening of G-Protein Coupled Receptors Via Flow Cytometry. *Comb. Chem. High Throughput Screen.* **2003**, *6*, 389-397.
- (176) Waller, A.; Simons, P. C.; Biggs, S. M.; Edwards, B. S.; Prossnitz, E. R.; Sklar, L. A. Techniques: GPCR Assembly, Pharmacology and Screening by Flow Cytometry. *Trends Pharmacol. Sci.* **2004**, *25*, 663-669.
- (177) Sklar, L. A.; Vilven, J.; Lynam, E.; Neldon, D.; Bennett, T. A.; Prossnitz, E. Solubilization and Display of G Protein-Coupled Receptors on Beads for Real-Time Fluorescence and Flow Cytometric Analysis. *Biotechniques* **2000**, *28*, 976-+.
- (178) Sklar, L. A.; Simons, P.; Waller, A.; Biggs, S.; Buranda, T.; Foutz, T.; Edwards, B. S.; Prossnitz, E. R. Flow Cytometric Analysis and Modeling of GPCR Assemblies and Their Potential Application in Drug Discovery. *Cytometry Part A* **2004**, *59A*, 94-95.
- (179) Sklar, L. A.; Carter, M. B.; Edwards, B. S. Flow Cytometry for Drug Discovery, Receptor Pharmacology and High-Throughput Screening. *Curr. Opin. Pharmacol.* **2007**, *7*, 527-534.
- (180) Champeil, P.; Menguy, T.; Tribet, C.; Popot, J. L.; Le Maire, M. Protection of Solubilized Sarcoplasmic Reticulum Ca²⁺ Transport ATPase by an Amphipathic Polymer, Amphipol A8-35. *J. Gen. Physiol.* **2000**, *116*, 16A.

-
- (181) Diab, C.; Tribet, C.; Gohon, Y.; Popot, J. L.; Winnik, F. M. Complexation of Integral Membrane Proteins by Phosphorylcholine-Based Amphipols. *Biochimica et Biophysica Acta-Biomembranes* **2007**, *1768*, 2737-2747.
- (182) Wohri, A. B.; Johansson, L. C.; Wadsten-Hindrichsen, P.; Wahlgren, W. Y.; Fischer, G.; Horsefield, R.; Katona, G.; Nyblom, M.; Oberg, F.; Young, G.; Cogdell, R. J.; Fraser, N. J.; Engstrom, S.; Neutze, R. A Lipidic-Sponge Phase Screen for Membrane Protein Crystallization. *Structure* **2008**, *16*, 1003-1009.
- (183) Parsons, M. E. Histamine-Receptors - An Overview. *Scan. J. Gastroenterol.* **1991**, *26*, 46-52.
- (184) Kornienko, O.; Lacson, R.; Kunapuli, P.; Schneeweis, J.; Hoffman, I.; Smith, T.; Alberts, M.; Inglese, J.; Strulovici, B. Miniaturization of Whole Live Cell-Based GPCR Assays Using Microdispensing and Detection Systems. *J. Biomol. Screen.* **2004**, *9*, 186-195.
- (185) Miller, S. G. Discovery of Cytokine Mimics Using Cell-Based Systems. *Drug Discov. Today* **2000**, *5*, S77-S83.
- (186) Klumpp, M.; Scheel, A.; Lopez-Calle, E.; Busch, M.; Murray, K. J.; Pope, A. J. Ligand Binding to Transmembrane Receptors on Intact Cells or Membrane Vesicles Measured in a Homogeneous 1-Microliter Assay Format. *J. Biomol. Screen.* **2001**, *6*, 159-170.
- (187) Terrettaz, S.; Stora, T.; Duschl, C.; Vogel, H. Protein-Binding to Supported Lipid-Membranes - Investigation of the Cholera-Toxin Ganglioside Interaction by Simultaneous Impedance Spectroscopy and Surface-Plasmon Resonance. *Langmuir* **1993**, *9*, 1361-1369.
- (188) Kim, H. S.; Mallik, R.; Hage, D. S. Chromatographic Analysis of Carbamazepine Binding to Human Serum Albumin - II. Comparison of the Schiff Base and N-Hydroxysuccinimide Immobilization Methods. *J. Chromatogr. B Analyt. Technol. Biomed. Life Sci.* **2006**, *837*, 138-146.
- (189) Cooper, M. A. Advances in Membrane Receptor Screening and Analysis. *J. Mol. Recognit.* **2004**, *17*, 286-315.
- (190) Raymond, J. R.; Albers, F. J.; Middleton, J. P.; Lefkowitz, R. J.; Caron, M. G.; Obeid, L. M.; Dennis, V. W. 5-Ht1A and Histamine H1 Receptors in Hela-Cells Stimulate Phosphoinositide Hydrolysis and Phosphate-Uptake Via Distinct G-Protein Pools. *J. Biol. Chem.* **1991**, *266*, 372-379.
- (191) Dalpiaz, A.; Townsend-Nicholson, A.; Beukers, M. W.; Schofield, P. R.; IJzerman, A. P. Thermodynamics of Full Agonist, Partial Agonist, and Antagonist Binding to Wild-Type and Mutant Adenosine A(1) Receptors. *Biochem. Pharmacol.* **1998**, *56*, 1437-1445.
- (192) Smith, P. K.; Krohn, R. I.; Hermanson, G. T.; Mallia, A. K.; Gartner, F. H.; Provenzano, M. D.; Fujimoto, E. K.; Goeke, N. M.; Olson, B. J.; Klenk, D. C. Measurement of Protein Using Bicinchoninic Acid. *Anal. Biochem.* **1985**, *150*, 76-85.
-

- (193) Ratnala, V. R. P.; Swarts, H. G. P.; VanOostrum, J.; Leurs, R.; Degroot, H. J. M.; Bakker, R. A.; Degrip, W. J. Large-Scale Overproduction, Functional Purification and Ligand Affinities of the His-Tagged Human Histamine H1 Receptor. *Eur. J. Biochem.* **2004**, *271*, 2636-2646.
- (194) Cheng, Y.; Prusoff, W. H. Relationship Between Inhibition Constant (K1) and Concentration of Inhibitor Which Causes 50 Per Cent Inhibition (I50) of An Enzymatic-Reaction. *Biochem. Pharmacol.* **1973**, *22*, 3099-3108.
- (195) Lasley, R. D.; Narayan, P.; Uittenbogaard, A.; Smart, E. J. Activated Cardiac Adenosine A(1) Receptors Translocate Out of Caveolae. *J. Biol. Chem.* **2000**, *275*, 4417-4421.
- (196) Gines, S.; Ciruela, F.; Burgueno, J.; Casado, V.; Canela, E. I.; Mallol, J.; Lluís, C.; Franco, R. Involvement of Caveolin in Ligand-Induced Recruitment and Internalization of A(1) Adenosine Receptor and Adenosine Deaminase in an Epithelial Cell Line. *Mol. Pharmacol.* **2001**, *59*, 1314-1323.
- (197) Bakker, R. A.; Schoonus, S. B. J.; Smit, M. J.; Timmerman, H.; Leurs, R. Histamine H-1-Receptor Activation of Nuclear Factor-Kappa B: Roles for G Beta Gamma- and G Alpha(q/11)-Subunits in Constitutive and Agonist-Mediated Signaling. *Mol. Pharmacol.* **2001**, *60*, 1133-1142.
- (198) Carrillo, J. J.; Pediani, J.; Milligan, G. Dimers of Class A G Protein-Coupled Receptors Function Via Agonist-Mediated Trans-Activation of Associated G Proteins. *J. Biol. Chem.* **2003**, *278*, 42578-42587.
- (199) Mochizuki, N.; Urasawa, K.; Sanchez, A.; Insel, P. A. Developmental Regulation of the Alpha-Subunit of G(Q)/G(11) As Determined by Quantitative Immunoblot Analysis. *Biochem. Biophys. Res. Commun.* **1995**, *210*, 246-252.
- (200) Elz, S.; Kramer, K.; Pertz, H. H.; Detert, H.; ter Laak, A. M.; Kuhne, R.; Schunack, W. Histaprodifens: Synthesis, Pharmacological in Vitro Evaluation, and Molecular Modeling of a New Class of Highly Active and Selective Histamine H-1-Receptor Agonists. *J. Med. Chem.* **2000**, *43*, 1071-1084.
- (201) Jongejan, A.; Leurs, R. Delineation of Receptor-Ligand Interactions at the Human Histamine H-1 Receptor by a Combined Approach of Site-Directed Mutagenesis and Computational Techniques - or - How to Bind the H-1 Receptor. *Arch. Pharm.* **2005**, *338*, 248-259.
- (202) Ng, W.; Dai, J. R.; Slon-Usakiewicz, J. J.; Redden, P. R.; Pasternak, A.; Reid, N. Automated Multiple Ligand Screening by Frontal Affinity Chromatography-Mass Spectrometry (FAC-MS). *J. Biomol. Screen.* **2007**, *12*, 167-174.
- (203) Lewis, L. M.; Engle, L. J.; Pierceall, W. E.; Hughes, D. E.; Shaw, K. J. Affinity Capillary Electrophoresis for the Screening of Novel Antimicrobial Targets. *J. Biomol. Screen.* **2004**, *9*, 303-308.
- (204) Overington, J. P.; Al Lazikani, B.; Hopkins, A. L. Opinion - How Many Drug Targets Are There? *Nat. Rev. Drug Discov.* **2006**, *5*, 993-996.

-
- (205) Marquardsen, T.; Hofmann, M.; Hollander, J. G.; Loch, C. M. P.; Kiihne, S. R.; Engelke, F.; Siegal, G. Development of a Dual Cell, Flow-Injection Sample Holder, and NMR Probe for Comparative Ligand-Binding Studies. *J. Magn. Reson.* **2006**, *182*, 55-65.
- (206) Murali, N.; Miller, W. M.; John, B. K.; Avizonis, D. A.; Smallcombe, S. H. Spectral Unraveling by Space-Selective Hadamard Spectroscopy. *J. Magn. Reson.* **2006**, *179*, 182-189.
- (207) Siegal, G.; Ab, E.; Schultz, J. Integration of Fragment Screening and Library Design. *Drug Discov. Today* **2007**, *12*, 1032-1039.
- (208) Babaoglu, K.; Shoichet, B. K. Deconstructing Fragment-Based Inhibitor Discovery. *Nat. Chem. Biol.* **2006**, *2*, 720-723.
- (209) Jacoby, E.; Davies, J.; Blommers, M. J. J. Design of Small Molecule Libraries for NMR Screening and Other Applications in Drug Discovery. *Curr. Top. Med. Chem.* **2003**, *3*, 11-23.
- (210) Carney, S. Steve Carney Talks to Mark Ashton and Mark Whittaker About Evotec and Their Approach to Fragment-Based Drug Discovery. *Drug Discov. Today* **2007**, *12*, 789-793.
- (211) Hajduk, P. J.; Huth, J. R.; Fesik, S. W. Druggability Indices for Protein Targets Derived From NMR-Based Screening Data. *J. Med. Chem.* **2005**, *48*, 2518-2525.
- (212) Klein, J.; Meinecke, R.; Mayer, M.; Meyer, B. Detecting Binding Affinity to Immobilized Receptor Proteins in Compound Libraries by HR-MAS STD NMR. *J. Am. Chem. Soc.* **1999**, *121*, 5336-5337.
- (213) Nordin, H.; Jungnelius, M.; Karlsson, R.; Karlsson, O. P. Kinetic Studies of Small Molecule Interactions With Protein Kinases Using Biosensor Technology. *Anal. Biochem.* **2005**, *340*, 359-368.
- (214) Haselhorst, T.; Munster-Kuhnel, A. K.; Oschlies, M.; Tiralongo, J.; Gerardy-Schahn, R.; von Itzstein, M. Direct Detection of Ligand Binding to Sepharose-Immobilised Protein Using Saturation Transfer Double Difference (STDD) NMR Spectroscopy. *Biochem. Biophys. Res. Commun.* **2007**, *359*, 866-870.
- (215) Klammt, C.; Schwarz, D.; Eifler, N.; Engel, A.; Piehler, J.; Haase, W.; Hahn, S.; Dotsch, V.; Bernhard, F. Cell-Free Production of G Protein-Coupled Receptors for Functional and Structural Studies (Vol 158, Pg 482, 2007). *J. Struct. Biol.* **2007**, *159*, 194-205.
- (216) Park, S. H.; Prytulla, S.; De Angelis, A. A.; Brown, J. M.; Kiefer, H.; Opella, S. J. High-Resolution NMR Spectroscopy of a GPCR in Aligned Bicelles. *J. Am. Chem. Soc.* **2006**, *128*, 7402-7403.
- (217) Parker, E. M.; Kameyama, K.; Higashijima, T.; Ross, E. M. Reconstitutively Active G-Protein-Coupled Receptors Purified From Baculovirus-Infected Insect Cells. *J. Biol. Chem.* **1991**, *266*, 519-527.

- (218) Kaushal, S.; Ridge, K. D.; Khorana, H. G. Structure and Function in Rhodopsin - the Role of Asparagine-Linked Glycosylation. *Proc. Natl. Acad. Sci. U. S. A.* **1994**, *91*, 4024-4028.
- (219) Akermoun, M.; Koglin, M.; Zvalova-Iooss, D.; Folschweiller, N.; Dowell, S. J.; Gearing, K. L. Characterization of 16 Human G Protein-Coupled Receptors Expressed in Baculovirus-Infected Insect Cells. *Protein Expr. Purif.* **2005**, *44*, 65-74.
- (220) Hassaine, G.; Wagner, R.; Kempf, J.; Cherouati, N.; Hassaine, N.; Prual, C.; Andre, N.; Reinhart, C.; Pattus, F.; Lundstrom, K. Semliki Forest Virus Vectors for Overexpression of 101 G Protein-Coupled Receptors in Mammalian Host Cells. *Protein Expr. Purif.* **2006**, *45*, 343-351.
- (221) Heginbotham, L.; Odessey, E.; Miller, C. Tetrameric Stoichiometry of a Prokaryotic K⁺ Channel. *Biochemistry* **1997**, *36*, 10335-10342.
- (222) Kleinschmidt, J. H.; Wiener, M. C.; Tamm, L. K. Outer Membrane Protein A of E-Coli Folds into Detergent Micelles, but Not in the Presence of Monomeric Detergent. *Protein Sci.* **1999**, *8*, 2065-2071.
- (223) Girvin, M. E.; Fillingame, R. H. Helical Structure and Folding of Subunit-C of F(1)F(0) Atp Synthase - H-1-Nmr Resonance Assignments and Noe Analysis. *Biochemistry* **1993**, *32*, 12167-12177.
- (224) Taylor, R. M.; Zakharov, S. D.; Heymann, J. B.; Girvin, M. E.; Cramer, W. A. Folded State of the Integral Membrane Colicin E1 Immunity Protein in Solvents of Mixed Polarity. *Biochemistry* **2000**, *39*, 12131-12139.
- (225) Arora, A.; Tamm, L. K. Biophysical Approaches to Membrane Protein Structure Determination. *Curr. Opin. Struct. Biol.* **2001**, *11*, 540-547.
- (226) Struppe, J.; Vold, R. R. Dilute Bicellar Solutions for Structural NMR Work. *J. Magn. Reson.* **1998**, *135*, 541-546.
- (227) Opella, S. J.; Kim, Y.; McDonnell, P. Experimental Nuclear-Magnetic-Resonance Studies of Membrane-Proteins. *Nuclear Magnetic Resonance, Pt C* **1994**, *239*, 536-560.
- (228) Schmidt, E. K.; Liebermann, T.; Kreiter, M.; Jonczyk, A.; Naumann, R.; Offenhausser, A.; Neumann, E.; Kukul, A.; Maelicke, A.; Knoll, W. Incorporation of the Acetylcholine Receptor Dimer From *Torpedo Californica* in a Peptide Supported Lipid Membrane Investigated by Surface Plasmon and Fluorescence Spectroscopy. *Biosens. Bioelectron.* **1998**, *13*, 585-591.
- (229) Neumann, L.; Wohland, T.; Whelan, R. J.; Zare, R. N.; Kobilka, B. K. Functional Immobilization of a Ligand-Activated G-Protein-Coupled Receptor. *Chembiochem* **2002**, *3*, 993-998.
- (230) Nollert, P.; Kiefer, H.; Jahnig, F. Lipid Vesicle Adsorption Versus Formation of Planar Bilayers on Solid-Surfaces. *Biophys. J.* **1995**, *69*, 1447-1455.
- (231) Stenlund, P.; Babcock, G. J.; Sodroski, J.; Myszka, D. G. Capture and Reconstitution of G Protein-Coupled Receptors on a Biosensor Surface. *Anal. Biochem.* **2003**, *316*, 243-250.

-
- (232) Ratnala, V. R. P.; Kiihne, S. R.; Buda, F.; Leurs, R.; de Groot, H. J. M.; Degrip, W. J. Solid-State NMR Evidence for a Protonation Switch in the Binding Pocket of the H1 Receptor Upon Binding of the Agonist Histamine. *J. Am. Chem. Soc.* **2007**, *129*, 867-872.
- (233) Baldus, M. Molecular Interactions Investigated by Multi-Dimensional Solid-State NMR. *Curr. Opin. Struct. Biol.* **2006**, *16*, 618-623.
- (234) Tamm, L. K.; Liang, B. Y. NMR of Membrane Proteins in Solution. *Prog. Nucl. Mag. Res. Sp.* **2006**, *48*, 201-210.
- (235) Wang, B.; Westerhoff, L. M.; Merz, K. M. A Critical Assessment of the Performance of Protein-Ligand Scoring Functions Based on NMR Chemical Shift Perturbations. *J. Med. Chem.* **2007**, *50*, 5128-5134.
- (236) Medek, A.; Hajduk, P. J.; Mack, J.; Fesik, S. W. The Use of Differential Chemical Shifts for Determining the Binding Site Location and Orientation of Protein-Bound Ligands. *J. Am. Chem. Soc.* **2000**, *122*, 1241-1242.
- (237) Pellecchia, M.; Bertini, I.; Cowburn, D.; Dalvit, C.; Giralt, E.; Jahnke, W.; James, T. L.; Homans, S. W.; Kessler, H.; Luchinat, C.; Meyer, B.; Oschkinat, H.; Peng, J.; Schwalbe, H.; Siegal, G. Perspectives on NMR in Drug Discovery: a Technique Comes of Age. *Nat. Rev. Drug Discov.* **2008**, *7*, 738-745.
- (238) Pintacuda, G.; John, M.; Su, X. C.; Otting, G. NMR Structure Determination of Protein-Ligand Complexes by Lanthanide Labeling. *Acc. Chem. Res.* **2007**, *40*, 206-212.
- (239) Hajduk, P. J.; Meadows, R. P.; Fesik, S. W. Drug Design - Discovering High-Affinity Ligands for Proteins. *Science* **1997**, *278*, 497-&.
- (240) Inaba, K.; Ito, K. Paradoxical Redox Properties of DsbB and DsbA in the Protein Disulfide-Introducing Reaction Cascade. *EMBO J.* **2002**, *21*, 2646-2654.
- (241) Lasica, A. M.; Jagusztyn-Krynicka, E. K. The Role of Dsb Proteins of Gram-Negative Bacteria in the Process of Pathogenesis. *FEMS Microbiol. Rev.* **2007**, *31*, 626-636.
- (242) Jander, G.; Martin, N. L.; Beckwith, J. 2 Cysteines in Each Periplasmic Domain of the Membrane-Protein Dsbb Are Required for Its Function in Protein Disulfide Bond Formation. *EMBO J.* **1994**, *13*, 5121-5127.
- (243) Bardwell, J. C. A.; Lee, J. O.; Jander, G.; Martin, N.; Belin, D.; Beckwith, J. A Pathway for Disulfide Bond Formation Invivo. *Proc. Natl. Acad. Sci. U. S. A.* **1993**, *90*, 1038-1042.
- (244) Regeimbal, J.; Bardwell, J. C. A. DsbB Catalyzes Disulfide Bond Formation De Novo. *J. Biol. Chem.* **2002**, *277*, 32706-32713.
- (245) Kadokura, H.; Bader, M.; Tian, H. P.; Bardwell, J. C. A.; Beckwith, J. Roles of a Conserved Arginine Residue of DsbB in Linking Protein Disulfide-Bond-Formation Pathway to the Respiratory Chain of Escherichia Coli. *Proc. Natl. Acad. Sci. U. S. A.* **2000**, *97*, 10884-10889.
-

- (246) Kadokura, H.; Beckwith, J. Four Cysteines of the Membrane Protein DsbB Act in Concert to Oxidize Its Substrate DsbA. *EMBO J.* **2002**, *21*, 2354-2363.
- (247) Aronov, A. M.; McClain, B.; Moody, C. S.; Murcko, M. A. Kinase-Likeness and Kinase-Privileged Fragments: Toward Virtual Polypharmacology. *J. Med. Chem.* **2008**, *51*, 1214-1222.
- (248) Nath, A.; Atkins, W. M.; Sligar, S. G. Applications of Phospholipid Bilayer Nanodiscs in the Study of Membranes and Membrane Proteins. *Biochemistry* **2007**, *46*, 2059-2069.
- (249) Denisov, I. G.; Grinkova, Y. V.; Lazarides, A. A.; Sligar, S. G. Directed Self-Assembly of Monodisperse Phospholipid Bilayer Nanodiscs With Controlled Size. *J. Am. Chem. Soc.* **2004**, *126*, 3477-3487.
- (250) Katzen, F.; Fletcher, J. E.; Yang, J. P.; Kang, D.; Peterson, T. C.; Cappuccio, J. A.; Blanchette, C. D.; Sulchek, T.; Chromy, B. A.; Hoepflich, P. D.; Coleman, M. A.; Kudlicki, W. Insertion of Membrane Proteins into Discoidal Membranes Using a Cell-Free Protein Expression Approach. *J. Proteome Res.* **2008**, *7*, 3535-3542.
- (251) Baas, B. J.; Denisov, I. G.; Sliger, S. G. Homotropic Cooperativity of Monomeric Cytochrome P450 3A4 in a Nanoscale Native Bilayer Environment. *Arch. Biochem. Biophys.* **2004**, *430*, 218-228.
- (252) Früh, V.; Zhou, Y.; Loch, C.; Ab, E.; Verheij, H.; Bushweller, J. H.; Siegal, G. Application of Fragment Based Drug Discovery to Identify Inhibitors of the Integral Membrane Enzyme DsbB. *Manuscript in preparation* **2009**.
- (253) Li, H. L.; Sui, H. X.; Ghanshani, S.; Lee, S.; Walian, P. J.; Wu, C. L.; Chandy, K. G.; Jap, B. K. Two-Dimensional Crystallization and Projection Structure of KcsA Potassium Channel. *J. Mol. Biol.* **1998**, *282*, 211-216.
- (254) Bayburt, T. H.; Grinkova, Y. V.; Sligar, S. G. Self-Assembly of Discoidal Phospholipid Bilayer Nanoparticles With Membrane Scaffold Proteins. *Nano Letters* **2002**, *2*, 853-856.
- (255) Cooper, M. A.; Williams, D. H. Kinetic Analysis of Antibody-Antigen Interactions at a Supported Lipid Monolayer. *Anal. Biochem.* **1999**, *276*, 36-47.
- (256) Goblyos, A.; IJzerman, A. P. Allosteric Modulation of Adenosine Receptors. *Purinergic Signal.* **2009**, *5*, 51-61.
- (257) Bockaert, J.; Roussignol, G.; Becamel, C.; Gavarini, S.; Joubert, L.; Dumuis, A.; Fagni, L.; Marin, P. GPCR-Interacting Proteins (GIPs): Nature and Functions. *Biochem. Soc. Trans.* **2004**, *32*, 851-855.
- (258) Daulat, A. M.; Maurice, P.; Jockers, R. Recent Methodological Advances in the Discovery of GPCR-Associated Protein Complexes. *Trends Pharmacol. Sci.* **2009**, *30*, 72-78.
- (259) Monk, P. N.; Scola, A. M.; Madala, P.; Fairlie, D. P. Function, Structure and Therapeutic Potential of Complement C5a Receptors. *Br. J. Pharmacol.* **2007**, *152*, 429-448.

- (260) Wohri, A. B.; Johansson, L. C.; Wadsten-Hindrichsen, P.; Wahlgren, W. Y.; Fischer, G.; Horsefield, R.; Katona, G.; Nyblom, M.; Oberg, F.; Young, G.; Cogdell, R. J.; Fraser, N. J.; Engstrom, S.; Neutze, R. A Lipidic-Sponge Phase Screen for Membrane Protein Crystallization. *Structure* **2008**, *16*, 1003-1009.
- (261) Magnani, F.; Shibata, Y.; Serrano-Vega, M. J.; Tate, C. G. Co-Evolving Stability and Conformational Homogeneity of the Human Adenosine A(2a) Receptor. *Proc. Natl. Acad. Sci. U. S. A.* **2008**, *105*, 10744-10749.
- (262) Bayburt, T. H.; Grinkova, Y. V.; Sligar, S. G. Assembly of Single Bacteriorhodopsin Trimers in Bilayer Nanodiscs. *Arch. Biochem. Biophys.* **2006**, *450*, 215-222.
- (263) Pin, J. P.; Kniazeff, J.; Goudet, C.; Bessis, A. S.; Liu, J.; Galvez, T.; Acher, F.; Rondard, P.; Prezeau, L. The Activation Mechanism of Class-C G-Protein Coupled Receptors. *Biol. Cell.* **2004**, *96*, 335-342.
- (264) Borch, J.; Torta, F.; Sligar, S. G.; Roepstorff, P. Nanodiscs for Immobilization of Lipid Bilayers and Membrane Receptors: Kinetic Analysis of Cholera Toxin Binding to a Glycolipid Receptor. *Anal. Chem.* **2008**, *80*, 6245-6252.
- (265) Guo, Y. Z.; Li, M. L.; Lu, M. C.; Wen, Z. N.; Huang, Z. T. Predicting G-Protein Coupled Receptors-G-Protein Coupling Specificity Based on Autocross-Covariance Transform. *Proteins: Struct. Funct. Bioinf.* **2006**, *65*, 55-60.
- (266) Sgourakis, N. G.; Bagos, P. G.; Papasaikas, P. K.; Hamodrakas, S. J. A Method for the Prediction of GPCRs Coupling Specificity to G-Proteins Using Refined Profile Hidden Markov Models. *Bmc Bioinformatics* **2005**, *6*.
- (267) Sankar, P.; Cho, M. K.; Condit, C. M.; Hunt, L. M.; Koenig, B.; Marshall, P.; Lee, S. S. J.; Spicer, P. Genetic Research and Health Disparities. *JAMA* **2004**, *291*, 2985-2989.
- (268) Sankar, R. Teratogenicity of Antiepileptic Drugs: Role of Drug Metabolism and Pharmacogenomics. *Acta Neurol. Scand.* **2007**, *116*, 65-71.
- (269) Sebolt-Leopold, J. S.; English, J. M. Mechanisms of Drug Inhibition of Signalling Molecules. *Nature* **2006**, *441*, 457-462.
- (270) Petrelli, A.; Giordano, S. From Single- to Multi-Target Drugs in Cancer Therapy: When Aspecificity Becomes an Advantage. *Curr. Med. Chem.* **2008**, *15*, 422-432.
- (271) Zunder, E. R.; Knight, Z. A.; Houseman, B. T.; Apsel, B.; Shokat, K. M. Discovery of Drug-Resistant and Drug-Sensitizing Mutations in the Oncogenic PI3K Isoform P110 Alpha. *Cancer Cell* **2008**, *14*, 180-192.
- (272) Anderson, E.; Cole, J. L. Domain Stabilities in Protein Kinase R (PKR): Evidence for Weak Interdomain Interactions. *Biochemistry* **2008**, *47*, 4887-4897.

- (273) Levin, A. M.; Coroneus, J. G.; Cocco, M. J.; Weiss, G. A. Exploring the Interaction Between the Protein Kinase A Catalytic Subunit and Caveolin-1 Scaffolding Domain With Shotgun Scanning, Oligomer Complementation, NMR, and Docking. *Protein Sci.* **2006**, *15*, 478-486.
- (274) Al Jadir, L.; El Moukaddem, F.; Diab, K. F2/XML: Navigating Through Linked XML Documents. *Lect. Notes Comput. Sc.* **2004**, *3180*, 822-833.
- (275) Jentsch, A.; Andersson, B.; Hassanzadeh, O.; Stephens, S.; Bizer, C. Enabling Tailored Therapeutics With Linked Data. In: *Linked Data on the Web workshop at WWW2009* **2009**, http://events.linkeddata.org/ldow2009/papers/ldow2009_paper9.pdf.